
Hui-Liang Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5591182/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Short-Term Rosuvastatin Therapy for Prevention of Contrast-Induced Acute Kidney Injury in Patients With Diabetes and Chronic Kidney Disease. Journal of the American College of Cardiology, 2014, 63, 62-70.	2.8	188
2	AuNP–Collagen Matrix with Localized Stiffness for Cardiacâ€Tissue Engineering: Enhancing the Assembly of Intercalated Discs by β1â€Integrinâ€Mediated Signaling. Advanced Materials, 2016, 28, 10230-10235.	21.0	70
3	A Randomized Trial Comparing the NeoVas Sirolimus-Eluting BioresorbableÂScaffold and MetallicÂEverolimus-Eluting Stents. JACC: Cardiovascular Interventions, 2018, 11, 260-272.	2.9	35
4	Comparison of two large earthquakes in China: the 2008 Sichuan Wenchuan Earthquake and the 2013 Sichuan Lushan Earthquake. Natural Hazards, 2014, 73, 1127-1136.	3.4	31
5	Administration of a Loading Dose of Atorvastatin Before Percutaneous Coronary Intervention Prevents Inflammation and Reduces Myocardial Injury in STEMI Patients: A Randomized Clinical Study. Clinical Therapeutics, 2013, 35, 261-272.	2.5	26
6	Impact of StentBoost subtract imaging on patient radiation exposure during percutaneous coronary intervention. International Journal of Cardiovascular Imaging, 2013, 29, 1207-1213.	1.5	14
7	Stent Boost Subtract Imaging for the Assessment of Optimal Stent Deployment in Coronary Ostial Lesion Intervention. International Heart Journal, 2015, 56, 37-42.	1.0	13
8	Carbon Nanohorns Promote Maturation of Neonatal Rat Ventricular Myocytes and Inhibit Proliferation of Cardiac Fibroblasts: a Promising Scaffold for Cardiac Tissue Engineering. Nanoscale Research Letters, 2016, 11, 284.	5.7	13
9	Association of Mannose-binding Lectin Polymorphisms with Tuberculosis Susceptibility among Chinese. Scientific Reports, 2016, 6, 36488.	3.3	12
10	Safety and efficacy of the novel sirolimusâ€eluting bioresorbable scaffold for the treatment of de novo coronary artery disease: Oneâ€year results from a prospective patientâ€level pooled analysis of NeoVas trials. Catheterization and Cardiovascular Interventions, 2019, 93, 832-838.	1.7	12
11	Study of the effect of atorvastatin on the interaction between ICAM-1 and CD11b by live-cell single-molecule force spectroscopy. Science China Chemistry, 2010, 53, 752-758.	8.2	11
12	The Chinese national emergency medical rescue team response to the Sichuan Lushan earthquake. Natural Hazards, 2013, 69, 2263-2268.	3.4	11
13	The safety and effectiveness of bivalirudin in female patients with acute myocardial infarction undergoing primary angioplasty: A subgroup analysis of the BRIGHT trial. Catheterization and Cardiovascular Interventions, 2016, 87, 608-615.	1.7	10
14	Randomized study on the safety and efficacy of dual-axis rotational versus standard coronary angiography in. Chinese Medical Journal, 2012, 125, 1016-22.	2.3	10
15	Comparison of radiation dose to operator between transradial and transfemoral coronary angiography with optimised radiation protection: a phantom study. Radiation Protection Dosimetry, 2014, 158, 412-420.	0.8	9
16	Role of ICAM-1 polymorphisms (G241R, K469E) in mediating its single-molecule binding ability: Atomic force microscopy measurements on living cells. Biochemical and Biophysical Research Communications, 2014, 448, 372-378.	2.1	9
17	Five-year outcomes of ST-elevation myocardial infarction versus non-ST-elevation acute coronary syndrome treated with biodegradable polymer-coated sirolimus-eluting stents: Insights from the CREATE trial. Journal of Cardiology, 2017, 69, 149-155.	1.9	8
18	Dualâ€∎xis rotational coronary angiography can reduce peak skin dose and scattered dose: a phantom study. Journal of Applied Clinical Medical Physics, 2014, 15, 326-334.	1.9	6

Hui-Liang Liu

#	Article	IF	CITATIONS
19	Antiplatelet Effect of Different Loading Doses of Ticagrelor in Patients With Non–ST-Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: The APELOT Trial. Canadian Journal of Cardiology, 2017, 33, 1675-1682.	1.7	6
20	Effect of cigarette smoke extract and nicotine on the expression of thrombomodulin and endothelial protein C receptor in cultured human umbilical vein endothelial cells. Molecular Medicine Reports, 2017, 17, 1724-1730.	2.4	5
21	Correlation between dual-axis rotational coronary angiography and intravascular ultrasound in a coronary lesion assessment. International Journal of Cardiovascular Imaging, 2017, 33, 153-160.	1.5	4
22	Impact of smoking and smoking cessation on arterial stiffness in healthy individuals. Heart, 2011, 97, A107-A107.	2.9	2
23	Design and Rationale of the APELOT Trial. Medicine (United States), 2016, 95, e3756.	1.0	2
24	Efficacy and safety of a secondâ€generation biodegradable polymer sirolimusâ€eluting stent: Oneâ€year results of the <scp>CREDIT</scp> 2 trial. Cardiovascular Therapeutics, 2018, 36, e12327.	2.5	2
25	Predictive value of soluble suppression of tumourigenicity 2 on myocardial reperfusion. Internal Medicine Journal, 2020, 50, 985-992.	0.8	2
26	Occurrence of composite cardiac endpoints with change in resting heart rate among Chinese patients with coronary artery disease: Chinese cohort from the real-world BISO-CAD study. Current Medical Research and Opinion, 2018, 34, 1921-1926.	1.9	1
27	Comparison of diagnostic accuracy of dual-axis rotational versus standard coronary angiography. International Journal of Cardiovascular Imaging, 2020, 36, 187-195.	1.5	1
28	Coronary plaque characterization of nonculprit or nontarget lesions assessed by analysis of in vivo intracoronary ultrasound radio-frequency data. Chinese Medical Journal, 2009, 122, 622-6.	2.3	0
29	Long-term effects of biodegradable versus durable polymer-coated sirolimus-eluting stents on coronary arterial wall morphology assessed by virtual histology intravascular ultrasound. Chinese	2.3	О