Natalie E Zlebnik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5593326/publications.pdf

Version: 2024-02-01

361413 477307 30 917 20 29 citations h-index g-index papers 31 31 31 908 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Sex Differences in Opioid and Psychostimulant Craving and Relapse: A Critical Review. Pharmacological Reviews, 2022, 74, 119-140. | 16.0 | 72 |
| 2 | Age-specific treatment effects of orexin/hypocretin-receptor antagonism on methamphetamine-seeking behavior. Drug and Alcohol Dependence, 2021, 224, 108719. | 3.2 | 14 |
| 3 | Cocaine-induced increases in motivation require 2-arachidonoylglycerol mobilization and CB1 receptor activation in the ventral tegmental area. Neuropharmacology, 2021, 193, 108625. | 4.1 | 4 |
| 4 | Females pay a higher price for addiction. Neuropsychopharmacology, 2019, 44, 1179-1181. | 5.4 | 11 |
| 5 | Motivational Impairment is Accompanied by Corticoaccumbal Dysfunction in the BACHD-Tg5 Rat Model of Huntington's Disease. Cerebral Cortex, 2019, 29, 4763-4774. | 2.9 | 3 |
| 6 | Cannabinoid receptor-1 signaling contributions to sign-tracking and conditioned reinforcement in rats. Psychopharmacology, 2018, 235, 3031-3043. | 3.1 | 19 |
| 7 | Cocaine-induced reward enhancement measured with intracranial self-stimulation in rats bred for low versus high saccharin intake. Behavioural Pharmacology, 2016, 27, 133-136. | 1.7 | 7 |
| 8 | Sex differences in reinstatement of cocaine-seeking with combination treatments of progesterone and atomoxetine. Pharmacology Biochemistry and Behavior, 2016, 145, 17-23. | 2.9 | 25 |
| 9 | Compromised Dopaminergic Encoding of Reward Accompanying Suppressed Willingness to Overcome High Effort Costs Is a Prominent Prodromal Characteristic of the Q175 Mouse Model of Huntington's Disease. Journal of Neuroscience, 2016, 36, 4993-5002. | 3.6 | 29 |
| 10 | Drug-Induced Alterations of Endocannabinoid-Mediated Plasticity in Brain Reward Regions. Journal of Neuroscience, 2016, 36, 10230-10238. | 3.6 | 52 |
| 11 | Endocannabinoid Regulation of Cocaine Reinforcement: an Upper or Downer?. Neuropsychopharmacology, 2016, 41, 2189-2191. | 5.4 | 1 |
| 12 | Beyond the CB1 Receptor: Is Cannabidiol the Answer for Disorders of Motivation?. Annual Review of Neuroscience, 2016, 39, 1-17. | 10.7 | 53 |
| 13 | Estradiol Facilitation of Cocaine Self-Administration in Female Rats Requires Activation of mGluR5. ENeuro, 2016, 3, ENEURO.0140-16.2016. | 1.9 | 54 |
| 14 | Intracranial self-stimulation reward thresholds during morphine withdrawal in rats bred for high (HiS) and low (LoS) saccharin intake. Brain Research, 2015, 1602, 119-126. | 2.2 | 21 |
| 15 | Prevention of the incubation of cocaine seeking by aerobic exercise in female rats. Psychopharmacology, 2015, 232, 3507-3513. | 3.1 | 40 |
| 16 | Cocaine withdrawal in rats selectively bred for low (LoS) versus high (HiS) saccharin intake. Pharmacology Biochemistry and Behavior, 2015, 129, 51-55. | 2.9 | 9 |
| 17 | Effects of the combination of wheel running and atomoxetine on cue- and cocaine-primed reinstatement in rats selected for high or low impulsivity. Psychopharmacology, 2015, 232, 1049-1059. | 3.1 | 26 |
| 18 | Chronic wheel running affects cocaine-induced c-Fos expression in brain reward areas in rats. Behavioural Brain Research, 2014, 261, 71-78. | 2.2 | 30 |

| # | Article | lF | CITATION |
|----|---|-----|----------|
| 19 | Long-Term Reduction of Cocaine Self-Administration in Rats Treated with Adenoviral Vector-Delivered Cocaine Hydrolase: Evidence for Enzymatic Activity. Neuropsychopharmacology, 2014, 39, 1538-1546. | 5.4 | 20 |
| 20 | Cocaine-, caffeine-, and stress-evoked cocaine reinstatement in high vs. low impulsive rats: Treatment with allopregnanolone. Drug and Alcohol Dependence, 2014, 143, 58-64. | 3.2 | 20 |
| 21 | Effects of combined exercise and progesterone treatments on cocaine seeking in male and female rats. Psychopharmacology, 2014, 231, 3787-3798. | 3.1 | 39 |
| 22 | Differential orexin/hypocretin expression in addiction-prone and -resistant rats selectively bred for high (HiS) and low (LoS) saccharin intake. Neuroscience Letters, 2012, 522, 12-15. | 2.1 | 9 |
| 23 | Escalation of methamphetamine self-administration in adolescent and adult rats. Drug and Alcohol Dependence, 2012, 124, 149-153. | 3.2 | 44 |
| 24 | Cocaine Hydrolase Encoded in Viral Vector Blocks the Reinstatement of Cocaine Seeking in Rats for 6 Months. Biological Psychiatry, 2012, 71, 700-705. | 1.3 | 32 |
| 25 | Exercise to reduce the escalation of cocaine self-administration in adolescent and adult rats. Psychopharmacology, 2012, 224, 387-400. | 3.1 | 46 |
| 26 | Responding during signaled availability and nonavailability of iv cocaine and food in rats: age and sex differences. Psychopharmacology, 2011, 215, 785-799. | 3.1 | 40 |
| 27 | Reduction of extinction and reinstatement of cocaine seeking by wheel running in female rats. Psychopharmacology, 2010, 209, 113-125. | 3.1 | 68 |
| 28 | Differential effects of allopregnanolone on the escalation of cocaine self-administration and sucrose intake in female rats. Psychopharmacology, 2010, 212, 419-429. | 3.1 | 30 |
| 29 | Effects of allopregnanolone on the reinstatement of cocaine-seeking behavior in male and female rats. Psychopharmacology, 2009, 203, 63-72. | 3.1 | 73 |
| 30 | Performance under a Go/No-go task in rats selected for high and low impulsivity with a | 1.7 | 22 |