## Sung-Hyuk Choi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5595742/publications.pdf

Version: 2024-02-01

66 879 16 26
papers citations h-index g-index

66 66 1261
all docs docs citations times ranked citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Biomarker Analysis for Combination Therapy of Vitamin C and Thiamine in Septic Shock: A Post-Hoc Study of the ATESS Trial. Shock, 2022, 57, 81-87.   | 2.1 | 3         |
| 2  | Prognostic factors for late death in septic shock survivors: a multi-center, prospective, registry-based observational study. Internal and Emergency Medicine, 2022, 17, 865-871.  | 2.0 | 4         |
| 3  | The impacts of oxygen and pentoxifylline in hypoxic condition. European Journal of Inflammation, 2022, 20, 205873922110565.  | 0.5 | O         |
| 4  | Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock. Critical Care, 2022, 26, 43.  | 5.8 | 9         |
| 5  | Ambient PM Concentrations as a Precursor of Emergency Visits for Respiratory Complaints: Roles of Deep Learning and Multi-Point Real-Time Monitoring. Sustainability, 2022, 14, 2703.  | 3.2 | 1         |
| 6  | A quick Sequential Organ Failure Assessment–negative result at triage is associated with low compliance with sepsis bundles: a retrospective analysis of a multicenter prospective registry. Clinical and Experimental Emergency Medicine, 2022, 9, 84-92. | 1.6 | 5         |
| 7  | Diagnostic accuracy of lactate levels after initial fluid resuscitation as a predictor for 28Âday<br>mortality in septic shock. American Journal of Emergency Medicine, 2021, 46, 392-397.   | 1.6 | 1         |
| 8  | Impact of 1-Hour Bundle Achievement in Septic Shock. Journal of Clinical Medicine, 2021, 10, 527.  | 2.4 | 5         |
| 9  | Effect of rapid fluid administration on the prognosis of septic shock patients with isolated hyperlactatemia: A prospective multicenter observational study. Journal of Critical Care, 2021, 66, 154-159.  | 2.2 | 1         |
| 10 | Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. American Journal of Medicine, 2020, 133, 485-491.e4.   | 1.5 | 19        |
| 11 | Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. Intensive Care Medicine, 2020, 46, 2015-2025.   | 8.2 | 105       |
| 12 | Development and validation of the VitaL CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. BMC Medicine, 2020, 18, 390.                           | 5.5 | 9         |
| 13 | Comparison of traumatic brain injury patients with brain computed tomography in the emergency department by age group. Clinical and Experimental Emergency Medicine, 2020, 7, 81-86.   | 1.6 | 6         |
| 14 | Assessing the severity of pulmonary embolism among patients in the emergency department: Utility of RV/LV diameter ratio. PLoS ONE, 2020, 15, e0242340.  | 2.5 | 9         |
| 15 | Prognostic performance of disease severity scores in patients with septic shock presenting to the emergency department. American Journal of Emergency Medicine, 2019, 37, 1054-1059.   | 1.6 | 3         |
| 16 | Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. Trials, 2019, 20, 420.  | 1.6 | 18        |
| 17 | Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. Journal of Clinical Medicine, 2019, 8, 102.  | 2.4 | 41        |
| 18 | Impact of timing to source control in patients with septic shock: A prospective multi-center observational study. Journal of Critical Care, 2019, 53, 176-182.   | 2.2 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Clinical Value of Whole Blood Procalcitonin Using Point of Care Testing, Quick Sequential Organ Failure Assessment Score, C-Reactive Protein and Lactate in Emergency Department Patients with Suspected Infection. Journal of Clinical Medicine, 2019, 8, 833. | 2.4 | 8         |
| 20 | Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. PLoS ONE, 2019, 14, e0217857.  | 2.5 | 8         |
| 21 | The usefulness of C-reactive protein and procalcitonin to predict prognosis in septic shock patients: A multicenter prospective registry-based observational study. Scientific Reports, 2019, 9, 6579.  | 3.3 | 49        |
| 22 | Prognostic Value of The Lactate/Albumin Ratio for Predicting 28-Day Mortality in Critically ILL Sepsis Patients. Shock, 2018, 50, 545-550.  | 2.1 | 53        |
| 23 | Understanding the characteristics of recurrent visits to the emergency department by paediatric patients: a retrospective observational study conducted at three tertiary hospitals in Korea. BMJ Open, 2018, 8, e018208.                                       | 1.9 | 10        |
| 24 | Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. Critical Care, 2018, 22, 47.  | 5.8 | 23        |
| 25 | The Effects of Oxygen and Treatments in Hypoxic Conditions in SH-SY5Y Cells. Shock, 2018, 50, 449-454.  | 2.1 | 4         |
| 26 | Analysis of Patients with Acute Toxic Exposure between 2009 and 2013: Data from the Korea Health Insurance Review and Assessment Service and the National Emergency Department Information System. Journal of Korean Medical Science, 2018, 33, e254.           | 2.5 | 8         |
| 27 | The impact of hypoxic conditions on apoptosis and Toll-like receptor 4 expression in polymorphonuclear neutrophils. European Journal of Inflammation, 2018, 16, 1721727X1875675.  | 0.5 | 0         |
| 28 | Clinical outcome comparison of patients with septic shock defined by the new sepsis-3 criteria and by previous criteria. Journal of Thoracic Disease, 2018, 10, 845-853.  | 1.4 | 17        |
| 29 | Significance of Biomarkers as a Predictive Factor for Post-Traumatic Sepsis. Journal of Trauma and Injury, 2018, 31, 166-173.   | 0.4 | 0         |
| 30 | The use of saliva specimens for detection of influenza A and B viruses by rapid influenza diagnostic tests. Journal of Virological Methods, 2017, 243, 15-19.   | 2.1 | 33        |
| 31 | The inflammatory response of neutrophils in anin vitromodel that approximates the postcardiac arrest state. Annals of Surgical Treatment and Research, 2017, 93, 217.   | 1.0 | 6         |
| 32 | Korean Shock Society septic shock registry: a preliminary report. Clinical and Experimental Emergency Medicine, 2017, 4, 146-153.   | 1.6 | 26        |
| 33 | Macrophage Migration Inhibitory Factor Levels Correlate with Infection in Trauma Patients. Ulusal<br>Travma Ve Acil Cerrahi Dergisi, 2017, 23, 193-198.   | 0.3 | 3         |
| 34 | Efficacy of Nefopam Analgesia for Trauma Patients in the Emergency Department. Journal of Trauma and Injury, 2017, 30, 1-5.   | 0.4 | 0         |
| 35 | Learning curve and period of experience required for the competent diagnosis of acute appendicitis using abdominal computed tomography: a prospective observational study. Clinical and Experimental Emergency Medicine, 2017, 4, 222-231.                      | 1.6 | 1         |
| 36 | Risk factors for sepsis in Korean trauma patients. European Journal of Trauma and Emergency Surgery, 2016, 42, 453-458.   | 1.7 | 14        |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Analysis of Trauma Patients with Massive Transfusion in the Emergency Department. The Korean Journal of Blood Transfusion, 2016, 27, 130-136.   | 0.4 | 3         |
| 38 | Satisfaction with facial laceration repair by provider specialty in the emergency department. Clinical and Experimental Emergency Medicine, 2015, 2, 179-183.                               | 1.6 | 13        |
| 39 | The use of transcutaneous CO2 monitoring in cardiac arrest patients: a feasibility study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 70.               | 2.6 | 4         |
| 40 | Accuracy of transcutaneous carbon dioxide monitoring in hypotensive patients. Emergency Medicine Journal, 2014, 31, 323-326.  | 1.0 | 6         |
| 41 | The Effect of Hypertonic Saline on mRNA of Proinflammatory Cytokines in Lipopolysaccharide-Stimulated Polymorphonuclear Cells. Current Therapeutic Research, 2014, 76, 58-62.               | 1.2 | 6         |
| 42 | A report of therapeutic hypothermia for postcardiac arrest care due to thyroid storm. Kaohsiung Journal of Medical Sciences, 2014, 30, 539-540.   | 1.9 | 1         |
| 43 | Acute hepatitis and acute kidney insufficiency caused by ingestion of raw grass carp gall bladder. EMA - Emergency Medicine Australasia, 2013, 25, 608-609.                                 | 1.1 | 3         |
| 44 | Effects of hypertonic saline on macrophage migration inhibitory factor in traumatic conditions. Experimental and Therapeutic Medicine, 2013, 5, 362-366.                                    | 1.8 | 11        |
| 45 | Comparative Analysis of Acute Toxic Poisoning in 2003 and 2011: Analysis of 3 Academic Hospitals. Journal of Korean Medical Science, 2013, 28, 1424.  | 2.5 | 9         |
| 46 | Clinician awareness of tetanus-diphtheria vaccination in trauma patients: a questionnaire study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 35.        | 2.6 | 9         |
| 47 | Hypertonic saline downregulate the production level of lipopolysaccharide-induced migration inhibitory factor in THP-1 cells. [Chapchi] Journal Taehan Oekwa Hakhoe, 2012, 82, 1.           | 1.1 | 2         |
| 48 | Reversible pancytopenia following the consumption of decoction of <i>Ganoderma neojaponicum </i> lmazeki. Clinical Toxicology, 2011, 49, 115-117.   | 1.9 | 11        |
| 49 | Effect of hypertonic saline and macrophage migration inhibitory factor in restoration of T cell dysfunction. [Chapchi] Journal Taehan Oekwa Hakhoe, 2011, 81, 229.                          | 1.1 | 6         |
| 50 | Helicopter emergency medical services. European Journal of Emergency Medicine, 2011, 18, 176-178.   | 1.1 | 2         |
| 51 | The analysis of self and tutor assessment in the skill of basic life support (BLS) and endotracheal intubation: Focused on the discrepancy in assessment. Resuscitation, 2011, 82, 743-748. | 3.0 | 8         |
| 52 | Gastric emphysema after methyl ethyl ketone peroxide ingestion. Clinical Toxicology, 2010, 48, 90-91.   | 1.9 | 8         |
| 53 | Concentration of Arginine and Optimal Time of Hypertonic Saline in Restoration of T-Cell Dysfunction. Journal of Surgical Research, 2010, 163, e17-e22.                                     | 1.6 | 0         |
| 54 | Aconitine poisoning from leaves of aconitumpseudo-leavevar.erectum, not the root in humans. Clinical Toxicology, 2009, 47, 836-836.   | 1.9 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Lactic acidosis not hyperlactatemia as a predictor of inhospital mortality in septic emergency patients. Emergency Medicine Journal, 2008, 25, 659-665.  | 1.0 | 82        |
| 56 | Can spontaneous pneumothorax patients be treated by ambulatory care management?. European Journal of Cardio-thoracic Surgery, 2007, 31, 491-495.   | 1.4 | 22        |
| 57 | Cut-off values of B-type natriuretic peptide for the diagnosis of congestive heart failure in patients with dyspnoea visiting emergency departments: a study on Korean patients visiting emergency departments. Emergency Medicine Journal, 2007, 24, 343-347. | 1.0 | 13        |
| 58 | Prehospital and emergency department care in South Korea. Canadian Journal of Emergency Medicine, 2007, 9, 171-173.  | 1.1 | 3         |
| 59 | Arterial minus end-tidal CO2 as a prognostic factor of hospital survival in patients resuscitated from cardiac arrest. Resuscitation, 2007, 72, 219-225.   | 3.0 | 27        |
| 60 | Successful extracorporeal life support in cardiac arrest with recurrent ventricular fibrillation unresponsive to standard cardiopulmonary resuscitation. Resuscitation, 2007, 73, 309-313.   | 3.0 | 30        |
| 61 | Successful extracorporeal life support after potentially fatal pulmonary oedema caused by inhalation of nitric and hydrofluoric acid fumes. Resuscitation, 2007, 75, 184-188.  | 3.0 | 16        |
| 62 | Effects of atmospheric temperature and humidity on outbreak of diseases. EMA - Emergency Medicine Australasia, 2007, 19, 501-508.  | 1.1 | 6         |
| 63 | Grayanotoxin Poisoning From Flower of Rhododendron mucronulatum in Humans. Bulletin of Environmental Contamination and Toxicology, 2007, 78, 11-12.  | 2.7 | 18        |
| 64 | Grayanotoxin Poisoning From Flower of Rhododendron mucronulatum in Humans. Bulletin of Environmental Contamination and Toxicology, 2007, 78, 132-133.  | 2.7 | 15        |
| 65 | Selective inhibition of polymorphonuclear neutrophils by resuscitative concentration of hypertonic saline. Emergency Medicine Journal, 2006, 23, 119-122.  | 1.0 | 15        |
| 66 | Anticholinesterase Therapy for Patients with Ophthalmoplegia Following Snake Bites: Report of Two Cases. Journal of Korean Medical Science, 2004, 19, 631.   | 2.5 | 11        |