Christopher D Maycock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5596090/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | An Efficient Synthesis of Optically Active [4-13C] Labelled Quorum Sensing Signal Autoinducer-2. Molecules, 2021, 26, 369. | 3.8 | 1 |
| 2 | Synthesis of Î ² -oxo carbonyl and thiocarbonyl compounds via basic sulfur abstraction. Tetrahedron, 2019, 75, 130552. | 1.9 | 2 |
| 3 | The effect of new compounds in stabilizing downstream monoclonal antibody (mAb) process intermediates. International Journal of Pharmaceutics, 2019, 565, 162-173. | 5.2 | 3 |
| 4 | Synthesis and biological activity of a potent optically pure autoinducer-2 quorum sensing agonist. Bioorganic Chemistry, 2019, 85, 75-81. | 4.1 | 6 |
| 5 | Efficient α-chlorination of carbonyl containing compounds under basic conditions using methyl chlorosulfate. Tetrahedron Letters, 2018, 59, 1233-1238. | 1.4 | 7 |
| 6 | Syntheses of the plant auxin conjugate 2-O-(indole-3-acetyl)-myo-inositol IAInos. Organic and Biomolecular Chemistry, 2018, 16, 6860-6864. | 2.8 | 1 |
| 7 | Monofluoroalkylation and alkylation of alcohols using non-volatile reagents. Tetrahedron, 2017, 73, 1165-1169. | 1.9 | 12 |
| 8 | Chemoenzymatic preparation of optically active cyclic 4-hydroxy-acylaziridines. Organic Chemistry Frontiers, 2017, 4, 1620-1623. | 4.5 | 1 |
| 9 | Formal enantioselective syntheses of oseltamivir and tamiphosphor. Organic Chemistry Frontiers, 2017, 4, 236-240. | 4.5 | 12 |
| 10 | A Stereoselective Synthesis of (+)â€Piscidic Acid and Cimicifugic Acid L. European Journal of Organic Chemistry, 2015, 2015, 7529-7533. | 2.4 | 6 |
| 11 | The Aza-Wharton Reaction: Syntheses of Cyclic Allylic Amines and Vicinal Hydroxyamines from the Respective Acylaziridines. Journal of Organic Chemistry, 2015, 80, 3067-3074. | 3.2 | 9 |
| 12 | Peptidomimetic β-Secretase Inhibitors Comprising a Sequence of Amyloid-β Peptide for Alzheimer's Disease. Journal of Medicinal Chemistry, 2015, 58, 5408-5418. | 6.4 | 6 |
| 13 | An Alternative Synthetic Route to (3R,5S,1′S)-5-{1′-[(tert-ButylÂoxycarbonyl)amino]-3′-methylbutyl}-3-methyldihydrofuran-2(3H)-one, a Precursor of a Leu-Ala Hydroxyethylene Isostere. Synthesis, 2015, 47, 3009-3012. | 2.3 | 1 |
| 14 | Quantum Dot and Superparamagnetic Nanoparticle Interaction with Pathogenic Fungi: Internalization and Toxicity Profile. ACS Applied Materials & amp; Interfaces, 2014, 6, 9100-9110. | 8.0 | 71 |
| 15 | Analysis of the residual alignment of a paramagnetic multiheme cytochrome by NMR. Chemical Communications, 2014, 50, 4561. | 4.1 | 4 |
| 16 | Use of Aziridines for the Stereocontrolled Synthesis of (â^')-LL-C10037α, (+)-MT35214, and (+)-4-epi-MT35214. Journal of Organic Chemistry, 2014, 79, 1929-1937. | 3.2 | 9 |
| 17 | Organic solutes in the deepest phylogenetic branches of the Bacteria: identification of α(1–6)glucosyl-α(1–2)glucosylglycerate in Persephonella marina. Extremophiles, 2013, 17, 137-146. | 2.3 | 15 |
| 18 | The plant Selaginella moellendorffii possesses enzymes for synthesis and hydrolysis of the compatible solutes mannosylglycerate and glucosylglycerate. Planta, 2013, 237, 891-901. | 3.2 | 13 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Metalâ€Free Synthesis of Secondary Arylamines: An Aliphaticâ€toâ€Aromatic Transformation. European Journal of Organic Chemistry, 2013, 2013, 742-747. | 2.4 | 11 |
| 20 | Copperâ€Catalyzed Regioselective Intramolecular Oxidative αâ€Functionalization of Tertiary Amines: An Efficient Synthesis of Dihydroâ€1,3â€Oxazines. Angewandte Chemie - International Edition, 2013, 52, 9791-9795. | 13.8 | 105 |
| 21 | CdSe/ZnS Quantum Dots trigger DNA repair and antioxidant enzyme systems in Medicago sativacells in suspension culture. BMC Biotechnology, 2013, 13, 111. | 3.3 | 27 |
| 22 | Preparation of N-arylamines from 2-oxo-7-azobicyclo[4.1.0]heptanes. Tetrahedron, 2012, 68, 6263-6268. | 1.9 | 3 |
| 23 | Synthesis and characterization of CdSe/ZnS coreâ€shell quantum dots immobilized on solid substrates through laser irradiation. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 2201-2207. | 1.8 | 6 |
| 24 | Synthesis and Functionalization of CdSe/ZnS QDs Using the Successive Ion Layer Adsorption Reaction and Mercaptopropionic Acid Phase Transfer Methods. Methods in Molecular Biology, 2012, 906, 143-155. | 0.9 | 3 |
| 25 | Metal-free direct amination/aromatization of 2-cyclohexenones to iodo-N-arylanilines and N-arylanilines promoted by iodine. Chemical Communications, 2012, 48, 10901. | 4.1 | 60 |
| 26 | New organocatalysts derived from tartaric and glyceric acids for direct aldol reactions. Tetrahedron: Asymmetry, 2012, 23, 1262-1271. | 1.8 | 17 |
| 27 | Stereochemical diversity of AI-2 analogs modulates quorum sensing in Vibrio harveyi and Escherichia coli. Bioorganic and Medicinal Chemistry, 2012, 20, 249-256. | 3.0 | 23 |
| 28 | Synthesis and Laser Immobilization onto Solid Substrates of CdSe/ZnS Core–Shell Quantum Dots. Journal of Physical Chemistry C, 2011, 115, 15210-15216. | 3.1 | 16 |
| 29 | Assessment of the Efficacy of Solutes from Extremophiles on Protein Aggregation in Cell Models of Huntington's and Parkinson's Diseases. Neurochemical Research, 2011, 36, 1005-1011. | 3.3 | 5 |
| 30 | An efficient synthesis of the precursor of Al-2, the signalling molecule for inter-species quorum sensing. Bioorganic and Medicinal Chemistry, 2011, 19, 1236-1241. | 3.0 | 44 |
| 31 | Processing the Interspecies Quorum-sensing Signal Autoinducer-2 (Al-2). Journal of Biological Chemistry, 2011, 286, 18331-18343. | 3.4 | 55 |
| 32 | A Synthesis of Aziridines from \hat{I} ±-lodoenones ChemInform, 2010, 33, 106-106. | 0.0 | 0 |
| 33 | Study of selected benzyl azides by UV photoelectron spectroscopy and mass spectrometry. Journal of Molecular Structure, 2010, 980, 163-171. | 3.6 | 11 |
| 34 | The impact of CdSe/ZnS Quantum Dots in cells of Medicago sativa in suspension culture. Journal of Nanobiotechnology, 2010, 8, 24. | 9.1 | 66 |
| 35 | Synthesis of γ-lactones by desymmetrization. A synthesis of (â^')-muricatacin. Tetrahedron, 2009, 65, 396-399. | 1.9 | 16 |
| 36 | Synthesis of potassium (2R)-2-O-α-d-glucopyranosyl-(1→6)-α-d-glucopyranosyl-2,3-dihydroxypropanoate a natural compatible solute. Carbohydrate Research, 2009, 344, 2073-2078. | 2.3 | 28 |

Christopher D Maycock

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Design of new enzyme stabilizers inspired by glycosides of hyperthermophilic microorganisms. Carbohydrate Research, 2008, 343, 3025-3033. | 2.3 | 47 |
| 38 | Bifunctional CTP:Inositol-1-Phosphate Cytidylyltransferase/CDP-Inositol:Inositol-1-Phosphate Transferase, the Key Enzyme for Di- myo -Inositol-Phosphate Synthesis in Several (Hyper)thermophiles. Journal of Bacteriology, 2007, 189, 5405-5412. | 2.2 | 41 |
| 39 | Stereoselective alkylation of tartrate derivatives. A concise route to (+)-O-methylpiscidic acid and natural analogues. Organic and Biomolecular Chemistry, 2006, 4, 2361. | 2.8 | 17 |
| 40 | Biosynthetic Pathways of Inositol and Glycerol Phosphodiesters Used by the Hyperthermophile Archaeoglobus fulgidus in Stress Adaptation. Journal of Bacteriology, 2006, 188, 8128-8135. | 2.2 | 19 |
| 41 | Novel chiral bis(oxazolines): synthesis and application as ligands in the copper-catalyzed enantioselective conjugate addition of diethylzinc to enones. Tetrahedron: Asymmetry, 2005, 16, 2946-2953. | 1.8 | 16 |
| 42 | Stereoselective synthesis of optically active mono and diaminoalcohols. Tetrahedron, 2005, 61, 7960-7966. | 1.9 | 12 |
| 43 | Effect of pyruvate kinase overproduction on glucose metabolism of Lactococcus lactis. Microbiology (United Kingdom), 2004, 150, 1103-1111. | 1.8 | 40 |
| 44 | Novel Cyclic 1,2-Diacetals Derived from (2R,3R)-(+)-Tartaric Acid: Synthesis and Application as N,O Ligands for the Enantioselective Alkylation of Benzaldehyde by Diethylzinc. European Journal of Organic Chemistry, 2004, 2004, 1820-1829. | 2.4 | 9 |
| 45 | Improved anomeric selectivity for the aroylation of sugars. Carbohydrate Research, 2004, 339, 1373-1376. | 2.3 | 15 |
| 46 | Intramolecular Fluorescence Quenching of Tyrosine by the Peptide α-Carbonyl Group Revisited. Journal of Physical Chemistry A, 2004, 108, 2155-2166. | 2.5 | 36 |
| 47 | Highly Stereoselective Aldol Reaction for the Synthesis of γ-Lactones Starting from Tartaric Acid. Journal of Organic Chemistry, 2004, 69, 7847-7850. | 3.2 | 14 |
| 48 | Protein stabilization by compatible solutes. FEBS Journal, 2003, 270, 4606-4614. | 0.2 | 44 |
| 49 | Aldol Reactions of Dioxanes Derived from Tartaric Acid. A Total Synthesis of (+)-Nephrosteranic Acid. Organic Letters, 2003, 5, 4097-4099. | 4.6 | 56 |
| 50 | Aziridines as a Protecting and Directing Group. Stereoselective Synthesis of (+)-Bromoxone. Organic Letters, 2003, 5, 4321-4323. | 4.6 | 27 |
| 51 | Photochemistry of Flavothione and Hydroxyflavothiones: Mechanisms and Kinetics¶. Photochemistry and Photobiology, 2003, 77, 22. | 2.5 | Ο |
| 52 | Photochemistry of flavothione and hydroxyflavothiones: mechanisms and kinetics. Photochemistry and Photobiology, 2003, 77, 22-9. | 2.5 | 2 |
| 53 | Is the Glycolytic Flux in Lactococcus lactisPrimarily Controlled by the Redox Charge?. Journal of Biological Chemistry, 2002, 277, 28088-28098. | 3.4 | 124 |
| 54 | Stereoselective Radical Reactions of Some Tartaric and Glyceric Acid Derivatives. Organic Letters, 2002, 4, 2035-2038. | 4.6 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Synthesis and Some Reactions of 2-Acyl-2-alkyl-1,3-dithiolane 1,1-Dioxides. Helvetica Chimica Acta, 2002, 85, 4079-4085. | 1.6 | 4 |
| 56 | An expedient stereoselective synthesis of polysubstituted piperidin-2-ones. Tetrahedron, 2002, 58, 1519-1524. | 1.9 | 11 |
| 57 | A synthesis of aziridines from α-iodoenones. Tetrahedron Letters, 2002, 43, 4329-4331. | 1.4 | 32 |
| 58 | The effect of diethylamine on Stille alkylations with tetraalkylstannanes. Chemical Communications, 2001, , 1662-1663. | 4.1 | 17 |
| 59 | Approaches to the synthesis of (+)- and (â^')-epibatidine â€. Journal of the Chemical Society, Perkin Transactions 1, 2001, , 166-173. | 1.3 | 47 |
| 60 | Bromine in Methanol: An Efficient Reagent for the Deprotection of the tert-Butyldiphenylsilyl Group. Synlett, 2001, 2001, 1146-1148. | 1.8 | 18 |
| 61 | The First Synthesis of (â^')-Asperpentyn and Efficient Syntheses of (+)-Harveynone, (+)-Epiepoformin and (â^')-Theobroxide. Chemistry - A European Journal, 2000, 6, 3991-3996. | 3.3 | 20 |
| 62 | Preparation of sucrose heptaesters unsubstituted at the C-1 hydroxy group of the fructose moiety via selective O-desilylation. Carbohydrate Research, 2000, 328, 419-423. | 2.3 | 6 |
| 63 | Fast Galloylation of a Sugar Moiety: Preparation of Three Monogalloylsucroses as References for Antioxidant Activity. A Method for the Selective Deprotection of tert-Butyldiphenylsilyl Ethers. Tetrahedron, 2000, 56, 6511-6516. | 1.9 | 22 |
| 64 | Metabolism of 3- ¹³ C-Malate in Primary Cultures of Mouse Astrocytes. Developmental Neuroscience, 2000, 22, 456-462. | 2.0 | 19 |
| 65 | Thermostabilization of Proteins by Diglycerol Phosphate, a New Compatible Solute from the Hyperthermophile Archaeoglobus fulgidus. Applied and Environmental Microbiology, 2000, 66, 1974-1979. | 3.1 | 106 |
| 66 | The First Synthesis of (â^')-Asperpentyn and Efficient Syntheses of (+)-Harveynone, (+)-Epiepoformin and (â^')-Theobroxide. Chemistry - A European Journal, 2000, 6, 3991-3996. | 3.3 | 42 |
| 67 | The effect of DMSO on the borohydride reduction of a cyclohexanone: A formal enantioselective synthesis of (+)-epibatidine. Tetrahedron Letters, 1999, 40, 557-560. | 1.4 | 34 |
| 68 | The alkylation of a novel acetal derived from (2R,3R)-(+)-tartaric acid: An unexpected rearrangement. Tetrahedron Letters, 1999, 40, 1583-1586. | 1.4 | 23 |
| 69 | Stereoselective azide introduction during 1,2-sulfur migration in α-hydroxyalkyldithioacetals. Tetrahedron, 1999, 55, 801-814. | 1.9 | 15 |
| 70 | An efficient transformation of quinic acid to shikimic acid derivatives. Tetrahedron, 1999, 55, 8443-8456. | 1.9 | 29 |
| 71 | The enantioselective total synthesis of epoformin and analogues. Tetrahedron, 1999, 55, 3233-3244. | 1.9 | 28 |
| 72 | Cutinase Activity and Enantioselectivity in Supercritical Fluids. Industrial & Engineering Chemistry Research, 1998, 37, 3189-3194. | 3.7 | 38 |

Christopher D Maycock

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Cutinase activity and enantioselectivity in supercritical fluids. Progress in Biotechnology, 1998, , 483-486. | 0.2 | 0 |
| 74 | Synthesis of 2-Alkylidene-3,3-dialkyl-1,4-dithianes and Their Oxathiane Analogues by 1,2-Sulphur Migration. Heterocycles, 1998, 48, 1121. | 0.7 | 8 |
| 75 | Enantioselective Total Synthesis of (+)-Eutypoxide B. Journal of Organic Chemistry, 1997, 62, 3984-3988. | 3.2 | 39 |
| 76 | Enhanced diastereo and enantioselectivity in the formation of acyldithiolane sulphoxides by the asymmetric oxidation of their enolsilyl ethers. Tetrahedron Letters, 1997, 38, 5047-5050. | 1.4 | 9 |
| 77 | Chemoselectivity in the manipulation of polyhydroxylated compounds derived from the diastereoselective dihydroxylation of optically active allylic enoate alcohols. Tetrahedron, 1996, 52, 7861-7874. | 1.9 | 8 |
| 78 | On the diastereoselectivity of the 1,2-reduction of 2-alkyl-4-hydroxycyclopentenones with sodium borohydride in the presence of cerium (III): Synthesis of prostaglandin precursors. Tetrahedron Letters, 1995, 36, 2321-2324. | 1.4 | 7 |
| 79 | Chiral dithiolane sulphoxides: An efficient stereoselective synthesis of (R) and (S)-3-benzoyloxy-2-butanone. Tetrahedron Letters, 1995, 36, 6537-6540. | 1.4 | 18 |
| 80 | A flexible synthesis of some polysubstituted cyclopentanes from quinic acid. Tetrahedron Letters, 1994, 35, 3999-4002. | 1.4 | 10 |
| 81 | The mechanism of the Mitsunobu azide modification and the effect of additives on the rate of hydroxyl group activation Tetrahedron, 1994, 50, 9671-9678. | 1.9 | 13 |
| 82 | Stereocontrolled synthesis of the 4-hydroxy-5-methyl-2(3H)-dihydrofuranone isomers. Tetrahedron, 1993, 49, 4283-4292. | 1.9 | 8 |
| 83 | An application of quinic acid to the synthesis of cyclic homochiral molecules: A common route to some interesting carbocyclic nucleoside precursors Tetrahedron Letters, 1993, 34, 7985-7988. | 1.4 | 16 |
| 84 | An application of quinic acid to the synthesis of linear homochiral molecules: A synthesis of (+)-negamycin Tetrahedron Letters, 1992, 33, 4633-4636. | 1.4 | 25 |
| 85 | Synthesis of 2,3-Dihydro-1,4-dithiins and 2-Alkylidene-1,4-dithianes by 1,2-Sulfur Migration in 2-(1-Hydroxyalkyl)-1,3-dithiolanes. Synthesis, 1991, 1991, 575-580. | 2.3 | 31 |
| 86 | The preferential direction of enolization of some asymmetric 1,3-dicarbonyl compounds in solution: a study by multinuclear NMR spectroscopy. Journal of Molecular Structure, 1990, 238, 335-346. | 3.6 | 41 |
| 87 | A useful method for preparing optically active secondary alcohols: A short enantiospecific synthesis of ()- and ()-sulcatol. Tetrahedron Letters, 1989, 30, 2707-2708. | 1.4 | 13 |
| 88 | Formation and NMR study of some cyclic β-ketodithioacetals. Tetrahedron, 1988, 44, 2283-2287. | 1.9 | 9 |
| 89 | Studies related to penicillins. Part 25. Synthesis of N-phenylacetyl and N-triphenylmethyl derivatives of 6-aminopenam 1-oxides. Journal of the Chemical Society Perkin Transactions 1, 1988, , 2259. | 0.9 | 3 |
| 90 | Studies related to penicillins. Part 23. Preparation of the N-phenylacetyl and N-triphenylmethyl derivatives of (3R,4R)-3-amino-4-t-butylthioazetidin-2-one. Journal of the Chemical Society Perkin Transactions 1, 1987, , 2009. | 0.9 | 9 |

CHRISTOPHER D MAYCOCK

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | The reactivity of silyl ethers to the Swern reagent. Journal of the Chemical Society Perkin Transactions 1, 1987, , 1221. | 0.9 | 25 |
| 92 | A proton and 13C NMR study of keto-enol tautomerism of some β-ketoamides. Journal of Molecular Structure, 1986, 142, 435-438. | 3.6 | 11 |
| 93 | Studies related to maytansinoids. Journal of the Chemical Society Perkin Transactions 1, 1982, , 1541-1551. | 0.9 | 15 |
| 94 | Selectivities in the Reactions of Alkyl-, Aryl- and Heterosubstituted Organotitanium Compounds Preliminary Communication. Helvetica Chimica Acta, 1981, 64, 357-361. | 1.6 | 90 |
| 95 | (3R,4R)-4-t-Butylthio-3-phenylacetamidoazetidin-2-one: a useful precursor of penicillin analogues. Journal of the Chemical Society Chemical Communications, 1980, , 34. | 2.0 | 5 |
| 96 | Studies related to maytansinoids. Journal of the Chemical Society Chemical Communications, 1980, , 1089-1091. | 2.0 | 17 |
| 97 | Studies related to thiirans. Part 1. Synthesis of chiral thiirancarboxylates. Journal of the Chemical Society Perkin Transactions 1, 1979, , 1852. | 0.9 | 18 |
| 98 | Simple synthesis of chiral thiirancarboxylic acids. Journal of the Chemical Society Chemical Communications, 1976, , 234. | 2.0 | 5 |
| 99 | The reaction of methyl β-D-ribopyranoside with acetone. Carbohydrate Research, 1974, 35, 247-250. | 2.3 | 12 |