
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5598404/publications.pdf Version: 2024-02-01



FCARDOSO

#	Article	IF	CITATIONS
1	Quality-of-life methodology in hormone receptor–positive advanced breast cancer: Current tools and perspectives for the future. Cancer Treatment Reviews, 2022, 102, 102321.	3.4	4
2	Treatment Exposure and Discontinuation in the PALbociclib CoLlaborative Adjuvant Study of Palbociclib With Adjuvant Endocrine Therapy for Hormone Receptor–Positive/Human Epidermal Growth Factor Receptor 2–Negative Early Breast Cancer (PALLAS/AFT-05/ABCSG-42/BIG-14-03). Journal of Clinical Oncology, 2022, 40, 449-458.	0.8	25
3	Outcome of Patients With an Ultralow-Risk 70-Gene Signature in the MINDACT Trial. Journal of Clinical Oncology, 2022, 40, 1335-1345.	0.8	28
4	Updated Overall Survival of Ribociclib plus Endocrine Therapy versus Endocrine Therapy Alone in Pre- and Perimenopausal Patients with HR+/HER2â°' Advanced Breast Cancer in MONALEESA-7: A Phase III Randomized Clinical Trial. Clinical Cancer Research, 2022, 28, 851-859.	3.2	90
5	Anthracyclines in the treatment of early breast cancer friend or foe?. Breast, 2022, 65, 67-76.	0.9	8
6	PARP inhibitors coming of age. Nature Reviews Clinical Oncology, 2021, 18, 69-70.	12.5	18
7	Why is appropriate healthcare inaccessible for many European breast cancer patients? – The EBCC 12 manifesto. Breast, 2021, 55, 128-135.	0.9	18
8	CDK 4/6 inhibitors mired in uncertainty in HR positive and HER2 negative early breast cancer. Breast, 2021, 55, 75-78.	0.9	11
9	Addressing disparities and challenges in underserved patient populations with metastatic breast cancer in Europe. Breast, 2021, 55, 79-90.	0.9	7
10	Breast cancer surgery with augmented reality. Breast, 2021, 56, 14-17.	0.9	34
11	Combining method of detection and 70-gene signature for enhanced prognostication of breast cancer. Breast Cancer Research and Treatment, 2021, 189, 399-410.	1.1	5
12	Gaps in Care and Support for Patients With Advanced Breast Cancer: A Report From the Advanced Breast Cancer Global Alliance. JCO Global Oncology, 2021, 7, 976-984.	0.8	16
13	Evaluation of multiple transcriptomic gene risk signatures in male breast cancer. Npj Breast Cancer, 2021, 7, 98.	2.3	4
14	Bringing safe and effective therapies to premenopausal women with breast cancer: efforts to broaden eligibility criteria. Annals of Oncology, 2021, 32, 950-953.	0.6	1
15	Gene expression signatures for tailoring adjuvant chemotherapy of luminal breast cancer: stronger evidence, greater trust. Annals of Oncology, 2021, 32, 1077-1082.	0.6	13
16	Who are the women who enrolled in the POSITIVE trial: A global study to support young hormone receptor positive breast cancer survivors desiring pregnancy. Breast, 2021, 59, 327-338.	0.9	31
17	An international update of the EORTC questionnaire for assessing quality of life in breast cancer patients: EORTC QLQ-BR45. Annals of Oncology, 2020, 31, 283-288.	0.6	54
18	3D digital breast cancer models with multimodal fusion algorithms. Breast, 2020, 49, 281-290.	0.9	11

#	Article	IF	CITATIONS
19	Reference values for the EORTC QLQ-C30 in early and metastatic breast cancer. European Journal of Cancer, 2020, 125, 69-82.	1.3	36
20	Putting words into practice. Breast, 2020, 49, 171-173.	0.9	1
21	5th ESO-ESMO international consensus guidelines for advanced breastÂcancer (ABC 5). Annals of Oncology, 2020, 31, 1623-1649.	0.6	761
22	Controlling technical variation amongst 6693 patient microarrays of the randomized MINDACT trial. Communications Biology, 2020, 3, 397.	2.0	7
23	Zebrafish xenografts as a fast screening platform for bevacizumab cancer therapy. Communications Biology, 2020, 3, 299.	2.0	37
24	The requirements of a specialist breast centre. Breast, 2020, 51, 65-84.	0.9	111
25	ESO–ESMO 4th International Consensus Guidelines for Breast Cancer in Young Women (BCY4). Annals of Oncology, 2020, 31, 674-696.	0.6	172
26	A multi-stakeholder approach in optimising patients' needs in the benefit assessment process of new metastatic breast cancer treatments. Breast, 2020, 52, 78-87.	0.9	7
27	Regularization Techniques in Radiomics: A Case Study on the Prediction of pCR in Breast Tumours and the Axilla. Lecture Notes in Computer Science, 2020, , 271-281.	1.0	1
28	New strategies for the precision treatment of HER2-driven tumours. Expert Review of Precision Medicine and Drug Development, 2019, 4, 239-249.	0.4	0
29	Genomic alterations in breast cancer: level of evidence for actionability according to ESMO Scale for Clinical Actionability of molecular Targets (ESCAT). Annals of Oncology, 2019, 30, 365-373.	0.6	106
30	Early breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2019, 30, 1194-1220.	0.6	1,241
31	Targeting CDK4/6 pathways and beyond in breast cancer. Breast, 2019, 43, 8-17.	0.9	22
32	Male breast cancer: a disease distinct from female breast cancer. Breast Cancer Research and Treatment, 2019, 173, 37-48.	1.1	205
33	Clobal analysis of advanced/metastatic breast cancer: Decade report (2005–2015). Breast, 2018, 39, 131-138.	0.9	167
34	Characterization of male breast cancer: results of the EORTC 10085/TBCRC/BIG/NABCG International Male Breast Cancer Program. Annals of Oncology, 2018, 29, 405-417.	0.6	246
35	Everolimus Plus Endocrine Therapy for Postmenopausal Women With Estrogen Receptor–Positive, Human Epidermal Growth Factor Receptor 2–Negative Advanced Breast Cancer. JAMA Oncology, 2018, 4, 977.	3.4	48
36	Immunohistochemical versus molecular (BluePrint and MammaPrint) subtyping of breast carcinoma. Outcome results from the EORTC 10041/BIG 3-04 MINDACT trial. Breast Cancer Research and Treatment, 2018, 167, 123-131.	1.1	51

#	Article	IF	CITATIONS
37	4th ESO–ESMO International Consensus Guidelines for Advanced Breast Cancer (ABC 4). Annals of Oncology, 2018, 29, 1634-1657.	0.6	891
38	European Breast Cancer ConferenceÂmanifesto on breast centres/units. European Journal of Cancer, 2017, 72, 244-250.	1.3	58
39	An association study of established breast cancer reproductive and lifestyle risk factors with tumour subtype defined by the prognostic 70-gene expression signature (MammaPrint ®). European Journal of Cancer, 2017, 75, 5-13.	1.3	13
40	Clinical use of biomarkers in breast cancer: Updated guidelines from the European Group on Tumor Markers (EGTM). European Journal of Cancer, 2017, 75, 284-298.	1.3	363
41	3rd ESO–ESMO International Consensus Guidelines for Advanced Breast Cancer (ABC 3). Annals of Oncology, 2017, 28, 16-33.	0.6	865
42	3rd ESO–ESMO international consensus guidelines for Advanced Breast Cancer (ABC 3). Breast, 2017, 31, 244-259.	0.9	171
43	Anti-angiogenic treatment in breast cancer: Facts, successes, failures and future perspectives. Cancer Treatment Reviews, 2017, 53, 98-110.	3.4	101
44	Editorial: Why are guidelines not followed in clinical practice?. Breast, 2017, 32, 245-246.	0.9	5
45	Reply to letter from Suguatti etÂal European Journal of Cancer, 2017, 87, 201-202.	1.3	0
46	ESO-ESMO 3rd international consensus guidelines for breast cancer in young women (BCY3). Breast, 2017, 35, 203-217.	0.9	203
47	Research needs in breast cancer. Annals of Oncology, 2017, 28, 208-217.	0.6	64
48	De-escalating and escalating treatments for early-stage breast cancer: the St. Gallen International Expert Consensus Conference on the Primary Therapy of Early Breast Cancer 2017. Annals of Oncology, 2017, 28, 1700-1712.	0.6	844
49	Evolving psychosocial, emotional, functional, and support needs of women with advanced breast cancer: Results from the Count Us, Know Us, Join Us and Here & Now surveys. Breast, 2016, 28, 5-12.	0.9	51
50	Oral chemotherapy in advanced breast cancer: expert perspectives on its role in clinical practice. Cancer Treatment Communications, 2016, 6, S1-S10.	0.4	10
51	Prevention and screening in BRCA mutation carriers and other breast/ovarian hereditary cancer syndromes: ESMO Clinical Practice Guidelines for cancer prevention and screening. Annals of Oncology, 2016, 27, v103-v110.	0.6	292
52	Review on the clinical use of eribulin mesylate for the treatment of breast cancer. Expert Opinion on Pharmacotherapy, 2016, 17, 589-600.	0.9	24
53	Discordant assessment of tumor biomarkers by histopathological and molecular assays in the EORTC randomized controlled 10041/BIG 03-04 MINDACT trial breast cancer. Breast Cancer Research and Treatment, 2016, 155, 463-469.	1.1	19
54	Second international consensus guidelines for breast cancer in young women (BCY2). Breast, 2016, 26, 87-99.	0.9	142

F CARDOSO

#	ARTICLE	IF	CITATIONS
55	Abstract OT3-02-04: Randomised phase II study evaluating, as first-line chemotherapy, single-agent oral vinorelbine administered with two different schedules in patients with hormone receptor positive, HER2-negative advanced breast cancer (TempoBreast-1 trial). , 2016, , .		1
56	Guidelines for time-to-event end point definitions in breast cancer trials: results of the DATECAN initiative (Definition for the Assessment of Time-to-event Endpoints in CANcer trials). Annals of Oncology, 2015, 26, 873-879.	0.6	151
57	Predicting Anthracycline Benefit: <i>TOP2A</i> and CEP17—Not Only but Also. Journal of Clinical Oncology, 2015, 33, 1680-1687.	0.8	55
58	Optimisation of the continuum of supportive and palliative care for patients with breast cancer in low-income and middle-income countries: executive summary of the Breast Health Global Initiative, 2014. Lancet Oncology, The, 2015, 16, e137-e147.	5.1	37
59	A call back to reality!. Nature Reviews Clinical Oncology, 2015, 12, 67-68.	12.5	3
60	Challenges in optimizing care in advanced breast cancer patients: Results of an international survey linked to the ABC1 consensus conference. Breast, 2015, 24, 623-629.	0.9	8
61	Breast Cancer Under Age 40: a Different Approach. Current Treatment Options in Oncology, 2015, 16, 16.	1.3	67
62	Primary breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2015, 26, v8-v30.	0.6	1,168
63	ESO-ESMO 2nd international consensus guidelines for advanced breast cancer (ABC2). Annals of Oncology, 2014, 25, 1871-1888.	0.6	402
64	Risk estimations and treatment decisions in early stage breast cancer: Agreement among oncologists and the impact of the 70-gene signature. European Journal of Cancer, 2014, 50, 1045-1054.	1.3	13
65	Mammographic screening detects low-risk tumor biology breast cancers. Breast Cancer Research and Treatment, 2014, 144, 103-111.	1.1	53
66	First international consensus guidelines for breast cancer in young women (BCY1). Breast, 2014, 23, 209-220.	0.9	135
67	Time for more optimism in metastatic breast cancer?. Cancer Treatment Reviews, 2014, 40, 220-228.	3.4	59
68	Small breast cancers: When and how to treat. Cancer Treatment Reviews, 2014, 40, 1129-1136.	3.4	12
69	ESO-ESMO 2nd international consensus guidelines for advanced breast cancer (ABC2). Breast, 2014, 23, 489-502.	0.9	269
70	High concordance of protein (by IHC), gene (by FISH; HER2 only), and microarray readout (by) Tj ETQq0 0 0 rgBT / Oncology, 2014, 25, 816-823.	Overlock 0.6	10 Tf 50 147 50
71	A phase I pharmacokinetics study of lapatinib and tamoxifen in metastatic breast cancer (EORTC 10053) Tj ETQq1	10.7843 0.9	014 rgBT /0∨ 12
72	Genome-wide gene expression profiling to predict resistance to anthracyclines in breast cancer	1.3	

patients. Genomics Data, 2013, 1, 7-10.

#	Article	IF	CITATIONS
73	A review of the treatment of endocrine responsive metastatic breast cancer in postmenopausal women. Cancer Treatment Reviews, 2013, 39, 457-465.	3.4	47
74	Supportive care during treatment for breast cancer: Resource allocations in low- and middle-income countries. A Breast Health Global Initiative 2013 consensus statement. Breast, 2013, 22, 593-605.	0.9	60
75	International guidelines for management of metastatic breast cancer (MBC) from the European School of Oncology (ESO)–MBC Task Force: Surveillance, staging, and evaluation of patients with early-stage and metastatic breast cancer. Breast, 2013, 22, 203-210.	0.9	77
76	Additional prognostic value of the 70-gene signature (MammaPrint®) among breast cancer patients with 4–9 positive lymph nodes. Breast, 2013, 22, 682-690.	0.9	47
77	Perceptions and needs of women with metastatic breast cancer: A focus onÂclinical trials. Breast, 2013, 22, 370-373.	0.9	5
78	Optimal approach in early breast cancer: Adjuvant and neoadjuvant treatment. European Journal of Cancer, Supplement, 2013, 11, 3-22.	2.2	6
79	Primary breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2013, 24, vi7-vi23.	0.6	400
80	Phase I trial combining temozolomide plus lapatinib for the treatment of brain metastases in patients with HER2-positive metastatic breast cancer: the LAPTEM trial. Annals of Oncology, 2013, 24, 2985-2989.	0.6	22
81	AUTOIMMUNE HAEMOLYTIC ANAEMIA IN A PATIENT TREATED WITH CAPECITABINE. Acta Clinica Belgica, 2013, 68, 135-137.	0.5	3
82	Reply to â€~Staging for distant metastases in operable breast cancer: a suggested expansion of the ESMO guideline recommendation for staging imaging of node-negative, hormonal receptor-negative disease' by U. Gueth et al. Annals of Oncology, 2013, 24, 557.	0.6	0
83	Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2012, 23, vii11-vii19.	0.6	400
84	Subjective cognitive complaints one year after ceasing adjuvant endocrine treatment for early-stage breast cancer. British Journal of Cancer, 2012, 106, 1618-1625.	2.9	17
85	Chemoprevention for breast cancer. Cancer Treatment Reviews, 2012, 38, 329-339.	3.4	26
86	The EORTC Breast Cancer Group: major achievements of 50 years of research and future directions. European Journal of Cancer, Supplement, 2012, 10, 27-33.	2.2	4
87	An exploratory study of sunitinib in combination with docetaxel and trastuzumab as first-line therapy for HER2-positive metastatic breast cancer. Breast, 2012, 21, 716-723.	0.9	21
88	The European Society of Breast Cancer Specialists recommendations for the management of young women with breast cancer. European Journal of Cancer, 2012, 48, 3355-3377.	1.3	237
89	Neoadjuvant endocrine therapy: for whom, for how long?. Clinical and Translational Oncology, 2012, 14, 81-82.	1.2	2
90	Triple negative breast cancer: Proposals for a pragmatic definition and implications for patient management and trial design. Breast, 2012, 21, 20-26.	0.9	30

#	Article	IF	CITATIONS
91	1st International consensus guidelines for advanced breast cancer (ABC 1). Breast, 2012, 21, 242-252.	0.9	291
92	Breast Cancer in Young Women – a Clinical Challenge to Be Addressed in a Multidisciplinary Setting. Breast Care, 2012, 7, 193-194.	0.8	1
93	Primary breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2011, 22, vi12-vi24.	0.6	197
94	HER2 and TOP2A as predictive markers for anthracycline-containing chemotherapy regimens as adjuvant treatment of breast cancer: a meta-analysis of individual patient data. Lancet Oncology, The, 2011, 12, 1134-1142.	5.1	165
95	Eribulin monotherapy versus treatment of physician's choice in patients with metastatic breast cancer (EMBRACE): a phase 3 open-label randomised study. Lancet, The, 2011, 377, 914-923.	6.3	949
96	Cognitive function in postmenopausal breast cancer patients one year after completing adjuvant endocrine therapy with letrozole and/or tamoxifen in the BIG 1-98 trial. Breast Cancer Research and Treatment, 2011, 126, 221-226.	1.1	55
97	Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2011, 22, vi25-vi30.	0.6	266
98	BRCA in breast cancer: ESMO Clinical Practice Guidelines. Annals of Oncology, 2011, 22, vi31-vi34.	0.6	174
99	Can some patients avoid adjuvant chemotherapy for early-stage breast cancer?. Nature Reviews Clinical Oncology, 2011, 8, 272-279.	12.5	28
100	Cognitive function in postmenopausal women receiving adjuvant letrozole or tamoxifen for breast cancer in the BIG 1-98 randomized trial. Breast, 2010, 19, 388-395.	0.9	69
101	Identification of a low-risk subgroup of HER-2-positive breast cancer by the 70-gene prognosis signature. British Journal of Cancer, 2010, 103, 1788-1793.	2.9	64
102	Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2010, 21, v15-v19.	0.6	95
103	International Guidelines for Management of Metastatic Breast Cancer: Can Metastatic Breast Cancer Be Cured?. Journal of the National Cancer Institute, 2010, 102, 456-463.	3.0	325
104	444 The EORTC 10041/BIG 03–04 MINDACT trial is feasible: first results of the pilot phase. European Journal of Cancer, Supplement, 2010, 8, 188.	2.2	4
105	Locally recurrent or metastatic breast cancer: ESMO Clinical Recommendations for diagnosis, treatment and follow-up. Annals of Oncology, 2009, 20, iv15-iv18.	0.6	69
106	High Risk of Recurrence for Patients With Breast Cancer Who Have Human Epidermal Growth Factor Receptor 2–Positive, Node-Negative Tumors 1 cm or Smaller. Journal of Clinical Oncology, 2009, 27, 5700-5706.	0.8	404
107	International Guidelines for Management of Metastatic Breast Cancer: Combination vs Sequential Single-Agent Chemotherapy. Journal of the National Cancer Institute, 2009, 101, 1174-1181.	3.0	202
108	Beyond Trastuzumab: Overcoming Resistance to Targeted HER-2 Therapy in Breast Cancer. Current Cancer Drug Targets, 2009, 9, 148-162.	0.8	53

F CARDOSO

#	Article	IF	CITATIONS
109	Metastatic breast cancer patients: The forgotten heroes!. Breast, 2009, 18, 271-272.	0.9	20
110	The 70-gene prognosis-signature predicts disease outcome in breast cancer patients with 1–3 positive lymph nodes in an independent validation study. Breast Cancer Research and Treatment, 2009, 116, 295-302.	1.1	260
111	Stemming Resistance to HER-2 Targeted Therapy. Journal of Mammary Gland Biology and Neoplasia, 2009, 14, 55-66.	1.0	57
112	Daily clinical practice of fresh tumour tissue freezing and gene expression profiling; logistics pilot study preceding the MINDACT trial. European Journal of Cancer, 2009, 45, 1201-1208.	1.3	36
113	MammaPrint 70-gene profile quantifies the likelihood of recurrence for early breast cancer. Expert Opinion on Medical Diagnostics, 2009, 3, 193-205.	1.6	9
114	Adjuvant Chemotherapy of Breast Cancer. Breast Care, 2009, 4, 9-9.	0.8	0
115	Clinical Application of the 70-Gene Profile: The MINDACT Trial. Journal of Clinical Oncology, 2008, 26, 729-735.	0.8	449
116	Bortezomib/docetaxel combination therapy in patients with anthracycline-pretreated advanced/metastatic breast cancer: a phase I/II dose-escalation study. British Journal of Cancer, 2008, 98, 1500-1507.	2.9	43
117	HER-2 overexpression/amplification and its interaction with taxane-based therapy in breast cancer. Annals of Oncology, 2008, 19, 223-232.	0.6	30
118	Adjuvant Systemic Therapy, Quo Vadis? Patient Selection, Prognostic and Predictive Factors. Breast Care, 2008, 3, 392-394.	0.8	0
119	Facts and controversies in the use of trastuzumab in the adjuvant setting. Nature Clinical Practice Oncology, 2008, 5, 645-654.	4.3	18
120	Recommendations for Collection and Handling of Specimens From Group Breast Cancer Clinical Trials. Journal of Clinical Oncology, 2008, 26, 5638-5644.	0.8	72
121	Multicenter phase I clinical trial of daily and weekly RAD001 in combination with vinorelbine and trastuzumab in patients with HER2-overexpressing metastatic breast cancer with prior resistance to trastuzumab. Journal of Clinical Oncology, 2008, 26, 1057-1057.	0.8	10
122	p-53 gene mutations as a predictive marker in a population of advanced breast cancer patients randomly treated with doxorubicin or docetaxel in the context of a phase III clinical trial. Annals of Oncology, 2007, 18, 997-1003.	0.6	50
123	Achievements in Systemic Therapies in the Pregenomic Era in Metastatic Breast Cancer. Oncologist, 2007, 12, 253-270.	1.9	85
124	Strong Time Dependence of the 76-Gene Prognostic Signature for Node-Negative Breast Cancer Patients in the TRANSBIG Multicenter Independent Validation Series. Clinical Cancer Research, 2007, 13, 3207-3214.	3.2	839
125	The MINDACT trial: The first prospective clinical validation of a genomic tool. Molecular Oncology, 2007, 1, 246-251.	2.1	117
126	Ki-67 as prognostic marker in early breast cancer: a meta-analysis of published studies involving 12 155 patients. British Journal of Cancer, 2007, 96, 1504-1513.	2.9	763

#	Article	IF	CITATIONS
127	Individualization of therapy using Mammaprint: from development to the MINDACT Trial. Cancer Genomics and Proteomics, 2007, 4, 147-55.	1.0	51
128	Gene Expression Profiling in Breast Cancer: Understanding the Molecular Basis of Histologic Grade To Improve Prognosis. Journal of the National Cancer Institute, 2006, 98, 262-272.	3.0	1,824
129	Better predictive factors in endocrine-responsive breast cancer than the estrogen receptor itself. International Journal of Gynecological Cancer, 2006, 16, 533-537.	1.2	2
130	Validation and Clinical Utility of a 70-Gene Prognostic Signature for Women With Node-Negative Breast Cancer. Journal of the National Cancer Institute, 2006, 98, 1183-1192.	3.0	1,128
131	Bortezomib (PS-341, Velcade) increases the efficacy of trastuzumab (Herceptin) in HER-2–positive breast cancer cells in a synergistic manner. Molecular Cancer Therapeutics, 2006, 5, 3042-3051.	1.9	58
132	Breast Cancer: Achievements in Adjuvant Systemic Therapies in the Preâ€Genomic Era. Oncologist, 2006, 11, 111-125.	1.9	52
133	Use of trastuzumab for the treatment of early stage breast cancer. Expert Review of Anticancer Therapy, 2006, 6, 1153-1164.	1.1	13
134	Gene signature evaluation as a prognostic tool: challenges in the design of the MINDACT trial. Nature Clinical Practice Oncology, 2006, 3, 540-551.	4.3	222
135	Bringing Molecular Prognosis and Prediction to the Clinic. Clinical Breast Cancer, 2005, 6, 61-76.	1.1	36
136	Polysomy 17 in HER-2/neu Status Elaboration in Breast Cancer: Effect on Daily Practice. Clinical Cancer Research, 2005, 11, 4393-4399.	3.2	96
137	Proliferative markers as prognostic and predictive tools in early breast cancer: where are we now?. Annals of Oncology, 2005, 16, 1723-1739.	0.6	254
138	Gene regulation by phorbol 12-myristate 13-acetate in MCF-7 and MDA-MB-231, two breast cancer cell lines exhibiting highly different phenotypes. Oncology Reports, 2004, 12, 701-7.	1.2	22
139	Facts and Controversies in Systemic Treatment of Metastatic Breast Cancer. Oncologist, 2004, 9, 617-632.	1.9	152
140	Correlation between complete response to anthracycline-based chemotherapy and topoisomerase II-α gene amplification and protein overexpression in locally advanced/metastatic breast cancer. International Journal of Oncology, 2004, 24, 201.	1.4	30
141	Correlation between topoisomerase-IIα gene amplification and protein expression in HER-2 amplified breast cancer. International Journal of Oncology, 2004, 25, 1473-9.	1.4	18
142	Rates of topoisomerase II-alpha and HER-2 gene amplification and expression in epithelial ovarian carcinoma. Gynecologic Oncology, 2004, 92, 887-895.	0.6	49
143	Potential Predictive Value of Bcl-2 for Response to Tamoxifen in the Adjuvant Setting of Node-Positive Breast Cancer. Clinical Breast Cancer, 2004, 5, 364-369.	1.1	12
144	Targeting the Ubiquitin—Proteasome Pathway in Breast Cancer. Clinical Breast Cancer, 2004, 5, 148-157.	1.1	40

#	Article	IF	CITATIONS
145	E1. Tailored systemic treatment for breast cancer: dream or reality?. European Journal of Cancer, Supplement, 2004, 2, 2-5.	2.2	2
146	Vision and collaboration: essential ingredients for the future of breast cancer research. Current Opinion in Oncology, 2004, 16, 521-522.	1.1	0
147	Challenges in breast cancer clinical trial design in the postgenomic era. Current Opinion in Oncology, 2004, 16, 536-541.	1.1	16
148	Molecular profiling of head and neck tumors. Current Opinion in Oncology, 2004, 16, 211-214.	1,1	35
149	Cyclin E1 (CCNE1) and E2 (CCNE2) as prognostic and predictive markers for endocrine therapy (ET) in early breast cancer. Journal of Clinical Oncology, 2004, 22, 9504-9504.	0.8	3
150	Cyclin E1 (CCNE1) and E2 (CCNE2) as prognostic and predictive markers for endocrine therapy (ET) in early breast cancer. Journal of Clinical Oncology, 2004, 22, 9504-9504.	0.8	2
151	Correlation between complete response to anthracycline-based chemotherapy and topoisomerase II-alpha gene amplification and protein overexpression in locally advanced/metastatic breast cancer. International Journal of Oncology, 2004, 24, 201-9.	1.4	29
152	Topoisomerase-II alpha expression as a predictive marker in a population of advanced breast cancer patients randomly treated either with single-agent doxorubicin or single-agent docetaxel. Molecular Cancer Therapeutics, 2004, 3, 1207-14.	1.9	84
153	Comparison of Topoisomerase-IIα Gene Status between Primary Breast Cancer and Corresponding Distant Metastatic Sites. Breast Cancer Research and Treatment, 2003, 77, 199-204.	1.1	29
154	New data on chemotherapy in the adjuvant setting. Breast, 2003, 12, 373-378.	0.9	15
155	The best use of chemotherapy in the adjuvant setting. Breast, 2003, 12, 522-528.	0.9	11
156	The pipeline of new anticancer agents for breast cancer treatment in 2003. Critical Reviews in Oncology/Hematology, 2003, 48, 45-63.	2.0	11
157	Progress in systemic therapy for breast cancer: an overview and perspectives. European Journal of Cancer, Supplement, 2003, 1, 56-69.	2.2	11
158	Non-endocrine systemic therapies in advanced breast cancer. European Journal of Cancer, Supplement, 2003, 1, 287-298.	2.2	3
159	Use and abuse of taxanes in the management of metastatic breast cancer. European Journal of Cancer, 2003, 39, 1978-1989.	1.3	22
160	Neovascularisation is a prognostic factor of early recurrence in T1/G2 urothelial bladder tumours. Annals of Oncology, 2003, 14, 1419-1424.	0.6	33
161	Novel therapeutic strategies targeting the epidermal growth factor receptor (EGFR) family and its downstream effectors in breast cancer. Annals of Oncology, 2003, 14, 1346-1363.	0.6	97
162	Second malignancies following adjuvant chemotherapy:6-year results from a Belgian randomized study comparing cyclophosphamide, methotrexate and 5-fluorouracil (CMF) with an anthracycline-based regimen in adjuvant treatment ofnode-positive breast cancer patients. Annals of Oncology, 2003, 14, 693-698.	0.6	44

#	Article	IF	CITATIONS
163	Second-line treatment in advanced colon cancer: are multiple phase II trials informative enough to guide clinical practice?. Anti-Cancer Drugs, 2003, 14, 703-713.	0.7	4
164	Second and subsequent lines of chemotherapy for metastatic breast cancer: what did we learn in the last two decades?. Annals of Oncology, 2002, 13, 197-207.	0.6	128
165	The feasibility of classical cyclophosphamide, methotrexate, 5-fluorouracil (CMF) for pre- and post-menopausal node-positive breast cancer patients in a Belgian multicentric trial: a study of consistency in relative dose intensity (RDI) and cumulative doses across institutions. Annals of Oncology. 2002. 13. 416-421.	0.6	5
166	Comparison of HER-2 status between primary breast cancer and corresponding distant metastatic sites. Annals of Oncology, 2002, 13, 1036-1043.	0.6	276
167	Resistance to Trastuzumab: A Necessary Evil or a Temporary Challenge?. Clinical Breast Cancer, 2002, 3, 247-257.	1.1	60
168	Microtubule-Associated Parameters as Predictive Markers of Docetaxel Activity in Advanced Breast Cancer Patients: Results of a Pilot Study. Clinical Breast Cancer, 2002, 3, 341-345.	1.1	74
169	Optimizing Anthracycline Therapy for Node Positive Breast Cancer. American Journal of Cancer, 2002, 1, 257-268.	0.4	7
170	Controversies in the adjuvant systemic therapy of endocrine-non-responsive breast cancer. Cancer Treatment Reviews, 2002, 28, 275-290.	3.4	6
171	Predictive molecular markers in the adjuvant therapy of breast cancer: state of the art in the year 2002. International Journal of Clinical Oncology, 2002, 7, 245-253.	1.0	11
172	Evaluation of HER-2/NEU Protein Expression in Breast Cancer by Immunohistochemistry: An Interlaboratory Study Assessing the Reproducibility of HER-2/NEU Testing. Breast Cancer Research and Treatment, 2002, 74, 113-120.	1.1	69
173	Carcinomatous meningitis as a clinical manifestation of pancreatic carcinoma. Annals of Oncology, 2001, 12, 1757-1759.	0.6	24
174	Evaluation of HER2, p53, bcl-2, topoisomerase II-α, heat shock proteins 27 and 70 in primary breast cancer and metastatic ipsilateral axillary lymph nodes. Annals of Oncology, 2001, 12, 615-620.	0.6	71
175	Doxorubicin followed by docetaxel versus docetaxel followed by doxorubicin in the adjuvant treatment of node positive breast cancer: results of a feasibility study. Anticancer Research, 2001, 21, 789-95.	0.5	18
176	Squamous cell carcinoma of the breast. Breast, 2000, 9, 315-319.	0.9	66