
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5598480/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€^000 participants from 63 countries. The Lancet Global Health, 2022, 10, e216-e226.	2.9	16
2	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. EClinicalMedicine, 2022, 44, 101284.	3.2	21
3	Medications for blood pressure, blood glucose, lipids, and anti-thrombotic medications: relationship with cardiovascular disease and death in adults from 21 high-, middle-, and low-income countries with an elevated body mass index. European Journal of Preventive Cardiology, 2022, 29, 1817-1826.	0.8	2
4	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. International Journal of Epidemiology, 2022, 51, 1304-1316.	0.9	3
5	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. JAMA Cardiology, 2022, 7, 796.	3.0	30
6	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. Cardiovascular Research, 2021, 117, 1523-1531.	1.8	33
7	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. BMJ, The, 2021, 372, m4948.	3.0	53
8	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. BMJ Global Health, 2021, 6, e004124.	2.0	48
9	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. American Journal of Clinical Nutrition, 2021, 114, 1049-1058.	2.2	46
10	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. Sleep Medicine, 2021, 80, 265-272.	0.8	11
11	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631.	2.6	68
12	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. Circulation, 2021, 143, 2129-2142.	1.6	101
13	Familial Hypercholesterolemia in the Arabian Gulf Region: Clinical results of the Gulf FH Registry. PLoS ONE, 2021, 16, e0251560.	1.1	17
14	Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. European Heart Journal, 2021, 42, 4536-4549.	1.0	37
15	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. JAMA Network Open, 2021, 4, e2138920.	2.8	37
16	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2020, 395, 785-794.	6.3	428
17	Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	6.3	935
18	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	4.3	32

#	Article	IF	CITATIONS
19	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	2.0	41
20	Demographic, behavioral, and cardiovascular disease risk factors in the Saudi population: results from the Prospective Urban Rural Epidemiology study (PURE-Saudi). BMC Public Health, 2020, 20, 1213.	1.2	76
21	Acute myocardial infarction and acute heart failure in the Middle East and North Africa: Study design and pilot phase study results from the PEACE MENA registry. PLoS ONE, 2020, 15, e0236292.	1.1	9
22	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157â€^436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet Planetary Health, The, 2020, 4, e235-e245.	5.1	106
23	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. Diabetes Care, 2020, 43, 2643-2650.	4.3	55
24	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. American Journal of Clinical Nutrition, 2020, 112, 208-219.	2.2	33
25	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. JAMA Psychiatry, 2020, 77, 1052.	6.0	116
26	Ageâ€Related Sex Differences in Clinical Presentation, Management, and Outcomes in STâ€Segment–Elevation Myocardial Infarction: Pooled Analysis of 15Â532 Patients From 7 Arabian Gulf Registries. Journal of the American Heart Association, 2020, 9, e013880.	1.6	39
27	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. Environmental Pollution, 2020, 262, 114197.	3.7	47
28	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. American Journal of Clinical Nutrition, 2020, 111, 795-803.	2.2	71
29	The household economic burden of non-communicable diseases in 18 countries. BMJ Global Health, 2020, 5, e002040.	2.0	90
30	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 396, 97-109.	6.3	194
31	The Prognostic Impact Of Pulse Pressure In Acute Heart Failure: Insights From The HEARTS Registry. Journal of the Saudi Heart Association, 2020, 32, 263-273.	0.2	1
32	Invasive and antiplatelet treatment of patients with nonâ€STâ€segment elevation myocardial infarction: Understanding and addressing the global riskâ€ŧreatment paradox. Clinical Cardiology, 2019, 42, 1028-1040.	0.7	14
33	Shock Index in Patients Presenting With Acute Heart Failure: A Multicenter Multinational Observational Study. Angiology, 2019, 70, 938-946.	0.8	8
34	Pure Autonomic Failure with Asymptomatic Hypertensive Urgency: A Case Report and Literature Review. Case Reports in Neurology, 2019, 10, 357-362.	0.3	1
35	The first survey of the Saudi Acute Myocardial Infarction Registry Program: Main results and long-term outcomes (STARS-1 Program). PLoS ONE, 2019, 14, e0216551.	1.1	43
36	Identifying mortality risk factors amongst acute coronary syndrome patients admitted to Arabian Gulf hospitals using machineâ€learning methods. Expert Systems, 2019, 36, e12413.	2.9	2

KHALID F ALHABIB

6

#	Article	IF	CITATIONS
37	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. The Lancet Global Health, 2019, 7, e748-e760.	2.9	340
38	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772.	2.4	85
39	Randomized controlled trial of influenza vaccine in patients with heart failure to reduce adverse vascular events (IVVE): Rationale and design. American Heart Journal, 2019, 212, 36-44.	1.2	39
40	The Gulf Familial Hypercholesterolemia Registry (Gulf FH): Design, Rationale and Preliminary Results. Current Vascular Pharmacology, 2019, 18, 57-64.	0.8	23
41	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. European Heart Journal, 2019, 40, 1620-1629.	1.0	208
42	Circadian Rhythm and ST-Segment Elevation Myocardial Infarction: Insights From the Third Gulf Registry of Acute Coronary Events (Gulf RACE-3Ps). Angiology, 2019, 70, 352-360.	0.8	6
43	Clinical Presentation, Quality of Care, Risk Factors and Outcomes in Women with Acute ST-Elevation Myocardial Infarction (STEMI): An Observational Report from Six Middle Eastern Countries. Current Vascular Pharmacology, 2019, 17, 388-395.	0.8	12
44	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. The Lancet Global Health, 2018, 6, e292-e301.	2.9	73
45	The impact of introduction of Code-STEMI program on the reduction of door-to-balloon time in acute ST-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention: A single-center study in Saudi Arabia. Journal of the Saudi Heart Association, 2018, 30, 172-179.	0.2	2
46	Atrial Fibrillation in Patients Hospitalized With Heart Failure: Patient Characteristics and Outcomes From the HEARTS Registry. Angiology, 2018, 69, 151-157.	0.8	2
47	Association between hypo- and hyperkalemia and outcome in acute heart failure patients: the role of medications. Clinical Research in Cardiology, 2018, 107, 214-221.	1.5	28
48	Heart failure oral therapies at discharge are associated with better outcome in acute heart failure: a propensityâ€score matched study. European Journal of Heart Failure, 2018, 20, 345-354.	2.9	92
49	Clinical Presentation, Predictors, and Outcomes Among Mineralocorticoid Receptor Antagonist (MRA)-Eligible Acute Heart Failure Patients in the Heart Function Assessment Registry Trial in Saudi Arabia (HEARTS). Angiology, 2018, 69, 323-332.	0.8	1
50	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2018, 392, 2288-2297.	6.3	295
51	The prognostic impact of hyperglycemia on clinical outcomes of acute heart failure: Insights from the heart function assessment registry trial in Saudi Arabia. Journal of the Saudi Heart Association, 2018, 30, 319-327.	0.2	4
52	Baseline characteristics, management practices, and long-term outcomes among patients with first presentation acute myocardial infarction in the Second Gulf Registry of Acute Coronary Events (Gulf) Tj ETQq0 0	0 og 18T /Ov	vedlock 10 Tf
53	Impact of Clopidogrel on Mortality in Patients With Acute Heart Failure Stratified by Coronary Artery Disease: Findings From the Arabian Gulf Acute Heart Failure Registry (Gulf CARE). Angiology, 2018, 69, 884-891.	0.8	0
	Lice of ticagralar alongside fibringly tic therapy in patients with STaffeogment alouation myocardial		

Use of ticagrelor alongside fibrinolytic therapy in patients with STâ€segment elevation myocardial54infarction: Practical perspectives based on data from the TREAT study. Clinical Cardiology, 2018, 41,0.71322-1327.0.7

#	Article	IF	CITATIONS
55	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	5.5	116
56	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506.	6.3	243
57	Using Mobile Health Intervention to Improve Secondary Prevention of Coronary Heart Diseases in China: Mixed-Methods Feasibility Study. JMIR MHealth and UHealth, 2018, 6, e9.	1.8	22
58	Worsening heart failure in â€~realâ€world' clinical practice: predictors and prognostic impact. European Journal of Heart Failure, 2017, 19, 987-995.	2.9	13
59	The technical report on sodium intake and cardiovascular disease in low- and middle-income countries by the joint working group of the World Heart Federation, the European Society of Hypertension and the European Public Health Association. European Heart Journal, 2017, 38, ehw549.	1.0	65
60	Clinical characteristics, management and outcomes of patients with chronic heart failure: Results from the heart function assessment registry trial in S audi Arabia (HEARTS-chronic). International Journal of Cardiology, 2017, 235, 94-99.	0.8	21
61	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. The Lancet Global Health, 2017, 5, e665-e672.	2.9	247
62	Prevalence, awareness, treatment and control of hypertension in four Middle East countries. Journal of Hypertension, 2017, 35, 1457-1464.	0.3	51
63	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	4.7	134
64	Precipitating factors and 90â€day outcome of acute heart failure: a report from the intercontinental <scp>GREAT</scp> registry. European Journal of Heart Failure, 2017, 19, 201-208.	2.9	126
65	Predictors and Impact of In-Hospital Recurrent Myocardial Infarction in Patients With Acute Coronary Syndrome: Findings From Gulf RACE-2. Angiology, 2017, 68, 508-512.	0.8	8
66	Validation of the 6-Month GRACE Score in Predicting 1-Year Mortality of Patients With Acute Coronary Syndrome Admitted to the Arabian Gulf Hospitals. Angiology, 2017, 68, 251-256.	0.8	9
67	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. BMJ Global Health, 2017, 2, e000443.	2.0	15
68	βâ€Blocker Therapy Prior to Admission for Acute Coronary Syndrome inÂPatients Without Heart Failure or Left Ventricular Dysfunction Improves Inâ€Hospital and 12â€Month Outcome: Results From the GULFâ€RACE 2 (Gulf Registry of Acute Coronary Eventsâ€2). Journal of the American Heart Association, 2017, 6, .	1.6	9
69	Assessment of physicians' awareness and knowledge of familial hypercholesterolemia in Saudi Arabia: Is there a gap?. PLoS ONE, 2017, 12, e0183494.	1.1	22
70	The Spectrum of Familial Hypercholesterolemia (FH) in Saudi Arabia: Prime Time for Patient FH Registry. Open Cardiovascular Medicine Journal, 2017, 11, 66-75.	0.6	15
71	Patient and System-Related Delays of Emergency Medical Services Use in Acute ST-Elevation Myocardial Infarction: Results from the Third Gulf Registry of Acute Coronary Events (Gulf RACE-3Ps). PLoS ONE, 2016, 11, e0147385.	1.1	32
72	Acute heart failure with and without acute coronary syndrome: clinical correlates and prognostic impact (From the HEARTS registry). BMC Cardiovascular Disorders, 2016, 16, 98.	0.7	18

#	Article	IF	CITATIONS
73	Dyslipidaemia in the Middle East: Current status and a call for action. Atherosclerosis, 2016, 252, 182-187.	0.4	37
74	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 535-546.	2.9	191
75	Development of a mobile phone-based intervention to improve adherence to secondary prevention of coronary heart disease in China. Journal of Medical Engineering and Technology, 2016, 40, 372-382.	0.8	15
76	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. International Journal for Equity in Health, 2016, 15, 199.	1.5	67
77	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. International Journal of Cardiology, 2016, 204, 133-141.	0.8	108
78	Validation of the Canada Acute Coronary Syndrome Risk Score for Hospital Mortality in the Gulf Registry of Acute Coronary Eventsâ€2. Clinical Cardiology, 2015, 38, 542-547.	0.7	6
79	Clinical presentation and outcome by age categories in acute heart failure: results from an international observational cohort. European Journal of Heart Failure, 2015, 17, 1114-1123.	2.9	49
80	Disparities in Health Care Delivery and Hospital Outcomes between Non-Saudis and Saudi Nationals Presenting with Acute Coronary Syndromes in Saudi Arabia. PLoS ONE, 2015, 10, e0124012.	1.1	7
81	Acute Coronary Syndrome in Indian Subcontinent Patients Residing in the Middle East. Angiology, 2015, 66, 818-825.	0.8	4
82	Long-Term Mortality Rates in Acute De Novo Versus Acute-on-Chronic Heart Failure. Angiology, 2015, 66, 837-844.	0.8	20
83	Clinical characteristics, management, and outcomes of acute heart failure patients: observations from the Gulf acute heart failure registry (Gulf <scp>CARE</scp> ). European Journal of Heart Failure, 2015, 17, 374-384.	2.9	90
84	Initial heart rate and cardiovascular outcomes in patients presenting with acute coronary syndrome. Acute Cardiac Care, 2014, 16, 49-56.	0.2	7
85	Clinical features, management, and short―and longâ€ŧerm outcomes of patients with acute decompensated heart failure: phase I results of the <scp>HEARTS</scp> database. European Journal of Heart Failure, 2014, 16, 461-469.	2.9	46
86	Heart failure: preventing disease and death worldwide. ESC Heart Failure, 2014, 1, 4-25.	1.4	921
87	Short-term and long-term adverse cardiovascular events across the glycaemic spectrum in patients with acute coronary syndrome. Coronary Artery Disease, 2014, 25, 330-338.	0.3	8
88	The Obesity Paradox in Patients With Acute Coronary Syndrome. Angiology, 2014, 65, 585-589.	0.8	9
89	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. European Heart Journal, 2014, 35, 1957-1970.	1.0	275
90	Use of Emergency Medical Services in the Second Gulf Registry of Acute Coronary Events. Angiology, 2014, 65, 703-709.	0.8	13

#	Article	IF	CITATIONS
91	Age and clinical outcomes in patients presenting with acute coronary syndromes. Journal of Cardiovascular Disease Research (discontinued), 2013, 4, 134-139.	0.1	17
92	The prognostic impact of in-hospital worsening of renal function in patients with acute coronary syndrome. International Journal of Cardiology, 2013, 167, 866-870.	0.8	22
93	Short-term and long-term mortality associated with ventricular arrhythmia in patients hospitalized with acute coronary syndrome. Coronary Artery Disease, 2013, 24, 160-164.	0.3	4
94	Prevalence and prognosis of congestive heart failure in Saudi patients admitted with acute coronary syndrome (from SPACE registry). Coronary Artery Disease, 2013, 24, 596-601.	0.3	13
95	Impact of access to hospitals with catheterization facilities in the second Gulf Registry of Acute Coronary Events (Gulf RACE-2). Coronary Artery Disease, 2013, 24, 412-418.	0.3	4
96	Gender Disparities in the Presentation, Management and Outcomes of Acute Coronary Syndrome Patients: Data from the 2nd Gulf Registry of Acute Coronary Events (Gulf RACE-2). PLoS ONE, 2013, 8, e55508.	1.1	54
97	Prevalence, Predictors, and Outcomes of Conservative Medical Management in Non-ST-Segment Elevation Acute Coronary Syndromes in Gulf RACE-2. Angiology, 2012, 63, 109-118.	0.8	11
98	Glomerular Filtration Rate Estimated by the CKD-EPI Formula is a Powerful Predictor of In-Hospital Adverse Clinical Outcomes After an Acute Coronary Syndrome. Angiology, 2012, 63, 119-126.	0.8	19
99	Impact of diabetes on hospital adverse cardiovascular outcomes in acute coronary syndrome patients: Data from the Saudi project of acute coronary events. Journal of the Saudi Heart Association, 2012, 24, 225-231.	0.2	10
100	Prognostic Significance of Prevalent and Incident Atrial Fibrillation Among Patients Hospitalized with Acute Coronary Syndrome. Angiology, 2012, 63, 466-471.	0.8	22
101	Prior Antiplatelet Use and Cardiovascular Outcomes in Patients Presenting with Acute Coronary Syndromes. American Journal of Cardiovascular Drugs, 2012, 12, 127-135.	1.0	3
102	Incidence of ventricular arrhythmia and associated patient outcomes in hospitalized acute coronary syndrome patients in Saudi Arabia: findings from the registry of the Saudi Project for Assessment of Acute Coronary Syndrome (SPACE). Annals of Saudi Medicine, 2012, 32, 372-377.	0.5	4
103	Polyvascular Disease in Patients Presenting with Acute Coronary Syndrome: Its Predictors and Outcomes. Scientific World Journal, The, 2012, 2012, 1-7.	0.8	18
104	Age and its relationship to acute coronary syndromes in the Saudi Project for Assessment of Coronary Events (SPACE) registry: The SPACE age study. Journal of the Saudi Heart Association, 2012, 24, 9-16.	0.2	13
105	Are acute coronary syndrome patients admitted during off-duty hours treated differently? An analysis of the Saudi Project for Assessment of Acute Coronary Syndrome (SPACE) study. Annals of Saudi Medicine, 2012, 32, 366-371.	0.5	6
106	Baseline characteristics, management practices, and long-term outcomes of Middle Eastern patients in the Second Gulf Registry of Acute Coronary Events (Gulf RACE-2). Annals of Saudi Medicine, 2012, 32, 9-18.	0.5	68
107	Design and preliminary results of the Heart Function Assessment Registry Trial in Saudi Arabia (HEARTS) in patients with acute and chronic heart failureâ€. European Journal of Heart Failure, 2011, 13, 1178-1184.	2.9	55
108	Baseline characteristics, management practices, and in-hospital outcomes of patients with acute coronary syndromes: Results of the Saudi project for assessment of coronary events (SPACE) registry. Journal of the Saudi Heart Association, 2011, 23, 233-239.	0.2	57

#	Article	IF	CITATIONS
109	Regional Variability in Hospital Mortality in Patients Hospitalized with ST-Segment Elevation Myocardial Infarction: Findings from the Gulf Registry of Acute Coronary Events. Medical Principles and Practice, 2011, 20, 225-230.	1.1	10
110	The Saudi Project for Assessment of Coronary Events (SPACE) registry: Design and results of a phase I pilot study. Canadian Journal of Cardiology, 2009, 25, e255-e258.	0.8	48
111	Management and outcomes of Middle Eastern patients admitted with acute coronary syndromes in the Gulf Registry of Acute Coronary Events (Gulf RACE). Acta Cardiologica, 2009, 64, 439-446.	0.3	83