Ronnie Shapira-Frommer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/560001/publications.pdf

Version: 2024-02-01

61 papers 11,198 citations

201674 27 h-index 54 g-index

61 all docs

61 does citations

61 times ranked

13964 citing authors

| # | Article | IF | CITATIONS |
|----|---|--------------------|------------------------|
| 1 | Efficacy of Pembrolizumab in Patients With Noncolorectal High Microsatellite Instability/Mismatch Repair–Deficient Cancer: Results From the Phase II KEYNOTE-158 Study. Journal of Clinical Oncology, 2020, 38, 1-10. | 1.6 | 1,740 |
| 2 | Olaparib Monotherapy in Patients With Advanced Cancer and a Germline <i>BRCA1/2</i> Mutation. Journal of Clinical Oncology, 2015, 33, 244-250. | 1.6 | 1,473 |
| 3 | Pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory melanoma (KEYNOTE-002): a randomised, controlled, phase 2 trial. Lancet Oncology, The, 2015, 16, 908-918. | 10.7 | 1,419 |
| 4 | Association of tumour mutational burden with outcomes in patients with advanced solid tumours treated with pembrolizumab: prospective biomarker analysis of the multicohort, open-label, phase 2 KEYNOTE-158 study. Lancet Oncology, The, 2020, 21, 1353-1365. | 10.7 | 1,363 |
| 5 | Olaparib maintenance therapy in patients with platinum-sensitive relapsed serous ovarian cancer: a preplanned retrospective analysis of outcomes by BRCA status in a randomised phase 2 trial. Lancet Oncology, The, 2014, 15, 852-861. | 10.7 | 1,237 |
| 6 | Fecal microbiota transplant promotes response in immunotherapy-refractory melanoma patients. Science, 2021, 371, 602-609. | 12.6 | 784 |
| 7 | Efficacy and Safety of Pembrolizumab in Previously Treated Advanced Cervical Cancer: Results From the Phase II KEYNOTE-158 Study. Journal of Clinical Oncology, 2019, 37, 1470-1478. | 1.6 | 671 |
| 8 | Overall survival in patients with platinum-sensitive recurrent serous ovarian cancer receiving olaparib maintenance monotherapy: an updated analysis from a randomised, placebo-controlled, double-blind, phase 2 trial. Lancet Oncology, The, 2016, 17, 1579-1589. | 10.7 | 380 |
| 9 | Efficacy and safety of olaparib monotherapy in germline BRCA1 / 2 mutation carriers with advanced ovarian cancer and three or more lines of prior therapy. Gynecologic Oncology, 2016, 140, 199-203. | 1.4 | 252 |
| 10 | Antitumor activity and safety of the PARP inhibitor rucaparib in patients with high-grade ovarian carcinoma and a germline or somatic BRCA1 or BRCA2 mutation: Integrated analysis of data from Study 10 and ARIEL2. Gynecologic Oncology, 2017, 147, 267-275. | 1.4 | 222 |
| 11 | A Phase l–II Study of the Oral PARP Inhibitor Rucaparib in Patients with Germline <i>BRCA1/2</i> -Mutated Ovarian Carcinoma or Other Solid Tumors. Clinical Cancer Research, 2017, 23, 4095-4106. | 7.0 | 213 |
| 12 | Rheumatic manifestations among cancer patients treated with immune checkpoint inhibitors. Autoimmunity Reviews, $2018, 17, 284-289$. | 5.8 | 149 |
| 13 | Long-term efficacy, tolerability and overall survival in patients with platinum-sensitive, recurrent high-grade serous ovarian cancer treated with maintenance olaparib capsules following response to chemotherapy. British Journal of Cancer, 2018, 119, 1075-1085. | 6.4 | 133 |
| 14 | Efficacy and Safety of Pembrolizumab in Previously Treated Advanced Neuroendocrine Tumors: Results From the Phase II KEYNOTE-158 Study. Clinical Cancer Research, 2020, 26, 2124-2130. | 7.0 | 132 |
| 15 | Development of MK-8353, an orally administered ERK1/2 inhibitor, in patients with advanced solid tumors. JCI Insight, 2018, 3, . | 5.0 | 107 |
| 16 | Pembrolizumab therapy for microsatellite instability high (MSI-H) colorectal cancer (CRC) and non-CRC Journal of Clinical Oncology, 2017, 35, 3071-3071. | 1.6 | 107 |
| 17 | Olaparib maintenance therapy in patients with platinumâ€sensitive, relapsed serous ovarian cancer and a <scp><i>BRCA</i></scp> mutation: Overall survival adjusted for postprogression poly(adenosine) Tj ETQq1 1 0.3 | 78 43 14 rg | ;BT7 / Overlock |
| 18 | Pembrolizumab treatment of advanced cervical cancer: Updated results from the phase 2 KEYNOTE-158 study Journal of Clinical Oncology, 2018, 36, 5522-5522. | 1.6 | 59 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Quality of life during olaparib maintenance therapy in platinum-sensitive relapsed serous ovarian cancer. British Journal of Cancer, 2016, 115, 1313-1320. | 6.4 | 52 |
| 20 | Immunotherapy comes of age in octagenarian and nonagenarian metastatic melanoma patients. European Journal of Cancer, 2019, 108, 61-68. | 2.8 | 48 |
| 21 | Real World Outcomes of Ipilimumab and Nivolumab in Patients with Metastatic Melanoma. Cancers, 2020, 12, 2329. | 3.7 | 45 |
| 22 | Antitumor activity and safety of pembrolizumab in patients with advanced recurrent ovarian cancer: Interim results from the phase 2 KEYNOTE-100 study Journal of Clinical Oncology, 2018, 36, 5511-5511. | 1.6 | 45 |
| 23 | Efficacy and safety of pembrolizumab in patients with advanced mesothelioma in the open-label, single-arm, phase 2 KEYNOTE-158 study. Lancet Respiratory Medicine, the, 2021, 9, 613-621. | 10.7 | 44 |
| 24 | Clinical Significance of Pancreatic Atrophy Induced by Immune-Checkpoint Inhibitors: A Case–Control Study. Cancer Immunology Research, 2018, 6, 1453-1458. | 3.4 | 35 |
| 25 | Efficacy and safety of niraparib as maintenance treatment in older patients (≥ 70 years) with recurrent ovarian cancer: Results from the ENGOT-OV16/NOVA trial. Gynecologic Oncology, 2019, 152, 560-567. | 1.4 | 35 |
| 26 | Recurrent Pneumonitis in Patients with Melanoma Treated with Immune Checkpoint Inhibitors. Oncologist, 2019, 24, 640-647. | 3.7 | 32 |
| 27 | Possible immune adverse events as predictors of durable response to BRAF inhibitors in patients with BRAF V600–mutant metastatic melanoma. European Journal of Cancer, 2018, 101, 229-235. | 2.8 | 29 |
| 28 | A phase $1a/1b$ trial of CSF-1R inhibitor LY3022855 in combination with durvalumab or tremelimumab in patients with advanced solid tumors. Investigational New Drugs, 2021, 39, 1284-1297. | 2.6 | 28 |
| 29 | Comprehensive single institute experience with melanoma TIL: Long term clinical results, toxicity profile, and prognostic factors of response. Molecular Carcinogenesis, 2020, 59, 736-744. | 2.7 | 24 |
| 30 | Comparison of non-myeloablative lymphodepleting preconditioning regimens in patients undergoing adoptive T cell therapy., 2021, 9, e001743. | | 23 |
| 31 | Characterization of patients with long-term responses to rucaparib treatment in recurrent ovarian cancer. Gynecologic Oncology, 2021, 163, 490-497. | 1.4 | 20 |
| 32 | Efficacy and safety of pembrolizumab for patients with previously treated advanced vulvar squamous cell carcinoma: Results from the phase 2 KEYNOTE-158 study. Gynecologic Oncology, 2022, 166, 211-218. | 1.4 | 20 |
| 33 | Antitumor activity of the poly(ADP-ribose) polymerase inhibitor rucaparib as monotherapy in patients with platinum-sensitive, relapsed, <i>BRCA</i> -mutated, high-grade ovarian cancer, and an update on safety. International Journal of Gynecological Cancer, 2019, 29, 1396-1404. | 2.5 | 19 |
| 34 | Population-adjusted indirect treatment comparison of the SOLO1 and PAOLA-1/ENGOT-ov25 trials evaluating maintenance olaparib or bevacizumab or the combination of both in newly diagnosed, advanced BRCA-mutated ovarian cancer. European Journal of Cancer, 2021, 157, 415-423. | 2.8 | 18 |
| 35 | Pembrolizumab treatment of advanced neuroendocrine tumors: Results from the phase II KEYNOTE-158 study Journal of Clinical Oncology, 2019, 37, 190-190. | 1.6 | 18 |
| 36 | Olaparib monotherapy in patients with advanced cancer and a germ-line <i>BRCA1/2</i> mutation: An open-label phase II study Journal of Clinical Oncology, 2013, 31, 11024-11024. | 1.6 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|----------------------------------|
| 37 | Adoptive Immunotherapy of Advanced Melanoma. Current Treatment Options in Oncology, 2012, 13, 340-353. | 3.0 | 13 |
| 38 | A phase II open-label, multicenter study of single-agent rucaparib in the treatment of patients with relapsed ovarian cancer and a deleterious BRCA mutation Journal of Clinical Oncology, 2015, 33, 5513-5513. | 1.6 | 12 |
| 39 | KEYNOTE-826: A phase 3, randomized, double-blind, placebo-controlled study of pembrolizumab plus chemotherapy for first-line treatment of persistent, recurrent, or metastatic cervical cancer Journal of Clinical Oncology, 2019, 37, TPS5595-TPS5595. | 1.6 | 11 |
| 40 | Health-related quality of life (HRQoL) in advanced endometrial cancer (aEC) patients (pts) treated with lenvatinib plus pembrolizumab or treatment of physician's choice (TPC) Journal of Clinical Oncology, 2021, 39, 5570-5570. | 1.6 | 9 |
| 41 | Prognostic nomogram for progression-free survival in patients with BRCA mutations and platinum-sensitive recurrent ovarian cancer on maintenance olaparib therapy following response to chemotherapy. European Journal of Cancer, 2021, 154, 190-200. | 2.8 | 9 |
| 42 | Frequency, severity and timing of common adverse events (AEs) with maintenance olaparib in patients (pts) with platinum-sensitive relapsed serous ovarian cancer (PSR SOC) Journal of Clinical Oncology, 2015, 33, 5550-5550. | 1.6 | 9 |
| 43 | Overall survival (OS) in patients (pts) with platinum-sensitive relapsed serous ovarian cancer (PSR) Tj ETQq1 1 0. 2016, 34, 5501-5501. | 1.6 | gBT /Overlo <mark>ck</mark> 9 |
| 44 | Molecular and Functional Signatures Associated with CAR T Cell Exhaustion and Impaired Clinical Response in Patients with B Cell Malignancies. Cells, 2022, 11, 1140. | 4.1 | 8 |
| 45 | Pembrolizumab + chemotherapy in patients with persistent, recurrent, or metastatic cervical cancer: Subgroup analysis of KEYNOTE-826 Journal of Clinical Oncology, 2022, 40, 5506-5506. | 1.6 | 8 |
| 46 | Utilizing an interim futility analysis of the OVAL study (VB-111-701/GOG 3018) for potential reduction of risk: A phase III, double blind, randomized controlled trial of ofranergene obadenovec (VB-111) and weekly paclitaxel in patients with platinum resistant ovarian cancer. Gynecologic Oncology, 2021, 161, 496-501. | 1.4 | 7 |
| 47 | Population exposure-efficacy and exposure-safety analyses for rucaparib in patients with recurrent ovarian carcinoma from Study 10 and ARIEL2. Gynecologic Oncology, 2021, 161, 668-675. | 1.4 | 7 |
| 48 | O83â€Phase 1 study of an anti-CD27 agonist as monotherapy and in combination with pembrolizumab in patients with advanced solid tumors. , 2020, 8, A2.1-A2. | | 6 |
| 49 | A phase II single-arm study of nivolumab and ipilimumab (Nivo/Ipi) in previously treated Classic Kaposi sarcoma (CKS) Journal of Clinical Oncology, 2019, 37, 11064-11064. | 1.6 | 5 |
| 50 | Targeting p53 mutant ovarian cancer: Phase I results of the WEE1 inhibitor MK-1775 with carboplatin plus paclitaxel in patients (pts) with platinum-sensitive, p53-mutant ovarian cancer (OC) Journal of Clinical Oncology, 2013, 31, 5518-5518. | 1.6 | 3 |
| 51 | Use of chemotherapy (CT) in BRCA1/2-deficient ovarian cancer (BDOC) patients (pts) with poly-ADP-ribose polymerase inhibitor (PARPi) resistance: A multi-institutional study Journal of Clinical Oncology, 2012, 30, 5022-5022. | 1.6 | 2 |
| 52 | What clinical factors influence advanced <i>BRCA1/2</i> mutant ovarian cancer patient (BMOC pt) outcomes to poly(ADP-ribose) polymerase inhibitor (PARPi) treatment?. Journal of Clinical Oncology, 2015, 33, 5546-5546. | 1.6 | 2 |
| 53 | Characterization of patients (pts) with long-term responses to rucaparib in recurrent ovarian cancer (OC) Journal of Clinical Oncology, 2020, 38, 6015-6015. | 1.6 | 2 |
| 54 | Efficacy and safety of olaparib monotherapy in a subgroup of patients with a germline BRCA1/2 mutation and advanced ovarian cancer from a Phase II open-label study Journal of Clinical Oncology, 2015, 33, 5529-5529. | 1.6 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | 393â€First-in-human phase 1/2a study of the novel nonfucosylated anti–CTLA-4 monoclonal antibody BMS-986218 ± nivolumab in advanced solid tumors: initial phase 1 results. , 2020, , . | | 2 |
| 56 | Clinical trial in progress: Pivotal study of VB-111 combined with paclitaxel versus paclitaxel for treatment of platinum-resistant ovarian cancer (OVAL, VB-111-701/GOG-3018) Journal of Clinical Oncology, 2021, 39, TPS5599-TPS5599. | 1.6 | 1 |
| 57 | 526â€Removal of soluble tumor necrosis factors receptors 1/2 in patients with metastatic solid tumors using immune apheresis. , 2021, 9, A556-A556. | | 1 |
| 58 | Pivotal study of ofra-vec (VB-111) combined with paclitaxel versus paclitaxel for treatment of platinum-resistant ovarian cancer (OVAL, VB-111-701/GOG-3018) Journal of Clinical Oncology, 2022, 40, TPS5606-TPS5606. | 1.6 | 1 |
| 59 | 318â€Olaparib plus pembrolizumab in patients with previously treated advanced solid tumors with homologous recombination repair mutation and/or homologous recombination repair deficiency: KEYLYNK-007., 2020,,. | | O |
| 60 | Better (a little) late than never: The impact of steroidal treatment initiation timing on the outcome of patients with melanoma treated with immunotherapy Journal of Clinical Oncology, 2022, 40, 9544-9544. | 1.6 | O |
| 61 | BRAF-targeted therapy for locally advanced ameloblastoma of the mandible: A potential neoadjuvant strategy Journal of Clinical Oncology, 2022, 40, 3149-3149. | 1.6 | 0 |