

# Ingo B Runnebaum

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5603292/publications.pdf>

Version: 2024-02-01

22  
papers

2,234  
citations

471509

17  
h-index

677142

22  
g-index

22  
all docs

22  
docs citations

22  
times ranked

4903  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	21.4	493
2	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017, 49, 680-691.	21.4	356
3	GWAS meta-analysis and replication identifies three new susceptibility loci for ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 362-370.	21.4	326
4	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171.	21.4	221
5	Identification of nine new susceptibility loci for endometrial cancer. <i>Nature Communications</i> , 2018, 9, 3166.	12.8	178
6	Epigenetic analysis leads to identification of HNF1B as a subtype-specific susceptibility gene for ovarian cancer. <i>Nature Communications</i> , 2013, 4, 1628.	12.8	144
7	Genetic Risk Score Mendelian Randomization Shows that Obesity Measured as Body Mass Index, but not Waist:Hip Ratio, Is Causal for Endometrial Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1503-1510.	2.5	64
8	Long-term risk of fibroid recurrence after laparoscopic myomectomy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 180, 35-39.	1.1	62
9	Genetic overlap between endometriosis and endometrial cancer: evidence from cross-disease genetic correlation and GWAS meta-analyses. <i>Cancer Medicine</i> , 2018, 7, 1978-1987.	2.8	62
10	Fine-mapping of the HNF1B multicancer locus identifies candidate variants that mediate endometrial cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 1478-1492.	2.9	50
11	Standardised Registration of Surgical Complications in Laparoscopic-Gynaecological Therapeutic Procedures Using the Clavien-Dindo Classification. <i>Geburtshilfe Und Frauenheilkunde</i> , 2014, 74, 752-758.	1.8	43
12	Ablative dual-phase Erbium:YAG laser treatment of atrophy-related vaginal symptoms in post-menopausal breast cancer survivors omitting hormonal treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 955-960.	2.5	39
13	Meta-analysis of genome-wide association studies identifies common susceptibility polymorphisms for colorectal and endometrial cancer near SH2B3 and TSHZ1. <i>Scientific Reports</i> , 2015, 5, 17369.	3.3	35
14	Candidate locus analysis of the TERT-CLPTM1L cancer risk region on chromosome 5p15 identifies multiple independent variants associated with endometrial cancer risk. <i>Human Genetics</i> , 2015, 134, 231-245.	3.8	34
15	Risk index for pelvic organ prolapse based on established individual risk factors. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 617-624.	1.7	27
16	Extensive endometriosis surgery: rASRM and Enzian score independently relate to post-operative complication grade. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 699-706.	1.7	20
17	Genetic analyses of gynecological disease identify genetic relationships between uterine fibroids and endometrial cancer, and a novel endometrial cancer genetic risk region at the WNT4 1p36.12 locus. <i>Human Genetics</i> , 2021, 140, 1353-1365.	3.8	18
18	Laparoscopic myomectomy in peri- and post-menopausal women is safe, efficacious and associated with long-term patient satisfaction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 192-196.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Bilateral minimal tension sacrospinous fixation in pelvic organ prolapse: an observational study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 188, 1-5.	1.1	15
20	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 217-228.	2.5	12
21	Endometriosis reduces ovarian response in controlled ovarian hyperstimulation independent of AMH, AFC, and women's age measured by follicular output rate (FORT) and number of oocytes retrieved. Archives of Gynecology and Obstetrics, 2019, 300, 1759-1765.	1.7	10
22	Unexpected coexistent endometriosis in women with symptomatic uterine leiomyomas is independently associated with infertility, nulliparity and minor myoma size. Archives of Gynecology and Obstetrics, 2019, 300, 103-108.	1.7	8