

Hanxi Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5604175/publications.pdf>

Version: 2024-02-01

125
papers

14,042
citations

18482

62
h-index

20358

116
g-index

127
all docs

127
docs citations

127
times ranked

10467
citing authors

#	ARTICLE	IF	CITATIONS
1	A Solid-Phase Conversion Sulfur Cathode with Full Capacity Utilization and Superior Cycle Stability for Lithium-Sulfur Batteries. <i>Small</i> , 2022, 18, e2106144.	10.0	16
2	Exfoliation of MoS ₂ Nanosheets Enabled by a Redox-Potential-Matched Chemical Lithiation Reaction. <i>Nano Letters</i> , 2022, 22, 2956-2963.	9.1	35
3	Reversible Temperature-Responsive Cathode for Thermal Protection of Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 5236-5244.	5.1	6
4	An Overall Understanding of Sodium Storage Behaviors in Hard Carbons by an Adsorption/Intercalation/Filling Hybrid Mechanism. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	121
5	Understanding of the sodium storage mechanism in hard carbon anodes. , 2022, 4, 1133-1150.		83
6	Chemically presodiated Sb with a fluoride-rich interphase as a cycle-stable anode for high-energy sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 5639-5647.	10.3	36
7	A controllable thermal-sensitivity separator with an organic-inorganic hybrid interlayer for high-safety lithium-ion batteries. <i>Materials Chemistry Frontiers</i> , 2021, 5, 2313-2319.	5.9	10
8	Enabling stable and high-rate cycling of a Ni-rich layered oxide cathode for lithium-ion batteries by modification with an artificial Li ⁺ -conducting cathode-electrolyte interphase. <i>Journal of Materials Chemistry A</i> , 2021, 9, 11623-11631.	10.3	33
9	The Underlying Mechanism for Reduction Stability of Organic Electrolytes in Lithium Secondary Batteries. <i>Chemical Science</i> , 2021, 12, 9037-9041.	7.4	22
10	Tunable Electrocatalytic Behavior of Sodiated MoS ₂ Active Sites toward Efficient Sulfur Redox Reactions in Room-Temperature Na-S Batteries. <i>Advanced Materials</i> , 2021, 33, e2100229.	21.0	66
11	Improved Initial Charging Capacity of Na-poor Na _{0.44} MnO ₂ via Chemical Presodiation Strategy for Low-cost Sodium-ion Batteries. <i>Chemical Research in Chinese Universities</i> , 2021, 37, 274-279.	2.6	9
12	Ethylene Carbonate-Free Propylene Carbonate-Based Electrolytes with Excellent Electrochemical Compatibility for Li-Ion Batteries through Engineering Electrolyte Solvation Structure. <i>Advanced Energy Materials</i> , 2021, 11, 2003905.	19.5	68
13	Electrochemical Insight into the Sodium-Ion Storage Mechanism on a Hard Carbon Anode. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 18914-18922.	8.0	18
14	Achieving Desirable Initial Coulombic Efficiencies and Full Capacity Utilization of Li-Ion Batteries by Chemical Prelithiation of Graphite Anode. <i>Advanced Functional Materials</i> , 2021, 31, 2101181.	14.9	115
15	In-Situ-Formed Artificial Solid Electrolyte Interphase for Boosting the Cycle Stability of Si-Based Anodes for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 22505-22513.	8.0	14
16	Microstructure-Dependent Charge/Discharge Behaviors of Hollow Carbon Spheres and its Implication for Sodium Storage Mechanism on Hard Carbon Anodes. <i>Small</i> , 2021, 17, e2102248.	10.0	50
17	Metal-covalent-organic frameworks for electrochemical energy storage applications. <i>EcoMat</i> , 2021, 3, e12133.	11.9	36
18	Amorphous NaVOPO ₄ as a High-Rate and Ultrastable Cathode Material for Sodium-Ion Batteries. <i>CCS Chemistry</i> , 2021, 3, 2428-2436.	7.8	34

#	ARTICLE	IF	CITATIONS
19	Direct Regeneration of Spent Li-Ion Battery Cathodes via Chemical Relithiation Reaction. ACS Sustainable Chemistry and Engineering, 2021, 9, 16384-16393.	6.7	42
20	Facile and reversible digestion and regeneration of zirconium-based metal-organic frameworks. Communications Chemistry, 2020, 3, .	4.5	35
21	Building a Thermal Shutdown Cathode for Li-Ion Batteries Using Temperature-Responsive Poly(3-dodecylthiophene). Energy Technology, 2020, 8, 2000365.	3.8	26
22	Building a Cycle-Stable Fe-Si Alloy/Carbon Nanocomposite Anode for Li-Ion Batteries through a Covalent-Bonding Method. ACS Applied Materials & Interfaces, 2020, 12, 30503-30509.	8.0	34
23	Covalently Bonded Silicon/Carbon Nanocomposites as Cycle-Stable Anodes for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 16411-16416.	8.0	55
24	Chemically Presodiated Hard Carbon Anodes with Enhanced Initial Coulombic Efficiencies for High-Energy Sodium Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 17620-17627.	8.0	95
25	Flaky and Dense Lithium Deposition Enabled by a Nanoporous Copper Surface Layer on Lithium Metal Anode. , 2020, 2, 358-366.		19
26	Efficient and Facile Electrochemical Process for the Production of High-Quality Lithium Hexafluorophosphate Electrolyte. ACS Applied Materials & Interfaces, 2020, 12, 32771-32777.	8.0	5
27	Enabling an intrinsically safe and high-energy-density 4.5 V-class Li-ion battery with nonflammable electrolyte. Informa Mater, 2020, 2, 984-992.	17.3	81
28	Ultralow-strain Zn-Substituted Layered Oxide Cathode with Suppressed P2-O2 Transition for Stable Sodium Ion Storage. Advanced Functional Materials, 2020, 30, 1910327.	14.9	110
29	Suppressing Voltage Fading of Li-Rich Oxide Cathode via Building a Well-Protected and Partially-Protonated Surface by Polyacrylic Acid Binder for Cycle-Stable Li-Ion Batteries. Advanced Energy Materials, 2020, 10, 1904264.	19.5	101
30	Chemically Prelithiated Hard-Carbon Anode for High Power and High Capacity Li-Ion Batteries. Small, 2020, 16, e1907602.	10.0	144
31	Enabling electrochemical compatibility of non-flammable phosphate electrolytes for lithium-ion batteries by tuning their molar ratios of salt to solvent. Chemical Communications, 2020, 56, 6559-6562.	4.1	23
32	Surface Modification of Fe ₇ S ₈ /C Anode via Ultrathin Amorphous TiO ₂ Layer for Enhanced Sodium Storage Performance. Small, 2020, 16, e2000745.	10.0	28
33	Mesoporous Silica Reinforced Hybrid Polymer Artificial Layer for High-Energy and Long-Cycling Lithium Metal Batteries. ACS Energy Letters, 2020, 5, 1644-1652.	17.4	74
34	A High-Voltage and Cycle Stable Aqueous Rechargeable Na-Ion Battery Based on Na ₂ Zn ₃ [Fe(CN) ₆] ₂ ·nNaTi ₂ (PO ₄) ₃ Intercalation Chemistry. ACS Applied Energy Materials, 2019, 2, 5809-5815.		24
35	High-Safety Symmetric Sodium-Ion Batteries Based on Nonflammable Phosphate Electrolyte and Double Na ₃ V ₂ (PO ₄) ₃ Electrodes. ACS Applied Materials & Interfaces, 2019, 11, 27833-27838.	8.0	40
36	Highly Electrochemically-Reversible Mesoporous Na ₂ FePO ₄ /F/C as Cathode Material for High-Performance Sodium-Ion Batteries. Small, 2019, 15, e1903723.	10.0	38

#	ARTICLE	IF	CITATIONS
37	A Membrane-Free and Energy-Efficient Three-Step Chlor-Alkali Electrolysis with Higher-Purity NaOH Production. ACS Applied Materials & Interfaces, 2019, 11, 45126-45132.	8.0	14
38	Highly Selective and Pollution-Free Electrochemical Extraction of Lithium by a Polyaniline/Li _x Mn ₂ O ₄ Cell. ChemSusChem, 2019, 12, 1361-1367.	6.8	60
39	Schwefelbasierte Elektroden mit Mehrelektronenreaktionen für Raumtemperatur-Natriumionenspeicherung. Angewandte Chemie, 2019, 131, 18490-18504.	2.0	9
40	Effective Chemical Prelithiation Strategy for Building a Silicon/Sulfur Li-Ion Battery. ACS Energy Letters, 2019, 4, 1717-1724.	17.4	151
41	Sulfur-Based Electrodes that Function via Multielectron Reactions for Room-Temperature Sodium-Ion Storage. Angewandte Chemie - International Edition, 2019, 58, 18324-18337.	13.8	69
42	In Situ Formation of Co ₉ S ₈ Nanoclusters in Sulfur-Doped Carbon Foam as a Sustainable and High-Rate Sodium-Ion Anode. ACS Applied Materials & Interfaces, 2019, 11, 19218-19226.	8.0	51
43	Electrolytes for Dual-Carbon Batteries. ChemElectroChem, 2019, 6, 2615-2629.	3.4	59
44	Surface-Bound Silicon Nanoparticles with a Planar-Oriented N-Type Polymer for Cycle-Stable Li-Ion Battery Anode. ACS Applied Materials & Interfaces, 2019, 11, 13251-13256.	8.0	30
45	Recent Progress in Rechargeable Sodium-Ion Batteries: toward High-Power Applications. Small, 2019, 15, e1805427.	10.0	254
46	3D graphene decorated Na ₄ Fe ₃ (PO ₄) ₂ (P ₂ O ₇) microspheres as low-cost and high-performance cathode materials for sodium-ion batteries. Nano Energy, 2019, 56, 160-168.	16.0	134
47	Stable Li Metal Anode with "Solvent-Coordinated" Nonflammable Electrolyte for Safe Li Metal Batteries. ACS Energy Letters, 2019, 4, 483-488.	17.4	148
48	High-Capacity Hard Carbon Pyrolyzed from Subbituminous Coal as Anode for Sodium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 729-735.	5.1	34
49	Prussian Blue Cathode Materials for Sodium-Ion Batteries and Other Ion Batteries. Advanced Energy Materials, 2018, 8, 1702619.	19.5	460
50	Recent Progress in Iron-Based Electrode Materials for Grid-Scale Sodium-Ion Batteries. Small, 2018, 14, 1703116.	10.0	146
51	Low-Defect and Low-Porosity Hard Carbon with High Coulombic Efficiency and High Capacity for Practical Sodium Ion Battery Anode. Advanced Energy Materials, 2018, 8, 1703238.	19.5	414
52	Symmetric Sodium-Ion Capacitor Based on Na _{0.44} MnO ₂ Nanorods for Low-Cost and High-Performance Energy Storage. ACS Applied Materials & Interfaces, 2018, 10, 11689-11698.	8.0	62
53	Suppression of Dendritic Lithium Growth by in Situ Formation of a Chemically Stable and Mechanically Strong Solid Electrolyte Interphase. ACS Applied Materials & Interfaces, 2018, 10, 593-601.	8.0	116
54	Building a cycle-stable sulphur cathode by tailoring its redox reaction into a solid-phase conversion mechanism. Journal of Materials Chemistry A, 2018, 6, 23396-23407.	10.3	52

#	ARTICLE	IF	CITATIONS
55	A Bifunctional Fluorophosphate Electrolyte for Safer Sodium-Ion Batteries. <i>IScience</i> , 2018, 10, 114-122.	4.1	43
56	Understanding the Electrochemical Compatibility and Reaction Mechanism on Na Metal and Hard Carbon Anodes of PC-Based Electrolytes for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 39651-39660.	8.0	40
57	A Nonflammable Na ⁺ -Based Dual-Ion Carbon Battery with Low-Cost, High Voltage, and Long Cycle Life. <i>Advanced Energy Materials</i> , 2018, 8, 1802176.	19.5	90
58	High Capacity and Cycle-Stable Hard Carbon Anode for Nonflammable Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38141-38150.	8.0	51
59	Novel Alkaline Zn/Na _{0.44} MnO ₂ Dual-Ion Battery with a High Capacity and Long Cycle Lifespan. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 34108-34115.	8.0	50
60	Exploring Sodium-Ion Storage Mechanism in Hard Carbons with Different Microstructure Prepared by Ball-Milling Method. <i>Small</i> , 2018, 14, e1802694.	10.0	127
61	Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. <i>Nature Energy</i> , 2018, 3, 674-681.	39.5	557
62	Recent Advances in Sodium-Ion Battery Materials. <i>Electrochemical Energy Reviews</i> , 2018, 1, 294-323.	25.5	224
63	Sodium-Ion Batteries: Prussian Blue Cathode Materials for Sodium-Ion Batteries and Other Ion Batteries (Adv. Energy Mater. 17/2018). <i>Advanced Energy Materials</i> , 2018, 8, 1870079.	19.5	32
64	Phosphate Framework Electrode Materials for Sodium Ion Batteries. <i>Advanced Science</i> , 2017, 4, 1600392.	11.2	275
65	High Rate, Long Lifespan LiV ₃ O ₈ Nanorods as a Cathode Material for Lithium-Ion Batteries. <i>Small</i> , 2017, 13, 1603148.	10.0	57
66	Graphene-Scaffolded Na ₃ V ₂ (PO ₄) ₃ Microsphere Cathode with High Rate Capability and Cycling Stability for Sodium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7177-7184.	8.0	156
67	Manipulating Adsorption-Insertion Mechanisms in Nanostructured Carbon Materials for High-Efficiency Sodium Ion Storage. <i>Advanced Energy Materials</i> , 2017, 7, 1700403.	19.5	662
68	In Situ Grown Fe ₂ O ₃ Single Crystallites on Reduced Graphene Oxide Nanosheets as High Performance Conversion Anode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 19900-19907.	8.0	97
69	Coaxial Three-Layered Carbon/Sulfur/Polymer Nanofibers with High Sulfur Content and High Utilization for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 11626-11633.	8.0	29
70	Yolk-Shell TiO ₂ @C Nanocomposite as High-Performance Anode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 345-353.	8.0	69
71	A novel bifunctional thermo-sensitive poly(lactic acid)@poly(butylene succinate) core-shell fibrous separator prepared by a coaxial electrospinning route for safe lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 23238-23242.	10.3	70
72	Novel Ceramic-Grafted Separator with Highly Thermal Stability for Safe Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 25970-25975.	8.0	100

#	ARTICLE	IF	CITATIONS
73	An All-Phosphate and Zero-Strain Sodium-Ion Battery Based on $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ Cathode, $\text{NaTi}_2(\text{PO}_4)_3$ Anode, and Trimethyl Phosphate Electrolyte with Intrinsic Safety and Long Lifespan. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 43733-43738.	8.0	36
74	Surface-engineering enhanced sodium storage performance of $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ cathode via in-situ self-decorated conducting polymer route. <i>Science China Chemistry</i> , 2017, 60, 1546-1553.	8.2	24
75	Routes to High Energy Cathodes of Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1501727.	19.5	408
76	3D Graphene Decorated $\text{NaTi}_2(\text{PO}_4)_3$ Microspheres as a Superior High-Rate and Ultracycle-Stable Anode Material for Sodium Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1502197.	19.5	251
77	Understanding Voltage Decay in Lithium-Rich Manganese-Based Layered Cathode Materials by Limiting Cutoff Voltage. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 18867-18877.	8.0	43
78	SnO_2 -Reduced Graphene Oxide Nanocomposites via Microwave Route as Anode for Sodium-Ion Battery. <i>Jom</i> , 2016, 68, 2607-2612.	1.9	9
79	Low Defect $\text{Fe}_6(\text{CN})_6$ Framework as Stable Host Material for High Performance Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 23706-23712.	8.0	115
80	Hard Carbon Fibers Pyrolyzed from Wool as High-Performance Anode for Sodium-Ion Batteries. <i>Jom</i> , 2016, 68, 2579-2584.	1.9	26
81	Dual Core-Shell Structured $\text{Si@SiO}_x/\text{C}$ Nanocomposite Synthesized via a One-Step Pyrolysis Method as a Highly Stable Anode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 31611-31616.	8.0	88
82	Electrospun TiO_2/C Nanofibers As a High-Capacity and Cycle-Stable Anode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16684-16689.	8.0	121
83	Graphene-supported TiO_2 nanospheres as a high-capacity and long-cycle life anode for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11351-11356.	10.3	72
84	Building thermally stable Li-ion batteries using a temperature-responsive cathode. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11239-11246.	10.3	68
85	Graphene-Modified TiO_2 Microspheres Synthesized by a Facile Spray-Drying Route for Enhanced Sodium-Ion Storage. <i>Particle and Particle Systems Characterization</i> , 2016, 33, 545-552.	2.3	42
86	Graphene-Wrapped $\text{Na}_2\text{C}_{12}\text{H}_6\text{O}_4$ Nanoflowers as High Performance Anodes for Sodium-Ion Batteries. <i>Small</i> , 2016, 12, 583-587.	10.0	82
87	Poly(anthraquinonyl imide) as a high capacity organic cathode material for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11491-11497.	10.3	91
88	Highly Crystallized $\text{Na}_2\text{CoFe}(\text{CN})_6$ with Suppressed Lattice Defects as Superior Cathode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 5393-5399.	8.0	334
89	Antimony Nanocrystals Encapsulated in Carbon Microspheres Synthesized by a Facile Self-Catalyzing Solvothermal Method for High-Performance Sodium-Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 1337-1343.	8.0	69
90	Hierarchical Carbon Framework Wrapped $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ as a Superior High-Rate and Extended Lifespan Cathode for Sodium-Ion Batteries. <i>Advanced Materials</i> , 2015, 27, 5895-5900.	21.0	448

#	ARTICLE	IF	CITATIONS
91	Electrochemical properties and morphological evolution of pitaya-like Sb@C microspheres as high-performance anode for sodium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5708-5713.	10.3	104
92	Enabling a high capacity and long cycle life for nano-Si anodes by building a stable solid interface with a Li ⁺ -conducting polymer. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9938-9944.	10.3	22
93	Sulfur/carbon nanocomposite-filled polyacrylonitrile nanofibers as a long life and high capacity cathode for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7406-7412.	10.3	130
94	High-Performance Olivine NaFePO ₄ Microsphere Cathode Synthesized by Aqueous Electrochemical Displacement Method for Sodium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17977-17984.	8.0	141
95	Improved rate capability of the conducting functionalized FTO-coated Li-[Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13}]O ₂ cathode material for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17113-17119.	10.3	34
96	Temperature-responsive microspheres-coated separator for thermal shutdown protection of lithium ion batteries. <i>RSC Advances</i> , 2015, 5, 172-176.	3.6	61
97	A Highly Thermostable Ceramic-Grafted Microporous Polyethylene Separator for Safer Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24119-24126.	8.0	119
98	A Perylene Diimide Crystal with High Capacity and Stable Cyclability for Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 21095-21099.	8.0	125
99	Sb@C nanofibers with long cycle life as an anode material for high-performance sodium-ion batteries. <i>Energy and Environmental Science</i> , 2014, 7, 323-328.	30.8	594
100	A tin (Sn) sulfide-carbon anode material based on combined conversion and alloying reactions for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16424-16428.	10.3	142
101	Synergistic Na-Storage Reactions in Sn ₄ P ₃ as a High-Capacity, Cycle-stable Anode of Na-Ion Batteries. <i>Nano Letters</i> , 2014, 14, 1865-1869.	9.1	379
102	Enhanced high-rate capability and cycling stability of Na-stabilized layered Li _{1.2} [Co _{0.13} Ni _{0.13} Mn _{0.54}]O ₂ cathode material. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11397.	10.3	219
103	A low-cost and environmentally benign aqueous rechargeable sodium-ion battery based on NaTi ₂ (PO ₄) ₃ @Na ₂ NiFe(CN) ₆ intercalation chemistry. <i>Electrochemistry Communications</i> , 2013, 31, 145-148.	4.7	289
104	Single-crystal FeFe(CN) ₆ nanoparticles: a high capacity and high rate cathode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 10130.	10.3	295
105	A redox-active polythiophene-modified separator for safety control of lithium-ion batteries. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 1487-1493.	2.1	13
106	Electroactive organic anion-doped polypyrrole as a low cost and renewable cathode for sodium-ion batteries. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 114-118.	2.1	76
107	Hierarchical porous Li ₂ FeSiO ₄ /C composite with 2 Li storage capacity and long cycle stability for advanced Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4988.	10.3	103
108	High Capacity and Rate Capability of Amorphous Phosphorus for Sodium Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 4633-4636.	13.8	588

#	ARTICLE	IF	CITATIONS
109	Synthesis and electrochemical behaviors of layered Na _{0.67} [Mn _{0.65} Co _{0.2} Ni _{0.15}]O ₂ microflakes as a stable cathode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3895.	10.3	244
110	Synthesis of Monoclinic Li[Li _{0.2} Mn _{0.54} Ni _{0.13} Co _{0.13}]O ₂ Nanoparticles by a Layered-Template Route for High-Performance Li-ion Batteries. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2887-2892.	2.0	19
111	A Sn-Sn-C nanocomposite as anode host materials for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7181.	10.3	130
112	Fe(CN) ₆ ⁴⁻ -doped polypyrrole: a high-capacity and high-rate cathode material for sodium-ion batteries. <i>RSC Advances</i> , 2012, 2, 5495.	3.6	64
113	Surface-oriented and nanoflake-stacked LiNi _{0.5} Mn _{1.5} O ₄ spinel for high-rate and long-cycle-life lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 17768.	6.7	86
114	Low temperature hydrothermal synthesis and electrochemical performances of LiFePO ₄ microspheres as a cathode material for lithium-ion batteries. <i>Science Bulletin</i> , 2012, 57, 4164-4169.	1.7	6
115	Nanosized Na ₄ Fe(CN) ₆ /C Composite as a Low-Cost and High-Rate Cathode Material for Sodium-ion Batteries. <i>Advanced Energy Materials</i> , 2012, 2, 410-414.	19.5	257
116	In Situ Generation of Few-Layer Graphene Coatings on SnO ₂ -SiC Core-Shell Nanoparticles for High-Performance Lithium-ion Storage. <i>Advanced Energy Materials</i> , 2012, 2, 95-102.	19.5	233
117	In Situ Generation of Few-Layer Graphene Coatings on SnO ₂ -SiC Core-Shell Nanoparticles for High-Performance Lithium-ion Storage (<i>Adv. Energy Mater.</i> 1/2012). <i>Advanced Energy Materials</i> , 2012, 2, 94-94.	19.5	5
118	Pb-sandwiched nanoparticles as anode material for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 291-295.	2.5	22
119	Facile synthesis and stable lithium storage performances of Sn-sandwiched nanoparticles as a high capacity anode material for rechargeable Li batteries. <i>Journal of Materials Chemistry</i> , 2010, 20, 7266.	6.7	60
120	An efficient and nonflammable organic phosphate electrolyte for dye-sensitized solar cells. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 1939-1942.	2.9	2
121	Electrochemical properties of nano-crystalline LiNi _{0.5} Mn _{1.5} O ₄ synthesized by polymer-pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2008, 12, 687-691.	2.5	27
122	Enhanced electrochemical performance of submicron LiCoO ₂ synthesized by polymer pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2007, 12, 149-153.	2.5	17
123	Synthesis and electrochemical properties of high-voltage LiNi _{0.5} Mn _{1.5} O ₄ electrode material for Li-ion batteries by the polymer-pyrolysis method. <i>Journal of Solid State Electrochemistry</i> , 2006, 10, 283-287.	2.5	27
124	Effects of Anions on the Zinc Electrodeposition onto Glassy-Carbon Electrode. <i>Russian Journal of Electrochemistry</i> , 2002, 38, 321-325.	0.9	33
125	The Influences of Organic Additives on Zinc Electrocrystallization from KCl Solutions. <i>Journal of the Electrochemical Society</i> , 1999, 146, 1789-1793.	2.9	40