

Maria Angela Mazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5608878/publications.pdf>

Version: 2024-02-01

54
papers

1,750
citations

304743

22
h-index

289244

40
g-index

55
all docs

55
docs citations

55
times ranked

2293
citing authors

#	ARTICLE	IF	CITATIONS
1	Training in communication and emotion handling skills for students attending medical school: Relationship with empathy, emotional intelligence, and attachment style. <i>Patient Education and Counseling</i> , 2022, 105, 2871-2879.	2.2	3
2	Adverse Events Detection Through Global Trigger Tool Methodology: Results From a 5-Year Study in an Italian Hospital and Opportunities to Improve Interrater Reliability. <i>Journal of Patient Safety</i> , 2021, 17, 451-457.	1.7	14
3	Does being accompanied make a difference in communication during breast cancer consultations? Results from a multi-centered randomized controlled trial. <i>Journal of Psychosocial Oncology</i> , 2021, 39, 189-203.	1.2	4
4	What We Have Learned from Two Decades of Epidemics and Pandemics: A Systematic Review and Meta-Analysis of the Psychological Burden of Frontline Healthcare Workers. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 178-190.	8.8	120
5	A Bio-Psycho-Social Co-created Intervention for Young Adults With Multiple Sclerosis (ESPRIMO): Rationale and Study Protocol for a Feasibility Study. <i>Frontiers in Psychology</i> , 2021, 12, 598726.	2.1	6
6	“If You Can’t Control the Wind, Adjust Your Sail” Tips for Post-Pandemic Benefit Finding from Young Adults Living with Multiple Sclerosis. A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4156.	2.6	4
7	Effects of a Question Prompt Sheet on the Oncologist-Patient Relationship: a Multi-centred Randomised Controlled Trial in Breast Cancer. <i>Journal of Cancer Education</i> , 2020, 35, 621-628.	1.3	3
8	Employment status and information needs of patients with breast cancer: a multicentre cross-sectional study of first oncology consultations. <i>BMJ Open</i> , 2020, 10, e038543.	1.9	1
9	Exploring Emotional Distress, Psychological Traits and Attitudes in Patients with Chronic Migraine Undergoing OnabotulinumtoxinA Prophylaxis versus Withdrawal Treatment. <i>Toxins</i> , 2020, 12, 577.	3.4	12
10	Attitudes of Nursing Home Staff towards Influenza Vaccination: Opinions and Factors Influencing Hesitancy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1851.	2.6	15
11	Insights for Fostering Resilience in Young Adults With Multiple Sclerosis in the Aftermath of the COVID-19 Emergency: An Italian Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 588275.	2.6	9
12	You only have one chance for a first impression! Impact of Patients’ First Impression on the Global Quality Assessment of Doctors’ Communication Approach. <i>Health Communication</i> , 2019, 34, 1413-1422.	3.1	8
13	Reducing interruptions during medication preparation and administration. <i>International Journal of Health Care Quality Assurance</i> , 2019, 32, 941-957.	0.9	8
14	Factors related to the expression of emotions by early-stage breast cancer patients. <i>Patient Education and Counseling</i> , 2019, 102, 1767-1773.	2.2	12
15	Biopsychosocial model of resilience in young adults with multiple sclerosis (BPS-ARMS): an observational study protocol exploring psychological reactions early after diagnosis. <i>BMJ Open</i> , 2019, 9, e030469.	1.9	10
16	Physical health promotion in patients with functional psychoses receiving community psychiatric services: Results of the PHYSICO-DSM-VR study. <i>Schizophrenia Research</i> , 2018, 193, 406-411.	2.0	10
17	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. <i>PLoS ONE</i> , 2018, 13, e0201371.	2.5	44
18	Which patient and doctor behaviours make a medical consultation more effective from a patient point of view. Results from a European multicentre study in 31 countries. <i>Patient Education and Counseling</i> , 2018, 101, 1795-1803.	2.2	17

#	ARTICLE	IF	CITATIONS
19	The involvement of early stage breast cancer patients during oncology consultations in Italy: a multi-centred, randomized controlled trial of a question prompt sheet versus question listing. <i>BMJ Open</i> , 2017, 7, e015079.	1.9	14
20	How patients would like to improve medical consultations: Insights from a multicentre European study. <i>Patient Education and Counseling</i> , 2016, 99, 51-60.	2.2	22
21	How do national cultures influence lay people's preferences toward doctors' style of communication? A comparison of 35 focus groups from an European cross national research. <i>BMC Public Health</i> , 2015, 15, 1239.	2.9	9
22	What do people appreciate in physicians' communication? An international study with focus groups using videotaped medical consultations. <i>Health Expectations</i> , 2015, 18, 1215-1226.	2.6	26
23	Quality of doctor-patient communication through the eyes of the patient: variation according to the patient's educational level. <i>Advances in Health Sciences Education</i> , 2015, 20, 873-884.	3.3	35
24	Information needs of female Italian breast cancer patients during their first oncological consultation. <i>European Journal of Oncology Nursing</i> , 2015, 19, 451-457.	2.1	13
25	How psychiatrist's communication skills and patient's diagnosis affect emotions disclosure during first diagnostic consultations. <i>Patient Education and Counseling</i> , 2014, 96, 151-158.	2.2	9
26	How do lay people assess the quality of physicians' communicative responses to patients' emotional cues and concerns? An international multicentre study based on videotaped medical consultations. <i>Patient Education and Counseling</i> , 2013, 90, 347-353.	2.2	54
27	Involvement of breast Cancer patients during oncological consultations: a multicentre randomised controlled trial—the INCA study protocol. <i>BMJ Open</i> , 2013, 3, e002266.	1.9	13
28	GULIVER—travelling into the heart of good doctor-patient communication from a patient perspective: study protocol of an international multicentre study. <i>European Journal of Public Health</i> , 2012, 22, 464-469.	0.3	10
29	How emotions emerge and are dealt with in first diagnostic consultations in psychiatry. <i>Patient Education and Counseling</i> , 2012, 88, 29-35.	2.2	36
30	Adverse effects of antipsychotic drugs: survey of doctors' versus patients' perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 157-164.	3.1	15
31	When coders are reliable: The application of three measures to assess inter-rater reliability/agreement with doctor-patient communication data coded with the VR-CoDES. <i>Patient Education and Counseling</i> , 2011, 82, 341-345.	2.2	28
32	A standardized approach to qualitative content analysis of focus group discussions from different countries. <i>Patient Education and Counseling</i> , 2011, 82, 420-428.	2.2	277
33	Development of the Verona coding definitions of emotional sequences to code health providers' responses (VR-CoDES-P) to patient cues and concerns. <i>Patient Education and Counseling</i> , 2011, 82, 149-155.	2.2	165
34	Quantitative Methods for the Analysis of Verbal Interactions in Psychotherapy. , 2011, , 233-247.		2
35	Comparison of Patient and Clinician Perspectives in the Assessment of Antipsychotic Medication Adherence. <i>Psychopathology</i> , 2009, 42, 311-317.	1.5	28
36	An empirical method to identify patterns in the course of psychotic episodes of people with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 265-278.	2.1	3

#	ARTICLE	IF	CITATIONS
37	SF-36 scales, and simple sums of scales, were reliable quality-of-life summaries for patients with schizophrenia. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 588-596.	5.0	34
38	A theory-based proposal to evaluate patient-centred communication in medical consultations. <i>Health Education</i> , 2008, 108, 355-372.	0.9	12
39	Involving patients in decisions during psychiatric consultations. <i>British Journal of Psychiatry</i> , 2008, 193, 416-421.	2.8	113
40	Shared decision making: The reliability of the OPTION scale in Italy. <i>Patient Education and Counseling</i> , 2007, 66, 296-302.	2.2	42
41	Sequence analysis in multilevel models. A study on different sources of patient cues in medical consultations. <i>Social Science and Medicine</i> , 2007, 65, 2357-2370.	3.8	28
42	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 355-362.	1.7	73
43	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 73-79.	1.7	9
44	Communication Skills in Psychiatry Residents – How Do They Handle Patient Concerns?. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 161-169.	8.8	47
45	The English version of the Verona medical interview classification system (VR-MICS). <i>Patient Education and Counseling</i> , 2005, 58, 252-264.	2.2	24
46	A census-based socio-economic status (SES) index as a tool to examine the relationship between mental health services use and deprivation. <i>Social Science and Medicine</i> , 2005, 61, 2096-2105.	3.8	43
47	Reassessing Treatment Environments After Two Decades: Client and Staff Perceptions of an Italian Community Mental Health Service Environment, Then and Now. <i>Community Mental Health Journal</i> , 2004, 40, 199-210.	2.0	4
48	The biopsychosocial domains and the functions of the medical interview in primary care: construct validity of the Verona Medical Interview Classification System. <i>Patient Education and Counseling</i> , 2004, 53, 47-56.	2.2	23
49	Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization. <i>Journal of Vascular Surgery</i> , 2004, 39, 140-147.	1.1	20
50	Event-based categorical sequential analyses of the medical interview: a review. <i>Epidemiologia E Psichiatria Sociale</i> , 2003, 12, 81-85.	0.9	17
51	The identification of depression and the coverage of antidepressant drug prescriptions in Italian general practice. <i>Journal of Affective Disorders</i> , 2002, 72, 53-59.	4.1	34
52	Inter and intra individual variations in physicians' verbal behaviour during primary care consultations. <i>Social Science and Medicine</i> , 2002, 55, 1871-1885.	3.8	39
53	Evaluating screening questionnaires using receiver Operating Characteristic (ROC) curves from two-phase (double) samples. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 121-133.	2.1	17
54	The perception of needs for care in staffed patients in community-based mental health services. The South-Verona Outcome Project 3. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 366-375.	4.5	112