

Michel Renou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/560935/publications.pdf>

Version: 2024-02-01

60
papers

2,018
citations

201674

27
h-index

254184

43
g-index

62
all docs

62
docs citations

62
times ranked

1641
citing authors

#	ARTICLE	IF	CITATIONS
1	Is the evolution of insect odorscapes under anthropic pressures a risk for herbivorous insect invasions?. <i>Current Opinion in Insect Science</i> , 2022, 52, 100926.	4.4	3
2	Effects of Multi-Component Backgrounds of Volatile Plant Compounds on Moth Pheromone Perception. <i>Insects</i> , 2021, 12, 409.	2.2	3
3	Modulatory effects of pheromone on olfactory learning and memory in moths. <i>Journal of Insect Physiology</i> , 2020, 127, 104159.	2.0	6
4	Insect olfactory communication in a complex and changing world. <i>Current Opinion in Insect Science</i> , 2020, 42, 1-7.	4.4	58
5	A plant volatile alters the perception of sex pheromone blend ratios in a moth. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2020, 206, 553-570.	1.6	10
6	Insect Odorscapes: From Plant Volatiles to Natural Olfactory Scenes. <i>Frontiers in Physiology</i> , 2019, 10, 972.	2.8	132
7	A Background of a Volatile Plant Compound Alters Neural and Behavioral Responses to the Sex Pheromone Blend in a Moth. <i>Frontiers in Physiology</i> , 2017, 8, 79.	2.8	17
8	Unexpected plant odor responses in a moth pheromone system. <i>Frontiers in Physiology</i> , 2015, 6, 148.	2.8	30
9	Olfactory signal coding in an odor background. <i>BioSystems</i> , 2015, 136, 35-45.	2.0	16
10	Identification of the Aggregation Pheromone of the Date Palm Root Borer <i>Oryctes agamemnon</i> . <i>Journal of Chemical Ecology</i> , 2015, 41, 446-457.	1.8	9
11	Pheromone Modulates Plant Odor Responses in the Antennal Lobe of a Moth. <i>Chemical Senses</i> , 2014, 39, 451-463.	2.0	26
12	Responses to Pheromones in a Complex Odor World: Sensory Processing and Behavior. <i>Insects</i> , 2014, 5, 399-422.	2.2	40
13	Pheromones and General Odor Perception in Insects. <i>Frontiers in Neuroscience</i> , 2014, , 23-56.	0.0	32
14	Changes in Odor Background Affect the Locomotory Response to Pheromone in Moths. <i>PLoS ONE</i> , 2013, 8, e52897.	2.5	29
15	Functional Characterization of Insect Olfactory Receptor Neurons Through In Vivo Approaches. <i>Methods in Molecular Biology</i> , 2013, 1003, 173-186.	0.9	2
16	A first glance on the molecular mechanisms of pheromone-plant odor interactions in moth antennae. <i>Frontiers in Cellular Neuroscience</i> , 2012, 6, 46.	3.7	1
17	Brief Exposure to Sensory Cues Elicits Stimulus-Nonspecific General Sensitization in an Insect. <i>PLoS ONE</i> , 2012, 7, e34141.	2.5	30
18	A General Odorant Background Affects the Coding of Pheromone Stimulus Intermittency in Specialist Olfactory Receptor Neurons. <i>PLoS ONE</i> , 2011, 6, e26443.	2.5	31

#	ARTICLE	IF	CITATIONS
19	Characterization of an Antennal Carboxylesterase from the Pest Moth <i>Spodoptera littoralis</i> Degrading a Host Plant Odorant. <i>PLoS ONE</i> , 2010, 5, e15026.	2.5	96
20	Possible origin of modified EAG activity by point-fluorination of insect pheromones. <i>Future Medicinal Chemistry</i> , 2009, 1, 835-845.	2.3	8
21	Plant Terpenes Affect Intensity and Temporal Parameters of Pheromone Detection in a Moth. <i>Chemical Senses</i> , 2009, 34, 763-774.	2.0	66
22	Ca ²⁺ Stabilizes the Membrane Potential of Moth Olfactory Receptor Neurons at Rest and Is Essential for Their Fast Repolarization. <i>Chemical Senses</i> , 2007, 32, 305-317.	2.0	32
23	Insecticide resistance may enhance the response to a host-plant volatile kairomone for the codling moth, <i>Cydia pomonella</i> (L.). <i>Die Naturwissenschaften</i> , 2007, 94, 449-458.	1.6	11
24	Electrophysiological and Behavioral Responses of a Cuban Population of the Sweet Potato Weevil to its Sex Pheromone. <i>Journal of Chemical Ecology</i> , 2006, 32, 2177-2190.	1.8	6
25	Perception of cuticular hydrocarbons by the olfactory organs in <i>Periplaneta americana</i> (L.) (Insecta: Tj ETQq1 1 0.784314 rgBT /Overl	2.0	29
26	Possible Origin of Modified EAG Activity by Point-Fluorination of the Insect Pheromone Eldanolide. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 2777-2781.	2.4	10
27	Interactions between Acetoin, a Plant Volatile, and Pheromone In <i>Rhynchophorus palmarum</i> : Behavioral and Olfactory Neuron Responses. <i>Journal of Chemical Ecology</i> , 2005, 31, 1789-1805.	1.8	45
28	Electrophysiological responses to salts from antennal chaetoid taste sensilla of the ground beetle <i>Pterostichus aethiops</i> . <i>Journal of Insect Physiology</i> , 2004, 50, 1001-1013.	2.0	36
29	Imidacloprid impairs memory and brain metabolism in the honeybee (<i>Apis mellifera</i> L.). <i>Pesticide Biochemistry and Physiology</i> , 2004, 78, 83-92.	3.6	221
30	Male Aggregation Pheromone of Date Palm Fruit Stalk Borer <i>Oryctes elegans</i> . <i>Journal of Chemical Ecology</i> , 2004, 30, 387-407.	1.8	35
31	Responses of the olfactory receptor neurons of the corn stalk borer <i>Sesamia nonagrioides</i> to components of the pheromone blend and their inhibition by a trifluoromethyl ketone analogue of the main component. <i>Pest Management Science</i> , 2004, 60, 719-726.	3.4	19
32	Synthesis and Biological Activity of Point-Fluorinated Pheromone Analogues of <i>Eldana saccharina</i> . <i>European Journal of Organic Chemistry</i> , 2004, 2004, 406-412.	2.4	29
33	Male bugs modulate pheromone emission in response to vibratory signals from conspecifics. <i>Journal of Chemical Ecology</i> , 2003, 29, 561-574.	1.8	48
34	Structure and function of the antennal sensilla of the palm weevil <i>Rhynchophorus palmarum</i> (Coleoptera, Curculionidae). <i>Journal of Insect Physiology</i> , 2003, 49, 857-872.	2.0	64
35	Disruption of responses to pheromone by (Z)-11-hexadecenyl trifluoromethyl ketone, an analogue of the pheromone, in the cabbage armyworm <i>Mamestra brassicae</i> . <i>Pest Management Science</i> , 2002, 58, 839-844.	3.4	9
36	Activity of male pheromone of Melanesian rhinoceros beetle <i>Scapanes australis</i> . <i>Journal of Chemical Ecology</i> , 2002, 28, 479-500.	1.8	39

#	ARTICLE	IF	CITATIONS
37	Pheromone response inhibitors of the corn stalk borer <i>Sesamia nonagrioides</i> . Biological evaluation and toxicology. <i>Journal of Chemical Ecology</i> , 2001, 27, 1879-1897.	1.8	30
38	The Influence of Substrate on Male Responsiveness to the Female Calling Song in <i>Nezara viridula</i> . <i>Journal of Insect Behavior</i> , 2001, 14, 313-332.	0.7	55
39	Title is missing!. <i>Journal of Chemical Ecology</i> , 2000, 26, 2473-2485.	1.8	36
40	Insect Parapheromones in Olfaction Research and Semiochemical-Based Pest Control Strategies. <i>Annual Review of Entomology</i> , 2000, 45, 605-630.	11.8	122
41	Systematic Synthesis of Multifluorinated $\hat{1}\pm, \hat{1}\pm$ -Difluoro- $\hat{1}^3$ -lactones through Intramolecular Radical Cyclization. <i>Journal of Organic Chemistry</i> , 1999, 64, 252-265.	3.2	53
42	Asymmetric synthesis of both enantiomers of $\hat{1}\pm, \hat{1}\pm$ -difluoroaldanilide: An interesting property of their biological activity. <i>Tetrahedron Letters</i> , 1998, 39, 4071-4074.	1.4	31
43	Development and Pheromone Communication Systems in Hybrids of <i>Agrotis ipsilon</i> and <i>Agrotis segetum</i> (Lepidoptera: Noctuidae). <i>Journal of Chemical Ecology</i> , 1997, 23, 191-209.	1.8	24
44	Reinvestigation of Female Sex Pheromone of Processionary Moth (<i>Thaumetopoea pityocampa</i>): No Evidence for Minor Components. <i>Journal of Chemical Ecology</i> , 1997, 23, 713-726.	1.8	14
45	Oviposition of resistant and susceptible strains of <i>Drosophila melanogaster</i> in the presence of deltamethrin. <i>Entomologia Experimentalis Et Applicata</i> , 1997, 84, 173-181.	1.4	7
46	Behavioral responses of <i>Spodoptera littoralis</i> males to sex pheromone components and virgin females in wind tunnel. <i>Journal of Chemical Ecology</i> , 1996, 22, 1087-1102.	1.8	34
47	Sense organs on the antennal flagellum of the green stink bug, <i>Nezara viridula</i> (L.) (Heteroptera: Pentatomidae). <i>Journal of Arthropod Structure and Development</i> , 1996, 25, 427-441.	0.784314	29
48	Bisabolene epoxides in sex pheromone of <i>Nezara viridula</i> (L.) (Heteroptera: Pentatomidae): Role of cis isomer and relation to specificity of pheromone. <i>Journal of Chemical Ecology</i> , 1994, 20, 3133-3147.	1.8	58
49	Electrophysiological and field activity of halogenated analogs of (E,E)-8,10-dodecadien-1-ol, the main pheromone component, in codling moth (<i>Cydia pomonella</i> L.). <i>Journal of Chemical Ecology</i> , 1994, 20, 489-503.	1.8	24
50	Sex pheromone reception in <i>Mamestra brassicae</i> L. (Lepidoptera): Responses of olfactory receptor neurones to minor components of the pheromone blend. <i>Journal of Insect Physiology</i> , 1994, 40, 75-85.	2.0	38
51	Electrophysiological study of the effects of deltamethrin, bioresmethrin, and DDT on the activity of pheromone receptor neurones in two moth species. <i>Pesticide Biochemistry and Physiology</i> , 1992, 43, 103-115.	3.6	13
52	Sex pheromone reception in the moth, <i>Mamestra thalassina</i> . Characterization and distribution of two types of olfactory hairs. <i>Journal of Insect Physiology</i> , 1991, 37, 617-626.	2.0	8
53	A comparative study of sex pheromone reception in the Hadeninae (Lepidoptera: Noctuidae). <i>Physiological Entomology</i> , 1991, 16, 87-97.	1.5	9
54	Male-produced aggregation pheromone of the American palm weevil, <i>Rhynchophorus palmarum</i> (L.) (Coleoptera, Curculionidae): Collection, identification, electrophysiological activity, and laboratory bioassay. <i>Journal of Chemical Ecology</i> , 1991, 17, 2127-2141.	1.8	82

#	ARTICLE	IF	CITATIONS
55	Responses to pheromone compounds in <i>Mamestra suasa</i> (Lepidoptera: Noctuidae) olfactory neurones. <i>Journal of Insect Physiology</i> , 1989, 35, 837-845.	2.0	24
56	Multivariate analysis of the correlation between noctuidae subfamilies and the chemical structure of their sex pheromones or male attractants. <i>Journal of Chemical Ecology</i> , 1988, 14, 1187-1215.	1.8	21
57	Electroantennographic analysis of sex pheromone specificity in neotropical <i>Catocalinae</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Over	2.0	15
58	Les acétoxy-1 ttradâne-11 Z et 11 E (Z 11 TDA et E 11 TDA), constituants de la phéromone sexuelle de <i>Argyrotaenia pulchellana</i> (Haw.) (Lepid., Tortricinae, Archipini). <i>Agronomy for Sustainable Development</i> , 1984, 4, 565-572.	0.8	4
59	Un attractif sexuel pour la tordeuse des bourgeons : <i>Archips xylosteana</i> L. (Lepid., Tortricidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 107	0.8	4
60	Utilisation du ttradâne Z7AL1 pour la mise au point d'une méthode de piégeage sexuel chez <i>Prays oleae</i> Bern. (Lep. Hyponomeutidae). <i>Agronomy for Sustainable Development</i> , 1981, 1, 115-121.	0.8	4