

# Isabela M Benseñor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5613349/publications.pdf>

Version: 2024-02-01

118  
papers

54,196  
citations

87888

38  
h-index

20358

116  
g-index

126  
all docs

126  
docs citations

126  
times ranked

73275  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	13.7	8,569
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	13.7	7,664
3	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	13.7	5,578
4	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
5	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	13.7	4,934
6	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	2.8	4,468
7	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. <i>JAMA Oncology</i> , 2017, 3, 524.	7.1	4,254
8	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	13.7	3,565
9	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.	10.2	2,625
10	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	13.7	1,544
11	Global, regional, and national burden of migraine and tension-type headache, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 954-976.	10.2	1,101
12	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	13.7	716
13	Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. <i>American Journal of Epidemiology</i> , 2012, 175, 315-324.	3.4	558
14	Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). <i>International Journal of Epidemiology</i> , 2015, 44, 68-75.	1.9	416
15	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. <i>JAMA Pediatrics</i> , 2019, 173, e190337.	6.2	140
16	Reprodutibilidade e validade relativa do Questionário de Frequência Alimentar do ELSA-Brasil. <i>Cadernos De Saude Publica</i> , 2013, 29, 379-389.	1.0	106
17	High prevalence of diabetes and intermediate hyperglycemia – The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 123.	2.7	103
18	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	2.4	103

#	ARTICLE	IF	CITATIONS
19	Efficacy and Safety of Transcranial Direct Current Stimulation as an Add-on Treatment for Bipolar Depression. <i>JAMA Psychiatry</i> , 2018, 75, 158.	11.0	98
20	Hypothyroidism in the elderly: diagnosis and management. <i>Clinical Interventions in Aging</i> , 2012, 7, 97.	2.9	92
21	Comparison of blinding effectiveness between sham tDCS and placebo sertraline in a 6-week major depression randomized clinical trial. <i>Clinical Neurophysiology</i> , 2014, 125, 298-305.	1.5	84
22	Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 380-389.	3.7	83
23	Carotid intima-media thickness value distributions in The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2014, 237, 227-235.	0.8	68
24	Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.	2.4	65
25	Development and Validation of an Index Based on EAT-Lancet Recommendations: The Planetary Health Diet Index. <i>Nutrients</i> , 2021, 13, 1698.	4.1	57
26	OSA, Short Sleep Duration, and Their Interactions With Sleepiness and Cardiometabolic Risk Factors in Adults. <i>Chest</i> , 2019, 155, 1190-1198.	0.8	55
27	Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Neurology</i> , 2015, 15, 191.	1.8	54
28	Patterns of benzodiazepine and antidepressant use among middle-aged adults. The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2013, 151, 71-77.	4.1	47
29	Reference values for short-term resting state heart rate variability in healthy adults: Results from the Brazilian Longitudinal Study of Adult Health-ELSA-Brasil study. <i>Psychophysiology</i> , 2018, 55, e13052.	2.4	47
30	Sugar-Sweetened Soft Drinks and Fructose Consumption Are Associated with Hyperuricemia: Cross-Sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 981.	4.1	47
31	Cognitive effects of transcranial direct current stimulation in depression: Results from the SELECT-TDCS trial and insights for further clinical trials. <i>Journal of Affective Disorders</i> , 2016, 202, 46-52.	4.1	46
32	Age, Gender, and Race-Based Coronary Artery Calcium Score Percentiles in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2016, 39, 352-359.	1.8	44
33	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44
34	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.4	44
35	A Reappraisal of Stroke Mortality Trends in Brazil (1979-2009). <i>International Journal of Stroke</i> , 2013, 8, 155-163.	5.9	41
36	Plasma biomarkers in a placebo-controlled trial comparing tDCS and escitalopram efficacy in major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 211-217.	4.8	40

#	ARTICLE	IF	CITATIONS
37	Stroke Mortality in Brazil: One Example of Delayed Epidemiological Cardiovascular Transition. <i>International Journal of Stroke</i> , 2009, 4, 40-41.	5.9	39
38	One-year Mortality after an Acute Coronary Event and its Clinical Predictors: The ERICO Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 53-64.	0.8	39
39	Hypomanic episode in unipolar depression during transcranial direct current stimulation. <i>Acta Neuropsychiatrica</i> , 2010, 22, 316-318.	2.1	38
40	Prevalence of thyroid disorders among older people: results from the São Paulo Ageing & Health Study. <i>Cadernos De Saude Publica</i> , 2011, 27, 155-161.	1.0	37
41	Prevalence and risk factors of psychiatric symptoms and diagnoses before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 mental health cohort. <i>Psychological Medicine</i> , 2021, 1-12.	4.5	37
42	Ideal cardiovascular health score at the ELSA-Brasil baseline and its association with sociodemographic characteristics. <i>International Journal of Cardiology</i> , 2018, 254, 333-337.	1.7	35
43	Eating patterns in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): an exploratory analysis. <i>Cadernos De Saude Publica</i> , 2016, 32, e00066215.	1.0	34
44	Green Spaces, Land Cover, Street Trees and Hypertension in the Megacity of São Paulo. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 725.	2.6	34
45	Adherence to the Planetary Health Diet Index and Obesity Indicators in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2021, 13, 3691.	4.1	33
46	Association between a healthy cardiovascular risk factor profile and coronary artery calcium score: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Heart Journal</i> , 2016, 174, 51-59.	2.7	32
47	Prevalence, awareness, treatment, and control of high low-density lipoprotein cholesterol in Brazil: Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Clinical Lipidology</i> , 2016, 10, 568-576.	1.5	30
48	Major Depression as a Predictor of Poor Long-Term Survival in a Brazilian Stroke Cohort (Study of) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Diseases</i> , 2016, 25, 618-625.	1.6	29
49	Income and heart disease mortality trends in Sao Paulo, Brazil, 1996 to 2010. <i>International Journal of Cardiology</i> , 2013, 167, 2820-2823.	1.7	28
50	The Bipolar Depression Electrical Treatment Trial (BETTER): Design, Rationale, and Objectives of a Randomized, Sham-Controlled Trial and Data from the Pilot Study Phase. <i>Neural Plasticity</i> , 2015, 2015, 1-10.	2.2	27
51	Relation of Fasting Triglyceride-Rich Lipoprotein Cholesterol to Coronary Artery Calcium Score (from the ELSA-Brasil Study). <i>American Journal of Cardiology</i> , 2017, 119, 1352-1358.	1.6	26
52	Subclinical carotid artery atherosclerosis and performance on cognitive tests in middle-aged adults: Baseline results from the ELSA-Brasil. <i>Atherosclerosis</i> , 2015, 243, 510-515.	0.8	25
53	Leisure Time Physical Activity and Cardio-Metabolic Health: Results From the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	24
54	Dietary Selenium Intake and Subclinical Hypothyroidism: A Cross-Sectional Analysis of the ELSA-Brasil Study. <i>Nutrients</i> , 2018, 10, 693.	4.1	24

#	ARTICLE	IF	CITATIONS
55	Pragmatic Validation of Home Portable Sleep Monitor for diagnosing Obstructive Sleep Apnea in a non-referred population: The ELSA-Brasil study. <i>Sleep Science</i> , 2019, 12, 65-71.	1.0	24
56	Association between carotid intima-media thickness and adiponectin in participants without diabetes or cardiovascular disease of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>European Journal of Preventive Cardiology</i> , 2017, 24, 116-122.	1.8	23
57	Dyslipidemia according to gender and race: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Clinical Lipidology</i> , 2016, 10, 1362-1368.	1.5	21
58	Associations between symptoms of depression and heart rate variability: An exploratory study. <i>Psychiatry Research</i> , 2018, 262, 482-487.	3.3	21
59	Association between Dietary Intake and Coronary Artery Calcification in Non-Dialysis Chronic Kidney Disease: The PROGREDIR Study. <i>Nutrients</i> , 2018, 10, 372.	4.1	20
60	Diagnostic accuracy of a noninvasive hepatic ultrasound score for non-alcoholic fatty liver disease (NAFLD) in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2015, 133, 115-124.	0.9	19
61	Insulin resistance is associated with carotid intima-media thickness in non-diabetic subjects. A cross-sectional analysis of the ELSA-Brasil cohort baseline. <i>Atherosclerosis</i> , 2017, 260, 34-40.	0.8	19
62	Precision non-implantable neuromodulation therapies: a perspective for the depressed brain. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 403-419.	1.7	19
63	Subclinical thyroid dysfunction and psychiatric disorders: cross-sectional results from the Brazilian Study of Adult Health (ELSA-Brasil). <i>Clinical Endocrinology</i> , 2016, 84, 250-256.	2.4	18
64	Accuracy of anemia diagnosis by physical examination. <i>Sao Paulo Medical Journal</i> , 2007, 125, 170-173.	0.9	17
65	Comparison of a short version of the Food Frequency Questionnaire with its long version - a cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2015, 133, 414-420.	0.9	17
66	Coffee Consumption and Coronary Artery Calcium Score: Cross-sectional Results of ELSA-Brasil (Brazilian Longitudinal Study of Adult Health). <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	17
67	Obstructive Sleep Apnea, Sleep Duration, and Associated Mediators With Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 1549-1557.	2.4	17
68	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 140, 228-234.	3.1	17
69	Frequency of subclinical thyroid dysfunction and risk factors for cardiovascular disease among women at a workplace. <i>Sao Paulo Medical Journal</i> , 2010, 128, 18-23.	0.9	15
70	Thyrotrophin levels and coronary artery calcification: Cross-sectional results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Endocrinology</i> , 2017, 87, 597-604.	2.4	14
71	Effects of diabetes mellitus and systemic arterial hypertension on elderly patients' hearing. <i>Brazilian Journal of Otorhinolaryngology</i> , 2018, 84, 754-763.	1.0	14
72	Omega 3 Consumption and Anxiety Disorders: A Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 663.	4.1	14

#	ARTICLE	IF	CITATIONS
73	Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2020, 36, e00072120.	1.0	14
74	Predictors of coronary artery calcium incidence and progression: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2020, 309, 8-15.	0.8	13
75	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. <i>Psychological Medicine</i> , 2021, 51, 2895-2903.	4.5	13
76	The impact of atrial fibrillation and long-term oral anticoagulant use on all-cause and cardiovascular mortality: A 12-year evaluation of the prospective Brazilian Study of Stroke Mortality and Morbidity. <i>International Journal of Stroke</i> , 2022, 17, 48-58.	5.9	13
77	Changes in lipoprotein subfractions following menopause in the Longitudinal Study of Adult Health (ELSA-Brasil). <i>Maturitas</i> , 2019, 130, 32-37.	2.4	12
78	Hearing loss, tinnitus, and hypertension: analysis of the baseline data from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinics</i> , 2021, 76, e2370.	1.5	12
79	Association between high-density lipoprotein subfractions and low-grade inflammation, insulin resistance, and metabolic syndrome components: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1290-1297.e1.	1.5	10
80	Common and specific aspects of anxiety and depression and the metabolic syndrome. <i>Journal of Psychiatric Research</i> , 2021, 137, 117-125.	3.1	10
81	Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). <i>Thyroid</i> , 2022, 32, 694-704.	4.5	9
82	Longitudinal measurement invariance of neuropsychological tests in a diverse sample from the ELSA-Brasil study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 254-261.	1.7	8
83	Examining the impact of the COVID-19 pandemic through the lens of the network approach to psychopathology: Analysis of the Brazilian Longitudinal Study of Health (ELSA-Brasil) cohort over a 12-year timespan. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102512.	3.2	8
84	Frequency of cholecystectomy and associated sociodemographic and clinical risk factors in the ELSA-Brasil study. <i>Sao Paulo Medical Journal</i> , 2016, 134, 240-250.	0.9	7
85	Secondary prevention of coronary heart disease: a cross-sectional analysis on the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2019, 137, 223-233.	0.9	7
86	The association of waist-to-height ratio and other anthropometric measurements with subclinical atherosclerosis: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1989-1998.	2.6	7
87	Temperament and character traits in major depressive disorder: a case control study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 469-474.	0.9	6
88	Diabetes alters the association between high-density lipoprotein subfractions and carotid intima-media thickness: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 541-547.	2.0	6
89	Dietary patterns associated with subclinical atherosclerosis: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) study. <i>Public Health Nutrition</i> , 2021, 24, 5006-5014.	2.2	6
90	Clustering analysis and machine learning algorithms in the prediction of dietary patterns: Cross-sectional results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Human Nutrition and Dietetics</i> , 2022, 35, 883-894.	2.5	5

#	ARTICLE	IF	CITATIONS
91	Tobacco and alcohol use, sexual behavior and common mental disorders among military students at the Police Academy, SÃ£o Paulo, Brazil. A cross-sectional study. Sao Paulo Medical Journal, 2015, 133, 235-244.	0.9	4
92	Stroke at baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): a cross-sectional analysis. Sao Paulo Medical Journal, 2018, 136, 398-406.	0.9	4
93	Low serum levels of CCL2 are associated with worse prognosis in patients with Acute Coronary Syndrome: 2-year survival analysis. Biomedicine and Pharmacotherapy, 2019, 109, 1411-1416.	5.6	4
94	Utility of combined inflammatory biomarkers for the identification of cognitive dysfunction in non-diabetic participants of the ELSA-Brasil. Psychoneuroendocrinology, 2019, 103, 61-66.	2.7	4
95	Differences in HDL particle size in the presence of subclinical thyroid dysfunctions: The ELSA-Brasil study. Atherosclerosis, 2020, 312, 60-65.	0.8	4
96	Moderate coffee consumption is associated with lower risk of mortality in prior Acute Coronary Syndrome patients: a prospective analysis in the ERICO cohort. International Journal of Food Sciences and Nutrition, 2021, 72, 794-804.	2.8	4
97	Headache disability, lifestyle factors, health perception, and mental disorder symptoms: a cross-sectional analysis of the 2013 National Health Survey in Brazil. Neurological Sciences, 2022, 43, 2723-2734.	1.9	3
98	Serum folate levels and cognitive performance in the ELSA-Brasil baseline assessment. Arquivos De Neuro-Psiquiatria, 2020, 78, 672-680.	0.8	3
99	Association between objective sleep measures and cognitive performance: a cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) study. Journal of Sleep Research, 2023, 32, .	3.2	3
100	Vehicular traffic density and cognitive performance in the ELSA-Brasil study. Environmental Research, 2020, 191, 110208.	7.5	2
101	Insulin resistance may be misdiagnosed by HOMA-IR in adults with greater fat-free mass: the ELSA-Brasil Study. Acta Diabetologica, 2021, 58, 73-80.	2.5	2
102	Subtle Thyroid Dysfunction Is Not Associated with Cognitive Decline: Results from the ELSA-Brasil. Journal of Alzheimer's Disease, 2021, 81, 1529-1540.	2.6	2
103	O PrognÃ³stico da DoenÃ§a Arterial Coronariana em um Hospital PÃºblico no Brasil: Achado do Estudo ERICO. Arquivos Brasileiros De Cardiologia, 2021, 117, 978-985.	0.8	2
104	Menopause Per se Is Associated with Coronary Artery Calcium Score: Results from the ELSA-Brasil. Journal of Women's Health, 2021, , .	3.3	2
105	Urinary iodine and sodium concentration and thyroid status in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Trace Elements in Medicine and Biology, 2021, 68, 126805.	3.0	2
106	Subclinical thyroid diseases as a non-classical risk factor for cardiovascular diseases. Sao Paulo Medical Journal, 2020, 138, 95-97.	0.9	2
107	Some lessons from the COVID-19 pandemic virus. Sao Paulo Medical Journal, 2020, 138, 174-175.	0.9	1
108	Different statistical methods identify similar population-specific dietary patterns: an analysis of Longitudinal Study of Adult Health (ELSA-Brasil). British Journal of Nutrition, 2022, 128, 2249-2257.	2.3	1

#	ARTICLE	IF	CITATIONS
109	Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study of ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013.	1.5	1
110	The AHA Recommendations for a Healthy Diet and Ultra-Processed Foods: Building a New Diet Quality Index. <i>Frontiers in Nutrition</i> , 2022, 9, 804121.	3.7	1
111	ELSA-Brasil: a 4-year incidence of hearing loss in adults with and without hypertension. <i>Revista De Saude Publica</i> , 2022, 56, 28.	1.7	1
112	Glaucoma, but not cataracts, predicts lower verbal fluency performance: 3.8-year follow-up from the ELSA-Brasil study. <i>Aging, Neuropsychology, and Cognition</i> , 2020, 28, 1-13.	1.3	0
113	Abstract 19907: Clinical Prediction Risk Scores Systematically Underestimate the Presence and Extent of Subclinical Atherosclerosis in Brazilian Women: The Brazilian Study of Longitudinal Health (ELSA-Brasil). <i>Circulation</i> , 2014, 130, .	1.6	0
114	Abstract 13139: Fasting Triglycerides Are Independently Associated With Subclinical Atherosclerosis: The ELSA-Brasil Study. <i>Circulation</i> , 2015, 132, .	1.6	0
115	Secondary prevention of cardiovascular disease in Brazil: lessons from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2019, 137, 477-478.	0.9	0
116	Nonfatal diseases and quality of life: perspectives in Brazil. <i>Sao Paulo Medical Journal</i> , 2020, 138, 1-3.	0.9	0
117	Substantially elevated TSH, not traditional clinical subclinical thyroid disorder groupings, are associated with smaller LDL-P mean size: ELSA-Brasil. <i>Journal of Clinical Lipidology</i> , 2022, , .	1.5	0
118	Biomarkers of Fruit Intake Using a Targeted Metabolomics Approach: An Observational Cross-sectional Analysis of the ELSA-Brasil Study. <i>Journal of Nutrition</i> , 0, , .	2.9	0