## Kenji Itaka

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5618701/publications.pdf

Version: 2024-02-01

516710 395702 1,175 66 16 33 h-index citations g-index papers 66 66 66 1651 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	High-Mobility C60 Field-Effect Transistors Fabricated on Molecular-Wetting Controlled Substrates. Advanced Materials, 2006, 18, 1713-1716.	21.0	213
2	High-Performance Organic Field-Effect Transistors Based on π-Extended Tetrathiafulvalene Derivatives. Journal of the American Chemical Society, 2005, 127, 10142-10143.	13.7	156
3	High-Throughput Characterization of Metal Electrode Performance for Electric-Field-Induced Resistance Switching in Metal/Pr0.7Ca0.3MnO3/Metal Structures. Advanced Materials, 2007, 19, 1711-1713.	21.0	88
4	Combinatorial synthesis of Li-doped NiO thin films and their transparent conducting properties. Applied Surface Science, 2006, 252, 2524-2528.	6.1	82
5	Rapid synthesis and characterization of (Ca1â^'xBax)3Co4O9 thin films using combinatorial methods. Applied Surface Science, 2002, 197-198, 442-447.	6.1	58
6	Fabrication of Highly Oriented Rubrene Thin Films by the Use of Atomically Finished Substrate and Pentacene Buffer Layer. Japanese Journal of Applied Physics, 2005, 44, 3740-3742.	1.5	57
7	Development of a high-throughput thermoelectric screening tool for combinatorial thin film libraries. Applied Surface Science, 2007, 254, 765-767.	6.1	39
8	Molecular Layer-by-Layer Growth of C <sub>60</sub> Thin Films by Continuous-Wave Infrared Laser Deposition. Applied Physics Express, 2008, 1, 015005.	2.4	39
9	Divergent Nematic Susceptibility near the Pseudogap Critical Point in a Cuprate Superconductor. Journal of the Physical Society of Japan, 2020, 89, 064707.	1.6	36
10	Pulsed laser deposition of oxide gate dielectrics for pentacene organic field-effect transistors. Thin Solid Films, 2005, 486, 218-221.	1.8	30
11	Combinatorial screening of halide perovskite thin films and solar cells by mask-defined IR laser molecular beam epitaxy. Science and Technology of Advanced Materials, 2017, 18, 307-315.	6.1	26
12	Asymmetric Field Profile in Bose Glass Phase of IrradiatedYBa2Cu3O7â <sup>-</sup> Î: Loss of Interlayer Coherence around1/3of Matching Field. Physical Review Letters, 2001, 86, 5144-5147.	7.8	20
13	High-speed evaluation of thermoelectric materials using multi-channel measurement system. Magyar Apróvad Közlemények, 2002, 69, 1051-1058.	1.4	19
14	The First Observation of 1H-NMR Spectrum of Pentacene. Japanese Journal of Applied Physics, 2004, 43, L315-L316.	1.5	19
15	Combinatorial Pulsed Laser Deposition of Pentacene Films for Field Effect Devices. Macromolecular Rapid Communications, 2004, 25, 334-338.	3.9	17
16	Rapid Synthesis and Scanning Probe Analysis of BaxSr1-xTiO3 Composition Spread Films on a Temperature Gradient Si(100) Substrate. Japanese Journal of Applied Physics, 2002, 41, L149-L151.	1.5	16
17	Combinatorial Physical Vapor Deposition of i€-Conjugated Organic Thin Film Libraries. Macromolecular Rapid Communications, 2004, 25, 196-203.	3.9	14
18	Anin-situFabrication and Characterization System Developed for High Performance Organic Semiconductor Devices. Japanese Journal of Applied Physics, 2005, 44, 3757-3759.	1.5	13

#	Article	IF	Citations
19	Pulsed laser deposition of c * axis oriented pentacene films. Applied Physics A: Materials Science and Processing, 2004, 79, 875-877.	2.3	12
20	Combinatorial pulsed laser deposition and thermoelectricity of (La1â^xCax)VO3composition-spread films. Science and Technology of Advanced Materials, 2004, 5, 543-547.	6.1	12
21	Molecular Beam Epitaxy of Highly Oriented Pentacene Thin Films on an Atomically Flat Sapphire Substrate. Japanese Journal of Applied Physics, 2005, 44, 6249-6251.	1.5	12
22	Composition-spread thin films of pentacene and 6,13-pentacenequinone fabricated by using continuous-wave laser molecular beam epitaxy. Applied Surface Science, 2008, 254, 2336-2341.	6.1	12
23	Evidence for planar pinning in heavily Pb-substitutedBi2Sr2CaCu2O8+ysingle crystals. Physical Review B, 1999, 60, R9951-R9954.	3.2	11
24	Combinatorial fabrication and magnetic properties of homoepitaxial Co and Li co-doped NiO thin-film nanostructures. Journal of Magnetism and Magnetic Materials, 2009, 321, 3595-3599.	2.3	11
25	Diameter dependence of 1/f noise in carbon nanotube field effect transistors using noise spectroscopy. Applied Surface Science, 2013, 267, 101-105.	6.1	11
26	Combinatorial approach to the fabrication of organic thin films. Applied Surface Science, 2006, 252, 2562-2567.	6.1	10
27	Continuous wave infrared laser deposition of organic thin films. Journal of Physics: Conference Series, 2007, 59, 520-525.	0.4	10
28	Pulsed Laser Epitaxy and Magnetic Properties of Single Phase Y-Type Magnetoplumbite Thin Films. Japanese Journal of Applied Physics, 2001, 40, L1343-L1345.	1.5	9
29	Magneto-optical imaging of vortex lattice melting transition in Bi2Sr2CaCu2O8+y. Physica C: Superconductivity and Its Applications, 2001, 357-360, 568-571.	1.2	8
30	Direct Carbothermic Silica Reduction from Purified Silica to Solar-Grade Silicon. Journal of Physics: Conference Series, 2015, 596, 012015.	0.4	8
31	Metal–insulator–metal transition in Sr2Rh1â^'xRuxO4(0⩽x⩽1). Applied Physics Letters, 2002, 81, 49	5 <del>5.4</del> 957.	7
32	Rapid characterization of thermoelectric properties of composition spread (La1â^xCax)VO3 films. Applied Surface Science, 2004, 223, 20-23.	6.1	7
33	Electrical characterization of single grain and single grain boundary of pentacene thin film by nano-scale electrode array. Current Applied Physics, 2006, 6, 109-113.	2.4	7

#	Article	IF	Citations
37	Sr2Rh1â^'xRuxO4 (0 ≠x ≠1) composition-spread film growth on a temperature-gradient substrate by pulsed laser deposition. Applied Surface Science, 2004, 223, 264-267.	6.1	5
38	Fabrication of Planar Nano-gap Electrodes for Single Molecule Evaluation. Japanese Journal of Applied Physics, 2006, 45, 3766-3767.	1.5	5
39	Field-induced resistance switching at metal/perovskite manganese oxide interface. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2008, 148, 13-15.	3.5	5
40	Gate voltage dependence of $1/f$ noise in carbon nanotubes with the different metal contacts. , $2013, , .$		4
41	Vortex matter phase transitions under tilted fields in pristine and Pb-substituted Bi2Sr2CaCu2O8+y. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1183-1184.	1.2	3
42	Vortex phase diagrams of Bi2Sr2CaCu2O8+y in tilted fields studied by a Hall probe. Physica C: Superconductivity and Its Applications, 2001, 357-360, 446-449.	1.2	3
43	Thermal diffusivity of (Ca <sub>1â€"<i>x</i></sub> 5r <i>x</i> ) <sub>3</sub> Co <sub>4</sub> O <sub>9</sub> thin films using transient grating configuration. Journal of Materials Research, 2003, 18, 2473-2477.	2.6	3
44	Vacuum and Pressured Combinatorial Processings for Exploration of Environmental Catalysts. Topics in Catalysis, 2010, 53, 35-39.	2.8	3
45	Strong Pressure Effect in the Sublimation from Tetracene Single Crystals and Development of Surface Cleaning Technique for Organic Semiconductors. Applied Physics Express, 2011, 4, 021601.	2.4	3
46	Field-effect transistors of the block co-oligomers based on thiophene and pyridine. Thin Solid Films, 2012, 520, 4445-4448.	1.8	3
47	Optimization of the Granulation Binders of High-Purity Carbothermic Reduction for Solar-Grade Silicon. Materials Transactions, 2016, 57, 1936-1944.	1.2	3
48	Revised phase diagram of the high- <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi>T</mml:mi><mml:mi>&lt;</mml:mi> cuprate superconductor Pb-doped <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msub><mml:mi>Bi</mml:mi><mml:ni><mml:mi></mml:mi></mml:ni></mml:msub></mml:mrow></mml:math></mml:msub></mml:math>	3.2	3
49	mathvariant="normal">O <mml:mrow><mml:mn>8<td>1.2</td><td>2</td></mml:mn></mml:mrow>	1.2	2
50	Quick optimization of Y-type magnetoplumbite thin films growth by combinatorial pulsed laser deposition technique. Applied Surface Science, 2002, 197-198, 312-315.	6.1	2
51	Sharp metal-insulator transition in Sr(Ti1â^'xVx)O3â^'Î' thin films on SrTiO3 substrates. Thin Solid Films, 2005, 486, 222-225.	1.8	2
52	Fabrication of combinatorial nm-planar electrode array for high throughput evaluation of organic semiconductors. Applied Surface Science, 2006, 252, 2568-2572.	6.1	2
53	Combinatorial Investigation of ZrO <sub>2</sub> -Based Dielectric Materials for Dynamic Random-Access Memory Capacitors. Japanese Journal of Applied Physics, 2011, 50, 06GH12.	1.5	2
54	Effect of hydrogen radical on decomposition of chlorosilane source gases. Journal of Physics: Conference Series, 2013, 441, 012003.	0.4	2

#	Article	IF	CITATIONS
55	Programmable Persistent Interfacial Metallic State Induced by Frozen Ions in Inorganic–Glass Solid Electrolyte. Advanced Functional Materials, 2015, 25, 3043-3048.	14.9	2
56	Development of Real-Time Weight Monitoring System for the Carbothermic Reduction Process of Silica. Materials Transactions, 2016, 57, 1930-1935.	1.2	2
57	Novel Asymmetric Critical State in YBa2Cu3O7â^'Î' with Columnar Defects. Journal of Low Temperature Physics, 1999, 117, 1369-1373.	1.4	1
58	Peak effect and vortex channeling in heavily Pb-substituted Bi2Sr2CaCu2O8+y with planar defects. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1265-1266.	1.2	1
59	Reduction of interlayer coherence around 1/3 of matching field in Bose glass phase of YBa2Cu3O7â~δ with columnar defects. Physica C: Superconductivity and Its Applications, 2001, 357-360, 435-437.	1.2	1
60	Magneto-optical observations of vortex states under tilted fields in Bi2Sr2CaCu2O8+y. Physica C: Superconductivity and Its Applications, 2002, 378-381, 416-419.	1.2	1
61	Fabrication of Liquid Crystal Polymer Films and Their Passivation Effect for Organic Devices. Japanese Journal of Applied Physics, 2005, 44, 4164-4166.	1.5	1
62	Design and development of an ultra-compact drum-shaped chamber for combinatorial pulsed laser deposition. Applied Surface Science, 2006, 252, 2461-2465.	6.1	1
63	Suppression of Fermi Level Pinning and Flat Band Voltage Shift by Inserting Diamond-Like Carbon at a High-k/SiO2Interface in a Gate Stack Structure. Japanese Journal of Applied Physics, 2010, 49, 06GH03.	1.5	1
64	Study of Carbothermal Reduction of Silica, Alumina and Titania Under Argon Gas. Springer Proceedings in Energy, 2020, , 295-301.	0.3	1
65	Evidence for Planar Pinning in Heavily Pb-Doped Bi2Sr2CaCu2O8+y Single Crystals., 1999,, 485-488.		1
66	Molecular-Wetting Control by Ultrasmooth Pentacene Buffer for High-crystallinity Organic Field-Effect Transistors. Materials Research Society Symposia Proceedings, 2006, 965, 1.	0.1	0