

Kazuo Kimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5634479/publications.pdf>

Version: 2024-02-01

195
papers

3,830
citations

201674

27
h-index

155660

55
g-index

198
all docs

198
docs citations

198
times ranked

5035
citing authors

#	ARTICLE	IF	CITATIONS
1	Antithrombotic Therapy for Atrial Fibrillation with Stable Coronary Disease. <i>New England Journal of Medicine</i> , 2019, 381, 1103-1113.	27.0	342
2	JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. <i>Circulation Journal</i> , 2019, 83, 1085-1196.	1.6	324
3	Prognostic impact of spontaneous coronary artery dissection in young female patients with acute myocardial infarction: A report from the Angina Pectoris "Myocardial Infarction Multicenter Investigators in Japan. <i>International Journal of Cardiology</i> , 2016, 207, 341-348.	1.7	261
4	JCS 2020 Guideline Focused Update on Antithrombotic Therapy in Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2020, 84, 831-865.	1.6	197
5	Biodegradable Polymer Biolimus-Eluting Stent Versus Durable Polymer Everolimus-Eluting Stent. <i>Journal of the American College of Cardiology</i> , 2013, 62, 181-190.	2.8	194
6	High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD). <i>Circulation</i> , 2018, 137, 1997-2009.	1.6	174
7	Febuxostat for Cerebral and Cardiovascular Events Prevention Study. <i>European Heart Journal</i> , 2019, 40, 1778-1786.	2.2	148
8	Open-Label Randomized Trial Comparing Oral Anticoagulation With and Without Single Antiplatelet Therapy in Patients With Atrial Fibrillation and Stable Coronary Artery Disease Beyond 1 Year After Coronary Stent Implantation. <i>Circulation</i> , 2019, 139, 604-616.	1.6	117
9	Association between blood glucose variability and coronary plaque instability in patients with acute coronary syndromes. <i>Cardiovascular Diabetology</i> , 2015, 14, 111.	6.8	78
10	Stress Perfusion Coronary Flow Reserve Versus Cardiac Magnetic Resonance for Known or Suspected CAD. <i>Journal of the American College of Cardiology</i> , 2017, 70, 869-879.	2.8	64
11	A Randomized Study of Distal Filter Protection Versus Conventional Treatment During Percutaneous Coronary Intervention in Patients With Attenuated Plaque Identified by Intravascular Ultrasound. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1545-1555.	2.9	60
12	Glycemic variability determined with a continuous glucose monitoring system can predict prognosis after acute coronary syndrome. <i>Cardiovascular Diabetology</i> , 2018, 17, 116.	6.8	60
13	Prognostic significance of quantitative assessment of focal myocardial fibrosis in patients with heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015, 191, 314-319.	1.7	53
14	Electrocardiographic findings of takotsubo cardiomyopathy as compared with those of anterior acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 684-689.	0.9	52
15	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <i>Circulation Journal</i> , 2021, 85, 402-572.	1.6	52
16	Renin-angiotensin system inhibitors and the severity of coronavirus disease 2019 in Kanagawa, Japan: a retrospective cohort study. <i>Hypertension Research</i> , 2020, 43, 1257-1266.	2.7	43
17	Outcomes of everolimus-eluting stent incomplete stent apposition: a serial optical coherence tomography analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 23-28.	1.2	42
18	The ReACT Trial. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 109-117.	2.9	41

#	ARTICLE	IF	CITATIONS
19	Long-Term Outcomes of Non-ST-Elevation Myocardial Infarction Without Creatine Kinase Elevationâ€”The J-MINUET Study â€”. <i>Circulation Journal</i> , 2017, 81, 958-965.	1.6	41
20	Rationale, design, and baseline characteristics of a study to evaluate the effect of febuxostat in preventing cerebral, cardiovascular, and renal events in patients with hyperuricemia. <i>Journal of Cardiology</i> , 2017, 69, 169-175.	1.9	40
21	Prognostic impact of muscle and fat mass in patients with heart failure. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 568-576.	7.3	39
22	JCS/JSCVS 2018 Guideline on Revascularization of Stable Coronary Artery Disease. <i>Circulation Journal</i> , 2022, 86, 477-588.	1.6	38
23	Symptomatic radiation-induced cardiac disease in long-term survivors of esophageal cancer. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 359-367.	2.0	35
24	A High Level of Blood Urea Nitrogen Is a Significant Predictor for In-hospital Mortality in Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2018, 59, 263-271.	1.0	34
25	Microbiota-derived Trimethylamine N-oxide Predicts Cardiovascular Risk After STEMI. <i>Scientific Reports</i> , 2019, 9, 11647.	3.3	34
26	Impact of symptom presentation on in-hospital outcomes in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2017, 70, 29-34.	1.9	31
27	Effects of Ezetimibe-Statin Combination Therapy on Coronary Atherosclerosis in Acute Coronary Syndrome. <i>Circulation Journal</i> , 2018, 82, 757-766.	1.6	31
28	Implications of the absence of ST-segment elevation in lead V _{4R} in patients who have inferior wall acute myocardial infarction with right ventricular involvement. <i>Clinical Cardiology</i> , 2001, 24, 225-230.	1.8	28
29	Rationale and design of a multicenter placebo-controlled double-blind randomized trial to evaluate the effect of empagliflozin on endothelial function: the EMBLEM trial. <i>Cardiovascular Diabetology</i> , 2017, 16, 48.	6.8	28
30	Impact of Cardio-Ankle Vascular Index on Long-Term Outcome in Patients with Acute Coronary Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 657-668.	2.0	28
31	Nationwide real-world database of 20,462 patients enrolled in the Japanese Acute Myocardial Infarction Registry (JAMIR): Impact of emergency coronary intervention in a super-aging population. <i>IJC Heart and Vasculature</i> , 2018, 20, 1-6.	1.1	26
32	Atrial fibrillation and ischemic events with rivaroxaban in patients with stable coronary artery disease (AFIRE): Protocol for a multicenter, prospective, randomized, open-label, parallel group study. <i>International Journal of Cardiology</i> , 2018, 265, 108-112.	1.7	24
33	Clinical characteristics and long-term prognosis of contemporary patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2019, 291, 13-18.	1.7	24
34	Combined impact of chronic kidney disease and contrast-induced nephropathy on long-term outcomes in patients with ST-segment elevation acute myocardial infarction who undergo primary percutaneous coronary intervention. <i>Heart and Vessels</i> , 2017, 32, 22-29.	1.2	23
35	Decreased Appendicular Skeletal Muscle Mass is Associated with Poor Outcomes after ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1278-1287.	2.0	23
36	Morphological features of non-culprit plaques on optical coherence tomography and integrated backscatter intravascular ultrasound in patients with acute coronary syndromes. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 190-197.	1.2	20

#	ARTICLE	IF	CITATIONS
37	Association Between Acidosis Soon After Reperfusion and Contrast-Induced Nephropathy in Patients With a First-Time ST-Segment Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	20
38	Lubiprostone as a potential therapeutic agent to improve intestinal permeability and prevent the development of atherosclerosis in apolipoprotein E-deficient mice. <i>PLoS ONE</i> , 2019, 14, e0218096.	2.5	20
39	Bleeding and Subsequent Cardiovascular Events and Death in Atrial Fibrillation With Stable Coronary Artery Disease: Insights From the AFIRE Trial. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010476.	3.9	20
40	Cardiovascular magnetic resonance assessment of coronary flow reserve improves risk stratification in heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 112.	3.3	19
41	Rationale, Design, and Baseline Characteristics of the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 97-103.	2.6	18
42	Impact of Chronic Kidney Disease on In-Hospital and 3-Year Clinical Outcomes in Patients With Acute Myocardial Infarction Treated by Contemporary Percutaneous Coronary Intervention and Optimal Medical Therapy—Insights From the J-MINUET Study. <i>Circulation Journal</i> , 2021, 85, 1710-1718.	1.6	18
43	Contemporary Antiplatelet Therapy and Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Journal</i> , 2019, 83, 1633-1643.	1.6	17
44	Frequency and prognostic impact of intravascular imaging-guided urgent percutaneous coronary intervention in patients with acute myocardial infarction: results from J-MINUET. <i>Heart and Vessels</i> , 2019, 34, 564-571.	1.2	17
45	Ubiquinol Improves Endothelial Function in Patients with Heart Failure with Reduced Ejection Fraction: A Single-Center, Randomized Double-Blind Placebo-Controlled Crossover Pilot Study. <i>American Journal of Cardiovascular Drugs</i> , 2020, 20, 363-372.	2.2	17
46	Prediction of functional recovery after percutaneous coronary revascularization for chronic total occlusion using late gadolinium enhanced magnetic resonance imaging. <i>Journal of Cardiology</i> , 2017, 69, 836-842.	1.9	16
47	Incremental prognostic value of coronary flow reserve determined by phase-contrast cine cardiovascular magnetic resonance of the coronary sinus in patients with diabetes mellitus. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 73.	3.3	16
48	Low-Dose Tissue Plasminogen Activator Followed by Planned Rescue Angioplasty Reduces Time to Reperfusion for Acute Myocardial Infarction Treated at Community Hospitals. <i>Japanese Circulation Journal</i> , 2001, 65, 901-906.	1.0	15
49	Hydrostatic pressure suppresses fibrotic changes via Akt/GSK-3 signaling in human cardiac fibroblasts. <i>Physiological Reports</i> , 2018, 6, e13687.	1.7	15
50	In-Hospital Mortality in Acute Myocardial Infarction According to Population Density and Primary Angioplasty Procedures Volume. <i>Circulation Journal</i> , 2020, 84, 1140-1146.	1.6	15
51	Off-hours presentation does not affect in-hospital mortality of Japanese patients with acute myocardial infarction: J-MINUET substudy. <i>Journal of Cardiology</i> , 2017, 70, 553-558.	1.9	14
52	Pre-Procedural Thrombolysis in Myocardial Infarction Flow in Patients with ST-Segment Elevation Myocardial Infarction. <i>International Heart Journal</i> , 2018, 59, 920-925.	1.0	14
53	Comparison of anti-inflammatory effects of rivaroxaban vs. dabigatran in patients with non-valvular atrial fibrillation (RIVAL-AF study): multicenter randomized study. <i>Heart and Vessels</i> , 2019, 34, 1002-1013.	1.2	14
54	Effect of febuxostat on clinical outcomes in patients with hyperuricemia and cardiovascular disease. <i>International Journal of Cardiology</i> , 2022, 349, 127-133.	1.7	14

#	ARTICLE	IF	CITATIONS
55	East Asia may have a better 1-year survival following an acute heart failure episode compared with Europe: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2018, 20, 1071-1075.	7.1	13
56	Association between High Platelet Reactivity Following Dual Antiplatelet Therapy and Ischemic Events in Japanese Patients with Coronary Artery Disease Undergoing Stent Implantation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 13-24.	2.0	13
57	Efficacy and Safety of Early Initiation of Eplerenone Treatment in Patients with Acute Heart Failure (EARLIER trial): a multicentre, randomized, double-blind, placebo-controlled trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 108-117.	3.0	13
58	Impact of three-dimensional global longitudinal strain for patients with acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , .	1.2	13
59	Rivaroxaban Monotherapy in Patients With Atrial Fibrillation After Coronary Stenting. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 2330-2340.	2.9	13
60	Impact of preoperative dual antiplatelet therapy on bleeding complications in patients with acute coronary syndromes who undergo urgent coronary artery bypass grafting. <i>Journal of Cardiology</i> , 2017, 69, 156-161.	1.9	12
61	Clinical Implications of Electrocardiograms for Patients With Type A Acute Aortic Dissection. <i>Circulation Journal</i> , 2017, 81, 1254-1260.	1.6	12
62	Prognostic value of resting coronary sinus flow determined by phase-contrast cine cardiovascular magnetic resonance in patients with known or suspected coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 97.	3.3	12
63	Randomized controlled trial of TY-51924, a novel hydrophilic NHE inhibitor, in acute myocardial infarction. <i>Journal of Cardiology</i> , 2016, 67, 307-313.	1.9	11
64	QRS Score at Presentation Electrocardiogram Is Correlated With Infarct Size and Mortality in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2017, 81, 1129-1136.	1.6	11
65	Impact of Acute Kidney Injury on In-Hospital Outcomes of Patients With Acute Myocardial Infarction—Results From the Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) Substudy. <i>Circulation Journal</i> , 2017, 81, 733-739.	1.6	11
66	A lower eicosapentaenoic acid/arachidonic acid ratio is associated with in-hospital fatal arrhythmic events in patients with acute myocardial infarction: a J-MINUET substudy. <i>Heart and Vessels</i> , 2018, 33, 481-488.	1.2	11
67	Impact of renin-angiotensin-aldosterone system inhibitors on COVID-19. <i>Hypertension Research</i> , 2022, 45, 1147-1153.	2.7	11
68	Beneficial effect of early infusion of landiolol, a very short-acting beta-1 adrenergic receptor blocker, on reperfusion status in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 221, 321-326.	1.7	10
69	Association between epicardial adipose tissue volume and myocardial salvage in patients with a first ST-segment elevation myocardial infarction: An epicardial adipose tissue paradox. <i>Journal of Cardiology</i> , 2016, 68, 399-405.	1.9	10
70	Prolonged Fever After ST-Segment Elevation Myocardial Infarction and Long-Term Cardiac Outcomes. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	10
71	Impact of n-3 polyunsaturated fatty acids in predicting ischemia/reperfusion injury and progression of myocardial damage after reperfusion in patients with ST-segment elevation acute myocardial infarction. <i>Journal of Cardiology</i> , 2015, 66, 101-107.	1.9	9
72	Dosimetric predictors of radiation-induced pericardial effusion in esophageal cancer. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 552-560.	2.0	9

#	ARTICLE	IF	CITATIONS
73	Two-year vascular responses to drug-eluting stents with biodegradable polymer versus durable polymer: An optical coherence tomography sub-study of the NEXT. <i>Journal of Cardiology</i> , 2017, 70, 530-536.	1.9	9
74	Myocardial Infarction Caused by Accelerated Plaque Formation Related to Myocardial Bridge in a Young Man. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1687.e13-1687.e15.	1.7	9
75	Impact of bleeding on mortality in patients with acute myocardial infarction complicated by cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 388-396.	1.0	9
76	Direct Oral Anticoagulant Therapy for Cancer-Associated Venous Thromboembolism in Routine Clinical Practice. <i>Circulation Journal</i> , 2020, 84, 1330-1338.	1.6	9
77	Optimal uric acid levels by febuxostat treatment and cerebral, cardiorenovascular risks: <i>post hoc</i> analysis of a randomized controlled trial. <i>Rheumatology</i> , 2022, 61, 2346-2359.	1.9	9
78	Electrocardiographic criteria for predicting total occlusion of the proximal left anterior descending coronary artery in anterior wall acute myocardial infarction. <i>Clinical Cardiology</i> , 2001, 24, 33-38.	1.8	8
79	Impaired Peripheral Endothelial Function Assessed by Digital Reactive Hyperemia Peripheral Arterial Tonometry and Risk of In-stent Restenosis. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	8
80	B-type natriuretic peptide as a predictor of ischemia/reperfusion injury immediately after myocardial reperfusion in patients with ST-segment elevation acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 62-70.	1.0	8
81	Late gadolinium enhancement on cardiac magnetic resonance imaging is associated with coronary endothelial dysfunction in patients with dilated cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 393-402.	1.2	8
82	Takotsubo Cardiomyopathy in a Patient with Previously Undiagnosed Hypertrophic Cardiomyopathy with Latent Obstruction. <i>Internal Medicine</i> , 2018, 57, 2969-2973.	0.7	8
83	Impact of population density on mortality in patients hospitalized for heart failure â€” JROAD-DPC Registry Analysis â€”. <i>Journal of Cardiology</i> , 2020, 75, 447-453.	1.9	8
84	Relationship between the cardiac magnetic resonance derived extracellular volume fraction and feature tracking myocardial strain in patients with non-ischemic dilated cardiomyopathy. <i>Magnetic Resonance Imaging</i> , 2020, 74, 14-20.	1.8	8
85	Difference in the in-hospital prognosis between ST-segment elevation myocardial infarction and non-ST-segment elevation myocardial infarction with high Killip class: Data from the Japan Acute Myocardial Infarction Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 503-512.	1.0	8
86	Long-Term Prognosis of Patients with Myocardial Infarction Type 1 and Type 2 with and without Involvement of Coronary Vasospasm. <i>Journal of Clinical Medicine</i> , 2020, 9, 1686.	2.4	8
87	Global Strain Measured by Three-Dimensional Speckle Tracking Echocardiography Is a Useful Predictor for 10-Year Prognosis After a First ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2021, 85, 1735-1743.	1.6	8
88	Admission Heart Rate Is a Determinant of Effectiveness of Beta-Blockers in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2019, 83, 1054-1063.	1.6	7
89	Influence of CYP2C19 genotypes for the effect of 1-month dual antiplatelet therapy followed by clopidogrel monotherapy relative to 12-month dual antiplatelet therapy on clinical outcomes after percutaneous coronary intervention: a genetic substudy from the STOPDAPT-2. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 403-415.	2.3	7
90	Diagnostic performance and limitation of quantitative flow ratio for functional assessment of intermediate coronary stenosis. <i>Journal of Cardiology</i> , 2021, 77, 492-499.	1.9	7

#	ARTICLE	IF	CITATIONS
91	Rivaroxaban monotherapy versus combination therapy according to patient risk of stroke and bleeding in atrial fibrillation and stable coronary disease: AFIRE trial subanalysis. <i>American Heart Journal</i> , 2021, 236, 59-68.	2.7	7
92	The impact of pre-hospital 12-lead electrocardiogram and first contact by cardiologist in patients with ST-elevation myocardial infarction in Kanagawa, Japan. <i>Journal of Cardiology</i> , 2021, 78, 183-192.	1.9	7
93	Effect of Low Body Mass Index on the Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR) —. <i>Circulation Journal</i> , 2022, 86, 632-639.	1.6	7
94	Native T1 heterogeneity for predicting reverse remodeling in patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2022, 37, 1541-1550.	1.2	7
95	Rivaroxaban Monotherapy vs Combination Therapy With Antiplatelets on Total Thrombotic and Bleeding Events in Atrial Fibrillation With Stable Coronary Artery Disease. <i>JAMA Cardiology</i> , 2022, 7, 787.	6.1	7
96	Small proximal aortic diameter is associated with higher central pulse pressure and poor outcome in patients with congestive heart failure. <i>Hypertension Research</i> , 2014, 37, 57-63.	2.7	6
97	Higher CHADS2 score is associated with impaired coronary flow reserve: A study using phase contrast cine magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2016, 221, 800-805.	1.7	6
98	A case of heparin-induced thrombocytopenia with subacute stent thrombosis, multiple cerebral infarction, and acute limb ischemia. <i>Journal of Cardiology Cases</i> , 2017, 15, 145-149.	0.5	6
99	Impact of flow-mediated dilatation and coronary calcification in providing complementary information on the severity of coronary artery disease. <i>Atherosclerosis</i> , 2017, 267, 146-152.	0.8	6
100	Native T1 time and extracellular volume fraction in differentiation of normal myocardium from non-ischemic dilated and hypertrophic cardiomyopathy myocardium: A systematic review and meta-analysis. <i>IJC Heart and Vasculature</i> , 2019, 25, 100422.	1.1	6
101	Comparison between instantaneous wave-free ratio versus morphometric assessments by intracoronary imaging. <i>Heart and Vessels</i> , 2019, 34, 926-935.	1.2	6
102	In-hospital mortality associated with acute myocardial infarction was inversely related with the number of coronary risk factors in patients from a Japanese nation-wide real-world database. <i>International Journal of Cardiology: Hypertension</i> , 2020, 6, 100039.	2.2	6
103	Clinical profiles and outcomes in the treatment of acute myocardial infarction in Japan of aging society. <i>Heart and Vessels</i> , 2020, 35, 1681-1688.	1.2	6
104	Coronary arteritis: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	6
105	Impact of serum lipoprotein (a) level on coronary plaque progression and cardiovascular events in statin-treated patients with acute coronary syndrome: a yokohama-acs substudy. <i>Journal of Cardiology</i> , 2020, 76, 66-72.	1.9	6
106	Guideline adherence and long-term clinical outcomes in patients with acute myocardial infarction: a Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 939-947.	1.0	6
107	Prognostic role of bronchial asthma in patients with heart failure. <i>Heart and Vessels</i> , 2020, 35, 808-816.	1.2	6
108	Clinical impact of admission urinary 8-hydroxydeoxyguanosine level for predicting cardiovascular mortality in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2021, 36, 38-47.	1.2	6

#	ARTICLE	IF	CITATIONS
109	Coronary artery disease and heart failure in patients with idiopathic pulmonary fibrosis. <i>Heart and Vessels</i> , 2021, 36, 1151-1158.	1.2	6
110	Association between abdominal fat distribution and coronary plaque instability in patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1169-1178.	2.6	6
111	Prognostic Significance of a Combination of QRS Score and E/e ² Obtained 2 Weeks After the Onset of ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2020, 84, 1965-1973.	1.6	6
112	Long-Term Clinical Outcomes After Filter Protection During Percutaneous Coronary Intervention in Patients With Attenuated Plaque—1-Year Follow up of the VAMPIRE 3 (Vacuum Aspiration Thrombus) Tj ETQq00 rgB5/Overlock	1.6	6
113	Impact of physical performance on exercise capacity in older patients with heart failure with reduced and preserved ejection fraction. <i>Experimental Gerontology</i> , 2021, 156, 111626.	2.8	6
114	Cardiac involvement in coronavirus disease 2019 assessed by cardiac magnetic resonance imaging: a meta-analysis. <i>Heart and Vessels</i> , 2022, 37, 1570-1582.	1.2	6
115	Relationship Between Myocardial Damage and C-Reactive Protein Levels Immediately After Onset of Acute Myocardial Infarction. <i>Japanese Circulation Journal</i> , 2001, 65, 67-70.	1.0	5
116	Incremental prognostic value of the SYNTAX score to late gadolinium-enhanced magnetic resonance images for patients with stable coronary artery disease. <i>Heart and Vessels</i> , 2016, 31, 871-880.	1.2	5
117	Distinction Between Precapillary and Postcapillary Pulmonary Hypertension by the Atrial Volume Ratio on Transthoracic Echocardiography. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 891-896.	1.7	5
118	Questionnaire in patients with aborted sudden cardiac death due to coronary spasm in Japan. <i>Heart and Vessels</i> , 2020, 35, 1640-1649.	1.2	5
119	Platelet-Derived Thrombogenicity Measured by Total Thrombus-Formation Analysis System in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2020, 84, 975-984.	1.6	5
120	A novel risk stratification system—Angiographic GRACE Score—for predicting in-hospital mortality of patients with acute myocardial infarction: Data from the K-ACTIVE Registry. <i>Journal of Cardiology</i> , 2021, 77, 179-185.	1.9	5
121	Antithrombotic Therapy for Atrial Fibrillation and Coronary Artery Disease in Patients With Prior Atherothrombotic Disease: A Post Hoc Analysis of the AFIRE Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e020907.	3.7	5
122	Present and Future Status of Cardiovascular Emergency Care System in Urban Areas of Japan—Importance of Prehospital 12-Lead Electrocardiogram—. <i>Circulation Journal</i> , 2022, 86, 591-599.	1.6	5
123	Impact of atrial fibrillation and the clinical outcomes in patients with acute myocardial infarction from the K-ACTIVE registry. <i>Journal of Cardiology</i> , 2022, 79, 768-775.	1.9	5
124	Rivaroxaban Underdose for Atrial Fibrillation with Stable Coronary Disease: The AFIRE Trial Findings. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1584-1593.	3.4	5
125	Trial design and rationale of TY-51924 as a novel Na ⁺ /H ⁺ exchanger inhibitor in patients with ST-elevation acute myocardial infarction undergoing percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2014, 63, 82-87.	1.9	4
126	Impact of Total Antithrombotic Effect on Bleeding Complications in Patients Receiving Multiple Antithrombotic Agents. <i>Circulation Journal</i> , 2019, 83, 1309-1316.	1.6	4

#	ARTICLE	IF	CITATIONS
127	<p>Association of endothelial function with thin-cap fibroatheroma as assessed by optical coherence tomography in patients with acute coronary syndromes</p>. Therapeutics and Clinical Risk Management, 2019, Volume 15, 285-291.	2.0	4
128	Admission During Off-Hours Does Not Affect Long-Term Clinical Outcomes of Japanese Patients with Acute Myocardial Infarction. International Heart Journal, 2020, 61, 215-222.	1.0	4
129	Characteristics and Prognosis of Patients with Vasospastic Angina Diagnosed by a Provocation Test with Secondary Prevention Implantable Cardioverter Defibrillator. International Heart Journal, 2021, 62, 224-229.	1.0	4
130	Impact of sarcopenic obesity on long-term clinical outcomes after ST-segment elevation myocardial infarction. Atherosclerosis, 2021, 335, 135-141.	0.8	4
131	Impact of candesartan on cardiovascular events after drug-eluting stent implantation in patients with coronary artery disease: The 4C trial. Journal of Cardiology, 2016, 67, 371-377.	1.9	3
132	Simultaneous fat and bone assessment in hospitalized heart failure patients using non-contrast-enhanced computed tomography. Journal of Cardiology, 2016, 67, 92-97.	1.9	3
133	Intravascular ultrasound radiofrequency signal analysis of blood speckles: Physiological assessment of intermediate coronary artery stenosis. Catheterization and Cardiovascular Interventions, 2020, 96, E155-E164.	1.7	3
134	Impact of peripheral artery disease on prognosis after myocardial infarction: The J-MINUET study. Journal of Cardiology, 2020, 76, 402-406.	1.9	3
135	Prediction of Long-Term Outcomes in ST-Elevation Myocardial Infarction and Non-ST Elevation Myocardial Infarction with and without Creatinine Kinase Elevationâ€”Post-Hoc Analysis of the J-MINUET Study. Journal of Clinical Medicine, 2020, 9, 2667.	2.4	3
136	Clinical characteristics and in-hospital outcomes in patients aged 80 years or over with cardiac troponin-positive acute myocardial infarction -J-MINUET study-. Journal of Cardiology, 2021, 77, 139-146.	1.9	3
137	Impaired coronary flow reserve evaluated by phase-contrast cine magnetic resonance imaging in patients with atrial fibrillations. Heart and Vessels, 2021, 36, 775-781.	1.2	3
138	Clinical significance of prehospital 12-lead electrocardiography in patients with ST-segment elevation myocardial infarction presenting with syncope: from a multicenter observational registry (K-ACTIVE) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
139	Infrequent use of nighttime dialysis for emergency admission due to worsening heart failure in patients on maintenance hemodialysis. Therapeutic Apheresis and Dialysis, 2022, 26, 85-93.	0.9	3
140	Characteristics and clinical outcomes of patients with de-escalation from prasugrel to clopidogrel after acute myocardial infarction - Insights from the prospective Japan Acute Myocardial Infarction Registry (JAMIR) -. Journal of Cardiology, 2021, 78, 99-106.	1.9	3
141	Impact of red blood cell distribution width and mean platelet volume in patients with ST-segment elevation myocardial infarction. Heart and Vessels, 2022, 37, 392-399.	1.2	3
142	Clinical Outcomes of Rivaroxaban Monotherapy in Heart Failure Patients With Atrial Fibrillation and Stable Coronary Disease: Insights From the AFIRE Trial. Circulation, 2021, 144, 1449-1451.	1.6	3
143	Clinical Usefulness of the Serial Examination of Three-Dimensional Global Longitudinal Strain After the Onset of ST-Elevation Acute Myocardial Infarction. Circulation Journal, 2022, 86, 611-619.	1.6	3
144	A Japanese Dose of Prasugrel versus a Standard Dose of Clopidogrel in Patients with Acute Myocardial Infarction from the K-ACTIVE Registry. Journal of Clinical Medicine, 2022, 11, 2016.	2.4	3

#	ARTICLE	IF	CITATIONS
145	Prognostic Significance of the Combination of Left Atrial Reservoir Strain and Global Longitudinal Strain Immediately After Onset of ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 1499-1508.	1.6	3
146	A Simple Risk Score to Differentiate Between Coronary Artery Obstruction and Coronary Artery Spasm of Patients With Acute Coronary Syndrome Without Persistent ST-Segment Elevation. <i>Circulation Journal</i> , 2022, 86, 1509-1518.	1.6	3
147	Chronic kidney disease and clinical outcomes in patients with COVID-19 in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 974-981.	1.6	3
148	Percutaneous coronary intervention in ST-segment elevation myocardial infarction. <i>Cardiovascular Intervention and Therapeutics</i> , 2010, 25, 53-59.	2.3	2
149	Acute pulmonary embolism induced by renal obstruction with benign prostatic hyperplasia: Case report. <i>Journal of Cardiology Cases</i> , 2012, 5, e39-e43.	0.5	2
150	Glucagon-like peptide-1 levels on admission for acute myocardial infarction with or without acute hyperglycemia. <i>International Journal of Cardiology</i> , 2014, 176, 1214-1216.	1.7	2
151	Low QRS voltage and attenuation of the amplitude of QRS complexes in takotsubo cardiomyopathy. <i>Journal of Electrocardiology</i> , 2015, 48, 126.	0.9	2
152	Japan Implantable Devices in Coronary Artery Disease (JID-CAD) study design. <i>Journal of Arrhythmia</i> , 2015, 31, 83-87.	1.2	2
153	Evaluation of the safety and efficacy of TY-51924 in patients with ST elevated acute myocardial infarction – Early phase II first in patient pilot study. <i>Journal of Cardiology</i> , 2016, 67, 162-169.	1.9	2
154	A case of complete double aortic arch visualized by transthoracic echocardiography. <i>Echocardiography</i> , 2017, 34, 1257-1259.	0.9	2
155	Relationship between sleep-disordered breathing and renal dysfunction in acute coronary syndrome. <i>Journal of Cardiology</i> , 2018, 71, 168-173.	1.9	2
156	Association of Admission Glucose Level and Improvement in Pulmonary Artery Pressure in Patients with Submassive-type Acute Pulmonary Embolism. <i>Internal Medicine</i> , 2018, 57, 647-654.	0.7	2
157	Combination of extracellular volume fraction by cardiac magnetic resonance imaging and QRS duration for the risk stratification for patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2020, 35, 1439-1445.	1.2	2
158	Free-floating left ventricular thrombus after rapid improvement of cardiac function related to mechanical hemodynamic support. <i>Journal of Cardiology Cases</i> , 2020, 21, 231-233.	0.5	2
159	Impact of Age on Gender Difference in Long-term Outcome of Patients With Acute Myocardial Infarction (from J-MINUET). <i>American Journal of Cardiology</i> , 2021, 142, 5-13.	1.6	2
160	Extracellular volume fraction by T1 mapping predicts improvement of left ventricular ejection fraction after catheter ablation in patients with non-ischemic dilated cardiomyopathy and atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2535-2543.	1.5	2
161	Validation of the atherothrombotic risk score for secondary prevention in patients with acute myocardial infarction: the J-MINUET study. <i>Heart and Vessels</i> , 2021, 36, 1506-1513.	1.2	2
162	Long-Term Clinical Impact of Cardiogenic Shock and Heart Failure on Admission for Acute Myocardial Infarction. <i>International Heart Journal</i> , 2021, 62, 520-527.	1.0	2

#	ARTICLE	IF	CITATIONS
163	Aspirin versus P2Y ₁₂ inhibitors with anticoagulation therapy for atrial fibrillation. <i>Heart</i> , 2021, 107, 1731-1738.	2.9	2
164	The Assessment of the Platelet Function During the Acute Phase of ST-segment Elevation Myocardial Infarction in Essential Thrombocythemia. <i>Internal Medicine</i> , 2021, 60, 2639-2643.	0.7	2
165	Skeletal muscle mass is associated with glycemic variability in patients with ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2021, 36, 945-954.	1.2	2
166	Prognostic Impact of B-Type Natriuretic Peptide on Long-Term Clinical Outcomes in Patients with Non-ST-Segment Elevation Acute Myocardial Infarction Without Creatine Kinase Elevation. <i>International Heart Journal</i> , 2020, 61, 888-895.	1.0	2
167	Effect of Infarction-Related Artery Location on Clinical Outcome of Patients With Acute Myocardial Infarction in the Contemporary Era of Percutaneous Coronary Intervention—Subanalysis From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Journal</i> , 2022, 86, 651-659.	1.6	2
168	Mechanical dispersion combined with global longitudinal strain estimated by three dimensional speckle tracking in patients with ST elevation myocardial infarction. <i>IJC Heart and Vasculature</i> , 2022, 40, 101028.	1.1	2
169	Differences in Electrocardiographic Findings Between Acute Isolated Right Ventricular Myocardial Infarction and Acute Anterior Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2016, 176, 1875.	5.1	1
170	Value of ST-Segment Elevation in Lead aVR for Predicting Severe Left Main or 3-Vessel Disease. <i>American Journal of Medicine</i> , 2016, 129, e37.	1.5	1
171	ST-segment category at acute presentation is associated with the time course of coronary artery disease progression in patients with acute coronary syndromes. <i>Heart and Vessels</i> , 2017, 32, 644-652.	1.2	1
172	Time course of restenosis with “black hole” on intravascular ultrasound after implantation of platinum-chromium everolimus-eluting stent: Assessment using optical frequency-domain imaging. <i>Journal of Cardiology Cases</i> , 2018, 17, 92-95.	0.5	1
173	Impact of the Temporal Distribution of Coronary Artery Disease Progression on Subsequent Consequences in Patients with Acute Coronary Syndrome. <i>International Heart Journal</i> , 2019, 60, 287-295.	1.0	1
174	Acute Myocarditis by Immune Checkpoint Inhibitor Identified by Quantitative Pixel-Wise Analysis of Native T1 Mapping. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012177.	2.6	1
175	Clinical usefulness of left ventricular outflow tract velocity time integral for heart failure with reduced ejection fraction with rapid atrial fibrillation during landiolol treatment. <i>Journal of Cardiology</i> , 2022, 79, 21-29.	1.9	1
176	Non-Invasive Evaluation of Patients Undergoing Percutaneous Coronary Intervention for Chronic Total Occlusion. <i>Journal of Clinical Medicine</i> , 2021, 10, 4712.	2.4	1
177	Direct Oral Anticoagulant Therapy for Isolated Distal Deep Vein Thrombosis Associated with Cancer in Routine Clinical Practice. <i>Journal of Clinical Medicine</i> , 2021, 10, 4648.	2.4	1
178	Pulmonary Thromboembolism Caused by Prolonged Compression at the Femoral Access Site and a Venous Aneurysm of the Ipsilateral Popliteal Vein. <i>Annals of Vascular Diseases</i> , 2016, 9, 58-61.	0.5	1
179	Clinical Therapy in Patients with Aborted Sudden Cardiac Death due to Coronary Spasm. <i>Journal of Coronary Artery Disease</i> , 2020, 26, 91-99.	0.3	1
180	Successful prediction of clinical outcomes using arterial velocity pulse index, a new non-invasive vascular index, in Japan. <i>Vascular Failure</i> , 2020, 3, 43-50.	0.2	1

#	ARTICLE	IF	CITATIONS
181	Worsening Dyspnea in Patients With Idiopathic Portal Hypertension. <i>Chest</i> , 2022, 161, e245-e248.	0.8	1
182	C-reactive Protein Levels and Cardiovascular Outcomes After Febuxostat Treatment in Patients with Asymptomatic Hyperuricemia: Post-hoc Analysis of a Randomized Controlled Study. <i>Cardiovascular Drugs and Therapy</i> , 0, , .	2.6	1
183	Brain natriuretic peptide is a valuable indicator in patients with hypertension. <i>American Journal of Hypertension</i> , 2001, 14, A158.	2.0	0
184	Differences in Inflammatory Activity at the Onset of Acute Myocardial Infarction According to the Clinical Presentation of Preinfarction Angina. <i>Japanese Circulation Journal</i> , 2001, 65, 707-710.	1.0	0
185	Editorial: Silent myocardial ischemia due to coronary artery spasm. <i>Journal of Cardiology Cases</i> , 2015, 11, 169-170.	0.5	0
186	A case of initial rhythm of pulseless electrical activity caused by vasospastic angina. <i>International Journal of Cardiology</i> , 2016, 222, 130-132.	1.7	0
187	Transmural Calcification Penetrating the Bilateral Papillary Muscles. <i>Internal Medicine</i> , 2017, 56, 3117-3118.	0.7	0
188	Acute anterior myocardial infarction with pectus carinatum. <i>Journal of Electrocardiology</i> , 2019, 55, 51-53.	0.9	0
189	Life-threatening acute coronary obstruction caused by the commissure of a Sapien 3 prosthesis during transcatheter aortic valve implantation. <i>Cardiovascular Intervention and Therapeutics</i> , 2020, 35, 203-204.	2.3	0
190	Differences in Negative T Waves Between Acute Pulmonary Embolism and Acute Coronary Syndrome—Reply. <i>Circulation Journal</i> , 2021, 85, 1406.	1.6	0
191	Moderate potassium lowering effect of exogenous atrial natriuretic peptide in patients with acute heart failure. <i>Journal of Cardiology</i> , 2021, 78, 558-563.	1.9	0
192	âfçæ¢—âžä°Eæ¬jä°é~2ã«é—¢ãªMã,ã,¬ã,ãf%ãf©ã,ãf³. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017, 106, 568-571.	0.0	0
193	æ€¥æ€Sâ†ç—†â€™ç¾4ã,¬ã,ãf%ãf©ã,ãf³¼~2018â¹æ”¹è”;ç%~¼%. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 100-101.	0.0	0
194	Feasibility and safety of transradial balloon aortic valvuloplasty in patients with severe aortic stenosis. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, , 1.	2.3	0
195	The impact of kidney function in patients on antithrombotic therapy: a post hoc subgroup analysis focusing on recurrent bleeding events from the AFIRE trial. <i>BMC Medicine</i> , 2022, 20, 69.	5.5	0