

Kazuo Kimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5634479/publications.pdf>

Version: 2024-02-01

195
papers

3,830
citations

201674

27
h-index

155660

55
g-index

198
all docs

198
docs citations

198
times ranked

5035
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of Early Initiation of Eplerenone Treatment in Patients with Acute Heart Failure (EARLIER trial): a multicentre, randomized, double-blind, placebo-controlled trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 108-117.	3.0	13
2	Infrequent use of nighttime dialysis for emergency admission due to worsening heart failure in patients on maintenance hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2022, 26, 85-93.	0.9	3
3	Clinical usefulness of left ventricular outflow tract velocity time integral for heart failure with reduced ejection fraction with rapid atrial fibrillation during landiolol treatment. <i>Journal of Cardiology</i> , 2022, 79, 21-29.	1.9	1
4	Impact of red blood cell distribution width and mean platelet volume in patients with ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2022, 37, 392-399.	1.2	3
5	Optimal uric acid levels by febuxostat treatment and cerebral, cardiorenovascular risks: <i>post hoc</i> analysis of a randomized controlled trial. <i>Rheumatology</i> , 2022, 61, 2346-2359.	1.9	9
6	Present and Future Status of Cardiovascular Emergency Care System in Urban Areas of Japan—Importance of Prehospital 12-Lead Electrocardiogram. <i>Circulation Journal</i> , 2022, 86, 591-599.	1.6	5
7	Effect of Low Body Mass Index on the Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Journal</i> , 2022, 86, 632-639.	1.6	7
8	Effect of febuxostat on clinical outcomes in patients with hyperuricemia and cardiovascular disease. <i>International Journal of Cardiology</i> , 2022, 349, 127-133.	1.7	14
9	JCS/JSCVS 2018 Guideline on Revascularization of Stable Coronary Artery Disease. <i>Circulation Journal</i> , 2022, 86, 477-588.	1.6	38
10	Feasibility and safety of transradial balloon aortic valvuloplasty in patients with severe aortic stenosis. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, , 1.	2.3	0
11	Effect of Infarction-Related Artery Location on Clinical Outcome of Patients With Acute Myocardial Infarction in the Contemporary Era of Percutaneous Coronary Intervention—Subanalysis From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Journal</i> , 2022, 86, 651-659.	1.6	2
12	Impact of atrial fibrillation and the clinical outcomes in patients with acute myocardial infarction from the K-ACTIVE registry. <i>Journal of Cardiology</i> , 2022, 79, 768-775.	1.9	5
13	The impact of kidney function in patients on antithrombotic therapy: a post hoc subgroup analysis focusing on recurrent bleeding events from the AFIRE trial. <i>BMC Medicine</i> , 2022, 20, 69.	5.5	0
14	Clinical Usefulness of the Serial Examination of Three-Dimensional Global Longitudinal Strain After the Onset of ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 611-619.	1.6	3
15	Cardiac involvement in coronavirus disease 2019 assessed by cardiac magnetic resonance imaging: a meta-analysis. <i>Heart and Vessels</i> , 2022, 37, 1570-1582.	1.2	6
16	Worsening Dyspnea in Patients With Idiopathic Portal Hypertension. <i>Chest</i> , 2022, 161, e245-e248.	0.8	1
17	A Japanese Dose of Prasugrel versus a Standard Dose of Clopidogrel in Patients with Acute Myocardial Infarction from the K-ACTIVE Registry. <i>Journal of Clinical Medicine</i> , 2022, 11, 2016.	2.4	3
18	Mechanical dispersion combined with global longitudinal strain estimated by three dimensional speckle tracking in patients with ST elevation myocardial infarction. <i>IJC Heart and Vasculature</i> , 2022, 40, 101028.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Native T1 heterogeneity for predicting reverse remodeling in patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2022, 37, 1541-1550.	1.2	7
20	Prognostic Significance of the Combination of Left Atrial Reservoir Strain and Global Longitudinal Strain Immediately After Onset of ST-Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2022, 86, 1499-1508.	1.6	3
21	Impact of renin-angiotensin-aldosterone system inhibitors on COVID-19. <i>Hypertension Research</i> , 2022, 45, 1147-1153.	2.7	11
22	A Simple Risk Score to Differentiate Between Coronary Artery Obstruction and Coronary Artery Spasm of Patients With Acute Coronary Syndrome Without Persistent ST-Segment Elevation. <i>Circulation Journal</i> , 2022, 86, 1509-1518.	1.6	3
23	Chronic kidney disease and clinical outcomes in patients with COVID-19 in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 974-981.	1.6	3
24	Rivaroxaban Underdose for Atrial Fibrillation with Stable Coronary Disease: The AFIRE Trial Findings. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1584-1593.	3.4	5
25	Rivaroxaban Monotherapy vs Combination Therapy With Antiplatelets on Total Thrombotic and Bleeding Events in Atrial Fibrillation With Stable Coronary Artery Disease. <i>JAMA Cardiology</i> , 2022, 7, 787.	6.1	7
26	Influence of CYP2C19 genotypes for the effect of 1-month dual antiplatelet therapy followed by clopidogrel monotherapy relative to 12-month dual antiplatelet therapy on clinical outcomes after percutaneous coronary intervention: a genetic substudy from the STOPDAPT-2. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 403-415.	2.3	7
27	Difference in the in-hospital prognosis between ST-segment elevation myocardial infarction and non-ST-segment elevation myocardial infarction with high Killip class: Data from the Japan Acute Myocardial Infarction Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 503-512.	1.0	8
28	A novel risk stratification system -Angiographic GRACE Score-for predicting in-hospital mortality of patients with acute myocardial infarction: Data from the K-ACTIVE Registry. <i>Journal of Cardiology</i> , 2021, 77, 179-185.	1.9	5
29	Clinical impact of admission urinary 8-hydroxydeoxyguanosine level for predicting cardiovascular mortality in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2021, 36, 38-47.	1.2	6
30	Diagnostic performance and limitation of quantitative flow ratio for functional assessment of intermediate coronary stenosis. <i>Journal of Cardiology</i> , 2021, 77, 492-499.	1.9	7
31	Impact of Age on Gender Difference in Long-term Outcome of Patients With Acute Myocardial Infarction (from J-MINUET). <i>American Journal of Cardiology</i> , 2021, 142, 5-13.	1.6	2
32	Clinical characteristics and in-hospital outcomes in patients aged 80 years or over with cardiac troponin-positive acute myocardial infarction -J-MINUET study-. <i>Journal of Cardiology</i> , 2021, 77, 139-146.	1.9	3
33	Impaired coronary flow reserve evaluated by phase-contrast cine magnetic resonance imaging in patients with atrial fibrillations. <i>Heart and Vessels</i> , 2021, 36, 775-781.	1.2	3
34	Extracellular volume fraction by T1 mapping predicts improvement of left ventricular ejection fraction after catheter ablation in patients with non-ischemic dilated cardiomyopathy and atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2535-2543.	1.5	2
35	Characteristics and Prognosis of Patients with Vasospastic Angina Diagnosed by a Provocation Test with Secondary Prevention Implantable Cardioverter Defibrillator. <i>International Heart Journal</i> , 2021, 62, 224-229.	1.0	4
36	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <i>Circulation Journal</i> , 2021, 85, 402-572.	1.6	52

#	ARTICLE	IF	CITATIONS
37	Clinical significance of prehospital 12-lead electrocardiography in patients with ST-segment elevation myocardial infarction presenting with syncope: from a multicenter observational registry (K-ACTIVE) Tj ETQq1 1 0.784314 rgBT /Overl	1.2	2
38	Validation of the atherothrombotic risk score for secondary prevention in patients with acute myocardial infarction: the J-MINUET study. Heart and Vessels, 2021, 36, 1506-1513.	1.2	2
39	Impact of bleeding on mortality in patients with acute myocardial infarction complicated by cardiogenic shock. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 388-396.	1.0	9
40	Acute Myocarditis by Immune Checkpoint Inhibitor Identified by Quantitative Pixel-Wise Analysis of Native T1 Mapping. Circulation: Cardiovascular Imaging, 2021, 14, e012177.	2.6	1
41	Long-Term Clinical Impact of Cardiogenic Shock and Heart Failure on Admission for Acute Myocardial Infarction. International Heart Journal, 2021, 62, 520-527.	1.0	2
42	Prognostic impact of muscle and fat mass in patients with heart failure. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 568-576.	7.3	39
43	Rivaroxaban monotherapy versus combination therapy according to patient risk of stroke and bleeding in atrial fibrillation and stable coronary disease: AFIRE trial subanalysis. American Heart Journal, 2021, 236, 59-68.	2.7	7
44	Aspirin versus P2Y₁₂ inhibitors with anticoagulation therapy for atrial fibrillation. Heart, 2021, 107, 1731-1738.	2.9	2
45	Differences in Negative T Waves Between Acute Pulmonary Embolism and Acute Coronary Syndromeâ€•â€• Reply â€•. Circulation Journal, 2021, 85, 1406.	1.6	0
46	The Assessment of the Platelet Function During the Acute Phase of ST-segment Elevation Myocardial Infarction in Essential Thrombocythemia. Internal Medicine, 2021, 60, 2639-2643.	0.7	2
47	Moderate potassium lowering effect of exogenous atrial natriuretic peptide in patients with acute heart failure. Journal of Cardiology, 2021, 78, 558-563.	1.9	0
48	Impact of sarcopenic obesity on long-term clinical outcomes after ST-segment elevation myocardial infarction. Atherosclerosis, 2021, 335, 135-141.	0.8	4
49	Characteristics and clinical outcomes of patients with de-escalation from prasugrel to clopidogrel after acute myocardial infarction - Insights from the prospective Japan Acute Myocardial Infarction Registry (JAMIR) -. Journal of Cardiology, 2021, 78, 99-106.	1.9	3
50	Prognostic value of resting coronary sinus flow determined by phase-contrast cine cardiovascular magnetic resonance in patients with known or suspected coronary artery disease. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 97.	3.3	12
51	Impact of Chronic Kidney Disease on In-Hospital and 3-Year Clinical Outcomes in Patients With Acute Myocardial Infarction Treated by Contemporary Percutaneous Coronary Intervention and Optimal Medical Therapyâ€•â€• Insights From the J-MINUET Study â€•. Circulation Journal, 2021, 85, 1710-1718.	1.6	18
52	Bleeding and Subsequent Cardiovascular Events and Death in Atrial Fibrillation With Stable Coronary Artery Disease: Insights From the AFIRE Trial. Circulation: Cardiovascular Interventions, 2021, 14, e010476.	3.9	20
53	The impact of pre-hospital 12-lead electrocardiogram and first contact by cardiologist in patients with ST-elevation myocardial infarction in Kanagawa, Japan. Journal of Cardiology, 2021, 78, 183-192.	1.9	7
54	Global Strain Measured by Three-Dimensional Speckle Tracking Echocardiography Is a Useful Predictor for 10-Year Prognosis After a First ST-Elevation Acute Myocardial Infarction. Circulation Journal, 2021, 85, 1735-1743.	1.6	8

#	ARTICLE	IF	CITATIONS
55	Skeletal muscle mass is associated with glycemic variability in patients with ST-segment elevation myocardial infarction. <i>Heart and Vessels</i> , 2021, 36, 945-954.	1.2	2
56	Coronary artery disease and heart failure in patients with idiopathic pulmonary fibrosis. <i>Heart and Vessels</i> , 2021, 36, 1151-1158.	1.2	6
57	Cardiovascular magnetic resonance assessment of coronary flow reserve improves risk stratification in heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 112.	3.3	19
58	Non-Invasive Evaluation of Patients Undergoing Percutaneous Coronary Intervention for Chronic Total Occlusion. <i>Journal of Clinical Medicine</i> , 2021, 10, 4712.	2.4	1
59	Clinical Outcomes of Rivaroxaban Monotherapy in Heart Failure Patients With Atrial Fibrillation and Stable Coronary Disease: Insights From the AFIRE Trial. <i>Circulation</i> , 2021, 144, 1449-1451.	1.6	3
60	Antithrombotic Therapy for Atrial Fibrillation and Coronary Artery Disease in Patients With Prior Atherothrombotic Disease: A Post Hoc Analysis of the AFIRE Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e020907.	3.7	5
61	Direct Oral Anticoagulant Therapy for Isolated Distal Deep Vein Thrombosis Associated with Cancer in Routine Clinical Practice. <i>Journal of Clinical Medicine</i> , 2021, 10, 4648.	2.4	1
62	Rivaroxaban Monotherapy in Patients With Atrial Fibrillation After Coronary Stenting. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 2330-2340.	2.9	13
63	Impact of physical performance on exercise capacity in older patients with heart failure with reduced and preserved ejection fraction. <i>Experimental Gerontology</i> , 2021, 156, 111626.	2.8	6
64	Association between high platelet reactivity following dual antiplatelet therapy and ischemic events in Japanese patients with coronary artery disease undergoing stent implantation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 13-24.	2.0	13
65	Life-threatening acute coronary obstruction caused by the commissure of a Sapien 3 prosthesis during transcatheter aortic valve implantation. <i>Cardiovascular Intervention and Therapeutics</i> , 2020, 35, 203-204.	2.3	0
66	Impact of population density on mortality in patients hospitalized for heart failure – JROAD-DPC Registry Analysis. <i>Journal of Cardiology</i> , 2020, 75, 447-453.	1.9	8
67	Ubiquinol Improves Endothelial Function in Patients with Heart Failure with Reduced Ejection Fraction: A Single-Center, Randomized Double-Blind Placebo-Controlled Crossover Pilot Study. <i>American Journal of Cardiovascular Drugs</i> , 2020, 20, 363-372.	2.2	17
68	Impact of Cardio-Ankle Vascular Index on Long-Term Outcome in Patients with Acute Coronary Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 657-668.	2.0	28
69	Intravascular ultrasound radiofrequency signal analysis of blood speckles: Physiological assessment of intermediate coronary artery stenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E155-E164.	1.7	3
70	Relationship between the cardiac magnetic resonance derived extracellular volume fraction and feature tracking myocardial strain in patients with non-ischemic dilated cardiomyopathy. <i>Magnetic Resonance Imaging</i> , 2020, 74, 14-20.	1.8	8
71	Incremental prognostic value of coronary flow reserve determined by phase-contrast cine cardiovascular magnetic resonance of the coronary sinus in patients with diabetes mellitus. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 73.	3.3	16
72			

#	ARTICLE	IF	CITATIONS
73	In-hospital mortality associated with acute myocardial infarction was inversely related with the number of coronary risk factors in patients from a Japanese nation-wide real-world database. <i>International Journal of Cardiology: Hypertension</i> , 2020, 6, 100039.	2.2	6
74	Impact of peripheral artery disease on prognosis after myocardial infarction: The J-MINUET study. <i>Journal of Cardiology</i> , 2020, 76, 402-406.	1.9	3
75	Clinical profiles and outcomes in the treatment of acute myocardial infarction in Japan of aging society. <i>Heart and Vessels</i> , 2020, 35, 1681-1688.	1.2	6
76	Prediction of Long-Term Outcomes in ST-Elevation Myocardial Infarction and Non-ST Elevation Myocardial Infarction with and without Creatinine Kinase Elevation—Post-Hoc Analysis of the J-MINUET Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2667.	2.4	3
77	Renin—angiotensin system inhibitors and the severity of coronavirus disease 2019 in Kanagawa, Japan: a retrospective cohort study. <i>Hypertension Research</i> , 2020, 43, 1257-1266.	2.7	43
78	Combination of extracellular volume fraction by cardiac magnetic resonance imaging and QRS duration for the risk stratification for patients with non-ischemic dilated cardiomyopathy. <i>Heart and Vessels</i> , 2020, 35, 1439-1445.	1.2	2
79	Admission During Off-Hours Does Not Affect Long-Term Clinical Outcomes of Japanese Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2020, 61, 215-222.	1.0	4
80	Questionnaire in patients with aborted sudden cardiac death due to coronary spasm in Japan. <i>Heart and Vessels</i> , 2020, 35, 1640-1649.	1.2	5
81	Long-Term Prognosis of Patients with Myocardial Infarction Type 1 and Type 2 with and without Involvement of Coronary Vasospasm. <i>Journal of Clinical Medicine</i> , 2020, 9, 1686.	2.4	8
82	JCS 2020 Guideline Focused Update on Antithrombotic Therapy in Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2020, 84, 831-865.	1.6	197
83	Decreased Appendicular Skeletal Muscle Mass is Associated with Poor Outcomes after ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1278-1287.	2.0	23
84	Platelet-Derived Thrombogenicity Measured by Total Thrombus-Formation Analysis System in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2020, 84, 975-984.	1.6	5
85	Free-floating left ventricular thrombus after rapid improvement of cardiac function related to mechanical hemodynamic support. <i>Journal of Cardiology Cases</i> , 2020, 21, 231-233.	0.5	2
86	Coronary arteritis: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	6
87	Impact of serum lipoprotein (a) level on coronary plaque progression and cardiovascular events in statin-treated patients with acute coronary syndrome: a yokohama-acs substudy. <i>Journal of Cardiology</i> , 2020, 76, 66-72.	1.9	6
88	Guideline adherence and long-term clinical outcomes in patients with acute myocardial infarction: a Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 939-947.	1.0	6
89	Prognostic role of bronchial asthma in patients with heart failure. <i>Heart and Vessels</i> , 2020, 35, 808-816.	1.2	6
90	Association between abdominal fat distribution and coronary plaque instability in patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1169-1178.	2.6	6

#	ARTICLE	IF	CITATIONS
91	Impact of three-dimensional global longitudinal strain for patients with acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , .	1.2	13
92	In-Hospital Mortality in Acute Myocardial Infarction According to Population Density and Primary Angioplasty Procedures Volume. <i>Circulation Journal</i> , 2020, 84, 1140-1146.	1.6	15
93	Direct Oral Anticoagulant Therapy for Cancer-Associated Venous Thromboembolism in Routine Clinical Practice. <i>Circulation Journal</i> , 2020, 84, 1330-1338.	1.6	9
94	Prognostic Significance of a Combination of QRS Score and E/e ² Obtained 2 Weeks After the Onset of ST-Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2020, 84, 1965-1973.	1.6	6
95	Long-Term Clinical Outcomes After Filter Protection During Percutaneous Coronary Intervention in Patients With Attenuated Plaque—1-Year Follow up of the VAMPIRE 3 (Vacuum Aspiration Thrombus) Tj ETQq16l 0.7848 14 rgBT		
96	Clinical Therapy in Patients with Aborted Sudden Cardiac Death due to Coronary Spasm. <i>Journal of Coronary Artery Disease</i> , 2020, 26, 91-99.	0.3	1
97	Successful prediction of clinical outcomes using arterial velocity pulse index, a new non-invasive vascular index, in Japan. <i>Vascular Failure</i> , 2020, 3, 43-50.	0.2	1
98	Prognostic Impact of B-Type Natriuretic Peptide on Long-Term Clinical Outcomes in Patients with Non-ST-Segment Elevation Acute Myocardial Infarction Without Creatine Kinase Elevation. <i>International Heart Journal</i> , 2020, 61, 888-895.	1.0	2
99	Microbiota-derived Trimethylamine N-oxide Predicts Cardiovascular Risk After STEMI. <i>Scientific Reports</i> , 2019, 9, 11647.	3.3	34
100	Contemporary Antiplatelet Therapy and Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR) —. <i>Circulation Journal</i> , 2019, 83, 1633-1643.	1.6	17
101	Antithrombotic Therapy for Atrial Fibrillation with Stable Coronary Disease. <i>New England Journal of Medicine</i> , 2019, 381, 1103-1113.	27.0	342
102	Native T1 time and extracellular volume fraction in differentiation of normal myocardium from non-ischemic dilated and hypertrophic cardiomyopathy myocardium: A systematic review and meta-analysis. <i>IJC Heart and Vasculature</i> , 2019, 25, 100422.	1.1	6
103	Lubiprostone as a potential therapeutic agent to improve intestinal permeability and prevent the development of atherosclerosis in apolipoprotein E-deficient mice. <i>PLoS ONE</i> , 2019, 14, e0218096.	2.5	20
104	Impact of Total Antithrombotic Effect on Bleeding Complications in Patients Receiving Multiple Antithrombotic Agents. <i>Circulation Journal</i> , 2019, 83, 1309-1316.	1.6	4
105	Febuxostat for Cerebral and CaRdiorenovascular Events PrEvEntion StuDy. <i>European Heart Journal</i> , 2019, 40, 1778-1786.	2.2	148
106	Impact of the Temporal Distribution of Coronary Artery Disease Progression on Subsequent Consequences in Patients with Acute Coronary Syndrome. <i>International Heart Journal</i> , 2019, 60, 287-295.	1.0	1
107	<p>Association of endothelial function with thin-cap fibroatheroma as assessed by optical coherence tomography in patients with acute coronary syndromes</p>. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 285-291.	2.0	4
108	Acute anterior myocardial infarction with pectus carinatum. <i>Journal of Electrocardiology</i> , 2019, 55, 51-53.	0.9	0

#	ARTICLE	IF	CITATIONS
109	Admission Heart Rate Is a Determinant of Effectiveness of Beta-Blockers in Acute Myocardial Infarction Patients. <i>Circulation Journal</i> , 2019, 83, 1054-1063.	1.6	7
110	Clinical characteristics and long-term prognosis of contemporary patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2019, 291, 13-18.	1.7	24
111	Comparison of anti-inflammatory effects of rivaroxaban vs. dabigatran in patients with non-valvular atrial fibrillation (RIVAL-AF study): multicenter randomized study. <i>Heart and Vessels</i> , 2019, 34, 1002-1013.	1.2	14
112	Frequency and prognostic impact of intravascular imaging-guided urgent percutaneous coronary intervention in patients with acute myocardial infarction: results from J-MINUET. <i>Heart and Vessels</i> , 2019, 34, 564-571.	1.2	17
113	Rationale, Design, and Baseline Characteristics of the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 97-103.	2.6	18
114	Comparison between instantaneous wave-free ratio versus morphometric assessments by intracoronary imaging. <i>Heart and Vessels</i> , 2019, 34, 926-935.	1.2	6
115	Open-Label Randomized Trial Comparing Oral Anticoagulation With and Without Single Antiplatelet Therapy in Patients With Atrial Fibrillation and Stable Coronary Artery Disease Beyond 1 Year After Coronary Stent Implantation. <i>Circulation</i> , 2019, 139, 604-616.	1.6	117
116	JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. <i>Circulation Journal</i> , 2019, 83, 1085-1196.	1.6	324
117	East Asia may have a better 1-year survival following an acute heart failure episode compared with Europe: results from an international observational cohort. <i>European Journal of Heart Failure</i> , 2018, 20, 1071-1075.	7.1	13
118	Relationship between sleep-disordered breathing and renal dysfunction in acute coronary syndrome. <i>Journal of Cardiology</i> , 2018, 71, 168-173.	1.9	2
119	Hydrostatic pressure suppresses fibrotic changes via Akt/GSK-3 signaling in human cardiac fibroblasts. <i>Physiological Reports</i> , 2018, 6, e13687.	1.7	15
120	Atrial fibrillation and ischemic events with rivaroxaban in patients with stable coronary artery disease (AFIRE): Protocol for a multicenter, prospective, randomized, open-label, parallel group study. <i>International Journal of Cardiology</i> , 2018, 265, 108-112.	1.7	24
121	Time course of restenosis with "black hole" on intravascular ultrasound after implantation of platinum-chromium everolimus-eluting stent: Assessment using optical frequency-domain imaging. <i>Journal of Cardiology Cases</i> , 2018, 17, 92-95.	0.5	1
122	Late gadolinium enhancement on cardiac magnetic resonance imaging is associated with coronary endothelial dysfunction in patients with dilated cardiomyopathy. <i>Heart and Vessels</i> , 2018, 33, 393-402.	1.2	8
123	Distinction Between Precapillary and Postcapillary Pulmonary Hypertension by the Atrial Volume Ratio on Transthoracic Echocardiography. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 891-896.	1.7	5
124	A lower eicosapentaenoic acid/arachidonic acid ratio is associated with in-hospital fatal arrhythmic events in patients with acute myocardial infarction: a J-MINUET substudy. <i>Heart and Vessels</i> , 2018, 33, 481-488.	1.2	11
125	Association of Admission Glucose Level and Improvement in Pulmonary Artery Pressure in Patients with Submassive-type Acute Pulmonary Embolism. <i>Internal Medicine</i> , 2018, 57, 647-654.	0.7	2
126	Myocardial Infarction Caused by Accelerated Plaque Formation Related to Myocardial Bridge in a Young Man. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1687.e13-1687.e15.	1.7	9

#	ARTICLE	IF	CITATIONS
127	Pre-Procedural Thrombolysis in Myocardial Infarction Flow in Patients with ST-Segment Elevation Myocardial Infarction. <i>International Heart Journal</i> , 2018, 59, 920-925.	1.0	14
128	A High Level of Blood Urea Nitrogen Is a Significant Predictor for In-hospital Mortality in Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2018, 59, 263-271.	1.0	34
129	Effects of Ezetimibe-Statin Combination Therapy on Coronary Atherosclerosis in Acute Coronary Syndrome. <i>Circulation Journal</i> , 2018, 82, 757-766.	1.6	31
130	Nationwide real-world database of 20,462 patients enrolled in the Japanese Acute Myocardial Infarction Registry (JAMIR): Impact of emergency coronary intervention in a super-aging population. <i>IJC Heart and Vasculature</i> , 2018, 20, 1-6.	1.1	26
131	A Randomized Study of Distal Filter Protection Versus Conventional Treatment During Percutaneous Coronary Intervention in Patients With Attenuated Plaque Identified by Intravascular Ultrasound. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1545-1555.	2.9	60
132	High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD). <i>Circulation</i> , 2018, 137, 1997-2009.	1.6	174
133	Glycemic variability determined with a continuous glucose monitoring system can predict prognosis after acute coronary syndrome. <i>Cardiovascular Diabetology</i> , 2018, 17, 116.	6.8	60
134	Takotsubo Cardiomyopathy in a Patient with Previously Undiagnosed Hypertrophic Cardiomyopathy with Latent Obstruction. <i>Internal Medicine</i> , 2018, 57, 2969-2973.	0.7	8
135	Impact of preoperative dual antiplatelet therapy on bleeding complications in patients with acute coronary syndromes who undergo urgent coronary artery bypass grafting. <i>Journal of Cardiology</i> , 2017, 69, 156-161.	1.9	12
136	Combined impact of chronic kidney disease and contrast-induced nephropathy on long-term outcomes in patients with ST-segment elevation acute myocardial infarction who undergo primary percutaneous coronary intervention. <i>Heart and Vessels</i> , 2017, 32, 22-29.	1.2	23
137	Rationale, design, and baseline characteristics of a study to evaluate the effect of febuxostat in preventing cerebral, cardiovascular, and renal events in patients with hyperuricemia. <i>Journal of Cardiology</i> , 2017, 69, 169-175.	1.9	40
138	A case of heparin-induced thrombocytopenia with subacute stent thrombosis, multiple cerebral infarction, and acute limb ischemia. <i>Journal of Cardiology Cases</i> , 2017, 15, 145-149.	0.5	6
139	Dosimetric predictors of radiation-induced pericardial effusion in Esophageal cancer. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 552-560.	2.0	9
140	Two-year vascular responses to drug-eluting stents with biodegradable polymer versus durable polymer: An optical coherence tomography sub-study of the NEXT. <i>Journal of Cardiology</i> , 2017, 70, 530-536.	1.9	9
141	Rationale and design of a multicenter placebo-controlled double-blind randomized trial to evaluate the effect of empagliflozin on endothelial function: the EMBLEM trial. <i>Cardiovascular Diabetology</i> , 2017, 16, 48.	6.8	28
142	Prediction of functional recovery after percutaneous coronary revascularization for chronic total occlusion using late gadolinium enhanced magnetic resonance imaging. <i>Journal of Cardiology</i> , 2017, 69, 836-842.	1.9	16
143	The ReACT Trial. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 109-117.	2.9	41
144	Association Between Acidosis Soon After Reperfusion and Contrast-Induced Nephropathy in Patients With a First-Time ST-Segment Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	20

#	ARTICLE	IF	CITATIONS
145	A case of complete double aortic arch visualized by transthoracic echocardiography. <i>Echocardiography</i> , 2017, 34, 1257-1259.	0.9	2
146	Prolonged Fever After ST-Segment Elevation Myocardial Infarction and Long-Term Cardiac Outcomes. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	10
147	Stress Perfusion Coronary Flow Reserve Versus Cardiac Magnetic Resonance for Known or Suspected CAD. <i>Journal of the American College of Cardiology</i> , 2017, 70, 869-879.	2.8	64
148	Impact of flow-mediated dilatation and coronary calcification in providing complementary information on the severity of coronary artery disease. <i>Atherosclerosis</i> , 2017, 267, 146-152.	0.8	6
149	Off-hours presentation does not affect in-hospital mortality of Japanese patients with acute myocardial infarction: J-MINUET substudy. <i>Journal of Cardiology</i> , 2017, 70, 553-558.	1.9	14
150	ST-segment category at acute presentation is associated with the time course of coronary artery disease progression in patients with acute coronary syndromes. <i>Heart and Vessels</i> , 2017, 32, 644-652.	1.2	1
151	Impact of symptom presentation on in-hospital outcomes in patients with acute myocardial infarction. <i>Journal of Cardiology</i> , 2017, 70, 29-34.	1.9	31
152	Long-Term Outcomes of Non-ST-Elevation Myocardial Infarction Without Creatine Kinase Elevation—The J-MINUET Study. <i>Circulation Journal</i> , 2017, 81, 958-965.	1.6	41
153	Clinical Implications of Electrocardiograms for Patients With Type A Acute Aortic Dissection. <i>Circulation Journal</i> , 2017, 81, 1254-1260.	1.6	12
154	QRS Score at Presentation Electrocardiogram Is Correlated With Infarct Size and Mortality in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2017, 81, 1129-1136.	1.6	11
155	Transmural Calcification Penetrating the Bilateral Papillary Muscles. <i>Internal Medicine</i> , 2017, 56, 3117-3118.	0.7	0
156	Impact of Acute Kidney Injury on In-Hospital Outcomes of Patients With Acute Myocardial Infarction—Results From the Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) Substudy. <i>Circulation Journal</i> , 2017, 81, 733-739.	1.6	11
157	âfçæ—âjzâ°Eæ¬jâ°é~2â«é—çãªMã,ã,¬ã,ãf%ãf©ã,ãf³. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017, 106, 568-5		
158	Differences in Electrocardiographic Findings Between Acute Isolated Right Ventricular Myocardial Infarction and Acute Anterior Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2016, 176, 1875.	5.1	1
159	Impaired Peripheral Endothelial Function Assessed by Digital Reactive Hyperemia Peripheral Arterial Tonometry and Risk of In-Stent Restenosis. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	8
160	Value of ST-Segment Elevation in Lead aVR for Predicting Severe Left Main or 3-Vessel Disease. <i>American Journal of Medicine</i> , 2016, 129, e37.	1.5	1
161	Beneficial effect of early infusion of landiolol, a very short-acting beta-1 adrenergic receptor blocker, on reperfusion status in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2016, 221, 321-326.	1.7	10
162	A case of initial rhythm of pulseless electrical activity caused by vasospastic angina. <i>International Journal of Cardiology</i> , 2016, 222, 130-132.	1.7	0

#	ARTICLE	IF	CITATIONS
163	Higher CHADS2 score is associated with impaired coronary flow reserve: A study using phase contrast cine magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2016, 221, 800-805.	1.7	6
164	Association between epicardial adipose tissue volume and myocardial salvage in patients with a first ST-segment elevation myocardial infarction: An epicardial adipose tissue paradox. <i>Journal of Cardiology</i> , 2016, 68, 399-405.	1.9	10
165	B-type natriuretic peptide as a predictor of ischemia/reperfusion injury immediately after myocardial reperfusion in patients with ST-segment elevation acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 62-70.	1.0	8
166	Impact of candesartan on cardiovascular events after drug-eluting stent implantation in patients with coronary artery disease: The 4C trial. <i>Journal of Cardiology</i> , 2016, 67, 371-377.	1.9	3
167	Randomized controlled trial of TY-51924, a novel hydrophilic NHE inhibitor, in acute myocardial infarction. <i>Journal of Cardiology</i> , 2016, 67, 307-313.	1.9	11
168	Prognostic impact of spontaneous coronary artery dissection in young female patients with acute myocardial infarction: A report from the Angina Pectorisâ€™Myocardial Infarction Multicenter Investigators in Japan. <i>International Journal of Cardiology</i> , 2016, 207, 341-348.	1.7	261
169	Simultaneous fat and bone assessment in hospitalized heart failure patients using non-contrast-enhanced computed tomography. <i>Journal of Cardiology</i> , 2016, 67, 92-97.	1.9	3
170	Evaluation of the safety and efficacy of TY-51924 in patients with ST elevated acute myocardial infarction â€™ Early phase II first in patient pilot study. <i>Journal of Cardiology</i> , 2016, 67, 162-169.	1.9	2
171	Symptomatic radiation-induced cardiac disease in long-term survivors of esophageal cancer. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 359-367.	2.0	35
172	Incremental prognostic value of the SYNTAX score to late gadolinium-enhanced magnetic resonance images for patients with stable coronary artery disease. <i>Heart and Vessels</i> , 2016, 31, 871-880.	1.2	5
173	Pulmonary Thromboembolism Caused by Prolonged Compression at the Femoral Access Site and a Venous Aneurysm of the Ipsilateral Popliteal Vein. <i>Annals of Vascular Diseases</i> , 2016, 9, 58-61.	0.5	1
174	Editorial: Silent myocardial ischemia due to coronary artery spasm. <i>Journal of Cardiology Cases</i> , 2015, 11, 169-170.	0.5	0
175	Association between blood glucose variability and coronary plaque instability in patients with acute coronary syndromes. <i>Cardiovascular Diabetology</i> , 2015, 14, 111.	6.8	78
176	Prognostic significance of quantitative assessment of focal myocardial fibrosis in patients with heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015, 191, 314-319.	1.7	53
177	Outcomes of everolimus-eluting stent incomplete stent apposition: a serial optical coherence tomography analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 23-28.	1.2	42
178	Low QRS voltage and attenuation of the amplitude of QRS complexes in takotsubo cardiomyopathy. <i>Journal of Electrocardiology</i> , 2015, 48, 126.	0.9	2
179	Morphological features of non-culprit plaques on optical coherence tomography and integrated backscatter intravascular ultrasound in patients with acute coronary syndromes. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 190-197.	1.2	20
180	Japan Implantable Devices in Coronary Artery Disease (JIDâ€™CAD) study design. <i>Journal of Arrhythmia</i> , 2015, 31, 83-87.	1.2	2

#	ARTICLE	IF	CITATIONS
181	Impact of n-3 polyunsaturated fatty acids in predicting ischemia/reperfusion injury and progression of myocardial damage after reperfusion in patients with ST-segment elevation acute myocardial infarction. <i>Journal of Cardiology</i> , 2015, 66, 101-107.	1.9	9
182	Small proximal aortic diameter is associated with higher central pulse pressure and poor outcome in patients with congestive heart failure. <i>Hypertension Research</i> , 2014, 37, 57-63.	2.7	6
183	Electrocardiographic findings of takotsubo cardiomyopathy as compared with those of anterior acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 684-689.	0.9	52
184	Glucagon-like peptide-1 levels on admission for acute myocardial infarction with or without acute hyperglycemia. <i>International Journal of Cardiology</i> , 2014, 176, 1214-1216.	1.7	2
185	Trial design and rationale of TY-51924 as a novel Na ⁺ /H ⁺ exchanger inhibitor in patients with ST-elevation acute myocardial infarction undergoing percutaneous coronary intervention. <i>Journal of Cardiology</i> , 2014, 63, 82-87.	1.9	4
186	Biodegradable Polymer Biolimus-Eluting Stent Versus Durable Polymer Everolimus-Eluting Stent. <i>Journal of the American College of Cardiology</i> , 2013, 62, 181-190.	2.8	194
187	Acute pulmonary embolism induced by renal obstruction with benign prostatic hyperplasia: Case report. <i>Journal of Cardiology Cases</i> , 2012, 5, e39-e43.	0.5	2
188	Percutaneous coronary intervention in ST-segment elevation myocardial infarction. <i>Cardiovascular Intervention and Therapeutics</i> , 2010, 25, 53-59.	2.3	2
189	Brain natriuretic peptide is a valuable indicator in patients with hypertension. <i>American Journal of Hypertension</i> , 2001, 14, A158.	2.0	0
190	Differences in Inflammatory Activity at the Onset of Acute Myocardial Infarction According to the Clinical Presentation of Preinfarction Angina. <i>Japanese Circulation Journal</i> , 2001, 65, 707-710.	1.0	0
191	Low-Dose Tissue Plasminogen Activator Followed by Planned Rescue Angioplasty Reduces Time to Reperfusion for Acute Myocardial Infarction Treated at Community Hospitals. <i>Japanese Circulation Journal</i> , 2001, 65, 901-906.	1.0	15
192	Relationship Between Myocardial Damage and C-Reactive Protein Levels Immediately After Onset of Acute Myocardial Infarction. <i>Japanese Circulation Journal</i> , 2001, 65, 67-70.	1.0	5
193	Electrocardiographic criteria for predicting total occlusion of the proximal left anterior descending coronary artery in anterior wall acute myocardial infarction. <i>Clinical Cardiology</i> , 2001, 24, 33-38.	1.8	8
194	Implications of the absence of ST-segment elevation in lead V _{4R} in patients who have inferior wall acute myocardial infarction with right ventricular involvement. <i>Clinical Cardiology</i> , 2001, 24, 225-230.	1.8	28
195	C-reactive Protein Levels and Cardiovascular Outcomes After Febuxostat Treatment in Patients with Asymptomatic Hyperuricemia: Post-hoc Analysis of a Randomized Controlled Study. <i>Cardiovascular Drugs and Therapy</i> , 0, , .	2.6	1