
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5636467/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	New Insights into the Epidemiology of Vulvar Cancer: Systematic Literature Review for an Update of Incidence and Risk Factors. Cancers, 2022, 14, 389.	3.7	13
2	Effects of Attendance to an Organized Fecal Immunochemical Test Screening Program on the Risk of Colorectal Cancer: An Observational Cohort Study. Clinical Gastroenterology and Hepatology, 2022, 20, 2373-2382.	4.4	14
3	The relative contribution of the decreasing trend in tumourÂthickness to the 2010s increase in net survival fromÂcutaneous malignant melanoma in Italy: a populationâ€based investigation*. British Journal of Dermatology, 2022, 187, 52-63.	1.5	11
4	Provision of follow-up care for women with a history of breast cancer following the 2016 position paper by the Italian Group for Mammographic Screening and the Italian College of Breast Radiologists by SIRM: a survey of Senonetwork Italian breast centres. Radiologia Medica, 2022, 127, 484-489.	7.7	6
5	How a faecal immunochemical test screening programme changes annual colorectal cancer incidence rates: an Italian intention-to-screen study. British Journal of Cancer, 2022, 127, 541-548.	6.4	12
6	Clinical Epidemiology of Microinvasive Cervical Carcinoma in an Italian Population Targeted by a Screening Programme. Cancers, 2022, 14, 2093.	3.7	1
7	Integrating mammography screening programmes into specialist breast centres in Italy: insights from a national survey of Senonetwork breast centres. BMC Health Services Research, 2022, 22, .	2.2	3
8	Results of Compliant Participation in Five Rounds of Fecal Immunochemical Test Screening for Colorectal Cancer. Clinical Gastroenterology and Hepatology, 2021, 19, 2361-2369.	4.4	13
9	Midâ€ŧerm trends and recent birthâ€cohortâ€dependent changes in incidence rates of cutaneous malignant melanoma in Italy. International Journal of Cancer, 2021, 148, 835-844.	5.1	13
10	Incidence of interval breast cancer among women aged 45–49 in an organised mammography screening setting. Journal of Medical Screening, 2021, 28, 207-209.	2.3	4
11	Four-decade trends in lymph node status of patients with vulvar squamous cell carcinoma in northern Italy. Scientific Reports, 2021, 11, 5661.	3.3	13
12	An image quality review programme in a populationâ€based mammography screening service. Journal of Medical Radiation Sciences, 2021, 68, 253-259.	1.5	4
13	Setting Up a Medical Oncology Educational Program in Sub-Saharan Africa. Annals of Global Health, 2021, 87, 81.	2.0	0
14	Five-year annual incidence and clinico-molecular features of breast cancer after the last negative screening mammography at age 68–69. European Radiology, 2021, , 1.	4.5	0
15	Changes in the incidence of cervical tumours by disease stage in a cytology-based screening programme. Journal of Medical Screening, 2020, 27, 96-104.	2.3	1
16	Detection by screening introduces biases into survival estimates for luminal Aâ€like breast cancer patients. International Journal of Cancer, 2020, 146, 1764-1766.	5.1	2
17	Suicide death among cancer patients: new data from northern Italy, systematic review of the last 22 years and meta-analysis. European Journal of Cancer, 2020, 125, 104-113.	2.8	20
18	Evaluating the appropriateness of chemotherapy in a lowâ€resource cancer centre in subâ€Saharan Africa. Cancer Medicine, 2020, 9, 133-140.	2.8	6

#	Article	IF	CITATIONS
19	Time trends and age–period–cohort analysis of cutaneous malignant melanoma incidence rates in the Romagna Region (northern Italy), 1986–2014. Melanoma Research, 2020, 30, 198-205.	1.2	6
20	Assessment of Cancer Care Costs in Disease-Specific Cancer Care Pathways. International Journal of Environmental Research and Public Health, 2020, 17, 4765.	2.6	5
21	Proportional incidence of interval colorectal cancer in a large population-based faecal immunochemical test screening programme. Digestive and Liver Disease, 2020, 52, 452-456.	0.9	10
22	A regional populationâ€based hereditary breast cancer screening tool in Italy: First 5â€year results. Cancer Medicine, 2020, 9, 2579-2589.	2.8	12
23	Incidence trends of vulvar squamous cell carcinoma in Italy from 1990 to 2015. Gynecologic Oncology, 2020, 157, 656-663.	1.4	19
24	Estimating the impact of an organised screening programme on cervical cancer incidence: A 26â€year study from northern Italy. International Journal of Cancer, 2019, 144, 1017-1026.	5.1	20
25	Annual mammography at age 45–49Âyears and biennial mammography at age 50–69Âyears: comparing performance measures in an organised screening setting. European Radiology, 2019, 29, 5517-5527.	4.5	9
26	Explaining the aggressiveness of breast cancer in sub-Saharan African patients. Journal of Clinical Pathology, 2019, 72, 723-724.	2.0	2
27	Hormone receptor-positive invasive lobular and ductal carcinoma of the breast have comparable hormone receptor expression levels both if detected by screening and clinically. Breast Cancer Research and Treatment, 2018, 167, 817-818.	2.5	1
28	Vulvar Lichen Planus: A Risk Factor for Vulvar High-Grade Squamous Intraepithelial Lesion Recurrence?. Journal of Lower Genital Tract Disease, 2018, 22, 264-265.	1.9	12
29	The Results of an Italian Quality Assurance Program Support the New American Society for Colposcopy and Cervical Pathology Recommendations for Colposcopy Practice. Journal of Lower Genital Tract Disease, 2018, 22, 235-236.	1.9	1
30	Advanced breast cancer rates in the epoch of service screening: The 400,000 women cohort study from Italy. European Journal of Cancer, 2017, 75, 109-116.	2.8	50
31	Setting up a community-based cervical screening service in a low-income country: a pilot study from north-western Tanzania. International Journal of Public Health, 2017, 62, 755-762.	2.3	8
32	The challenge of sustainability in healthcare systems: Frequency and cost of inappropriate patterns of breast cancer care (the E.Pic.A study). Breast, 2017, 34, 103-107.	2.2	13
33	Digital breast tomosynthesis (DBT): recommendations from the Italian College of Breast Radiologists (ICBR) by the Italian Society of Medical Radiology (SIRM) and the Italian Group for Mammography Screening (GISMa). Radiologia Medica, 2017, 122, 723-730.	7.7	18
34	Early (short-interval) rescreen in mammography screening. Journal of Medical Screening, 2017, 24, 54-55.	2.3	0
35	Post-Treatment Follow-Up of Screen-Detected Breast Cancer Patients: A National Survey from Italy. Breast Journal, 2017, 23, 370-372.	1.0	1
36	Letter to the Editor regarding the paper by F. Cardoso etÂal. â€ <sup>~</sup> European Breast Cancer Conference manifesto on breast centres/units'. European Journal of Cancer, 2017, 87, 199-200.	2.8	1

#	Article	IF	CITATIONS
37	Incidence and survival trends of cervical adenocarcinoma in Italy: Cytology screening has become more effective in downstaging the disease but not in detecting its precursors. International Journal of Cancer, 2017, 140, 247-248.	5.1	4
38	Risk factors for unrecognized invasive carcinoma in patients with vulvar high-grade squamous intraepithelial lesion at vulvoscopy-directed biopsy. Journal of Gynecologic Oncology, 2017, 28, e27.	2.2	21
39	Patterns and determinants of receipt of follow-up mammography and/or clinical examination in a cohort of Italian breast cancer survivors. Breast Cancer Research and Treatment, 2016, 158, 543-551.	2.5	16
40	The Relationship Between Gastric and Esophageal Cancers in Italy. American Journal of Gastroenterology, 2016, 111, 1201-1202.	0.4	2
41	Factors associated with breast screening radiologists' annual mammogram reading volume in Italy. Radiologia Medica, 2016, 121, 557-563.	7.7	1
42	Interpretation of colposcopy in population-based cervical screening services in north-eastern Italy: an online interregional agreement study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 206, 64-69.	1.1	4
43	Recommendations for breast imaging follow-up of women with a previous history of breast cancer: position paper from the Italian Group for Mammography Screening (GISMa) and the Italian College of Breast Radiologists (ICBR) by SIRM. Radiologia Medica, 2016, 121, 891-896.	7.7	22
44	Time to viral clearance after successful conservative treatment for high-risk HPV–infected high-grade cervical intraepithelial neoplasia and early invasive squamous cervical carcinoma. Diagnostic Microbiology and Infectious Disease, 2016, 86, 270-272.	1.8	4
45	Coping with problems that flaw the estimate of mammography sensitivity in population-based screening programmes: the Italian perspective. Public Health, 2016, 136, 178-180.	2.9	3
46	The Mwanza Cancer Project. Lancet Oncology, The, 2016, 17, 146-148.	10.7	25
47	Gastric cancer incidence in the Romagna Region of Italy: A spatial and temporal analysis. Digestive and Liver Disease, 2015, 47, 1076-1081.	0.9	8
48	Accuracy of Colposcopically Directed Biopsy: Results from an Online Quality Assurance Programme for Colposcopy in a Population-Based Cervical Screening Setting in Italy. BioMed Research International, 2015, 2015, 1-6.	1.9	14
49	The predictive value of human papillomavirus testing for the outcome of patients conservatively treated for stage IA squamous cell cervical carcinoma. Journal of Clinical Virology, 2015, 70, 53-57.	3.1	8
50	Screening history of cervical cancers in Emilia-Romagna, Italy. European Journal of Cancer Prevention, 2015, 24, 128-134.	1.3	10
51	Endobronchial/Endoesophageal Ultrasound (EBUS/EUS) Guided Fine Needle Aspiration (FNA) and 18F-FDG PET/CT Scanning in Restaging of Locally Advanced Non-small Cell Lung Cancer (NSCLC) Treated with Chemo-radiotherapy. Technology in Cancer Research and Treatment, 2015, 14, 721-727.	1.9	14
52	Problems, solutions, and perspectives in the evaluation of interval cancers in Italian mammography screening programmes: a position paper from the Italian group for mammography screening (GISMa). Epidemiologia E Prevenzione, 2015, 39, 52-7.	1.1	1
53	An Online Quality Assurance Program for Colposcopy in a Population-Based Cervical Screening Setting in Italy. Journal of Lower Genital Tract Disease, 2014, 18, 309-313.	1.9	17
54	Rationale and development of an on-line quality assurance programme for colposcopy in a population-based cervical screening setting in Italy. BMC Health Services Research, 2013, 13, 237.	2.2	9

#	Article	IF	CITATIONS
55	Colonoscopic surveillance of first-degree relatives of colorectal cancer patients in a faecal occult blood screening programme. Cancer Epidemiology, 2013, 37, 469-473.	1.9	3
56	ATL. International Journal of Gynecological Cancer, 2013, 23, 1663-1669.	2.5	24
57	Decreasing incidence of lateâ€stage breast cancer after the introduction of organized mammography screening in Italy. Cancer, 2013, 119, 2022-2028.	4.1	51
58	Multiple Marker Detection in Peripheral Blood for NSCLC Diagnosis. PLoS ONE, 2013, 8, e57401.	2.5	64
59	Estimates of cancer burden in Emilia-Romagna. Tumori, 2013, 99, 327-333.	1.1	0
60	Estimates of cancer burden in Emilia-Romagna. Tumori, 2013, 99, 327-33.	1.1	0
61	Ageing and other factors behind recent cancer incidence and mortality trends in Italy. Journal of Geriatric Oncology, 2012, 3, 111-119.	1.0	5
62	Should breast cancer survivors be excluded from, or invited to, organised mammography screening programmes?. BMC Health Services Research, 2011, 11, 249.	2.2	8
63	Combining cytology, TRAP assay, and FISH analysis for the detection of bladder cancer in symptomatic patients. Annals of Oncology, 2011, 22, 2294-2298.	1.2	22
64	Incidence, detection, and tumour stage of breast cancer in a cohort of Italian women with negative screening mammography report recommending early (short-interval) rescreen. BMC Medicine, 2010, 8, 11.	5.5	9
65	Receipt of adjuvant systemic therapy among patients with high-risk breast cancer detected by mammography screening. Breast Cancer Research and Treatment, 2009, 113, 559-566.	2.5	6
66	Breast screening: Axillary lymph node status of interval cancers by interval year. Breast, 2008, 17, 477-483.	2.2	5
67	Incidence of interval breast cancers after 650,000 negative mammographics in 13 Italian health districts. Journal of Medical Screening, 2008, 15, 30-35.	2.3	34
68	The influence of endoscopic biliary stents on the accuracy of endoscopic ultrasound for pancreatic head cancer staging. Endoscopy, 2007, 39, 813-817.	1.8	43
69	Follow-up of screening patients conservatively treated for cervical intraepithelial neoplasia grade 2–3. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 133, 227-231.	1.1	15
70	Risk of Cancer of the Prostate and of the Kidney Parenchyma following Bladder Cancer. Tumori, 2007, 93, 124-128.	1.1	4
71	Applicability of the Bethesda System 2001 to a public health setting. Cancer, 2006, 108, 271-276.	4.1	14
72	Relative and absolute cancer mortality of women in agriculture in northern Italy. European Journal of Cancer Prevention, 2005, 14, 337-344.	1.3	9

#	Article	IF	CITATIONS
73	Screen-detected vs clinical breast cancer: the advantage in the relative risk of lymph node metastases decreases with increasing tumour size. British Journal of Cancer, 2005, 92, 156-161.	6.4	21
74	An inverse association between tumour size and overdiagnosis may explain the results by Bucchi et al. British Journal of Cancer, 2005, 92, 1814-1814.	6.4	0
75	Reply: An inverse association between tumour size and overdiagnosis may explain the results by Bucchi et al. British Journal of Cancer, 2005, 92, 1815-1816.	6.4	0
76	In situ breast cancer: Incidence trend and organised screening programmes in Italy. European Journal of Cancer, 2005, 41, 1045-1050.	2.8	22
77	Cancer Mortality in a Cohort of Male Agricultural Workers From Northern Italy. Journal of Occupational and Environmental Medicine, 2004, 46, 249-256.	1.7	22
78	Interobserver Variability of Colposcopic Interpretations and Consistency with Final Histologic Results. Journal of Lower Genital Tract Disease, 2004, 8, 212-216.	1.9	38
79	Independent determinants of inaccuracy of colposcopically directed punch biopsy of the cervix. Gynecologic Oncology, 2003, 90, 57-63.	1.4	35
80	The impact of organised screening programmes on the stage-specific incidence of breast cancer in some Italian areas. European Journal of Cancer, 2003, 39, 1776-1782.	2.8	24
81	Integrating self-referral for mammography into organised screening: results from an Italian experience. Journal of Medical Screening, 2003, 10, 134-138.	2.3	6
82	Performance indicators of organized cervical screening in Romagna (Italy). European Journal of Cancer Prevention, 2003, 12, 223-228.	1.3	12
83	Gastric cancer mortality in the spouses of patients who died from gastric cancer. International Journal of Epidemiology, 2002, 31, 468-472.	1.9	5
84	Gastric cancer mortality in the spouses of patients who died from gastric cancer. International Journal of Epidemiology, 2002, 31, 468-472.	1.9	9
85	Does Microcolposcopy Protect Patients with CIN and Unsatisfactory Colposcopy from the Risk of Incomplete Excision of Disease at the Time of Conization?. Journal of Lower Genital Tract Disease, 2002, 6, 5-10.	1.9	1
86	Disease Persistence in Patients with Cervical Intraepithelial Neoplasia Undergoing Electrosurgical Conization. Gynecologic Oncology, 2002, 85, 119-124.	1.4	48
87	Stage-specific incidence of breast cancer before the beginning of organized screening programs in Italy. Cancer Causes and Control, 2002, 13, 65-71.	1.8	14
88	EPILUMINESCENCE MICROSCOPY FEATURES OF MELANOMA IN RELATION TO TUMOR THICKNESS. Dermatologic Clinics, 2001, 19, 285-297.	1.7	4
89	Epidemiology of digital epiluminescence microscopy features of acquired melanocytic naevi. Melanoma Research, 2001, 11, 483-489.	1.2	2
90	Cervical screening behavior of women with atypical squamous cells of undetermined significance (ASCUS). Diagnostic Cytopathology, 2001, 24, 21-27.	1.0	1

#	Article	IF	CITATIONS
91	Frequency and Determinants of Lymphadenectomy in Endometrial Carcinoma: A Population-Based Study From Northern Italy. Annals of Surgical Oncology, 2001, 8, 723-728.	1.5	Ο
92	A Cancer-Registry-Assisted Evaluation of the Accuracy of Digital Epiluminescence Microscopy Associated with Clinical Examination of Pigmented Skin Lesions. Dermatology, 2000, 200, 11-16.	2.1	47
93	Factors associated with cone margin involvement in CIN patients undergoing conization-equivalent electrosurgical procedure. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 586-592.	2.8	18
94	Probability of early repeat Pap smear in an integrated cervical screening programme. European Journal of Cancer Prevention, 2000, 9, 269-274.	1.3	2
95	Factors associated with cone margin involvement in CIN patients undergoing conization-equivalent electrosurgical procedure. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 586-592.	2.8	7
96	Diagnosis and treatment of cervical intraepithelial neoplasia grade 3: a registry-based study in the Romagna region of Italy (1986-1993). International Journal of Epidemiology, 1999, 28, 196-203.	1.9	6
97	Diagnosis of pigmented skin lesions by epiluminescence microscopy. Public Health, 1999, 113, 237-242.	2.9	8
98	Diagnosis of pigmented skin lesions by epiluminescence microscopy determinants of accuracy improvement in a nationwide training programme for practical dermatologists. Public Health, 1999, 113, 237-242.	2.9	18
99	Multiple myeloma and work in agriculture: results of a case-control study in Forlì, Italy. Cancer Causes and Control, 1998, 9, 277-283.	1.8	40
100	Accuracy comparison between PAPNET diagnoses and conventional diagnoses in an Italian cervical cytology laboratory. Diagnostic Cytopathology, 1998, 19, 279-283.	1.0	3
101	Cervicography and HPV DNA Testing as Triage Criteria for Patients with Abnormal Pap Smear. Gynecologic Oncology, 1998, 71, 404-409.	1.4	10
102	Accuracy of Epiluminescence Microscopy among Practical Dermatologists: A Study from the Emilia-Romagna Region of Italy. Tumori, 1998, 84, 701-705.	1.1	15
103	A registry-based study of follow-up failures in the screening experience of cervical cancer patients. International Journal of Gynecological Cancer, 1998, 8, 251-256.	2.5	7
104	Epiluminescence Microscopy versus Clinical Evaluation of Pigmented Skin Lesions: Effects of Operator's Training on Reproducibility and Accuracy. Dermatology, 1998, 196, 199-203.	2.1	18
105	Accuracy comparison between PAPNET diagnoses and conventional diagnoses in an Italian cervical cytology laboratory. Diagnostic Cytopathology, 1998, 19, 279-283.	1.0	0
106	Effect of routine mammography practice on tumour size of a registry-based series of breast cancer cases compared with those observed in a screening cohort British Journal of Radiology, 1997, 70, 1174-1177.	2.2	0
107	Distal hyperplastic polyps do not predict proximal adenomas: results from a multicentric study of colorectal adenomas. Gastrointestinal Endoscopy, 1997, 46, 124-130.	1.0	42
108	Breast carcinoma stage in relation to time interval since last mammography. Cancer, 1997, 80, 1432-1437.	4.1	6

#	Article	IF	CITATIONS
109	Critical effects of intense sun exposure on the expression of epiluminescence microscopy features of acquired melanocytic nevi. Archives of Dermatology, 1997, 133, 979-982.	1.4	41
110	Cohort study of association of risk of breast cancer with cyst type in women with gross cystic disease of the breast. BMJ: British Medical Journal, 1997, 314, 925-925.	2.3	44
111	Intralaboratory Reproducibility of Cervical Cytology Diagnoses in the External Quality Assurance Scheme of the Emilia-Romagna Region of Italy. Gynecologic Oncology, 1996, 60, 404-408.	1.4	8
112	Seasonal prevalence of digital epiluminescence microscopy patterns in acquired melanocytic nevi. Journal of the American Academy of Dermatology, 1996, 34, 460-464.	1.2	43
113	Effects of the Bethesda System on the Rate of Unsatisfactory Pap Smears in Spontaneous Cervical Screening. Tumori, 1996, 82, 437-440.	1.1	4
114	External Quality Assurance in Cervical/Vaginal Cytology. Acta Cytologica, 1996, 40, 480-488.	1.3	21
115	Correlation between the Histopathology and the Epiluminescence Microscopy Features of Malignant Blue Nevus. Dermatologic Surgery, 1996, 22, 846-848.	0.8	3
116	Patterns of gastric cancer care by age. A registry-based study in Romagna, Italy. European Journal of Cancer, 1995, 31, 1548-1549.	2.8	2
117	Intraobserver agreement in interpretation of digital epiluminescence microscopy. Journal of the American Academy of Dermatology, 1995, 33, 584-589.	1.2	50
118	Wolfe's mammographic patterns in women with Gross Cystic Disease of the breast. Journal of Clinical Epidemiology, 1995, 48, 969-976.	5.0	3
119	Analysis of Breslow Tumor Thickness Distribution of Skin Melanoma in the Italian Region of Romagna, 1986–1991. Tumori, 1994, 80, 416-421.	1.1	9
120	A Feasibility Study of Ovarian Cancer Screening: Does Fine-Needle Aspiration Improve Ultrasound Specificity?. Tumori, 1994, 80, 181-187.	1.1	10
121	Self-Selection for Mammography and Breast Cancer Incidence by Stage. Tumori, 1994, 80, 118-123.	1.1	2
122	Steroid biochemistry and categorization of breast cyst fluid: relation to breast cancer risk. Journal of Steroid Biochemistry and Molecular Biology, 1994, 49, 333-339.	2.5	30
123	The impact of mammography on breast cancer detection. Annals of Oncology, 1993, 4, 41-44.	1.2	19
124	Performance of Fineneedle Aspiration Cytology of the Breast. Clinical Experience in Ravenna (Italy). Tumori, 1993, 79, 413-417.	1.1	0
125	Spontaneous Screening for Cervical Cancer and Diagnostic Histories of Incident Cases. Tumori, 1992, 78, 239-243.	1.1	6
126	Breslow Thickness of Cutaneous Malignant Melanoma in Ravenna (Northern Italy) 1981–1990. Tumori, 1992, 78, 94-97.	1.1	5

#	Article	IF	CITATIONS
127	Follow-up Studies of Patients with Categorized Breast Cysts Annals of the New York Academy of Sciences, 1990, 586, 43-48.	3.8	4
128	Cohort Study of Women Affected by Gross Cystic Disease Annals of the New York Academy of Sciences, 1990, 586, 272-275.	3.8	8