

Todd A Alonzo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5636869/publications.pdf>

Version: 2024-02-01

194
papers

4,939
citations

147566

31
h-index

102304

66
g-index

197
all docs

197
docs citations

197
times ranked

5741
citing authors

#	ARTICLE	IF	CITATIONS
1	The molecular landscape of pediatric acute myeloid leukemia reveals recurrent structural alterations and age-specific mutational interactions. <i>Nature Medicine</i> , 2018, 24, 103-112.	15.2	525
2	Gemtuzumab Ozogamicin in Children and Adolescents With De Novo Acute Myeloid Leukemia Improves Event-Free Survival by Reducing Relapse Risk: Results From the Randomized Phase III Children's Oncology Group Trial AAML0531. <i>Journal of Clinical Oncology</i> , 2014, 32, 3021-3032.	0.8	360
3	Clinical implications of FLT3 mutations in pediatric AML. <i>Blood</i> , 2006, 108, 3654-3661.	0.6	355
4	Outcomes in CCG-2961, a Children's Oncology Group Phase 3 Trial for untreated pediatric acute myeloid leukemia: a report from the Children's Oncology Group. <i>Blood</i> , 2008, 111, 1044-1053.	0.6	259
5	Residual disease detected by multidimensional flow cytometry signifies high relapse risk in patients with de novo acute myeloid leukemia: a report from Children's Oncology Group. <i>Blood</i> , 2012, 120, 1581-1588.	0.6	256
6	The genomic landscape of juvenile myelomonocytic leukemia. <i>Nature Genetics</i> , 2015, 47, 1326-1333.	9.4	233
7	Distribution-free ROC analysis using binary regression techniques. <i>Biostatistics</i> , 2002, 3, 421-432.	0.9	172
8	Prevalence and prognostic implications of CEBPA mutations in pediatric acute myeloid leukemia (AML): a report from the Children's Oncology Group. <i>Blood</i> , 2009, 113, 6558-6566.	0.6	166
9	AAML03P1, a pilot study of the safety of gemtuzumab ozogamicin in combination with chemotherapy for newly diagnosed childhood acute myeloid leukemia. <i>Cancer</i> , 2012, 118, 761-769.	2.0	157
10	Genomic Profiling of Pediatric Acute Myeloid Leukemia Reveals a Changing Mutational Landscape from Disease Diagnosis to Relapse. <i>Cancer Research</i> , 2016, 76, 2197-2205.	0.4	133
11	CD33 Splicing Polymorphism Determines Gemtuzumab Ozogamicin Response in De Novo Acute Myeloid Leukemia: Report From Randomized Phase III Children's Oncology Group Trial AAML0531. <i>Journal of Clinical Oncology</i> , 2017, 35, 2674-2682.	0.8	120
12	CD33 Expression and Its Association With Gemtuzumab Ozogamicin Response: Results From the Randomized Phase III Children's Oncology Group Trial AAML0531. <i>Journal of Clinical Oncology</i> , 2016, 34, 747-755.	0.8	116
13	Leukemic mutations in the methylation-associated genes <i>DNMT3A</i> and <i>IDH2</i> are rare events in pediatric AML: A report from the Children's Oncology Group. <i>Pediatric Blood and Cancer</i> , 2011, 57, 204-209.	0.8	109
14	NUP98/NSD1 and FLT3/ITD coexpression is more prevalent in younger AML patients and leads to induction failure: a COG and SWOG report. <i>Blood</i> , 2014, 124, 2400-2407.	0.6	99
15	Sample size calculations for comparative studies of medical tests for detecting presence of disease. <i>Statistics in Medicine</i> , 2002, 21, 835-852.	0.8	80
16	Recurrent abnormalities can be used for risk group stratification in pediatric AMKL: a retrospective intergroup study. <i>Blood</i> , 2016, 127, 3424-3430.	0.6	79
17	Improved outcomes for myeloid leukemia of Down syndrome: a report from the Children's Oncology Group AAML0431 trial. <i>Blood</i> , 2017, 129, 3304-3313.	0.6	71
18	Subclonal mutations in SETBP1 confer a poor prognosis in juvenile myelomonocytic leukemia. <i>Blood</i> , 2015, 125, 516-524.	0.6	69

#	ARTICLE	IF	CITATIONS
19	Arsenic Trioxide Consolidation Allows Anthracycline Dose Reduction for Pediatric Patients With Acute Promyelocytic Leukemia: Report From the Children's Oncology Group Phase III Historically Controlled Trial AAML0631. <i>Journal of Clinical Oncology</i> , 2017, 35, 3021-3029.	0.8	62
20	Acute myeloid leukaemia (<sc>AML</sc>) with t(6;9)(p23;q34) is associated with poor outcome in childhood <sc>AML</sc> regardless of <i>FLT3</i>â€”TD status: a report from the Children's Oncology Group. <i>British Journal of Haematology</i> , 2014, 166, 254-259.	1.2	58
21	<i>CEBPA</i>-bZip mutations are associated with favorable prognosis in de novo AML: a report from the Childrenâ€™s Oncology Group. <i>Blood</i> , 2021, 138, 1137-1147.	0.6	55
22	Estimating disease prevalence in two-phase studies. <i>Biostatistics</i> , 2003, 4, 313-326.	0.9	53
23	CSF3R mutations have a high degree of overlap with CEBPA mutations in pediatric AML. <i>Blood</i> , 2016, 127, 3094-3098.	0.6	49
24	Gemtuzumab Ozogamicin Reduces Relapse Risk in <i>FLT3</i>/ITD Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Clinical Cancer Research</i> , 2016, 22, 1951-1957.	3.2	49
25	Prognostic impact of t(16;21)(p11;q22) and t(16;21)(q24;q22) in pediatric AML: a retrospective study by the I-BFM Study Group. <i>Blood</i> , 2018, 132, 1584-1592.	0.6	45
26	Actionable Tumor Alterations and Treatment Protocol Enrollment of Pediatric and Young Adult Patients With Refractory Cancers in the National Cancer Instituteâ€™Children's Oncology Group Pediatric MATCH Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 2224-2234.	0.8	45
27	Phase II/III trial of a pre-transplant farnesyl transferase inhibitor in juvenile myelomonocytic leukemia: A report from the Children's Oncology Group. <i>Pediatric Blood and Cancer</i> , 2015, 62, 629-636.	0.8	43
28	Comprehensive Transcriptome Profiling of Cryptic <i>CBFA2T3â€™GLIS2</i> Fusionâ€™Positive AML Defines Novel Therapeutic Options: A COG and TARGET Pediatric AML Study. <i>Clinical Cancer Research</i> , 2020, 26, 726-737.	3.2	42
29	Negative Prognostic Impact Of High CD33 Expression Is Negated With The Use Of Gemtuzumab Ozogamicin: A Report From The Childrenâ€™s Oncology Group. <i>Blood</i> , 2013, 122, 491-491.	0.6	40
30	Assessment of Arsenic Trioxide and All-trans Retinoic Acid for the Treatment of Pediatric Acute Promyelocytic Leukemia. <i>JAMA Oncology</i> , 2022, 8, 79.	3.4	36
31	Phase I/II Study of CPX-351 Followed by Fludarabine, Cytarabine, and Granulocyte-Colony Stimulating Factor for Children With Relapsed Acute Myeloid Leukemia: A Report From the Childrenâ€™s Oncology Group. <i>Journal of Clinical Oncology</i> , 2020, 38, 2170-2177.	0.8	35
32	Central nervous system disease in pediatric acute myeloid leukemia: A report from the Children's Oncology Group. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26612.	0.8	33
33	Mixedâ€™phenotype acute leukemia: A cohort and consensus research strategy from the Childrenâ€™s Oncology Group Acute Leukemia of Ambiguous Lineage Task Force. <i>Cancer</i> , 2020, 126, 593-601.	2.0	32
34	Survival Following Relapse in Children with Acute Myeloid Leukemia: A Report from AML-BFM and COG. <i>Cancers</i> , 2021, 13, 2336.	1.7	30
35	Impact of Granulocyte Colony-Stimulating Factor Use During Induction for Acute Myelogenous Leukemia in Children: A Report From the Children's Cancer Group. <i>Journal of Pediatric Hematology/Oncology</i> , 2002, 24, 627-635.	0.3	29
36	Genomics of primary chemoresistance and remission induction failure in paediatric and adult acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2017, 176, 86-91.	1.2	29

#	ARTICLE	IF	CITATIONS
37	The clinical and biological characteristics of NUP98-KDM5A in pediatric acute myeloid leukemia. <i>Haematologica</i> , 2021, 106, 630-634.	1.7	29
38	ABCB1 SNP predicts outcome in patients with acute myeloid leukemia treated with Gemtuzumab ozogamicin: a report from Children's Oncology Group AAML0531 Trial. <i>Blood Cancer Journal</i> , 2019, 9, 51.	2.8	26
39	Comparison of Rapid Point-of-Care Tests for Detection of Antibodies to Hepatitis C Virus. <i>Open Forum Infectious Diseases</i> , 2015, 2, ofv101.	0.4	23
40	Proteasome subunit expression analysis and chemosensitivity in relapsed paediatric acute leukaemia patients receiving bortezomib-containing chemotherapy. <i>Journal of Hematology and Oncology</i> , 2016, 9, 82.	6.9	22
41	Phenotype in combination with genotype improves outcome prediction in acute myeloid leukemia: a report from Children's Oncology Group protocol AAML0531. <i>Haematologica</i> , 2017, 102, 2058-2068.	1.7	22
42	miR-155 expression and correlation with clinical outcome in pediatric AML: A report from Children's Oncology Group. <i>Pediatric Blood and Cancer</i> , 2016, 63, 2096-2103.	0.8	21
43	Disease Characteristics and Prognostic Implications of Cell-Surface FLT3 Receptor (CD135) Expression in Pediatric Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Clinical Cancer Research</i> , 2017, 23, 3649-3656.	3.2	21
44	Morphologic remission status is limited compared to FCM flow cytometry: a Children's Oncology Group AAML0531 report. <i>Blood Advances</i> , 2020, 4, 5050-5061.	2.5	21
45	Phase II Study of Selumetinib in Children and Young Adults With Tumors Harboring Activating Mitogen-Activated Protein Kinase Pathway Genetic Alterations: Arm E of the NCI-COG Pediatric MATCH Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 2235-2245.	0.8	21
46	Risk Markers for Significant Bleeding and Thrombosis in Pediatric Acute Promyelocytic Leukemia; Report From the Children's Oncology Group Study AAML0631. <i>Journal of Pediatric Hematology/Oncology</i> , 2019, 41, 51-55.	0.3	20
47	Genomic architecture and treatment outcome in pediatric acute myeloid leukemia: a Children's Oncology Group report. <i>Blood</i> , 2017, 129, 3051-3058.	0.6	19
48	Sorafenib in Combination with Standard Chemotherapy for Children with High Allelic Ratio FLT3/ITD+ AML Improves Event-Free Survival and Reduces Relapse Risk: A Report from the Children's Oncology Group Protocol AAML1031. <i>Blood</i> , 2019, 134, 292-292.	0.6	19
49	Discovery and Functional Validation of Novel Pediatric Specific FLT3 Activating Mutations in Acute Myeloid Leukemia: Results from the COG/NCI Target Initiative. <i>Blood</i> , 2015, 126, 87-87.	0.6	19
50	Multimerin-1 (<i>MMRN1</i>) as Novel Adverse Marker in Pediatric Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Clinical Cancer Research</i> , 2015, 21, 3187-3195.	3.2	18
51	CD123 Expression Is Associated With High-Risk Disease Characteristics in Childhood Acute Myeloid Leukemia: A Report From the Children's Oncology Group. <i>Journal of Clinical Oncology</i> , 2022, 40, 252-261.	0.8	18
52	Shorter Remission Telomere Length Predicts Delayed Neutrophil Recovery After Acute Myeloid Leukemia Therapy: A Report From the Children's Oncology Group. <i>Journal of Clinical Oncology</i> , 2016, 34, 3766-3772.	0.8	17
53	Deciphering the Significance of CD56 Expression in Pediatric Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Cytometry Part B - Clinical Cytometry</i> , 2020, 98, 52-56.	0.7	17
54	A comparison of tests for restricted orderings in the three-class case. <i>Statistics in Medicine</i> , 2009, 28, 1144-1158.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Gemtuzumab ozogamicin in infants with AML: results from the Children's Oncology Group trials AAML03P1 and AAML0531. <i>Blood</i> , 2017, 130, 943-945.	0.6	16
56	Evaluating the predictive value of measures of susceptibility to tobacco and alternative tobacco products. <i>Addictive Behaviors</i> , 2019, 96, 50-55.	1.7	16
57	High-dose AraC is essential for the treatment of ML-DS independent of postinduction MRD: results of the COG AAML1531 trial. <i>Blood</i> , 2021, 138, 2337-2346.	0.6	16
58	Merging Children's Oncology Group Data with an External Administrative Database Using Indirect Patient Identifiers: A Report from the Children's Oncology Group. <i>PLoS ONE</i> , 2015, 10, e0143480.	1.1	16
59	Development and Evaluation of Classifiers. <i>Methods in Molecular Biology</i> , 2007, 404, 89-116.	0.4	14
60	Prognostic Significance of 11q23/MLL Fusion Partners in Children with Acute Myeloid Leukemia (AML) - Results from the Children's Oncology Group (COG) Trial AAML0531. <i>Blood</i> , 2016, 128, 1211-1211.	0.6	14
61	A comparison of discharge strategies after chemotherapy completion in pediatric patients with acute myeloid leukemia: a report from the Children's Oncology Group. <i>Leukemia and Lymphoma</i> , 2016, 57, 1567-1574.	0.6	13
62	Comparison of administrative/billing data to expected protocol-mandated chemotherapy exposure in children with acute myeloid leukemia: A report from the Children's Oncology Group. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1184-1189.	0.8	12
63	Outcomes for Step-Wise Implementation of a Human Papillomavirus Testing-Based Cervical Screen-and-Treat Program in El Salvador. <i>JCO Global Oncology</i> , 2020, 6, 1519-1530.	0.8	12
64	Structural Variants Involving MLLT10/AF10 Are Associated with Adverse Outcome in AML Regardless of the Partner Gene - a COG/Tpaml Study. <i>Blood</i> , 2019, 134, 461-461.	0.6	12
65	Bias in estimating accuracy of a binary screening test with differential disease verification. <i>Statistics in Medicine</i> , 2011, 30, 1852-1864.	0.8	11
66	Adaptive trial designs in diagnostic accuracy research. <i>Statistics in Medicine</i> , 2020, 39, 591-601.	0.8	11
67	Acute erythroid leukemia is enriched in <i>NUP98</i> fusions: a report from the Children's Oncology Group. <i>Blood Advances</i> , 2020, 4, 6000-6008.	2.5	11
68	The Addition of Bortezomib to Standard Chemotherapy for Pediatric Acute Myeloid Leukemia Has Increased Toxicity without Therapeutic Benefit: A Report from the Children's Oncology Group. <i>Blood</i> , 2016, 128, 899-899.	0.6	10
69	Patient-Reported Outcome Coordinator Did Not Improve Quality of Life Assessment Response Rates: A Report from the Children's Oncology Group. <i>PLoS ONE</i> , 2015, 10, e0125290.	1.1	10
70	Pathologic Features of Down Syndrome Myelodysplastic Syndrome and Acute Myeloid Leukemia: A Report From the Children's Oncology Group Protocol AAML0431. <i>Archives of Pathology and Laboratory Medicine</i> , 2020, 144, 466-472.	1.2	9
71	A Phase 2 Trial of KIR-Mismatched Unrelated Donor Transplantation Using in Vivo T Cell Depletion with Antithymocyte Globulin in Acute Myelogenous Leukemia: Children's Oncology Group AAML05P1 Study. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 712-717.	2.0	8
72	Small sample estimation of relative accuracy for binary screening tests. <i>Statistics in Medicine</i> , 2004, 23, 21-34.	0.8	7

#	ARTICLE	IF	CITATIONS
73	Association between prolonged neutropenia and reduced relapse risk in pediatric AML: A report from the children's oncology group. <i>International Journal of Cancer</i> , 2016, 139, 1930-1935.	2.3	7
74	Transcriptome Profiling of Glycosylation Genes Defines Correlation with E-Selectin Ligand Expression and Clinical Outcome in AML. <i>Blood</i> , 2019, 134, 3772-3772.	0.6	7
75	Remission Rates In Childhood Acute Myeloid Leukemia (AML) Utilizing a Dose-Intensive Induction Regimen with or without Gemtuzumab Ozogamicin (GO): Initial Results From the Children's Oncology Group Phase III Trial, AAML0531. <i>Blood</i> , 2010, 116, 182-182.	0.6	7
76	Comparison of the Transcriptomic Signatures in Pediatric and Adult CML. <i>Cancers</i> , 2021, 13, 6263.	1.7	7
77	Development of acute lymphoblastic leukemia following treatment for acute myeloid leukemia in children with Down syndrome: A case report and retrospective review of Children's Oncology Group acute myeloid leukemia trials. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27700.	0.8	6
78	Correlation of CD123 Expression Level with Disease Characteristics and Outcomes in Pediatric Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Blood</i> , 2019, 134, 459-459.	0.6	6
79	Response to Sorafenib in FLT3/ITD AML Is Dependent on Co-Occurring Mutational Profile. <i>Blood</i> , 2019, 134, 119-119.	0.6	6
80	Conventional Cytogenetics, Molecular Profiling, and Flow Cytometric Response Data Allow the Creation of a Two-Tiered Risk-Group System for Risk-Based Therapy Allocation In Childhood AML- a Report From the Children's Oncology Group. <i>Blood</i> , 2010, 116, 761-761.	0.6	6
81	Association of CD33 Expression Level with Disease Risk-Group Classification and Induction Response In Pediatric AML: A Report From the Children's Oncology Group. <i>Blood</i> , 2010, 116, 2732-2732.	0.6	6
82	Inverse probability weighting estimation of the volume under the ROC surface in the presence of verification bias. <i>Biometrical Journal</i> , 2016, 58, 1338-1356.	0.6	5
83	Discovery and Validation of Cell-Surface Protein Mesothelin (MSLN) As a Novel Therapeutic Target in AML: Results from the COG/NCI Target AML Initiative. <i>Blood</i> , 2016, 128, 2873-2873.	0.6	5
84	Distinct signaling events promote resistance to mitoxantrone and etoposide in pediatric AML: a Children's Oncology Group report. <i>Oncotarget</i> , 2017, 8, 90037-90049.	0.8	5
85	Statistical Methods for Evaluating DNA Methylation as a Marker for Early Detection or Prognosis. <i>Disease Markers</i> , 2007, 23, 113-120.	0.6	4
86	Early discharge as a mediator of greater ICU-level care requirements in patients not enrolled on the AAML0531 clinical trial: a Children's Oncology Group report. <i>Cancer Medicine</i> , 2016, 5, 2412-2416.	1.3	4
87	Center-level variation in accuracy of adverse event reporting in a clinical trial for pediatric acute myeloid leukemia: a report from the Children's Oncology Group. <i>Haematologica</i> , 2017, 102, e340-e343.	1.7	4
88	Estimation of the volume under the receiver-operating characteristic surface adjusting for non-ignorable verification bias. <i>Statistical Methods in Medical Research</i> , 2018, 27, 715-739.	0.7	4
89	Comparisons of New HIV Rapid Test Kit Performance. <i>AIDS and Behavior</i> , 2019, 23, 313-317.	1.4	4
90	Information fraction estimation based on the number of events within the standard treatment regimen. <i>Biometrical Journal</i> , 2020, 62, 1960-1972.	0.6	4

#	ARTICLE	IF	CITATIONS
91	AAML0523: A Report From the Children's Oncology Group On the Safety of Clofarabine in Combination with Cytarabine in Pediatric Patients with Relapsed Acute Leukemia.. Blood, 2009, 114, 3076-3076.	0.6	4
92	Severe Toxicities During Pediatric Acute Myeloid Leukemia Chemotherapy: A Report From the Children's Oncology Group.. Blood, 2010, 116, 1071-1071.	0.6	4
93	Outcome of Adolescents and Young Adults (AYAs) with Non-M3 Acute Myeloid Leukemia (AML) Treated on Children's Oncology Group (COG) Trials Compared to Cancer and Leukemia Group B (CALGB) and Southwest Oncology Group (SWOG) Trials. Blood, 2010, 116, 183-183.	0.6	4
94	TET2 SNP rs2454206 (I1762V) Correlates with Improved Survival In Pediatric Acute Myelogenous Leukemia, a Report From the Children's Oncology Group. Blood, 2010, 116, 949-949.	0.6	4
95	Multidimensional Flow Cytometry Significantly Improves Upon the Morphologic Assessment of Post-Induction Marrow Remission Status " Comparison of Morphology and Multidimensional Flow Cytometry; A Report From the Children's Oncology Group AML Protocol AAML0531. Blood, 2011, 118, 939-939.	0.6	4
96	A Phase 2 Study of Bortezomib Combined with Reinduction Chemotherapy in Children and Young Adults with Recurrent, Refractory or Secondary Acute Myeloid Leukemia: A Children's Oncology Group (COG) Study. Blood, 2012, 120, 3580-3580.	0.6	4
97	Clinical Significance of CD33 Non-Synonymous Single Nucleotide Polymorphisms (SNPs) in Pediatric Patients with Acute Myeloid Leukemia Treated with Gemtuzumab Ozogamicin-Containing Chemotherapy,. Blood, 2011, 118, 3489-3489.	0.6	4
98	Bortezomib is significantly beneficial for de novo pediatric AML patients with low phosphorylation of the NFκB subunit RelA. Proteomics - Clinical Applications, 2021, , 2100072.	0.8	4
99	ETS Family Transcription Factor Fusions in Childhood AML: Distinct Expression Networks and Clinical Implications. Blood, 2021, 138, 2356-2356.	0.6	4
100	Blood Count Recovery Following Induction Therapy for Acute Myeloid Leukemia in Children Does Not Predict Survival. Cancers, 2022, 14, 616.	1.7	4
101	Ligand-induced STAT3 signaling increases at relapse and is associated with outcome in pediatric acute myeloid leukemia: a report from the Children's Oncology Group. Haematologica, 2015, 100, e496-e500.	1.7	3
102	Concordance of copy number alterations using a common analytic pipeline for genome-wide analysis of Illumina and Affymetrix genotyping data: a report from the Children's Oncology Group. Cancer Genetics, 2015, 208, 408-413.	0.2	3
103	Results of a phase 2, multicenter, single-arm, open-label study of lenalidomide in pediatric patients with relapsed or refractory acute myeloid leukemia. Pediatric Blood and Cancer, 2021, 68, e28946.	0.8	3
104	Cancer Informatics for Cancer Centers: Scientific Drivers for Informatics, Data Science, and Care in Pediatric, Adolescent, and Young Adult Cancer. JCO Clinical Cancer Informatics, 2021, 5, 881-896.	1.0	3
105	High-Dose Cytarabine Is Indispensable for the Survival of Children with Myeloid Leukemia of Down Syndrome Despite Negative Minimal Residual Disease Post-Induction. Blood, 2019, 134, 118-118.	0.6	3
106	Impact Of Residual Disease On Survival In Pediatric Patients Receiving Allogeneic Hematopoietic Cell Transplantation For Acute Myeloid Leukemia In First Complete Remission. Blood, 2013, 122, 65-65.	0.6	3
107	Results of a Phase III Trial Including Arsenic Trioxide Consolidation for Pediatric Patients with Acute Promyelocytic Leukemia (APL): A Report from the Children's Oncology Group Study AAML0631. Blood, 2015, 126, 219-219.	0.6	3
108	Heirarchical Clustering of Immunophenotypic Cell Surface Antigen Expression Identifies Clinically Meaningful Cohorts in Childhood AML: A Report from the Children's Oncology Group Protocol AAML0531. Blood, 2015, 126, 561-561.	0.6	3

#	ARTICLE	IF	CITATIONS
109	PIM3-SCO2 Fusion Is a Novel Transcription-Induced Chimera That Is Highly Prevalent In Childhood AML. Blood, 2013, 122, 2549-2549.	0.6	3
110	Significant Improvements in Survival for Patients with t(6;9)(p23;q34)/ <i>DEK-NUP214</i> in Contemporary Trials with Intensification of Therapy: A Report from the Children's Oncology Group. Blood, 2021, 138, 519-519.	0.6	3
111	Mesothelin Expression Is Associated with Extramedullary Disease and Promotes In Vivo Leukemic Growth in Acute Myeloid Leukemia. Blood, 2020, 136, 38-39.	0.6	3
112	IL-10 and TNF α are associated with decreased survival in low-risk pediatric acute myeloid leukemia; a children's oncology group report. Pediatric Hematology and Oncology, 0, , 1-12.	0.3	3
113	Comparing Analytic Methods for Longitudinal GWAS and a Case-Study Evaluating Chemotherapy Course Length in Pediatric AML. A Report from the Children's Oncology Group. Frontiers in Genetics, 2016, 7, 139.	1.1	2
114	RUNX1 Mutations in Pediatric AML: A Report From the Children's Oncology Group.. Blood, 2009, 114, 2614-2614.	0.6	2
115	Single Cell Network Profiling (SCNP) Signatures Predict Response to Induction Therapy and Relapse Risk In Pediatric Patients with Acute Myeloid Leukemia: Children's Oncology Group (COG) Study POG-9421. Blood, 2010, 116, 954-954.	0.6	2
116	Identification of Novel Somatic Mutations, Regions of Recurrent Loss of Heterozygosity (LOH) and Significant Clonal Evolution From Diagnosis to Relapse in Childhood AML Determined by Exome Capture Sequencing – an NCI/COG Target AML Study. Blood, 2012, 120, 123-123.	0.6	2
117	Rearrangements in Nucleoporin Family of Genes in Childhood Acute Myeloid Leukemia: A Report from Children Oncology Group and NCI/COG Target AML Initiative. Blood, 2015, 126, 169-169.	0.6	2
118	Comprehensive Sequence Analysis of Relapse and Refractory Pediatric Acute Myeloid Leukemia Identifies miRNA and mRNA Transcripts Associated with Treatment Resistance - a Report from the COG/NCI-Target AML Initiative. Blood, 2015, 126, 687-687.	0.6	2
119	FLT3 Mutations in Pediatric Acute Promyelocytic Leukemia; A Report from the Children's Oncology Group AAML0631 Trial. Blood, 2016, 128, 2884-2884.	0.6	2
120	Clinical Impact of Additional Cytogenetic Aberrations and Complex Karyotype In Pediatric 11q23/MLL-Rearranged AML: Results from an International Retrospective Study. Blood, 2010, 116, 762-762.	0.6	2
121	Acute Myeloid Leukemia with t(6;9)(p23;q34) Is Associated Poor Outcome in Childhood AML Regardless of FLT3/ITD Status, A Report From Children's Oncology Group.. Blood, 2012, 120, 2541-2541.	0.6	2
122	Mutational Concordance from Diagnosis and Relapse in Pediatric Acute Myeloid Leukemia: A Report from the Children's Oncology Group. Blood, 2016, 128, 2846-2846.	0.6	2
123	Efficacy of ALL Therapy for WHO2016-Defined Mixed Phenotype Acute Leukemia: A Report from the Children's Oncology Group. Blood, 2017, 130, 883-883.	0.6	2
124	Adapting CryoPen, a Non-Gas Based Cryotherapy System for Use in Low- and Middle-Income Countries. Journal of Global Oncology, 2016, 2, 11s-12s.	0.5	1
125	Area-Based Socioeconomic Disparities in Survival of Children with Newly Diagnosed Acute Myeloid Leukemia: A Report from the Children's Oncology Group. Blood, 2019, 134, 703-703.	0.6	1
126	Identification of Post-Induction Minimal Residual Disease by Multidimensional Flow Cytometry Identifies Patients with AML at High Risk of Relapse and Poor Outcome- a Report From the Children's Oncology Group. Blood, 2010, 116, 1702-1702.	0.6	1

#	ARTICLE	IF	CITATIONS
127	Single Cell Network Profiling (SCNP)-Based Classifier to Predict Response to Induction Therapy in Pediatric Patients with De Novo Acute Myeloid Leukemia (AML): Validation Study Results., Blood, 2011, 118, 3544-3544.	0.6	1
128	Presence of Residual Disease Detected by Multidimensional Flow Cytometry Identifies Patients with AML At High Risk of Relapse – a Report From the Children’s Oncology Group., Blood, 2011, 118, 3545-3545.	0.6	1
129	FACS Analysis of Stat3/5 Signaling Reveals Ligand Sensitivity As a Significant Prognostic Factor in Pediatric AML: A Children's Oncology Group Report. Blood, 2011, 118, 938-938.	0.6	1
130	WT1 snp rs16754 Genotype Predicts Treatment Related Mortality (TRM) in African-American and Asian Pediatric AML Patients: A Report From the Children's Oncology Group. Blood, 2012, 120, 1385-1385.	0.6	1
131	Disease Characteristics and Prognostic Implications Of Cell Surface FLT3 Receptor (CD135) Expression In Pediatric Acute Myeloid Leukemia – A Report From Children’s Oncology Group. Blood, 2013, 122, 2609-2609.	0.6	1
132	Accuracy Of Adverse Event Reporting Compared To Patient Chart Abstraction On a Phase III NCI-Funded Clinical Trial For Pediatric Acute Myeloid Leukemia: A Report From The Children’s Oncology Group. Blood, 2013, 122, 931-931.	0.6	1
133	ASXL1 and ASXL2 Mutations in Childhood AML Are Strongly Associated with t(8;21) but Do Not Independently Impact on Prognosis: A Report from the Children's Oncology Group and NCI/COG Target Initiative. Blood, 2015, 126, 2587-2587.	0.6	1
134	Prognostic Relevance of Recurrent Genetic Aberrations in Pediatric Acute Megakaryoblastic Leukemia. Blood, 2015, 126, 2598-2598.	0.6	1
135	Excess Treatment-Related Mortality in Obese Children and Adolescents with Acute Myeloid Leukemia on AAML0531: A Report from the Children's Oncology Group. Blood, 2016, 128, 2790-2790.	0.6	1
136	Prognostic Implications of the IDH1 synonymous SNP rs11554137 In Pediatric and Adult AML: a Children's Oncology Group and Southwest Oncology Group Study. Blood, 2010, 116, 2737-2737.	0.6	1
137	Multiparameter FACS Analysis of G-CSF and IL-6 Signaling through Stat3 and Stat5 In Primary Pediatric AML Samples.. Blood, 2010, 116, 1051-1051.	0.6	1
138	Down Syndrome AML Is Unique in Phenotype Both at Diagnosis and in Post Chemotherapy Regeneration. Blood, 2016, 128, 1687-1687.	0.6	1
139	Newly Diagnosed Childhood AML Patients Treated with Bortezomib Show Superior Survival If CD74 Is Expressed: A Report of 991 Patients from the Children’s Oncology Group AAML1031 Protocol. Blood, 2020, 136, 39-39.	0.6	1
140	Comparison of the Transcriptomic Signatures in Pediatric and Adult CML. Blood, 2020, 136, 39-40.	0.6	1
141	Genome and Transcriptome Profiling of Monosomy 7 AML Defines Novel Risk and Therapeutic Cohorts. Blood, 2020, 136, 20-21.	0.6	1
142	Obesity in children with acute promyelocytic leukemia: What is its prevalence and prognostic significance?. Pediatric Blood and Cancer, 2022, , e29613.	0.8	1
143	Assessing Accuracy of Oral Health Diagnostic Tests. , 0, , 205-218.		0
144	Prevalence and Prognostic Implications of CEBP± Mutations in Pediatric AML.. Blood, 2007, 110, 1441-1441.	0.6	0

#	ARTICLE	IF	CITATIONS
145	Cell Death Regulatory Gene Expression Correlates with MLL Rearrangement Status and Prognostic Clinical Covariates in Acute Leukemia in Infants.. Blood, 2008, 112, 2255-2255.	0.6	0
146	Pathway Based Evaluation of Cytarabine Pharmacogenetics in Children with Acute Myeloid Leukemia.. Blood, 2009, 114, 2610-2610.	0.6	0
147	High Expression of the Very Late Antigen (VLA)-4 (CD49d) Integrin Predicts for Reduced Risk of Relapse and Better Outcome in Pediatric Acute Myeloid Leukemia (AML): A Report From the Children's Oncology Group.. Blood, 2009, 114, 1592-1592.	0.6	0
148	Flow Cytometric Assessment of Post Induction Response In Patients with Sub-Optimal Morphologic Response to Induction Chemotherapy- A Report From the Children's Oncology Group AML Protocol AAML0531. Blood, 2010, 116, 2740-2740.	0.6	0
149	The WT1 synonymous SNP rs16754 Is Associated with Higher mRNA Expression and Predicts Significantly Improved Outcome In Favorable-Risk Pediatric AML: a Report From the Children's Oncology Group. Blood, 2010, 116, 950-950.	0.6	0
150	High Mortality In Extreme Hyperleukocytosis In Pediatric Acute Myeloid Leukemia: A Report From the Children's Oncology Group.. Blood, 2010, 116, 1072-1072.	0.6	0
151	High Expression of Neutrophil Elastase Predicts Improved Survival In Pediatric Acute Myeloid Leukemia: A Report From the Children's Oncology Group. Blood, 2010, 116, 2762-2762.	0.6	0
152	The Prevalence of Fanconi Anemia Among Patients with De Novo Acute Myelogenous Leukemia. Blood, 2010, 116, 2232-2232.	0.6	0
153	Oxidant Pathway Functional Polymorphisms Influence the Risk of Myeloid Leukemia/Transient Myeloproliferative Disorder In Children with Down Syndrome.. Blood, 2010, 116, 1680-1680.	0.6	0
154	CBL Mutations In Pediatric Acute Myelogenous Leukemia Are a Rare Event, a Report From the Children's Oncology Group.. Blood, 2010, 116, 1659-1659.	0.6	0
155	The Ratio of Alternate BIRC5 (Survivin) Splice Variants Correlates with Refractory Disease and Poor Outcome in Children with Acute Myeloid Leukemia: A Report From the Children's Oncology Group., Blood, 2011, 118, 3555-3555.	0.6	0
156	Merging of Children's Oncology Group and Pediatric Health Information Systems Data to Determine Resource Utilization and Treatment Costs on AAML0531: A Report From the Children's Oncology Group. Blood, 2011, 118, 2617-2617.	0.6	0
157	TET2 Mutations Are Associated with Poor Outcome in Pediatric AML: A Report From the Children's Oncology Group. Blood, 2011, 118, 569-569.	0.6	0
158	The Prognostic Effect of High WT1 Gene Expression in Pediatric AML Depends on WT1 SNP rs16754 Status: A Report From the Children's Oncology Group (COG). Blood, 2011, 118, 1444-1444.	0.6	0
159	RNA-Sequencing Unveils Cryptic Fusions in Patients with Acute Myeloid Leukemia. Blood, 2012, 120, 1278-1278.	0.6	0
160	Effectiveness of Supportive Care Measurements to Reduce Infections During Induction for Children with Acute Myeloid Leukemia: A Report From the Children's Oncology Group. Blood, 2012, 120, 1478-1478.	0.6	0
161	Elevated Expression of miR-181a and miR-155 Identify Pediatric AML Patients at High Risk of Induction Failure, A Report from Children's Oncology Group.. Blood, 2012, 120, 2388-2388.	0.6	0
162	Expression of RUNX1 and RUNX1T1 Correlates with Cytogenetic Subgroups in Pediatric AML: A Report From the Children's Oncology Group. Blood, 2012, 120, 1425-1425.	0.6	0

#	ARTICLE	IF	CITATIONS
163	Constitutional Telomerase-Associated Gene Variants Associated with Chemotherapy-Related Toxicities in Pediatric Acute Myeloid Leukemia (AML). <i>Blood</i> , 2012, 120, 1403-1403.	0.6	0
164	Cryptic NUP98/NSD1 Translocations Are Highly Prevalent in FLT3/ITD-Positive Acute Myeloid Leukemia and Lead to High Rate of Induction Failure. Report From Children's Oncology Group. <i>Blood</i> , 2012, 120, 529-529.	0.6	0
165	Novel IRF8 Splice Variants Are Validated As a New Prognostic Biomarker for Adverse Outcome in an Independent Population of Pediatric Patients with AML. <i>Blood</i> , 2012, 120, 2550-2550.	0.6	0
166	AAML0523: A Report From the Children's Oncology Group On the Efficacy of Clofarabine in Combination with Cytarabine in Pediatric Patients with Relapsed Acute Myeloid Leukemia. <i>Blood</i> , 2012, 120, 3604-3604.	0.6	0
167	Hematopoietic Cell Transplant Versus Chemotherapy As Consolidation Treatment for Pediatric AML with Poor-Risk Cytogenetics. <i>Blood</i> , 2012, 120, 127-127.	0.6	0
168	High EVI1 expression Is Associated with MLL rearrangements and Predicts Decreased Survival in Pediatric AML: A Report From the Children's Oncology Group. <i>Blood</i> , 2012, 120, 2530-2530.	0.6	0
169	Outcome of Pediatric Patients with Acute Myeloid Leukemia and -5/5q-Abnormalities Enrolled On Five Children's Oncology Group Acute Myeloid Leukemia Treatment Protocols. <i>Blood</i> , 2012, 120, 1414-1414.	0.6	0
170	Pediatric Acute Myeloid Leukemia with t(8;16)(p11;p13): A Distinct Clinical and Biological Entity. Results of a Collaborative Study by the International Berlin-Frankfurt-Munster AML Study Group. <i>Blood</i> , 2012, 120, 2516-2516.	0.6	0
171	Novel IL23R Splice Variant Is Associated with Worse Prognosis in Pediatric Patients with AML. <i>Blood</i> , 2012, 120, 2546-2546.	0.6	0
172	Genomic Architecture and Treatment Response In Pediatric Acute Myeloid Leukemia: A Report From The Children's Oncology Group. <i>Blood</i> , 2013, 122, 610-610.	0.6	0
173	Constitutional Telomerase-Associated Gene Variants In Pediatric Acute Myeloid Leukemia (AML) and In Association With Chemotherapy-Related Toxicities. <i>Blood</i> , 2013, 122, 1310-1310.	0.6	0
174	NUP98/NSD1 Translocation Further Risk-Stratifies Patients With FLT3/ITD In Acute Myeloid Leukemia: A Report From Children's Oncology Group and SWOG. <i>Blood</i> , 2013, 122, 488-488.	0.6	0
175	Duration Of Neutropenia Is Associated With Reduced Relapse Risk In Children With De Novo Acute Myeloid Leukemia: A Report From The Children's Oncology Group. <i>Blood</i> , 2013, 122, 2650-2650.	0.6	0
176	Multimerin-1 (MMRN1) As Novel Adverse Prognostic Marker in Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Blood</i> , 2014, 124, 2330-2330.	0.6	0
177	Patient Factors Associated with Enrollment on an Acute Myeloid Leukemia Phase III Clinical Trial: A Report from the Children's Oncology Group. <i>Blood</i> , 2014, 124, 2286-2286.	0.6	0
178	Gemtuzumab Ozogamicin Reduces Relapse Risk in FLT3-ITD+ Acute Myeloid Leukemia: A Report from the Children's Oncology Group. <i>Blood</i> , 2014, 124, 486-486.	0.6	0
179	TET2 Mutations Are Highly Associated with RUNX1-RUNX1T1 Translocations and NPMc+ in Childhood AML: a Report from Children's Oncology Group AAML03P1, AAML0531 and NCI/COG Target AML Initiative. <i>Blood</i> , 2015, 126, 1368-1368.	0.6	0
180	Genetic Variations in Calicheamicin Pathway Genes Are Predictors of Gemtuzumab Ozogamicin Response in AML Patients: Results from COG-AAML0531 Study. <i>Blood</i> , 2015, 126, 1260-1260.	0.6	0

#	ARTICLE	IF	CITATIONS
181	Defining the Genomic Make up of Acute Myeloid Leukemia in Adolescents and Young Adults (AYA): Report from COG AAML03P1, AAML531 and SWOG S0106. <i>Blood</i> , 2015, 126, 2576-2576.	0.6	0
182	Genomic and Proteomic Analysis of Primary Chemoresistance and Induction Failure in Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 88-88.	0.6	0
183	Comprehensive Genomic and Transcript Profiling of CBL Gene in Childhood AML: A Report from Children's Oncology Group Studies AAML03P1, AAML0531 and COG/NCI Target AML Initiative. <i>Blood</i> , 2015, 126, 170-170.	0.6	0
184	CD33 Splicing Polymorphism Is a Strong Predictor of Therapeutic Efficacy of Gemtuzumab Ozogamicin in De Novo AML: Report from COG-AAML0531 Study. <i>Blood</i> , 2016, 128, 2743-2743.	0.6	0
185	Relapse Following Initial Remission and Subsequent Outcome for Children with Relapsed Acute Myeloid Leukemia on the AAML0531 Phase III Study of Gemtuzumab Ozogamicin: A Report from the Children's Oncology Group. <i>Blood</i> , 2016, 128, 2794-2794.	0.6	0
186	The Effect of Traumatic Diagnostic Lumbar Puncture in De Novo Pediatric Acute Myeloid Leukemia - a Report from the Children's Oncology Group. <i>Blood</i> , 2016, 128, 4016-4016.	0.6	0
187	A microRNA Expression-Based Model Predicts Event Free Survival in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2016, 128, 1210-1210.	0.6	0
188	Prognostic Significance of FOXO3 in Pediatric Acute Myeloid Leukemia (AML) Patients Treated with Bortezomib Addition to Standard Therapy: Results from a Children's Oncology Group Phase 3 Clinical Trial. <i>Blood</i> , 2019, 134, 2676-2676.	0.6	0
189	<i>KMT2A</i> Partial Tandem Duplications (<i>KMT2A</i> -PTD) Is a Rare, but Recurrent Genomic Event in Childhood AML and Associated with High Rate of Co-Occurring <i>FLT3</i> Mutations. <i>Blood</i> , 2021, 138, 609-609.	0.6	0
190	Epigenetic Silencing of CD34 in AML and Association with Outcome in <i>KMT2A</i> Fusions. <i>Blood</i> , 2021, 138, 802-802.	0.6	0
191	Gene Expression Analysis of CML Patients across the Age Spectrum. <i>Blood</i> , 2021, 138, 1473-1473.	0.6	0
192	EZH2-Mediated MHC Class II Silencing Drives Immune Evasion in AML with t(16;21) (<i>FUS-ERG</i>). <i>Blood</i> , 2021, 138, 374-374.	0.6	0
193	Integrated Genomic Analysis Identifies UBTF Tandem Duplications As a Subtype-Defining Lesion in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2021, 138, LBA-4-LBA-4.	0.6	0
194	Integrated Stem Cell Signature and Cytomolecular Risk Determination in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 28-29.	0.6	0