

Alicia Rodriguez-Barbero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5637859/publications.pdf>

Version: 2024-02-01

72
papers

2,042
citations

236925

25
h-index

254184

43
g-index

73
all docs

73
docs citations

73
times ranked

2100
citing authors

#	ARTICLE	IF	CITATIONS
1	Endoglin regulates nitric oxide-dependent vasodilatation. <i>FASEB Journal</i> , 2004, 18, 609-611.	0.5	163
2	Three-Dimensional Microcomputed Tomography of Renal Vasculature in Rats. <i>Hypertension</i> , 1998, 31, 440-444.	2.7	126
3	Reduced angiogenic responses in adult endoglin heterozygous mice. <i>Cardiovascular Research</i> , 2006, 69, 845-854.	3.8	105
4	L- and S-endoglin differentially modulate TGF β 21 signaling mediated by ALK1 and ALK5 in L6E9 myoblasts. <i>Journal of Cell Science</i> , 2008, 121, 913-919.	2.0	105
5	Matrix metalloproteinase 13 mediates nitric oxide activation of endothelial cell migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3685-3690.	7.1	80
6	S-Endoglin Expression Is Induced in Senescent Endothelial Cells and Contributes to Vascular Pathology. <i>Circulation Research</i> , 2008, 103, 1383-1392.	4.5	80
7	TGF- β 1 induces COX-2 expression and PGE2 synthesis through MAPK and PI3K pathways in human mesangial cells. <i>Kidney International</i> , 2006, 70, 901-909.	5.2	75
8	F-actin fiber distribution in glomerular cells: Structural and functional implications. <i>Kidney International</i> , 2000, 58, 2452-2461.	5.2	74
9	Mechanical strain- and high glucose-induced alterations in mesangial cell collagen metabolism. <i>Journal of the American Society of Nephrology: JASN</i> , 1998, 9, 827-836.	6.1	69
10	Expression of endoglin in human mesangial cells: modulation of extracellular matrix synthesis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2002, 1587, 36-44.	3.8	66
11	Endoglin Modulation of TGF- β 1-Induced Collagen Synthesis is Dependent on ERK1/2 MAPK Activation. <i>Cellular Physiology and Biochemistry</i> , 2006, 18, 135-142.	1.6	65
12	Involvement of reactive oxygen species on gentamicin-induced mesangial cell activation. <i>Kidney International</i> , 2002, 62, 1682-1692.	5.2	61
13	Transforming growth factor- β 1 induces collagen synthesis and accumulation via p38 mitogen-activated protein kinase (MAPK) pathway in cultured L6E9myoblasts. <i>FEBS Letters</i> , 2002, 513, 282-288.	2.8	59
14	Potential use of isolated glomeruli and cultured mesangial cells as in vitro models to assess nephrotoxicity. <i>Cell Biology and Toxicology</i> , 2000, 16, 145-153.	5.3	49
15	Gene expression fingerprinting for human hereditary hemorrhagic telangiectasia. <i>Human Molecular Genetics</i> , 2007, 16, 1515-1533.	2.9	48
16	Endoglin Regulates Cyclooxygenase-2 Expression and Activity. <i>Circulation Research</i> , 2006, 99, 248-256.	4.5	47
17	Endoglin Expression in Human and Rat Mesangial Cells and Its Upregulation by TGF- β 1. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 142-147.	2.1	46
18	Endoglin Expression Regulates Basal and TGF- β 1-induced Extracellular Matrix Synthesis in Cultured L ₆ E ₉ Myoblasts. <i>Cellular Physiology and Biochemistry</i> , 2004, 14, 301-310.	1.6	46

#	ARTICLE	IF	CITATIONS
19	Relative roles of endothelin-1 and angiotensin II in experimental post-ischaemic acute renal failure. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 83-94.	0.7	43
20	Identification of serum endoglin as a novel prognostic marker after acute myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 955-961.	3.6	40
21	Continuous endoglin (CD105) overexpression disrupts angiogenesis and facilitates tumor cell metastasis. <i>Angiogenesis</i> , 2020, 23, 231-247.	7.2	29
22	A role for platelet-activating factor in endothelin-1-induced rat mesangial cell proliferation. <i>European Journal of Pharmacology</i> , 1993, 243, 235-240.	3.5	28
23	Effects of oral antihyperglycemic agents on extracellular matrix synthesis by mesangial cells. <i>Kidney International</i> , 1998, 54, 1985-1998.	5.2	27
24	Teaching integrative physiology using the quantitative circulatory physiology model and case discussion method: evaluation of the learning experience. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2008, 32, 304-311.	1.6	27
25	Gentamicin activates rat mesangial cells. A role for platelet activating factor. <i>Kidney International</i> , 1995, 47, 1346-1353.	5.2	26
26	The mitogen-activated protein kinase Erk5 mediates human mesangial cell activation. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3403-3411.	0.7	23
27	Peripheral 5-HT1D and 5-HT7 serotonergic receptors modulate sympathetic neurotransmission in chronic sarpogrelate treated rats. <i>European Journal of Pharmacology</i> , 2013, 714, 65-73.	3.5	23
28	Resveratrol inhibits gentamicin-induced mesangial cell contraction. <i>Life Sciences</i> , 2006, 78, 2373-2377.	4.3	21
29	Reduced plasma levels of Ang-2 and sEng as novel biomarkers in hereditary hemorrhagic telangiectasia (HHT). <i>Clinica Chimica Acta</i> , 2010, 411, 494-499.	1.1	21
30	Effect of N ^G -Nitro-L-Arginine Methyl Ester on Nephrotoxicity Induced by Gentamicin in Rats. <i>Nephron</i> , 1995, 71, 203-207.	1.8	20
31	Role of Calcium in Gentamicin-Induced Mesangial Cell Activation. <i>Cellular Physiology and Biochemistry</i> , 2000, 10, 65-72.	1.6	20
32	Vascular endothelial cell activation by adult <i>Dirofilaria immitis</i> antigens. <i>Parasitology International</i> , 2008, 57, 441-446.	1.3	20
33	Endoglin Haploinsufficiency Promotes Fibroblast Accumulation during Wound Healing through Akt Activation. <i>PLoS ONE</i> , 2013, 8, e54687.	2.5	20
34	Pregnancy-Induced High Plasma Levels of Soluble Endoglin in Mice Lead to Preeclampsia Symptoms and Placental Abnormalities. <i>International Journal of Molecular Sciences</i> , 2021, 22, 165.	4.1	19
35	Effect of platelet activating factor antagonist treatment on gentamicin nephrotoxicity. <i>Mediators of Inflammation</i> , 1992, 1, 23-26.	3.0	18
36	<i>Dirofilaria immitis</i> and Wolbachia-derived antigens: Its effect on endothelial mammal cells. <i>Veterinary Parasitology</i> , 2008, 158, 223-231.	1.8	16

#	ARTICLE	IF	CITATIONS
37	Characterization of contractile 5-hydroxytryptamine receptor subtypes in the in situ autoperfused kidney in the anaesthetized rat. <i>European Journal of Pharmacology</i> , 2008, 592, 133-137.	3.5	16
38	Adult <i>Dirofilaria immitis</i> excretory/secretory antigens upregulate the production of prostaglandin E2 and downregulate monocyte transmigration in an <i>in vitro</i> model of vascular endothelial cell cultures. <i>Veterinary Parasitology</i> , 2010, 170, 331-335.	1.8	15
39	Circulating soluble endoglin modifies the inflammatory response in mice. <i>PLoS ONE</i> , 2017, 12, e0188204.	2.5	15
40	Characterization of the contractile 5-hydroxytryptamine receptor in the autoperfused kidney of L-NAME hypertensive rats. <i>European Journal of Pharmacology</i> , 2009, 620, 90-96.	3.5	13
41	Effect of Ouabain and Hypothalamic, Hypophysary Inhibitory Factor on Rat Mesangial Cell Proliferation. <i>Journal of Cardiovascular Pharmacology</i> , 1993, 22, S35-S37.	1.9	11
42	Effect of Atrial Natriuretic Peptide and Calcium Antagonists on Platelet-Activating Factor-Induced Contraction and Intracellular Calcium Mobilization in Rat Mesangial Cells. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 24, 388-393.	1.9	11
43	Role of Vascular Nitric Oxide in Experimental Liver Cirrhosis. <i>Current Vascular Pharmacology</i> , 2005, 3, 81-85.	1.7	11
44	Participation of cyclooxygenase pathway in the vasoconstriction induced by 5-HT in the in situ autoperfused kidney of long-term diabetic rats. <i>European Journal of Pharmacology</i> , 2011, 659, 37-44.	3.5	11
45	High Levels of Serum Thromboxane B2 Are Generated during Human Pulmonary <i>Dirofilaria immitis</i> Infection. <i>Vaccine Journal</i> , 2006, 13, 1175-1176.	3.1	10
46	Changes in the levels of eicosanoids in cats naturally and experimentally infected with <i>Dirofilaria immitis</i> . <i>Veterinary Parasitology</i> , 2007, 147, 271-275.	1.8	10
47	Effect of Verapamil on Endothelin-1-Induced Proliferation in Cultured Rat Mesangial Cells. <i>Cellular Physiology and Biochemistry</i> , 1995, 5, 155-166.	1.6	9
48	Characterization of the rat mesangial cell type 2 sulfonyleurea receptor. <i>Kidney International</i> , 1999, 55, 2289-2298.	5.2	9
49	Gentamicin induces Jun-AP1 expression and JNK activation in renal glomeruli and cultured mesangial cells. <i>Life Sciences</i> , 2005, 77, 2285-2298.	4.3	9
50	Involvement of phospholipase A2 in gentamicin-induced rat mesangial cell activation. <i>American Journal of Physiology - Renal Physiology</i> , 1997, 273, F60-F66.	2.7	8
51	Induction of DNA synthesis by ligation of the CD53 tetraspanin antigen in primary cultures of mesangial cells. <i>Kidney International</i> , 2003, 63, 534-542.	5.2	8
52	Angiogenic response in an in vitro model of dog microvascular endothelial cells stimulated with antigenic extracts from <i>Dirofilaria immitis</i> adult worms. <i>Parasites and Vectors</i> , 2019, 12, 315.	2.5	8
53	Effect of Hypothalamic-Hypophysary Inhibitory Factor on Mesangial Cell Activation. <i>Hypertension</i> , 1995, 26, 905-911.	2.7	8
54	5-HT _{1D} modulates the rat mesenteric vasopressor outflow by 5-HT _{1D} sympatholytic receptors. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017, 44, 1224-1231.	1.9	7

#	ARTICLE	IF	CITATIONS
55	Effect of gentamicin treatment on glutamine and lactate metabolism by the renal cortex of the rat. Archives Internationales De Physiologie, De Biochimie Et De Biophysique, 1993, 101, 193-196.	0.1	5
56	5-HT ₂ receptor blockade exhibits 5-HT vasodilator effects via nitric oxide, prostacyclin and ATP-sensitive potassium channels in rat renal vasculature. Vascular Pharmacology, 2016, 79, 51-59.	2.1	5
57	Gentamicin nephrotoxicity in rats is not modified by verapamil. Archives Internationales De Physiologie, De Biochimie Et De Biophysique, 1993, 101, 395-397.	0.1	4
58	Perindopril Stimulates Cultured Mesangial Cell Activation via Bradykinin Accumulation. Cellular Physiology and Biochemistry, 1997, 7, 69-80.	1.6	4
59	Hypertension exhibits 5-HT ₄ receptor as a modulator of sympathetic neurotransmission in the rat mesenteric vasculature. Hypertension Research, 2019, 42, 618-627.	2.7	4
60	Dopamine D ₄ receptor subtype activation reduces the rat cardiac parasympathetic discharge. Pflugers Archiv European Journal of Physiology, 2020, 472, 1693-1703.	2.8	4
61	Angiogenesis in cardiopulmonary dirofilariosis: does the <i>Wolbachia</i> surface protein have a pro- or anti-angiogenic effect?. Journal of Helminthology, 2020, 94, e162.	1.0	4
62	Oral fluoxetine treatment changes serotonergic sympho-regulation in experimental type 1 diabetes. Life Sciences, 2022, 293, 120335.	4.3	4
63	Endoglin and Activin Receptor-like Kinase 1 (Alk1) Modify Adrenomedullin Expression in an Organ-Specific Manner in Mice. Biology, 2022, 11, 358.	2.8	4
64	Alteration in Endoglin-Related Angiogenesis in Refractory Cytopenia with Multilineage Dysplasia. PLoS ONE, 2013, 8, e53624.	2.5	3
65	Functional Alterations Involved in Increased Bleeding in Hereditary Hemorrhagic Telangiectasia Mouse Models. Frontiers in Medicine, 2022, 9, .	2.6	3
66	Effect of Felodipine on Systemic Hemodynamics of Spontaneous Mild-Hypertensive Aged Rats. Archives of Physiology and Biochemistry, 1995, 103, 87-90.	2.1	1
67	The Role of Platelet-Activating Factor and the Effect of PAF Blocking Receptors on the Outcome of ARF. Renal Failure, 1996, 18, 489-499.	2.1	1
68	Human recombinant erythropoietic agents do not induce changes in circulating levels of endoglin and vascular endothelial growth factor in anemic cancer patients. Cancer Letters, 2007, 255, 71-76.	7.2	1
69	Influence of elevated sleep-time blood pressure on vascular risk and hypertension-mediated organ damage. Chronobiology International, 2021, 38, 367-377.	2.0	1
70	Gene expression fingerprinting for human hereditary hemorrhagic telangiectasia. Human Molecular Genetics, 2007, 16, 2649-2649.	2.9	0
71	P-235 RCMD patients have an abnormal angiogenesis related to endoglin. Leukemia Research, 2013, 37, S129.	0.8	0
72	OS 05-07 ROLE OF SOLUBLE ENDOGLIN IN THE PHYSIOPATHOLOGY OF PREECLAMPSIA. Journal of Hypertension, 2016, 34, e59-e60.	0.5	0