

# Kazutoshi Fujita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5637872/publications.pdf>

Version: 2024-02-01

199  
papers

4,681  
citations

94433

37  
h-index

138484

58  
g-index

226  
all docs

226  
docs citations

226  
times ranked

6211  
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Androgen Receptor in Prostate Cancer: A Review. <i>World Journal of Men's Health</i> , 2019, 37, 288.	3.3	270
2	Serial Prostate Biopsies are Associated With an Increased Risk of Erectile Dysfunction in Men With Prostate Cancer on Active Surveillance. <i>Journal of Urology</i> , 2009, 182, 2664-2669.	0.4	152
3	Proteomic analysis of urinary extracellular vesicles from high Gleason score prostate cancer. <i>Scientific Reports</i> , 2017, 7, 42961.	3.3	128
4	Transplantation of spermatogonial stem cells isolated from leukemic mice restores fertility without inducing leukemia. <i>Journal of Clinical Investigation</i> , 2005, 115, 1855-1861.	8.2	127
5	PREDICTION OF SUCCESSFUL OUTCOME OF MICRODISSECTION TESTICULAR SPERM EXTRACTION IN MEN WITH IDIOPATHIC NONOBSTRUCTIVE AZOOSPERMIA. <i>Journal of Urology</i> , 2004, 172, 1944-1947.	0.4	123
6	Non-invasive detection of urothelial cancer through the analysis of driver gene mutations and aneuploidy. <i>ELife</i> , 2018, 7, .	6.0	118
7	Urinary biomarkers of prostate cancer. <i>International Journal of Urology</i> , 2018, 25, 770-779.	1.0	112
8	High-Fat Diet-Induced Inflammation Accelerates Prostate Cancer Growth via IL6 Signaling. <i>Clinical Cancer Research</i> , 2018, 24, 4309-4318.	7.0	105
9	The miR-130 family promotes cell migration and invasion in bladder cancer through FAK and Akt phosphorylation by regulating PTEN. <i>Scientific Reports</i> , 2016, 6, 20574.	3.3	102
10	Influence of Diet and Nutrition on Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1447.	4.1	99
11	Obesity, Inflammation, and Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 201.	2.4	92
12	Gut Microbiotaâ€œDerived Short-Chain Fatty Acids Promote Prostate Cancer Growth via IGF1 Signaling. <i>Cancer Research</i> , 2021, 81, 4014-4026.	0.9	83
13	Isolation of Germ Cells from Leukemia and Lymphoma Cells in a Human <i>in vitro</i> Model: Potential Clinical Application for Restoring Human Fertility after Anticancer Therapy. <i>Cancer Research</i> , 2006, 66, 11166-11171.	0.9	82
14	MiR-21-5p in urinary extracellular vesicles is a novel biomarker of urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 24668-24678.	1.8	78
15	High-Dose-Rate Brachytherapy as Monotherapy for Intermediate- and High-Risk Prostate Cancer: Clinical Results for a Median 8-Year Follow-Up. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 675-682.	0.8	72
16	miR-629 Targets TRIM33 to Promote TGF $\beta$ 2/Smad Signaling and Metastatic Phenotypes in ccRCC. <i>Molecular Cancer Research</i> , 2015, 13, 565-574.	3.4	63
17	Diagnostic potential of <i>TERT</i> promoter and <i>FGFR3</i> mutations in urinary cell-free DNA in upper tract urothelial carcinoma. <i>Cancer Science</i> , 2019, 110, 1771-1779.	3.9	63
18	Monocyte chemotactic protein-1 (MCP-1/CCL2) is associated with prostatic growth dysregulation and benign prostatic hyperplasia. <i>Prostate</i> , 2010, 70, 473-481.	2.3	62

#	ARTICLE	IF	CITATIONS
19	Clinical significance of the mutational landscape and fragmentation of circulating tumor DNA in renal cell carcinoma. <i>Cancer Science</i> , 2019, 110, 617-628.	3.9	61
20	Extracellular vesicles isolated from human renal cell carcinoma tissues disrupt vascular endothelial cell morphology via azurocidin. <i>International Journal of Cancer</i> , 2018, 142, 607-617.	5.1	57
21	Differential brain processing of audiovisual sexual stimuli in men: Comparative positron emission tomography study of the initiation and maintenance of penile erection during sexual arousal. <i>NeuroImage</i> , 2007, 36, 830-842.	4.2	54
22	Cytokine profiling of prostatic fluid from cancerous prostate glands identifies cytokines associated with extent of tumor and inflammation. <i>Prostate</i> , 2008, 68, 872-882.	2.3	51
23	Endoglin (CD105) as a urinary and serum marker of prostate cancer. <i>International Journal of Cancer</i> , 2009, 124, 664-669.	5.1	51
24	Predictive biomarkers for drug response in bladder cancer. <i>International Journal of Urology</i> , 2019, 26, 1044-1053.	1.0	50
25	Serum fucosylated haptoglobin as a novel prognostic biomarker predicting high-Gleason prostate cancer. <i>Prostate</i> , 2014, 74, 1052-1058.	2.3	49
26	Expression of Nectin-4 and PD-L1 in Upper Tract Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5390.	4.1	48
27	Primary signet ring cell carcinoma of the prostate: Report and review of 42 cases. <i>International Journal of Urology</i> , 2004, 11, 178-181.	1.0	47
28	Clinical characteristics and risk factors for septic shock in patients receiving emergency drainage for acute pyelonephritis with upper urinary tract calculi. <i>BMC Urology</i> , 2012, 12, 4.	1.4	47
29	Tuberous sclerosis complex: Recent advances in manifestations and therapy. <i>International Journal of Urology</i> , 2017, 24, 681-691.	1.0	47
30	GATA3 immunohistochemistry in urothelial carcinoma of the upper urinary tract as a urothelial marker and a prognosticator. <i>Human Pathology</i> , 2017, 64, 83-90.	2.0	46
31	Incidence and distribution of UroSEEK gene panel in a multi-institutional cohort of bladder urothelial carcinoma. <i>Modern Pathology</i> , 2019, 32, 1544-1550.	5.5	45
32	The gut microbiota associated with high-Gleason prostate cancer. <i>Cancer Science</i> , 2021, 112, 3125-3135.	3.9	44
33	Immunomodulatory IL-18 binding protein is produced by prostate cancer cells and its levels in urine and serum correlate with tumor status. <i>International Journal of Cancer</i> , 2011, 129, 424-432.	5.1	42
34	Specific detection of prostate cancer cells in urine by multiplex immunofluorescence cytology. <i>Human Pathology</i> , 2009, 40, 924-933.	2.0	41
35	Expression of steroid hormone receptors and its prognostic significance in urothelial carcinoma of the upper urinary tract. <i>Cancer Biology and Therapy</i> , 2016, 17, 1188-1196.	3.4	40
36	Site-specific and linkage analyses of fucosylated N-glycans on haptoglobin in sera of patients with various types of cancer: possible implication for the differential diagnosis of cancer. <i>Glycoconjugate Journal</i> , 2016, 33, 471-482.	2.7	40

#	ARTICLE	IF	CITATIONS
37	Comparative study on evaluation methods for serum testosterone level for PADAM diagnosis. International Journal of Impotence Research, 2005, 17, 259-263.	1.8	39
38	High miR-122 expression promotes malignant phenotypes in ccRCC by targeting occludin. International Journal of Oncology, 2017, 51, 289-297.	3.3	39
39	EMMPRIN Promotes Angiogenesis, Proliferation, Invasion and Resistance to Sunitinib in Renal Cell Carcinoma, and Its Level Predicts Patient Outcome. PLoS ONE, 2013, 8, e74313.	2.5	39
40	Effect of 1,25-Dihydroxyvitamin D on Testicular Morphology and Gene Expression in Experimental Cryptorchid Mouse: Testis Specific cDNA Microarray Analysis and Potential Implication in Male Infertility. Journal of Urology, 2009, 181, 1487-1492.	0.4	38
41	High prevalence of TERT promoter mutations in micropapillary urothelial carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 427-434.	2.8	38
42	Increased level and fragmentation of plasma circulating cell-free DNA are diagnostic and prognostic markers for renal cell carcinoma. Oncotarget, 2018, 9, 20467-20475.	1.8	38
43	Main Inflammatory Cells and Potentials of Anti-Inflammatory Agents in Prostate Cancer. Cancers, 2019, 11, 1153.	3.7	37
44	Expression of miR-27a-3p is an independent predictive factor for recurrence in clear cell renal cell carcinoma. Oncotarget, 2015, 6, 21645-21654.	1.8	37
45	Low serum neutrophil count predicts a positive prostate biopsy. Prostate Cancer and Prostatic Diseases, 2012, 15, 386-390.	3.9	35
46	Proteomic analysis of urinary and tissue-exudative extracellular vesicles to discover novel bladder cancer biomarkers. Cancer Science, 2021, 112, 2033-2045.	3.9	35
47	Gut microbiome and prostate cancer. International Journal of Urology, 2022, 29, 793-798.	1.0	35
48	Hypertrophic scar contracture is mediated by the TRPC3 mechanical force transducer via NFkB activation. Scientific Reports, 2015, 5, 11620.	3.3	34
49	High prevalence of TERT promoter mutations in primary squamous cell carcinoma of the urinary bladder. Modern Pathology, 2016, 29, 511-515.	5.5	34
50	LOXL2 Status Correlates with Tumor Stage and Regulates Integrin Levels to Promote Tumor Progression in ccRCC. Molecular Cancer Research, 2014, 12, 1807-1817.	3.4	33
51	Growth Factor Measurement and Histological Analysis in Platelet Rich Fibrin: A Pilot Study. Journal of Maxillofacial and Oral Surgery, 2015, 14, 907-913.	1.4	33
52	Expression level of CXCL7 in peripheral blood cells is a potential biomarker for the diagnosis of renal cell carcinoma. Cancer Science, 2017, 108, 2495-2502.	3.9	33
53	The Firmicutes/Bacteroidetes ratio of the human gut microbiota is associated with prostate enlargement. Prostate, 2021, 81, 1287-1293.	2.3	33
54	Brain Processing of Audiovisual Sexual Stimuli Inducing Penile Erection: A Positron Emission Tomography Study. Journal of Urology, 2006, 176, 679-683.	0.4	32

#	ARTICLE	IF	CITATIONS
55	Prostatic Inflammation Detected in Initial Biopsy Specimens and Urinary Pyuria are Predictors of Negative Repeat Prostate Biopsy. <i>Journal of Urology</i> , 2011, 185, 1722-1727.	0.4	31
56	Detection of TERT promoter mutations in primary adenocarcinoma of the urinary bladder. <i>Human Pathology</i> , 2016, 53, 8-13.	2.0	31
57	Mutational Landscape and Environmental Effects in Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6072.	4.1	30
58	Residual Prostate Cancer Cells after Docetaxel Therapy Increase the Tumorigenic Potential via Constitutive Signaling of CXCR4, ERK1/2 and c-Myc. <i>Molecular Cancer Research</i> , 2013, 11, 1088-1100.	3.4	29
59	Spectrum of genetic mutations in de novo PUNLMP of the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 761-767.	2.8	29
60	Targeted sequencing of plasmacytoid urothelial carcinoma reveals frequent TERT promoter mutations. <i>Human Pathology</i> , 2019, 85, 1-9.	2.0	28
61	The role of actinin-4 (ACTN4) in exosomes as a potential novel therapeutic target in castration-resistant prostate cancer. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 588-594.	2.1	28
62	Serum monocyte fraction of white blood cells is increased in patients with high Gleason score prostate cancer. <i>Oncotarget</i> , 2017, 8, 35255-35261.	1.8	28
63	Peripheral blood monocyte count reflecting tumor-infiltrating macrophages is a predictive factor of adverse pathology in radical prostatectomy specimens. <i>Prostate</i> , 2017, 77, 1383-1388.	2.3	27
64	Preoperative risk stratification for cancer-specific survival of patients with upper urinary tract urothelial carcinoma treated by nephroureterectomy. <i>International Journal of Clinical Oncology</i> , 2015, 20, 156-163.	2.2	26
65	Two cases of plasmacytoid variant of urothelial carcinoma of urinary bladder: systemic chemotherapy might be of benefit. <i>International Journal of Clinical Oncology</i> , 2011, 16, 759-762.	2.2	25
66	Clinical Significance of Hotspot Mutation Analysis of Urinary Cell-Free DNA in Urothelial Bladder Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 755.	2.8	25
67	Tumour grade significantly correlates with total dysfunction of tumour tissue-infiltrating lymphocytes in renal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 6220.	3.3	25
68	Dysregulation of mammalian target of rapamycin pathway in upper tract urothelial carcinoma. <i>Human Pathology</i> , 2013, 44, 2668-2676.	2.0	23
69	Decreased fucosylated PSA as a urinary marker for high Gleason score prostate cancer. <i>Oncotarget</i> , 2016, 7, 56643-56649.	1.8	23
70	Adjuvant chemotherapy improves survival of patients with high-risk upper urinary tract urothelial carcinoma: a propensity score-matched analysis. <i>BMC Urology</i> , 2017, 17, 110.	1.4	22
71	Comparative study of Sperm Motility Analysis System and conventional microscopic semen analysis. <i>Reproductive Medicine and Biology</i> , 2006, 5, 195-200.	2.4	20
72	R.E.N.A.L. nephrometry score predicts postoperative recurrence of localized renal cell carcinoma treated by radical nephrectomy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 367-372.	2.2	20

#	ARTICLE	IF	CITATIONS
73	Immunological classification of renal cell carcinoma patients based on phenotypic analysis of immune check-point molecules. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 113-125.	4.2	20
74	<i>TERT</i> C228T mutation in non-malignant bladder urothelium is associated with intravesical recurrence for patients with non-muscle invasive bladder cancer. <i>Molecular Oncology</i> , 2020, 14, 2375-2383.	4.6	20
75	Peripheral T cell receptor repertoire features predict durable responses to anti-PD-1 inhibitor monotherapy in advanced renal cell carcinoma. <i>OncoImmunology</i> , 2021, 10, 1862948.	4.6	20
76	MiR-30b-3p and miR-126-3p of urinary extracellular vesicles could be new biomarkers for prostate cancer. <i>Translational Andrology and Urology</i> , 2021, 10, 1918-1927.	1.4	20
77	MicroRNA-92b-3p is a prognostic oncomiR that targets <i>TSC1</i> in clear cell renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 1146-1155.	3.9	19
78	Microvessel area of immature vessels is a prognostic factor in renal cell carcinoma. <i>International Journal of Urology</i> , 2014, 21, 130-134.	1.0	18
79	Phase I/II clinical trial to assess safety and efficacy of intratumoral and subcutaneous injection of HVJ-E in castration-resistant prostate cancer patients. <i>Cancer Gene Therapy</i> , 2017, 24, 277-281.	4.6	18
80	Extracellular vesicles in prostate cancer: a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1890-1907.	1.4	17
81	Role of adjuvant chemotherapy for lymph node-positive upper tract urothelial carcinoma and the prognostic significance of C-reactive protein: A multi-institutional, retrospective study. <i>International Journal of Urology</i> , 2015, 22, 1006-1012.	1.0	16
82	Leukocyte-associated immunoglobulin-like receptor $\zeta$ 1 promotes tumorigenesis in RCC. <i>Oncology Reports</i> , 2019, 41, 1293-1303.	2.6	16
83	Bladder urothelium converts bacterial lipopolysaccharide information into neural signaling via an ATP-mediated pathway to enhance the micturition reflex for rapid defense. <i>Scientific Reports</i> , 2020, 10, 21167.	3.3	15
84	Firmicutes in Gut Microbiota Correlate with Blood Testosterone Levels in Elderly Men. <i>World Journal of Men's Health</i> , 2022, 40, 517.	3.3	15
85	Connecting the Dots Between the Gut-IGF-1-Prostate Axis: A Role of IGF-1 in Prostate Carcinogenesis. <i>Frontiers in Endocrinology</i> , 2022, 13, 852382.	3.5	15
86	Vascular endothelial growth factor receptor 1 expression in pelvic lymph nodes predicts the risk of cancer progression after radical prostatectomy. <i>Cancer Science</i> , 2009, 100, 1047-1050.	3.9	14
87	Supplementation of bone marrow aspirate-derived platelet-rich plasma for treating radiation-induced ulcer after cardiac fluoroscopic procedures: A preliminary report. <i>Indian Journal of Plastic Surgery</i> , 2012, 45, 109-114.	0.5	14
88	White blood cell count is positively associated with benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2014, 21, 308-312.	1.0	14
89	Metformin inhibits prostate cancer growth induced by a high-fat diet in <i>Pten</i> -deficient model mice. <i>International Journal of Urology</i> , 2019, 26, 307-309.	1.0	14
90	Is it necessary to carry out intraoperative retrograde upper urinary tract cytology examination in bladder cancer patients with normal upper urinary tract appearance and suspicious or positive voided urine cytology?. <i>International Journal of Urology</i> , 2016, 23, 623-624.	1.0	13

#	ARTICLE	IF	CITATIONS
91	An augmented reality system in lymphatico-venous anastomosis surgery. <i>Journal of Surgical Case Reports</i> , 2016, 2016, rjw047.	0.4	13
92	Trop-2 in Upper Tract Urothelial Carcinoma. <i>Current Oncology</i> , 2022, 29, 3911-3921.	2.2	13
93	Prostatic Stem Cell Marker Identified by cDNA Microarray in Mouse. <i>Journal of Urology</i> , 2007, 178, 686-691.	0.4	12
94	Preoperative serum sodium is associated with cancer-specific survival in patients with upper urinary tract urothelial carcinoma treated by nephroureterectomy. <i>International Journal of Urology</i> , 2013, 20, 594-601.	1.0	12
95	NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. <i>Translational Oncology</i> , 2017, 10, 318-323.	3.7	12
96	Insulin-like growth factor-1 receptor expression in upper tract urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 21-27.	2.8	12
97	Application of Anti-Inflammatory Agents in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 2680.	2.4	12
98	Intratumoral and s.c. injection of inactivated hemagglutinating virus of Japan envelope (GEN0101) in metastatic castration-resistant prostate cancer. <i>Cancer Science</i> , 2020, 111, 1692-1698.	3.9	12
99	Serum core-type fucosylated prostate-specific antigen index for the detection of high-risk prostate cancer. <i>International Journal of Cancer</i> , 2021, 148, 3111-3118.	5.1	12
100	Clinical Application of TERT Promoter Mutations in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 705440.	2.8	12
101	Clinical Significance of the Apparent Diffusion Coefficient Ratio in Prostate Cancer Treatment with Intensity-modulated Radiotherapy. <i>Anticancer Research</i> , 2016, 36, 6551-6556.	1.1	12
102	High-fat diet promotes prostate cancer growth through histamine signaling. <i>International Journal of Cancer</i> , 2022, 151, 623-636.	5.1	12
103	Perinephric urinoma secondary to neurogenic bladder with vesicoureteral reflux: Report of an adult case. <i>International Journal of Urology</i> , 2004, 11, 53-55.	1.0	11
104	Perioperative circulating tumor DNA enables the identification of patients with poor prognosis in upper tract urothelial carcinoma. <i>Cancer Science</i> , 2022, 113, 1830-1842.	3.9	11
105	Impact of age, follicle stimulating hormone and Johnsen's score on successful sperm retrieval by microdissection testicular sperm extraction. <i>Reproductive Medicine and Biology</i> , 2005, 4, 53-57.	2.4	10
106	Urological surgery in patients aged 80 years and older: A 30-year retrospective clinical study. <i>International Journal of Urology</i> , 2008, 15, 789-793.	1.0	10
107	A novel model to predict positive prostate biopsy based on serum androgen level. <i>Endocrine-Related Cancer</i> , 2018, 25, 59-67.	3.1	10
108	A new era in the detection of urothelial carcinoma by sequencing cell-free DNA. <i>Translational Andrology and Urology</i> , 2019, 8, S497-S501.	1.4	10

#	ARTICLE	IF	CITATIONS
109	Clinical importance of the expression of CD4+CD8+ T cells in renal cell carcinoma. <i>International Immunology</i> , 2020, 32, 347-357.	4.0	10
110	Desmoid tumor in a scar from radical nephrectomy for renal cancer. <i>International Journal of Urology</i> , 2003, 10, 274-275.	1.0	9
111	Laparoscopic resection of primary retroperitoneal mucinous cystadenoma by retroperitoneal approach. <i>International Journal of Urology</i> , 2011, 18, 607-608.	1.0	9
112	Clinical and histopathological effects of presurgical treatment with sunitinib for renal cell carcinoma with inferior vena cava tumor thrombus at a single institution. <i>Anti-Cancer Drugs</i> , 2016, 27, 1038-1043.	1.4	9
113	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , 2018, 19, 777.	4.1	9
114	Systematic characterization of human testis-specific actin capping protein $\hat{I}23$ as a possible biomarker for male infertility. <i>Human Reproduction</i> , 2017, 32, 514-522.	0.9	9
115	Effect of human leukemia cells in testicular tissues grafted into immunodeficient mice. <i>International Journal of Urology</i> , 2008, 15, 733-738.	1.0	8
116	STAT3 expression is a prognostic marker in upper urinary tract urothelial carcinoma. <i>PLoS ONE</i> , 2018, 13, e0201256.	2.5	8
117	Phenotypic Analysis of Tumor Tissueâ€™s Infiltrating Lymphocytes in Tumor Microenvironment of Bladder Cancer and Upper Urinary Tract Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 114-124.	1.9	8
118	A new rabbit model of impaired wound healing in an X-ray-irradiated field. <i>PLoS ONE</i> , 2017, 12, e0184534.	2.5	8
119	Associations of homologous RNA-binding motif gene on the X chromosome (RBMX) and its like sequence on chromosome 9 (RBMXL9) with non-obstructive azoospermia. <i>Asian Journal of Andrology</i> , 2006, 8, 213-218.	1.6	7
120	Endoglin expression in upper urinary tract urothelial carcinoma is associated with intravesical recurrence after radical nephroureterectomy. <i>International Journal of Urology</i> , 2015, 22, 463-467.	1.0	7
121	Intravesical ATP instillation induces urinary frequency because of activation of bladder afferent nerves without inflammatory changes in mice: A promising model for overactive bladder. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 498-503.	2.1	7
122	Toward urinary cell-free DNA-based treatment of urothelial carcinoma: a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1865-1877.	1.4	7
123	Simultaneous analysis of serum $\hat{I}2,3$ -linked sialylation and core-type fucosylation of prostate-specific antigen for the detection of high-grade prostate cancer. <i>British Journal of Cancer</i> , 2022, 126, 764-770.	6.4	7
124	Can bladder preservation therapy come to the center stage?. <i>International Journal of Urology</i> , 2018, 25, 134-140.	1.0	6
125	A Potential Mechanism of Anticancer Immune Response Coincident With Immune-related Adverse Events in Patients With Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 4875-4883.	1.1	6
126	Fragmentation of cellâ€™free DNA is induced by upperâ€™tract urothelial carcinomaâ€™associated systemic inflammation. <i>Cancer Science</i> , 2021, 112, 168-177.	3.9	6

#	ARTICLE	IF	CITATIONS
127	Early stage small cell carcinoma of the urinary bladder. <i>International Journal of Urology</i> , 2001, 8, 643-644.	1.0	5
128	Expression of inhibin $\beta_2$ , glial cell line-derived neurotrophic factor and stem cell factor in Sertoli cell-only syndrome: relation to successful sperm retrieval by microdissection testicular sperm extraction. <i>Human Reproduction</i> , 2005, 20, 2289-2294.	0.9	5
129	Fertility preservation for boys with cancer. <i>Reproductive Medicine and Biology</i> , 2010, 9, 179-184.	2.4	5
130	Metastatic testicular cancer presenting with liver and kidney dysfunction treated with modified BEP chemotherapy combined with continuous hemodiafiltration and rasburicase. <i>Anti-Cancer Drugs</i> , 2016, 27, 364-368.	1.4	5
131	Telomerase reverse transcriptase promoter mutation in tumorigenesis of bladder cancer: Evolutionary trajectory by algorithmic inference from cross-sectional data. <i>International Journal of Urology</i> , 2021, 28, 774-776.	1.0	5
132	Comparison of Abiraterone and Combined Androgen Blockade Therapy for High-Risk Metastatic Hormone-Sensitive Prostate Cancer: A Propensity Score-Matched Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 769068.	2.8	5
133	Fucosylation in Urological Cancers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13333.	4.1	5
134	Adult Wilms' tumor mimicking hemorrhagic renal cyst. <i>International Journal of Urology</i> , 2003, 10, 492-494.	1.0	4
135	Impact of age, follicle stimulating hormone and Johnsen's score on successful sperm retrieval by microdissection testicular sperm extraction. <i>Reproductive Medicine and Biology</i> , 2005, 4, 53-57.	2.4	4
136	Forkhead box O1 as an indicator of prognosis is inactivated in urothelial carcinoma of the upper urinary tract. <i>Oncology Letters</i> , 2018, 17, 482-487.	1.8	4
137	Decreased renal function increases the nighttime urine volume rate by carryover of salt excretion to the nighttime. <i>Scientific Reports</i> , 2021, 11, 10587.	3.3	4
138	Urinary Extracellular Vesicles: Ultracentrifugation Method. <i>Methods in Molecular Biology</i> , 2021, 2292, 173-181.	0.9	4
139	Isolation of germ cells from leukemic cells. <i>Human Reproduction</i> , 2007, 22, 2796-2797.	0.9	3
140	A Perforator Model as an Aid to Elevate Deep Inferior Epigastric Perforator Flap. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2015, 3, e462.	0.6	3
141	Bone marrow-derived cells contribute to regeneration of injured prostate epithelium and stroma. <i>Prostate</i> , 2015, 75, 806-814.	2.3	3
142	Radiological findings of perivascular epithelioid cell tumour (PEComa) of the falciform ligament. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016, 60, 741-743.	1.8	3
143	Results of weekday-on and weekend-off administration schedule of sunitinib therapy for advanced renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2019, 24, 78-86.	2.2	3
144	Programmed cell death ligand 1 expression in different molecular subtypes of upper tract urothelial carcinoma. <i>International Journal of Urology</i> , 2022, 29, 89-90.	1.0	3

#	ARTICLE	IF	CITATIONS
145	Image Overlay of Deep Inferior Epigastric Artery in Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2014, 2, e235.	0.6	2
146	Free flap transfer reconstruction in managing tongue carcinoma during pregnancy. <i>Journal of Surgical Case Reports</i> , 2017, 2017, rjx164.	0.4	2
147	Uridine 5'diphospho- $\alpha$ -glucuronosyltransferase 1A expression as an independent prognosticator in urothelial carcinoma of the upper urinary tract. <i>International Journal of Urology</i> , 2018, 25, 429-435.	1.0	2
148	Clinical implication of the mammalian target of rapamycin pathway in upper tract urothelial carcinoma with negative GATA binding protein-3 expression. <i>International Journal of Urology</i> , 2019, 26, 678-679.	1.0	2
149	Stereotactic Body Radiotherapy Using CyberKnife <sup>®</sup> for Localized Low- and Intermediate-risk Prostate Cancer: Initial Report on a Phase I/II Trial. <i>Anticancer Research</i> , 2020, 40, 2053-2057.	1.1	2
150	Erectile Dysfunction in Germ Cell Tumor Survivors. <i>World Journal of Men's Health</i> , 2021, 39, 533.	3.3	2
151	Higher neutrophil-to-lymphocyte ratio after the first cycle of the first-line chemotherapy is associated with poor cancer specific survival of upper urinary tract carcinoma patients. <i>Translational Andrology and Urology</i> , 2021, 10, 2838-2847.	1.4	2
152	PROSTATIC MONOCYTE CHEMOTACTIC PROTEIN-1 (MCP-1): A NOVEL BIOMARKER FOR LOWER URINARY TRACT SYMPTOMS ASSOCIATED WITH BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , 2009, 181, 595.	0.4	1
153	Editorial Comment to Outcomes of everolimus treatment for renal angiomyolipoma associated with tuberous sclerosis complex: A single institution experience in Japan. <i>International Journal of Urology</i> , 2016, 23, 838-839.	1.0	1
154	MP99-01 PROTEOMIC ANALYSIS OF URINARY EXTRACELLULAR VESICLES FROM HIGH GLEASON SCORE PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.4	1
155	Selective arterial embolization for uncontrollable urethral hemorrhage in a patient with a left ventricular assist device. <i>Urology Case Reports</i> , 2018, 17, 70-72.	0.3	1
156	Failure to achieve castrate level of serum testosterone during luteinizing hormone-releasing hormone agonist therapy in a patient with prostate cancer. <i>Anti-Cancer Drugs</i> , 2020, 31, 1099-1102.	1.4	1
157	Resumption of anti-programmed cell death 1 monotherapy for severe immune-related adverse events experienced patient with renal cell carcinoma. <i>IJU Case Reports</i> , 2020, 3, 176-179.	0.3	1
158	Abstract 5197: MiR-629 targets TRIM33 to promote TGF- $\beta$ /Smad signaling in clear cell renal cell carcinoma. , 2014, , .		1
159	Intratumoral and subcutaneous injection of HVJ-E (GEN0101) for metastatic castration-resistant prostate cancer: Open-label, phase I, dose escalation study.. <i>Journal of Clinical Oncology</i> , 2019, 37, e16511-e16511.	1.6	1
160	ZKSCAN3 expression in urothelial carcinoma of the upper urinary tract and its impact on patient outcomes. <i>Integrative Cancer Science and Therapeutics</i> , 2017, 4, .	0.1	1
161	Abstract 2872: Serum fucosylated haptoglobin is a novel prognostic biomarker for prostate cancer: Detailed analyses of its oligosaccharide structures. , 2014, , .		1
162	Abstract A20: Innovative drug discovery for bladder cancer by miR-130 family seed-targeting locked nucleic acid. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
163	An Attempt to Make Platelet Rich Fibrin from Bone Marrow Aspirate. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, PC04-PC07.	0.8	1
164	Pentafecta for Radical Nephroureterectomy in Patients with High-Risk Upper Tract Urothelial Carcinoma: A Proposal for Standardization of Quality Care Metrics. Cancers, 2022, 14, 1781.	3.7	1
165	ENDOGLIN (CD105) AS A POTENTIAL URINARY MARKER FOR PROSTATE CANCER DETECTION. Journal of Urology, 2008, 179, 720-720.	0.4	0
166	VEGFR1 EXPRESSION IN PELVIC LYMPH NODES PREDICTS THE RISK OF BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY. Journal of Urology, 2009, 181, 99-99.	0.4	0
167	MONOCYTE CHEMOTACTIC PROTEIN-1 (MCP-1:CCL2) IS ASSOCIATED WITH PROSTATIC GROWTH DYSREGULATION. Journal of Urology, 2009, 181, 505-506.	0.4	0
168	URINE AND SERUM LEVELS OF IL-18 BINDING PROTEIN IS ASSOCIATED WITH TUMOR STATUS. Journal of Urology, 2009, 181, 478-479.	0.4	0
169	2126 PROSTATIC INFLAMMATION IN FIRST BIOPSY SPECIMENS AND URINARY PYURIA ARE PREDICTORS FOR NEGATIVE REPEAT PROSTATE BIOPSY. Journal of Urology, 2011, 185, .	0.4	0
170	296 EMMPRIN PROMOTES ANGIOGENESIS, PROLIFERATION AND INVASION OF RENAL CELL CARCINOMA AND BE A PREDICTOR OF PATIENT OUTCOME. Journal of Urology, 2013, 189, .	0.4	0
171	899 IMMUNOEXPRESSION STATUS AND PROGNOSTIC SIGNIFICANCE OF MTOR PATHWAY MEMBERS IN UPPER TRACT UROTHELIAL CARCINOMA. Journal of Urology, 2013, 189, .	0.4	0
172	PD35-03 PREOPERATIVE RISK STRATIFICATION FOR CANCER-SPECIFIC SURVIVAL OF PATIENTS WITH UPPER URINARY TRACT UROTHELIAL CARCINOMA TREATED BY NEPHROURETERECTOMY. Journal of Urology, 2014, 191, .	0.4	0
173	MP16-10 BONE MARROW DERIVED CELLS CONTRIBUTE TO REGENERATION OF INJURED PROSTATE EPITHELIUM AND STROMA. Journal of Urology, 2014, 191, .	0.4	0
174	MP77-11 ENDOTHELIAL EXPRESSION OF ENDOGLIN IN UPPER URINARY TRACT UROTHELIAL CARCINOMA IS ASSOCIATED WITH INTRAVESICAL RECURRENCE AFTER RADICAL NEPHROURETERECTOMY. Journal of Urology, 2014, 191, .	0.4	0
175	MP7-14 EXPRESSION OF STEROID HORMONE RECEPTORS AND ITS PROGNOSTIC SIGNIFICANCE IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT (UCUUT). Journal of Urology, 2015, 193, .	0.4	0
176	MP47-01 OVEREXPRESSED MIR-27A-3P IS AS INDEPENDENT PROGNOSTIC FACTOR FOR RECURRENCE IN CLEAR CELL RENAL CELL CARCINOMA. Journal of Urology, 2015, 193, .	0.4	0
177	Primary adrenal lymphoma: three case reports and review of Japanese cases. International Cancer Conference Journal, 2015, 4, 195-200.	0.5	0
178	Response to Editorial Comment to Is it necessary to carry out intraoperative retrograde upper urinary tract cytology examination in bladder cancer patients with normal upper urinary tract appearance and suspicious or positive voided urine cytology?. International Journal of Urology, 2016, 23, 625-626.	1.0	0
179	PD32-04 PHASE I/II CLINICAL TRIAL TO ASSESS SAFETY AND EFFICACY OF INTRATUMORAL AND SUBCUTANEOUS INJECTION OF HVJ-E TO CASTRATION RESISTANT PROSTATE CANCER PATIENTS. Journal of Urology, 2016, 195, .	0.4	0
180	S&T-01 CD4+ CIRCULATING LYMPHOCYTES COULD REFLECT BOTH THE EXPRESSION PROFILE OF TISSUE INFILTRATING LYMPHOCYTES AND DISEASE PROGRESSION IN RENAL CELL CARCINOMA PATIENTS. Journal of Urology, 2016, 195, .	0.4	0

#	ARTICLE	IF	CITATIONS
181	MP27-01 UDP-GLUCURONOSYLTRANSFERASE 1A (UGT1A) IMMUNOHISTOCHEMISTRY IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS A STRONG PROGNOSTICATOR. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
182	MP66-01 GENE KNOCKOUT OF NANOG AND NANOGP8 MEDIATED BY CRISPR/CAS9 DECREASES THE MALIGNANT POTENTIAL OF PROSTATE CANCER CELLS.. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
183	Report of the <i>International Journal of Urology</i> Editorial Board Meeting 2016 in Sendai, Japan. <i>International Journal of Urology</i> , 2016, 23, 724-725.	1.0	0
184	MP71-04 GATA3 IMMUNOHISTOCHEMISTRY IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS A UROTHELIAL MARKER AS WELL AS A PROGNOSTICATOR. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
185	MP99-06 HIGH FAT DIET-INDUCED INFLAMMATION ACCELERATES TUMOR PROGRESSION IN MICE MODEL FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
186	MP73-02 IMMUNOLOGICAL CLASSIFICATION IN RENAL CELL CARCINOMA BASED ON IMMUNOCHECKPOINT MOLECULES: THE RELATIONSHIP WITH TUMOR AGGRESSIVENESS AND THE PRESENCE OF INTRA-TUMOR DIVERSITY. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
187	MP71-08 EXPRESSION OF TRANSCRIPTION FACTORS, ELK1, FOXO1, NFATC1, AND ZKSCAN3, IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS PROGNOSTICATORS. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
188	MP88-08 ESTROGEN RECEPTOR (ER)- $\beta$ SIGNALS INDUCE UROTHELIAL TUMORIGENESIS VIA DOWN-REGULATION OF A POTENTIAL TUMOR SUPPRESSOR FORKHEAD BOX PROTEIN O1 (FOXO1). <i>Journal of Urology</i> , 2017, 197, .	0.4	0
189	Report of the <i>International Journal of Urology</i> Editorial Board Meeting and second <sc>IJU</sc> Intensive Seminar â€œ<sc>IJU</sc> Dojo (<sc>IJU</sc> School)â€•2017 in Kagoshima, Japan. <i>International Journal of Urology</i> , 2017, 24, 484-485.	1.0	0
190	Editorial Comment to Relationship between radiation doses and erectile function deterioration in patients with localized prostate cancer treated with permanent prostate brachytherapy. <i>International Journal of Urology</i> , 2020, 27, 1093-1094.	1.0	0
191	Editorial Comment from Dr Adomi <i>etÂal</i>. to Frailty is significantly associated with the type of urinary diversion in patients with muscleâ€invasive bladder cancer. <i>International Journal of Urology</i> , 2020, 27, 655-656.	1.0	0
192	Assessment of Daily Replanning and Geometrical Variation of High-dose-rate Brachytherapy for the Prostate. <i>Anticancer Research</i> , 2020, 40, 1677-1682.	1.1	0
193	Sarcopenia and Visceral Obesity are Significantly Related to Severe Storage Symptoms in Geriatric Female Patients. <i>Research and Reports in Urology</i> , 2021, Volume 13, 557-563.	1.0	0
194	1867: Isolation of Germ Cells from Leukemia and Lymphoma Cells in a Human in Vitro Model: Potential Clinical Application for Restoring Human Fertility After Anticancer Therapy. <i>Journal of Urology</i> , 2007, 177, 620-620.	0.4	0
195	Abstract 4359: TRAIL and Noxa are selectively up-regulated in prostate cancer cells downstream of the RIG-I/MAVS signaling pathway by non-replicating Sendai virus particles.. , 2013, , .		0
196	Abstract 3227: Intratumor diversity of surface marker expressions on tissue infiltrating lymphocytes in renal cell carcinoma patients. , 2016, , .		0
197	Abstract 2911: Gene knockout of NANOG and NANOGP8 mediated by CRISPR/Cas9 system decreases the malignant potential of prostate cancer cells. , 2016, , .		0
198	Abstract 2202: FABP5 in urinary extracellular vesicles is a potential biomarker of high Gleason score prostate cancer. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
199	A New Approach to Castration-Resistant Prostate Cancer Using Inactivated Virus. , 2018, , 419-425.		0