

Kazutoshi Fujita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5637872/publications.pdf>

Version: 2024-02-01

199
papers

4,681
citations

94433

37
h-index

138484

58
g-index

226
all docs

226
docs citations

226
times ranked

6211
citing authors

#	ARTICLE	IF	CITATIONS
1	Programmed cell death ligand 1 expression in different molecular subtypes of upper tract urothelial carcinoma. <i>International Journal of Urology</i> , 2022, 29, 89-90.	1.0	3
2	Simultaneous analysis of serum α 2,3-linked sialylation and core-type fucosylation of prostate-specific antigen for the detection of high-grade prostate cancer. <i>British Journal of Cancer</i> , 2022, 126, 764-770.	6.4	7
3	Firmicutes in Gut Microbiota Correlate with Blood Testosterone Levels in Elderly Men. <i>World Journal of Men's Health</i> , 2022, 40, 517.	3.3	15
4	Connecting the Dots Between the Gut-IGF-1-Prostate Axis: A Role of IGF-1 in Prostate Carcinogenesis. <i>Frontiers in Endocrinology</i> , 2022, 13, 852382.	3.5	15
5	Perioperative circulating tumor DNA enables the identification of patients with poor prognosis in upper tract urothelial carcinoma. <i>Cancer Science</i> , 2022, 113, 1830-1842.	3.9	11
6	Pentafecta for Radical Nephroureterectomy in Patients with High-Risk Upper Tract Urothelial Carcinoma: A Proposal for Standardization of Quality Care Metrics. <i>Cancers</i> , 2022, 14, 1781.	3.7	1
7	Gut microbiome and prostate cancer. <i>International Journal of Urology</i> , 2022, 29, 793-798.	1.0	35
8	High-fat diet promotes prostate cancer growth through histamine signaling. <i>International Journal of Cancer</i> , 2022, 151, 623-636.	5.1	12
9	Trop-2 in Upper Tract Urothelial Carcinoma. <i>Current Oncology</i> , 2022, 29, 3911-3921.	2.2	13
10	Fragmentation of cell-free DNA is induced by upper tract urothelial carcinoma-associated systemic inflammation. <i>Cancer Science</i> , 2021, 112, 168-177.	3.9	6
11	Peripheral T cell receptor repertoire features predict durable responses to anti-PD-1 inhibitor monotherapy in advanced renal cell carcinoma. <i>Oncolmmunology</i> , 2021, 10, 1862948.	4.6	20
12	Erectile Dysfunction in Germ Cell Tumor Survivors. <i>World Journal of Men's Health</i> , 2021, 39, 533.	3.3	2
13	Serum core-type fucosylated prostate-specific antigen index for the detection of high-risk prostate cancer. <i>International Journal of Cancer</i> , 2021, 148, 3111-3118.	5.1	12
14	Proteomic analysis of urinary and tissue-exudative extracellular vesicles to discover novel bladder cancer biomarkers. <i>Cancer Science</i> , 2021, 112, 2033-2045.	3.9	35
15	MiR-30b-3p and miR-126-3p of urinary extracellular vesicles could be new biomarkers for prostate cancer. <i>Translational Andrology and Urology</i> , 2021, 10, 1918-1927.	1.4	20
16	Telomerase reverse transcriptase promoter mutation in tumorigenesis of bladder cancer: Evolutionary trajectory by algorithmic inference from cross-sectional data. <i>International Journal of Urology</i> , 2021, 28, 774-776.	1.0	5
17	Toward urinary cell-free DNA-based treatment of urothelial carcinoma: a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1865-1877.	1.4	7
18	Extracellular vesicles in prostate cancer: a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1890-1907.	1.4	17

#	ARTICLE	IF	CITATIONS
19	Gut Microbiotaâ€‘Derived Short-Chain Fatty Acids Promote Prostate Cancer Growth via IGF1 Signaling. <i>Cancer Research</i> , 2021, 81, 4014-4026.	0.9	83
20	Decreased renal function increases the nighttime urine volume rate by carryover of salt excretion to the nighttime. <i>Scientific Reports</i> , 2021, 11, 10587.	3.3	4
21	Higher neutrophil-to-lymphocyte ratio after the first cycle of the first-line chemotherapy is associated with poor cancer specific survival of upper urinary tract carcinoma patients. <i>Translational Andrology and Urology</i> , 2021, 10, 2838-2847.	1.4	2
22	The gut microbiota associated with highâ€‘Gleason prostate cancer. <i>Cancer Science</i> , 2021, 112, 3125-3135.	3.9	44
23	Clinical Application of TERT Promoter Mutations in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 705440.	2.8	12
24	Sarcopenia and Visceral Obesity are Significantly Related to Severe Storage Symptoms in Geriatric Female Patients. <i>Research and Reports in Urology</i> , 2021, Volume 13, 557-563.	1.0	0
25	The Firmicutes/Bacteroidetes ratio of the human gut microbiota is associated with prostate enlargement. <i>Prostate</i> , 2021, 81, 1287-1293.	2.3	33
26	Urinary Extracellular Vesicles: Ultracentrifugation Method. <i>Methods in Molecular Biology</i> , 2021, 2292, 173-181.	0.9	4
27	Comparison of Abiraterone and Combined Androgen Blockade Therapy for High-Risk Metastatic Hormone-Sensitive Prostate Cancer: A Propensity Score-Matched Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 769068.	2.8	5
28	Fucosylation in Urological Cancers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13333.	4.1	5
29	Editorial Comment to Relationship between radiation doses and erectile function deterioration in patients with localized prostate cancer treated with permanent prostate brachytherapy. <i>International Journal of Urology</i> , 2020, 27, 1093-1094.	1.0	0
30	Expression of Nectin-4 and PD-L1 in Upper Tract Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5390.	4.1	48
31	Failure to achieve castrate level of serum testosterone during luteinizing hormone-releasing hormone agonist therapy in a patient with prostate cancer. <i>Anti-Cancer Drugs</i> , 2020, 31, 1099-1102.	1.4	1
32	A Potential Mechanism of Anticancer Immune Response Coincident With Immune-related Adverse Events in Patients With Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 4875-4883.	1.1	6
33	Mutational Landscape and Environmental Effects in Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6072.	4.1	30
34	Resumption of antiâ€‘programmed cell death 1 monotherapy for severe immuneâ€‘related adverse events experienced patient with renal cell carcinoma. <i>IJU Case Reports</i> , 2020, 3, 176-179.	0.3	1
35	Application of Anti-Inflammatory Agents in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2020, 9, 2680.	2.4	12
36	Bladder urothelium converts bacterial lipopolysaccharide information into neural signaling via an ATP-mediated pathway to enhance the micturition reflex for rapid defense. <i>Scientific Reports</i> , 2020, 10, 21167.	3.3	15

#	ARTICLE	IF	CITATIONS
37	Editorial Comment from Dr Adomi <i>et al.</i> to Frailty is significantly associated with the type of urinary diversion in patients with muscle-invasive bladder cancer. <i>International Journal of Urology</i> , 2020, 27, 655-656.	1.0	0
38	Clinical Significance of Hotspot Mutation Analysis of Urinary Cell-Free DNA in Urothelial Bladder Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 755.	2.8	25
39	<i>TERT</i> C228T mutation in non-malignant bladder urothelium is associated with intravesical recurrence for patients with non-muscle invasive bladder cancer. <i>Molecular Oncology</i> , 2020, 14, 2375-2383.	4.6	20
40	Intratumoral and s.c. injection of inactivated hemagglutinating virus of Japan envelope (GEN0101) in metastatic castration-resistant prostate cancer. <i>Cancer Science</i> , 2020, 111, 1692-1698.	3.9	12
41	Influence of Diet and Nutrition on Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1447.	4.1	99
42	MicroRNA-92b-3p is a prognostic oncomiR that targets <i>TSC1</i> in clear cell renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 1146-1155.	3.9	19
43	The role of actinin-4 (ACTN4) in exosomes as a potential novel therapeutic target in castration-resistant prostate cancer. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 588-594.	2.1	28
44	Clinical importance of the expression of CD4+CD8+ T cells in renal cell carcinoma. <i>International Immunology</i> , 2020, 32, 347-357.	4.0	10
45	Tumour grade significantly correlates with total dysfunction of tumour tissue-infiltrating lymphocytes in renal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 6220.	3.3	25
46	Assessment of Daily Replanning and Geometrical Variation of High-dose-rate Brachytherapy for the Prostate. <i>Anticancer Research</i> , 2020, 40, 1677-1682.	1.1	0
47	Stereotactic Body Radiotherapy Using CyberKnife® for Localized Low- and Intermediate-risk Prostate Cancer: Initial Report on a Phase I/II Trial. <i>Anticancer Research</i> , 2020, 40, 2053-2057.	1.1	2
48	Leukocyte-associated immunoglobulin-like receptor γ 2/1 promotes tumorigenesis in RCC. <i>Oncology Reports</i> , 2019, 41, 1293-1303.	2.6	16
49	Results of weekday-on and weekend-off administration schedule of sunitinib therapy for advanced renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2019, 24, 78-86.	2.2	3
50	Main Inflammatory Cells and Potentials of Anti-Inflammatory Agents in Prostate Cancer. <i>Cancers</i> , 2019, 11, 1153.	3.7	37
51	Predictive biomarkers for drug response in bladder cancer. <i>International Journal of Urology</i> , 2019, 26, 1044-1053.	1.0	50
52	Role of Androgen Receptor in Prostate Cancer: A Review. <i>World Journal of Men's Health</i> , 2019, 37, 288.	3.3	270
53	A new era in the detection of urothelial carcinoma by sequencing cell-free DNA. <i>Translational Andrology and Urology</i> , 2019, 8, S497-S501.	1.4	10
54	Clinical significance of the mutational landscape and fragmentation of circulating tumor DNA in renal cell carcinoma. <i>Cancer Science</i> , 2019, 110, 617-628.	3.9	61

#	ARTICLE	IF	CITATIONS
55	Incidence and distribution of UroSEEK gene panel in a multi-institutional cohort of bladder urothelial carcinoma. <i>Modern Pathology</i> , 2019, 32, 1544-1550.	5.5	45
56	Clinical implication of the mammalian target of rapamycin pathway in upper tract urothelial carcinoma with negative GATA binding protein-3 expression. <i>International Journal of Urology</i> , 2019, 26, 678-679.	1.0	2
57	Diagnostic potential of <i>TERT</i> promoter and <i>FGFR3</i> mutations in urinary cell-free DNA in upper tract urothelial carcinoma. <i>Cancer Science</i> , 2019, 110, 1771-1779.	3.9	63
58	Obesity, Inflammation, and Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 201.	2.4	92
59	Targeted sequencing of plasmacytoid urothelial carcinoma reveals frequent <i>TERT</i> promoter mutations. <i>Human Pathology</i> , 2019, 85, 1-9.	2.0	28
60	Metformin inhibits prostate cancer growth induced by a high-fat diet in <i>Pten</i> -deficient model mice. <i>International Journal of Urology</i> , 2019, 26, 307-309.	1.0	14
61	Insulin-like growth factor-1 receptor expression in upper tract urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 21-27.	2.8	12
62	Phenotypic Analysis of Tumor Tissue-Infiltrating Lymphocytes in Tumor Microenvironment of Bladder Cancer and Upper Urinary Tract Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 114-124.	1.9	8
63	Intratumoral and subcutaneous injection of HVJ-E (GEN0101) for metastatic castration-resistant prostate cancer: Open-label, phase I, dose escalation study.. <i>Journal of Clinical Oncology</i> , 2019, 37, e16511-e16511.	1.6	1
64	Can bladder preservation therapy come to the center stage?. <i>International Journal of Urology</i> , 2018, 25, 134-140.	1.0	6
65	Selective arterial embolization for uncontrollable urethral hemorrhage in a patient with a left ventricular assist device. <i>Urology Case Reports</i> , 2018, 17, 70-72.	0.3	1
66	Uridine 5'diphosphoglucuronosyltransferase 1A expression as an independent prognosticator in urothelial carcinoma of the upper urinary tract. <i>International Journal of Urology</i> , 2018, 25, 429-435.	1.0	2
67	A novel model to predict positive prostate biopsy based on serum androgen level. <i>Endocrine-Related Cancer</i> , 2018, 25, 59-67.	3.1	10
68	Extracellular vesicles isolated from human renal cell carcinoma tissues disrupt vascular endothelial cell morphology via azurocidin. <i>International Journal of Cancer</i> , 2018, 142, 607-617.	5.1	57
69	Immunological classification of renal cell carcinoma patients based on phenotypic analysis of immune check-point molecules. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 113-125.	4.2	20
70	Forkhead box O1 as an indicator of prognosis is inactivated in urothelial carcinoma of the upper urinary tract. <i>Oncology Letters</i> , 2018, 17, 482-487.	1.8	4
71	Intravesical ATP instillation induces urinary frequency because of activation of bladder afferent nerves without inflammatory changes in mice: A promising model for overactive bladder. <i>Biochemical and Biophysical Research Communications</i> , 2018, 506, 498-503.	2.1	7
72	High-Fat Diet-Induced Inflammation Accelerates Prostate Cancer Growth via IL6 Signaling. <i>Clinical Cancer Research</i> , 2018, 24, 4309-4318.	7.0	105

#	ARTICLE	IF	CITATIONS
73	Non-invasive detection of urothelial cancer through the analysis of driver gene mutations and aneuploidy. <i>ELife</i> , 2018, 7, .	6.0	118
74	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , 2018, 19, 777.	4.1	9
75	STAT3 expression is a prognostic marker in upper urinary tract urothelial carcinoma. <i>PLoS ONE</i> , 2018, 13, e0201256.	2.5	8
76	Urinary biomarkers of prostate cancer. <i>International Journal of Urology</i> , 2018, 25, 770-779.	1.0	112
77	Increased level and fragmentation of plasma circulating cell-free DNA are diagnostic and prognostic markers for renal cell carcinoma. <i>Oncotarget</i> , 2018, 9, 20467-20475.	1.8	38
78	A New Approach to Castration-Resistant Prostate Cancer Using Inactivated Virus. , 2018, , 419-425.		0
79	Proteomic analysis of urinary extracellular vesicles from high Gleason score prostate cancer. <i>Scientific Reports</i> , 2017, 7, 42961.	3.3	128
80	MP71-04 GATA3 IMMUNOHISTOCHEMISTRY IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS A UROTHELIAL MARKER AS WELL AS A PROGNOSTICATOR. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
81	Phase I/II clinical trial to assess safety and efficacy of intratumoral and subcutaneous injection of HVJ-E in castration-resistant prostate cancer patients. <i>Cancer Gene Therapy</i> , 2017, 24, 277-281.	4.6	18
82	GATA3 immunohistochemistry in urothelial carcinoma of the upper urinary tract as a urothelial marker and a prognosticator. <i>Human Pathology</i> , 2017, 64, 83-90.	2.0	46
83	Spectrum of genetic mutations in de novo PUNLMP of the urinary bladder. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 761-767.	2.8	29
84	MP99-01 PROTEOMIC ANALYSIS OF URINARY EXTRACELLULAR VESICLES FROM HIGH GLEASON SCORE PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.4	1
85	NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. <i>Translational Oncology</i> , 2017, 10, 318-323.	3.7	12
86	Peripheral blood monocyte count reflecting tumor-infiltrating macrophages is a predictive factor of adverse pathology in radical prostatectomy specimens. <i>Prostate</i> , 2017, 77, 1383-1388.	2.3	27
87	MP99-06 HIGH FAT DIET-INDUCED INFLAMMATION ACCELERATES TUMOR PROGRESSION IN MICE MODEL FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
88	MP73-02 IMMUNOLOGICAL CLASSIFICATION IN RENAL CELL CARCINOMA BASED ON IMMUNOCHECKPOINT MOLECULES: THE RELATIONSHIP WITH TUMOR AGGRESSIVENESS AND THE PRESENCE OF INTRA-TUMOR DIVERSITY. <i>Journal of Urology</i> , 2017, 197, .	0.4	0
89	Tuberous sclerosis complex: Recent advances in manifestations and therapy. <i>International Journal of Urology</i> , 2017, 24, 681-691.	1.0	47
90	MP71-08 EXPRESSION OF TRANSCRIPTION FACTORS, ELK1, FOXO1, NFATC1, AND ZKSCAN3, IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS PROGNOSTICATORS. <i>Journal of Urology</i> , 2017, 197, .	0.4	0

#	ARTICLE	IF	CITATIONS
91	MP88-08 ESTROGEN RECEPTOR (ER)- β SIGNALS INDUCE UROTHELIAL TUMORIGENESIS VIA DOWN-REGULATION OF A POTENTIAL TUMOR SUPPRESSOR FORKHEAD BOX PROTEIN O1 (FOXO1). Journal of Urology, 2017, 197, .	0.4	0
92	Report of the <i>International Journal of Urology</i> Editorial Board Meeting and second <scp>IJU</scp> Intensive Seminar â€œ<scp>IJU</scp> Dojo (<scp>IJU</scp> School)â€•2017 in Kagoshima, Japan. International Journal of Urology, 2017, 24, 484-485.	1.0	0
93	Expression level of <i><scp>CXCL</scp>7</i> in peripheral blood cells is a potential biomarker for the diagnosis of renal cell carcinoma. Cancer Science, 2017, 108, 2495-2502.	3.9	33
94	High miR-122 expression promotes malignant phenotypes in ccRCC by targeting occludin. International Journal of Oncology, 2017, 51, 289-297.	3.3	39
95	Adjuvant chemotherapy improves survival of patients with high-risk upper urinary tract urothelial carcinoma: a propensity score-matched analysis. BMC Urology, 2017, 17, 110.	1.4	22
96	Free flap transfer reconstruction in managing tongue carcinoma during pregnancy. Journal of Surgical Case Reports, 2017, 2017, rjx164.	0.4	2
97	Systematic characterization of human testis-specific actin capping protein β 3 as a possible biomarker for male infertility. Human Reproduction, 2017, 32, 514-522.	0.9	9
98	A new rabbit model of impaired wound healing in an X-ray-irradiated field. PLoS ONE, 2017, 12, e0184534.	2.5	8
99	ZKSCAN3 expression in urothelial carcinoma of the upper urinary tract and its impact on patient outcomes. Integrative Cancer Science and Therapeutics, 2017, 4, .	0.1	1
100	Serum monocyte fraction of white blood cells is increased in patients with high Gleason score prostate cancer. Oncotarget, 2017, 8, 35255-35261.	1.8	28
101	MiR-21-5p in urinary extracellular vesicles is a novel biomarker of urothelial carcinoma. Oncotarget, 2017, 8, 24668-24678.	1.8	78
102	An Attempt to Make Platelet Rich Fibrin from Bone Marrow Aspirate. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, PC04-PC07.	0.8	1
103	Abstract 2202: FABP5 in urinary extracellular vesicles is a potential biomarker of high Gleason score prostate cancer. , 2017, , .		0
104	Is it necessary to carry out intraoperative retrograde upper urinary tract cytology examination in bladder cancer patients with normal upper urinary tract appearance and suspicious or positive voided urine cytology?. International Journal of Urology, 2016, 23, 623-624.	1.0	13
105	Response to Editorial Comment to Is it necessary to carry out intraoperative retrograde upper urinary tract cytology examination in bladder cancer patients with normal upper urinary tract appearance and suspicious or positive voided urine cytology?. International Journal of Urology, 2016, 23, 625-626.	1.0	0
106	Metastatic testicular cancer presenting with liver and kidney dysfunction treated with modified BEP chemotherapy combined with continuous hemodiafiltration and rasburicase. Anti-Cancer Drugs, 2016, 27, 364-368.	1.4	5
107	PD32-04 PHASE I/II CLINICAL TRIAL TO ASSESS SAFETY AND EFFICACY OF INTRATUMORAL AND SUBCUTANEOUS INJECTION OF HVJ-E TO CASTRATION RESISTANT PROSTATE CANCER PATIENTS. Journal of Urology, 2016, 195, .	0.4	0
108	S&T-01 CD4+ CIRCULATING LYMPHOCYTES COULD REFLECT BOTH THE EXPRESSION PROFILE OF TISSUE INFILTRATING LYMPHOCYTES AND DISEASE PROGRESSION IN RENAL CELL CARCINOMA PATIENTS. Journal of Urology, 2016, 195, .	0.4	0

#	ARTICLE	IF	CITATIONS
109	MP27-01 UDP-GLUCURONOSYLTRANSFERASE 1A (UGT1A) IMMUNOHISTOCHEMISTRY IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT AS A STRONG PROGNOSTICATOR. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
110	MP66-01 GENE KNOCKOUT OF NANOG AND NANOGP8 MEDIATED BY CRISPR/CAS9 DECREASES THE MALIGNANT POTENTIAL OF PROSTATE CANCER CELLS.. <i>Journal of Urology</i> , 2016, 195, .	0.4	0
111	Report of the <i>International Journal of Urology</i> Editorial Board Meeting 2016 in Sendai, Japan. <i>International Journal of Urology</i> , 2016, 23, 724-725.	1.0	0
112	High prevalence of TERT promoter mutations in micropapillary urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 427-434.	2.8	38
113	Expression of steroid hormone receptors and its prognostic significance in urothelial carcinoma of the upper urinary tract. <i>Cancer Biology and Therapy</i> , 2016, 17, 1188-1196.	3.4	40
114	Editorial Comment to Outcomes of everolimus treatment for renal angiomyolipoma associated with tuberous sclerosis complex: A single institution experience in Japan. <i>International Journal of Urology</i> , 2016, 23, 838-839.	1.0	1
115	The miR-130 family promotes cell migration and invasion in bladder cancer through FAK and Akt phosphorylation by regulating PTEN. <i>Scientific Reports</i> , 2016, 6, 20574.	3.3	102
116	Clinical and histopathological effects of presurgical treatment with sunitinib for renal cell carcinoma with inferior vena cava tumor thrombus at a single institution. <i>Anti-Cancer Drugs</i> , 2016, 27, 1038-1043.	1.4	9
117	An augmented reality system in lymphatico-venous anastomosis surgery. <i>Journal of Surgical Case Reports</i> , 2016, 2016, rjw047.	0.4	13
118	Radiological findings of perivascular epithelioid cell tumour (PEComa) of the falciform ligament. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016, 60, 741-743.	1.8	3
119	Site-specific and linkage analyses of fucosylated N-glycans on haptoglobin in sera of patients with various types of cancer: possible implication for the differential diagnosis of cancer. <i>Glycoconjugate Journal</i> , 2016, 33, 471-482.	2.7	40
120	High-Dose-Rate Brachytherapy as Monotherapy for Intermediate- and High-Risk Prostate Cancer: Clinical Results for a Median 8-Year Follow-Up. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 94, 675-682.	0.8	72
121	Detection of TERT promoter mutations in primary adenocarcinoma of the urinary bladder. <i>Human Pathology</i> , 2016, 53, 8-13.	2.0	31
122	High prevalence of TERT promoter mutations in primary squamous cell carcinoma of the urinary bladder. <i>Modern Pathology</i> , 2016, 29, 511-515.	5.5	34
123	R.E.N.A.L. nephrometry score predicts postoperative recurrence of localized renal cell carcinoma treated by radical nephrectomy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 367-372.	2.2	20
124	Decreased fucosylated PSA as a urinary marker for high Gleason score prostate cancer. <i>Oncotarget</i> , 2016, 7, 56643-56649.	1.8	23
125	Clinical Significance of the Apparent Diffusion Coefficient Ratio in Prostate Cancer Treatment with Intensity-modulated Radiotherapy. <i>Anticancer Research</i> , 2016, 36, 6551-6556.	1.1	12
126	Abstract A20: Innovative drug discovery for bladder cancer by miR-130 family seed-targeting locked nucleic acid. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
127	Abstract 3227: Intratumor diversity of surface marker expressions on tissue infiltrating lymphocytes in renal cell carcinoma patients. , 2016, , .		0
128	Abstract 2911: Gene knockout of NANOG and NANOGP8 mediated by CRISPR/Cas9 system decreases the malignant potential of prostate cancer cells. , 2016, , .		0
129	MP7-14 EXPRESSION OF STEROID HORMONE RECEPTORS AND ITS PROGNOSTIC SIGNIFICANCE IN UROTHELIAL CARCINOMA OF THE UPPER URINARY TRACT (UCUUT). Journal of Urology, 2015, 193, .	0.4	0
130	Hypertrophic scar contracture is mediated by the TRPC3 mechanical force transducer via NFkB activation. Scientific Reports, 2015, 5, 11620.	3.3	34
131	MP47-01 OVEREXPRESSED MIR-27A-3P IS AS INDEPENDENT PROGNOSTIC FACTOR FOR RECURRENCE IN CLEAR CELL RENAL CELL CARCINOMA. Journal of Urology, 2015, 193, .	0.4	0
132	Role of adjuvant chemotherapy for lymph nodeâ€positive upper tract urothelial carcinoma and the prognostic significance of Câ€reactive protein: A multiâ€institutional, retrospective study. International Journal of Urology, 2015, 22, 1006-1012.	1.0	16
133	A Perforator Model as an Aid to Elevate Deep Inferior Epigastric Perforator Flap. Plastic and Reconstructive Surgery - Global Open, 2015, 3, e462.	0.6	3
134	Bone marrowâ€derived cells contribute to regeneration of injured prostate epithelium and stroma. Prostate, 2015, 75, 806-814.	2.3	3
135	Primary adrenal lymphoma: three case reports and review of Japanese cases. International Cancer Conference Journal, 2015, 4, 195-200.	0.5	0
136	Growth Factor Measurement and Histological Analysis in Platelet Rich Fibrin: A Pilot Study. Journal of Maxillofacial and Oral Surgery, 2015, 14, 907-913.	1.4	33
137	Endoglin expression in upper urinary tract urothelial carcinoma is associated with intravesical recurrence after radical nephroureterectomy. International Journal of Urology, 2015, 22, 463-467.	1.0	7
138	miR-629 Targets TRIM33 to Promote TGFÎ²/Smad Signaling and Metastatic Phenotypes in ccRCC. Molecular Cancer Research, 2015, 13, 565-574.	3.4	63
139	Preoperative risk stratification for cancer-specific survival of patients with upper urinary tract urothelial carcinoma treated by nephroureterectomy. International Journal of Clinical Oncology, 2015, 20, 156-163.	2.2	26
140	Expression of miR-27a-3p is an independent predictive factor for recurrence in clear cell renal cell carcinoma. Oncotarget, 2015, 6, 21645-21654.	1.8	37
141	Serum fucosylated haptoglobin as a novel prognostic biomarker predicting high-Gleason prostate cancer. Prostate, 2014, 74, 1052-1058.	2.3	49
142	Microvessel area of immature vessels is a prognostic factor in renal cell carcinoma. International Journal of Urology, 2014, 21, 130-134.	1.0	18
143	Image Overlay of Deep Inferior Epigastric Artery in Breast Reconstruction. Plastic and Reconstructive Surgery - Global Open, 2014, 2, e235.	0.6	2
144	PD35-03 PREOPERATIVE RISK STRATIFICATION FOR CANCER-SPECIFIC SURVIVAL OF PATIENTS WITH UPPER URINARY TRACT UROTHELIAL CARCINOMA TREATED BY NEPHROURETERECTOMY. Journal of Urology, 2014, 191, .	0.4	0

#	ARTICLE	IF	CITATIONS
145	MP16-10 BONE MARROW DERIVED CELLS CONTRIBUTE TO REGENERATION OF INJURED PROSTATE EPITHELIUM AND STROMA. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
146	MP77-11 ENDOTHELIAL EXPRESSION OF ENDOGLIN IN UPPER URINARY TRACT UROTHELIAL CARCINOMA IS ASSOCIATED WITH INTRAVESICAL RECURRENCE AFTER RADICAL NEPHROURETERECTOMY. <i>Journal of Urology</i> , 2014, 191, .	0.4	0
147	White blood cell count is positively associated with benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2014, 21, 308-312.	1.0	14
148	LOXL2 Status Correlates with Tumor Stage and Regulates Integrin Levels to Promote Tumor Progression in ccRCC. <i>Molecular Cancer Research</i> , 2014, 12, 1807-1817.	3.4	33
149	Abstract 5197: MiR-629 targets TRIM33 to promote TGF- β 2/Smad signaling in clear cell renal cell carcinoma. , 2014, , .		1
150	Abstract 2872: Serum fucosylated haptoglobin is a novel prognostic biomarker for prostate cancer: Detailed analyses of its oligosaccharide structures. , 2014, , .		1
151	296 EMMPRIN PROMOTES ANGIOGENESIS, PROLIFERATION AND INVASION OF RENAL CELL CARCINOMA AND BE A PREDICTOR OF PATIENT OUTCOME. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
152	Residual Prostate Cancer Cells after Docetaxel Therapy Increase the Tumorigenic Potential via Constitutive Signaling of CXCR4, ERK1/2 and c-Myc. <i>Molecular Cancer Research</i> , 2013, 11, 1088-1100.	3.4	29
153	899 IMMUNOEXPRESSION STATUS AND PROGNOSTIC SIGNIFICANCE OF MTOR PATHWAY MEMBERS IN UPPER TRACT UROTHELIAL CARCINOMA. <i>Journal of Urology</i> , 2013, 189, .	0.4	0
154	Dysregulation of mammalian target of rapamycin pathway in upper tract urothelial carcinoma. <i>Human Pathology</i> , 2013, 44, 2668-2676.	2.0	23
155	Preoperative serum sodium is associated with cancer-specific survival in patients with upper urinary tract urothelial carcinoma treated by nephroureterectomy. <i>International Journal of Urology</i> , 2013, 20, 594-601.	1.0	12
156	EMMPRIN Promotes Angiogenesis, Proliferation, Invasion and Resistance to Sunitinib in Renal Cell Carcinoma, and Its Level Predicts Patient Outcome. <i>PLoS ONE</i> , 2013, 8, e74313.	2.5	39
157	Abstract 4359: TRAIL and Noxa are selectively up-regulated in prostate cancer cells downstream of the RIG-I/MAVS signaling pathway by non-replicating Sendai virus particles.. , 2013, , .		0
158	Supplementation of bone marrow aspirate-derived platelet-rich plasma for treating radiation-induced ulcer after cardiac fluoroscopic procedures: A preliminary report. <i>Indian Journal of Plastic Surgery</i> , 2012, 45, 109-114.	0.5	14
159	Low serum neutrophil count predicts a positive prostate biopsy. <i>Prostate Cancer and Prostatic Diseases</i> , 2012, 15, 386-390.	3.9	35
160	Clinical characteristics and risk factors for septic shock in patients receiving emergency drainage for acute pyelonephritis with upper urinary tract calculi. <i>BMC Urology</i> , 2012, 12, 4.	1.4	47
161	Prostatic Inflammation Detected in Initial Biopsy Specimens and Urinary Pyuria are Predictors of Negative Repeat Prostate Biopsy. <i>Journal of Urology</i> , 2011, 185, 1722-1727.	0.4	31
162	2126 PROSTATIC INFLAMMATION IN FIRST BIOPSY SPECIMENS AND URINARY PYURIA ARE PREDICTORS FOR NEGATIVE REPEAT PROSTATE BIOPSY. <i>Journal of Urology</i> , 2011, 185, .	0.4	0

#	ARTICLE	IF	CITATIONS
163	Laparoscopic resection of primary retroperitoneal mucinous cystadenoma by retroperitoneal approach. <i>International Journal of Urology</i> , 2011, 18, 607-608.	1.0	9
164	Two cases of plasmacytoid variant of urothelial carcinoma of urinary bladder: systemic chemotherapy might be of benefit. <i>International Journal of Clinical Oncology</i> , 2011, 16, 759-762.	2.2	25
165	Immunomodulatory IL-18 binding protein is produced by prostate cancer cells and its levels in urine and serum correlate with tumor status. <i>International Journal of Cancer</i> , 2011, 129, 424-432.	5.1	42
166	Fertility preservation for boys with cancer. <i>Reproductive Medicine and Biology</i> , 2010, 9, 179-184.	2.4	5
167	Monocyte chemoattractant protein-1 (MCP-1/CCL2) is associated with prostatic growth dysregulation and benign prostatic hyperplasia. <i>Prostate</i> , 2010, 70, 473-481.	2.3	62
168	Endoglin (CD105) as a urinary and serum marker of prostate cancer. <i>International Journal of Cancer</i> , 2009, 124, 664-669.	5.1	51
169	Vascular endothelial growth factor receptor 1 expression in pelvic lymph nodes predicts the risk of cancer progression after radical prostatectomy. <i>Cancer Science</i> , 2009, 100, 1047-1050.	3.9	14
170	Specific detection of prostate cancer cells in urine by multiplex immunofluorescence cytology. <i>Human Pathology</i> , 2009, 40, 924-933.	2.0	41
171	PROSTATIC MONOCYTE CHEMOTACTIC PROTEIN-1 (MCP-1): A NOVEL BIOMARKER FOR LOWER URINARY TRACT SYMPTOMS ASSOCIATED WITH BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , 2009, 181, 595.	0.4	1
172	Serial Prostate Biopsies are Associated With an Increased Risk of Erectile Dysfunction in Men With Prostate Cancer on Active Surveillance. <i>Journal of Urology</i> , 2009, 182, 2664-2669.	0.4	152
173	VEGFR1 EXPRESSION IN PELVIC LYMPH NODES PREDICTS THE RISK OF BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2009, 181, 99-99.	0.4	0
174	MONOCYTE CHEMOTACTIC PROTEIN-1 (MCP-1:CCL2) IS ASSOCIATED WITH PROSTATIC GROWTH DYSREGULATION. <i>Journal of Urology</i> , 2009, 181, 505-506.	0.4	0
175	Effect of 1,25-Dihydroxyvitamin D on Testicular Morphology and Gene Expression in Experimental Cryptorchid Mouse: Testis Specific cDNA Microarray Analysis and Potential Implication in Male Infertility. <i>Journal of Urology</i> , 2009, 181, 1487-1492.	0.4	38
176	URINE AND SERUM LEVELS OF IL-18 BINDING PROTEIN IS ASSOCIATED WITH TUMOR STATUS. <i>Journal of Urology</i> , 2009, 181, 478-479.	0.4	0
177	Cytokine profiling of prostatic fluid from cancerous prostate glands identifies cytokines associated with extent of tumor and inflammation. <i>Prostate</i> , 2008, 68, 872-882.	2.3	51
178	Effect of human leukemia cells in testicular tissues grafted into immunodeficient mice. <i>International Journal of Urology</i> , 2008, 15, 733-738.	1.0	8
179	Urological surgery in patients aged 80 years and older: A 30-year retrospective clinical study. <i>International Journal of Urology</i> , 2008, 15, 789-793.	1.0	10
180	ENDOGLIN (CD105) AS A POTENTIAL URINARY MARKER FOR PROSTATE CANCER DETECTION. <i>Journal of Urology</i> , 2008, 179, 720-720.	0.4	0

#	ARTICLE	IF	CITATIONS
181	Isolation of germ cells from leukemic cells. <i>Human Reproduction</i> , 2007, 22, 2796-2797.	0.9	3
182	Differential brain processing of audiovisual sexual stimuli in men: Comparative positron emission tomography study of the initiation and maintenance of penile erection during sexual arousal. <i>NeuroImage</i> , 2007, 36, 830-842.	4.2	54
183	Prostatic Stem Cell Marker Identified by cDNA Microarray in Mouse. <i>Journal of Urology</i> , 2007, 178, 686-691.	0.4	12
184	1867: Isolation of Germ Cells from Leukemia and Lymphoma Cells in a Human <i>In vitro</i> Model: Potential Clinical Application for Restoring Human Fertility After Anticancer Therapy. <i>Journal of Urology</i> , 2007, 177, 620-620.	0.4	0
185	Brain Processing of Audiovisual Sexual Stimuli Inducing Penile Erection: A Positron Emission Tomography Study. <i>Journal of Urology</i> , 2006, 176, 679-683.	0.4	32
186	Comparative study of Sperm Motility Analysis System and conventional microscopic semen analysis. <i>Reproductive Medicine and Biology</i> , 2006, 5, 195-200.	2.4	20
187	Associations of homologous RNA-binding motif gene on the X chromosome (RBMX) and its like sequence on chromosome 9 (RBMXL9) with non-obstructive azoospermia. <i>Asian Journal of Andrology</i> , 2006, 8, 213-218.	1.6	7
188	Isolation of Germ Cells from Leukemia and Lymphoma Cells in a Human <i>In vitro</i> Model: Potential Clinical Application for Restoring Human Fertility after Anticancer Therapy. <i>Cancer Research</i> , 2006, 66, 11166-11171.	0.9	82
189	Impact of age, follicle stimulating hormone and Johnsen's score on successful sperm retrieval by microdissection testicular sperm extraction. <i>Reproductive Medicine and Biology</i> , 2005, 4, 53-57.	2.4	4
190	Comparative study on evaluation methods for serum testosterone level for PADAM diagnosis. <i>International Journal of Impotence Research</i> , 2005, 17, 259-263.	1.8	39
191	Impact of age, follicle stimulating hormone and Johnsen's score on successful sperm retrieval by microdissection testicular sperm extraction. <i>Reproductive Medicine and Biology</i> , 2005, 4, 53-57.	2.4	10
192	Expression of inhibin β , glial cell line-derived neurotrophic factor and stem cell factor in Sertoli cell-only syndrome: relation to successful sperm retrieval by microdissection testicular sperm extraction. <i>Human Reproduction</i> , 2005, 20, 2289-2294.	0.9	5
193	Transplantation of spermatogonial stem cells isolated from leukemic mice restores fertility without inducing leukemia. <i>Journal of Clinical Investigation</i> , 2005, 115, 1855-1861.	8.2	127
194	Primary signet ring cell carcinoma of the prostate: Report and review of 42 cases. <i>International Journal of Urology</i> , 2004, 11, 178-181.	1.0	47
195	Perinephric urinoma secondary to neurogenic bladder with vesicoureteral reflux: Report of an adult case. <i>International Journal of Urology</i> , 2004, 11, 53-55.	1.0	11
196	PREDICTION OF SUCCESSFUL OUTCOME OF MICRODISSECTION TESTICULAR SPERM EXTRACTION IN MEN WITH IDIOPATHIC NONOBSTRUCTIVE AZOOSPERMIA. <i>Journal of Urology</i> , 2004, 172, 1944-1947.	0.4	123
197	Desmoid tumor in a scar from radical nephrectomy for renal cancer. <i>International Journal of Urology</i> , 2003, 10, 274-275.	1.0	9
198	Adult Wilms' tumor mimicking hemorrhagic renal cyst. <i>International Journal of Urology</i> , 2003, 10, 492-494.	1.0	4

#	ARTICLE	IF	CITATIONS
199	Early stage small cell carcinoma of the urinary bladder. International Journal of Urology, 2001, 8, 643-644.	1.0	5