

Yasuhiro Nakazawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5642216/publications.pdf>

Version: 2024-02-01

107
papers

3,433
citations

304743

22
h-index

144013

57
g-index

107
all docs

107
docs citations

107
times ranked

2343
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermodynamic measurements of doped dimer-Mott organic superconductor under pressure. <i>Low Temperature Physics</i> , 2022, 48, 51-56.	0.6	1
2	Melamine-induced synthesis of a structurally perfect kagomé antiferromagnet. <i>Chemical Communications</i> , 2022, 58, 3763-3766.	4.1	0
3	Enantiopure and racemic radical-cation salts of B(mandelate) ₂ ⁺ and B(2-chloromandelate) ₂ ⁺ anions with BEDT-TTF. <i>Dalton Transactions</i> , 2022, 51, 4843-4852.	3.3	1
4	Persistence of fermionic spin excitations through a genuine Mott transition in \hat{I}^2 -type organics. <i>Physical Review B</i> , 2022, 105, .	3.2	3
5	Electronic Heat Capacity and Lattice Softening of Partially Deuterated Compounds of \hat{I}^e -(BEDT-TTF) ₂ Cu[N(CN) ₂]Br. <i>Crystals</i> , 2022, 12, 2.	2.2	3
6	Molecular conductors from bis(ethylenedithio)tetrathiafulvalene with tris(oxalato)gallate and tris(oxalato)iridate. <i>Materials Advances</i> , 2022, 3, 4724-4735.	5.4	1
7	Systematic study on thermal conductivity of organic triangular lattice systems \hat{I}^2 -type organics. <i>Physical Review B</i> , 2022, 105, .	3.2	3
8	Electric dipole induced bulk ferromagnetism in dimer Mott molecular compounds. <i>Scientific Reports</i> , 2021, 11, 1332.	3.3	6
9	Chiral metal down to 4.2 K - a BDH-TTP radical-cation salt with spiroboronate anion B(2-chloromandelate) ₂ ⁺ . <i>Chemical Communications</i> , 2021, 57, 5406-5409.	4.1	7
10	Symmetry change of d-wave superconductivity in \hat{I}^e -type organic superconductors. <i>Physical Review B</i> , 2021, 103, .	3.2	10
11	Structures and Properties of New Organic Molecule-Based Metals, (D) ₂ BrC ₂ H ₄ SO ₃ [D = BEDT-TTF and BETS]. <i>Magnetochemistry</i> , 2021, 7, 91.	2.4	4
12	First Molecular Superconductor with the Tris(Oxalato)Aluminate Anion, \hat{I}^2 -(BEDT-TTF) ₄ (H ₃ O)Al(C ₂ O ₄) ₃ ·C ₆ H ₅ Br, and Isostructural Tris(Oxalato)Cobaltate and Tris(Oxalato)Ruthenate Radical Cation Salts. <i>Magnetochemistry</i> , 2021, 7, 90.	2.4	4
13	Extraordinary \hat{I}^e -electron superconductivity emerging from a quantum spin liquid. <i>Physical Review Research</i> , 2021, 3, .	3.6	11
14	Structural, magnetic and Mössbauer spectroscopic studies of the [Fe(3-bpp) ₂](CF ₃ COO) ₂ complex: role of crystal packing leading to an incomplete Fe(II) high spin \leftrightarrow low spin transition. <i>CrystEngComm</i> , 2021, 23, 2854-2861.	2.6	3
15	Fermi Surface Structure and Isotropic Stability of Fulde-Ferrell-Larkin-Ovchinnikov Phase in Layered Organic Superconductor \hat{I}^2 -(BEDT-TTF) ₂ SF ₅ CH ₂ CF ₂ SO ₃ . <i>Crystals</i> , 2021, 11, 1525.	2.2	1
16	Structures and Properties of New Organic Conductors: BEDT-TTF, BEST and BETS Salts of the HOC ₂ H ₄ SO ₃ ⁺ Anion. <i>Crystals</i> , 2020, 10, 775.	2.2	7
17	Chiral molecular conductor with an insulator-metal transition close to room temperature. <i>Chemical Communications</i> , 2020, 56, 9497-9500.	4.1	7
18	Thermodynamic properties of glassy phonon states induced by strong electron correlations in \hat{I}^e -type organic charge transfer salts. <i>Modern Physics Letters B</i> , 2020, 34, 2040059.	1.9	2

#	ARTICLE	IF	CITATIONS
19	Single Crystal Heat Capacity Measurement of Charge Glass Compound $\hat{I}^-(\text{BEDT-TTF})_2\text{CsZn}(\text{SCN})_4$ Performed under Current and Voltage Application. <i>Crystals</i> , 2020, 10, 1060.	2.2	1
20	Single-Crystal-to-Single-Crystal Installation of Ln 4 (OH) 4 Cubanes in an Anionic Metallosupramolecular Framework. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 18048-18053.	13.8	12
21	Variation of Electronic Heat Capacity of $\hat{I}^-(\text{BEDT-TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Br}$ Induced by Partial Substitution of Donor Layers. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 073701.	1.6	2
22	Single-Crystal-to-Single-Crystal Installation of Ln 4 (OH) 4 Cubanes in an Anionic Metallosupramolecular Framework. <i>Angewandte Chemie</i> , 2020, 132, 18204-18209.	2.0	0
23	Development of frequency tuning AC modulation method for high-pressure heat capacity measurements of molecules-based compounds. <i>Modern Physics Letters B</i> , 2020, 34, 2040062.	1.9	1
24	Different electronic states of isomorphous chiral <i>S</i> - and <i>R</i> -racemic organic conducting salts, $\hat{I}^{\pm}(\text{BEDT-TTF})_2(\text{H}_2\text{O})(\text{NH}_4)_2\text{M}(\text{C}_2\text{O}_4)_3 \cdot 18\text{-crown-6}$ Series (M = Rh, Cr, Ru, Ir). <i>Materials Advances</i> , 2020, 1, 3171-3175.	5.4	3
25	2D Molecular Superconductor to Insulator Transition in the $\hat{I}^{\pm}(\text{BEDT-TTF})_2[(\text{H}_2\text{O})(\text{NH}_4)_2\text{M}(\text{C}_2\text{O}_4)_3] \cdot 18\text{-crown-6}$ Series (M = Rh, Cr, Ru, Ir). <i>Inorganic Chemistry</i> , 2019, 58, 10656-10664.	5.8	11
26	Phonon Glass Induced by Electron Correlation. <i>Journal of the Physical Society of Japan</i> , 2019, 88, 073601.	1.6	8
27	Magnetic and Electronic Properties of <i>f</i> -d Interacting Molecular Magnetic Superconductor $\hat{I}^-(\text{BETS})_2\text{FeX}_4$ (X = Cl, Br) Studied by Angle-Resolved Heat Capacity Measurements. <i>Crystals</i> , 2019, 9, 66.	2.2	6
28	Mobility of hydrated alkali metal ions in metallosupramolecular ionic crystals. <i>Chemical Science</i> , 2019, 10, 587-593.	7.4	30
29	Electron Transport in Carbon Nanotubes with Adsorbed Chromium Impurities. <i>Materials</i> , 2019, 12, 524.	2.9	22
30	Thermal expansion of organic superconductor $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{NH}_4\text{Hg}(\text{SCN})_4$. <i>Low Temperature Physics</i> , 2019, 45, 128-131.	0.6	1
31	Construction of a thermal conductivity measurement system for small single crystals of organic conductors. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 135, 2831-2836.	3.6	11
32	Control of the Spin Dynamics of Single-Molecule Magnets by using a Quasi One-Dimensional Arrangement. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9262-9267.	13.8	72
33	Experimental and theoretical aspects of thermodynamic properties of quasi-1D and quasi-2D organic conductors and superconductors. <i>International Journal of Modern Physics B</i> , 2018, 32, 1840036.	2.0	3
34	Dielectric Jump and Negative Electrostriction in Metallosupramolecular Ionic Crystals. <i>Scientific Reports</i> , 2018, 8, 2606.	3.3	10
35	Control of the Spin Dynamics of Single-Molecule Magnets by using a Quasi One-Dimensional Arrangement. <i>Angewandte Chemie</i> , 2018, 130, 9406-9411.	2.0	10
36	Thermodynamic investigation by heat capacity measurements of \hat{I}^{\pm} -type dimer-Mott organic compounds with chemical pressure tuning. <i>International Journal of Modern Physics B</i> , 2018, 32, 1840024.	2.0	2

#	ARTICLE	IF	CITATIONS
37	Frontispiece: Control of the Spin Dynamics of Single-Molecule Magnets by using a Quasi One-Dimensional Arrangement. <i>Angewandte Chemie - International Edition</i> , 2018, 57, .	13.8	1
38	Frontispiz: Control of the Spin Dynamics of Single-Molecule Magnets by using a Quasi One-Dimensional Arrangement. <i>Angewandte Chemie</i> , 2018, 130, .	2.0	0
39	Thermodynamic Picture of Dimer-Mott Organic Superconductors Revealed by Heat Capacity Measurements with External and Chemical Pressure Control. <i>Crystals</i> , 2018, 8, 143.	2.2	14
40	Structure and Properties of a BEDT-TTF-Based Organic Conductor with a Ferrocene-Based Magnetic Anion Octamethylferrocenedisulfonate. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 3249-3252.	2.0	8
41	AC calorimetry system using commercially available microchip device and its application for tiny single crystals of molecule-based compounds. <i>Thermochimica Acta</i> , 2017, 650, 134-138.	2.7	2
42	Ambient-pressure molecular superconductor with a superlattice containing layers of tris(oxalato)rhodate enantiomers and 18-crown-6. <i>Inorganic Chemistry</i> , 2017, 56, 717-720.	4.0	20
43	Unusual Magnetic State with Dual Magnetic Excitations in the Single Crystal of $S = 1/2$ Kagome Lattice Antiferromagnet $\text{CaCu}_3(\text{OH})_6\text{Cl}_2 \cdot 0.6\text{H}_2\text{O}$. <i>Journal of the Physical Society of Japan</i> , 2017, 86, 033704.	1.6	30
44	Increase in the Magnetic Ordering Temperature (T_c) as a Function of the Applied Pressure for $\text{A}_2\text{Mn}[\text{Mn}(\text{CN})_6]$ (A = K, Rb, Cs) Prussian Blue Analogues. <i>Inorganic Chemistry</i> , 2017, 56, 10452-10457.	4.0	15
45	Bulk Kosterlitz-Thouless Type Molecular Superconductor $\text{[}^{\ominus}\text{(BEDT-TTF)}_2\text{(H}_2\text{O)(NH}_4\text{)}_2\text{Cr(C}_2\text{O}_4\text{)}_3\text{]} \cdot 18\text{-crown-6}$. <i>Inorganic Chemistry</i> , 2017, 56, 14045-14052.	4.0	16
46	Molecular conductors from bis(ethylenedithio)tetrathiafulvalene with tris(oxalato)rhodate. <i>Dalton Transactions</i> , 2017, 46, 9542-9548.	3.3	12
47	Thermodynamics of the quantum spin liquid state of the single-component dimer Mott system $\text{H}_3\text{Mn}(\text{NO}_2)_6$. <i>Physical Review B</i> , 2017, 95, .		
48	New DMIT-Based Organic Magnetic Conductors $(\text{PO-CONH-C}_2\text{H}_4\text{N(CH}_3\text{)}_3\text{)}_2[\text{M}(\text{DMIT})_2]_2$ (M = Ni, Pd) Including an Organic Cation Derived from a 2,2,5,5-Tetramethyl-3-pyrrolin-1-oxyl (PO) Radical. <i>Magnetochemistry</i> , 2017, 3, 11.	2.4	6
49	Thermal expansion of organic superconductor $\text{[}^{\ominus}\text{(D}_4\text{-BEDT-TTF)}_2\text{Cu}\{ \text{N(CN)}_2\} \text{Br}$. Isotopic effect. <i>Low Temperature Physics</i> , 2017, 43, 1387-1391.	0.6	0
50	Peculiarities of thermal expansion of quasi-two-dimensional organic conductor $\text{[}^{\ominus}\text{(BEDT-TTF)}_2\text{Cu}\{ \text{N(CN)}_2\} \text{Cl}$. <i>Low Temperature Physics</i> , 2016, 42, 788-793.	0.6	3
51	Thermodynamic Evidence of d-Wave Superconductivity of the Organic Superconductor $\text{[}^{\ominus}\text{(BETS)}_2\text{GaCl}_4\text{]}$. <i>Journal of the Physical Society of Japan</i> , 2016, 85, 043705.	1.6	26
52	Enantiopure and racemic radical-cation salts of $\text{B}(\text{malate})_2^{\ominus}$ anions with BEDT-TTF. <i>Dalton Transactions</i> , 2016, 45, 9285-9293.	3.3	10
53	Cooling-rate-controlled heat capacity measurements of organic superconductor $(\text{TMTSF})_2\text{ClO}_4$. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 123, 1877-1881.	3.6	1
54	Construction of relaxation calorimetry for 101 μg samples and heat capacity measurements of organic complexes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 123, 1871-1876.	3.6	23

#	ARTICLE	IF	CITATIONS
55	A strongly polarized organic conductor. <i>CrystEngComm</i> , 2016, 18, 8151-8154.	2.6	12
56	Thermodynamic properties of antiferromagnetic ordered states of \hat{p} -dimerizing systems of \hat{p} -(BETS) $_2$ FeX $_4$ (X=Br,Cl). <i>Physical Review B</i> , 2016, 93, .	3.2	9
57	Quadratic temperature dependence of electronic heat capacities in the \hat{p} -type organic superconductors. <i>International Journal of Modern Physics B</i> , 2016, 30, 1642014.	2.0	6
58	Thermal anomaly around the superconductive transition of \hat{p} -(BEDT-TTF) $_2$ Cu(NCS) $_2$ with external pressure and magnetic field control. <i>Journal of Thermal Analysis and Calorimetry</i> , 2016, 123, 1891-1897.	3.6	6
59	Gradual crossover in molecular organization of stable liquid H $_2$ O at moderately high pressure and temperature. <i>AIP Advances</i> , 2014, 4, .	1.3	8
60	Coupling of charge and lattice degrees of freedoms in \hat{p} -type BEDT-TTF compound probed by low-temperature heat capacity measurements. <i>Physica B: Condensed Matter</i> , 2014, 449, 19-24.	2.7	8
61	Investigations on Electronic States of Molecule-based Compounds by High-Pressure AC Calorimetry. <i>Current Inorganic Chemistry</i> , 2014, 4, 122-134.	0.2	4
62	Development of heat capacity measurement system for single crystals of molecule-based compounds. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013, 113, 1303-1308.	3.6	22
63	Magnetic transition in dimerized radical cation salt of (BPDT-TTF) $_2$ ICl $_2$ studied by heat capacity measurements. <i>Journal of Thermal Analysis and Calorimetry</i> , 2013, 113, 1197-1201.	3.6	2
64	Antiferromagnetic fluctuations and proton Schottky heat capacity in doped organic conductor \hat{p} -(BEDT-TTF) $_4$ Hg $_2$.78Cl $_8$. <i>Physica B: Condensed Matter</i> , 2013, 427, 1-4.	2.7	1
65	Update 1 of: Calorimetric Investigation of Phase Transitions Occurring in Molecule-Based Magnets. <i>Chemical Reviews</i> , 2013, 113, PR41-PR122.	47.7	92
66	Thermodynamics of a Liquid-like Spin State in Molecule-based Magnets with Geometric Frustrations. <i>Chemistry Letters</i> , 2013, 42, 1446-1454.	1.3	12
67	Condensation Energy for a Two-Gap Superconducting State in Nanoparticles. <i>Journal of Nanoparticles</i> , 2013, 2013, 1-6.	1.4	1
68	Thermodynamic Properties of \hat{p} -(BEDT-TTF) $_2$ X Salts: Electron Correlations and Superconductivity. <i>Crystals</i> , 2012, 2, 741-761.	2.2	22
69	Rich variety in the ground states of [Pd(dmit) $_2$] $_2$ salts, and the methodology for analysing intra-dimer interactions, inter-dimer interactions and MO levels. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 971-974.	1.5	2
70	Magnetic heat capacities of \hat{p} -(BETS) $_2$ FeBr $_4$ measured by a micro-chip calorimeter. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 1174-1176.	0.8	5
71	Microchip-calorimetry of organic charge transfer complex which shows superconductivity at low temperatures. <i>Thermochimica Acta</i> , 2012, 532, 88-91.	2.7	9
72	Gapless spin liquid of an organic triangular compound evidenced by thermodynamic measurements. <i>Nature Communications</i> , 2011, 2, 275.	12.8	197

#	ARTICLE	IF	CITATIONS
73	AC heat capacities of $\hat{\rho}$ -(BEDT-TTF) ₂ Cu ₂ (CN) ₃ measured by microchip calorimeter. Journal of Physics: Conference Series, 2011, 320, 012027.	0.4	2
74	Magnetic torque evidence for the Fulde-Ferrell-Larkin-Ovchinnikov state in the layered organic superconductor $\hat{\rho}$ -(BEDT-TTF) ₂ Cu ₂ (CN) ₃ . Physical Review B, 2011, 84, 020407.	3.2	94
75	Low-temperature heat capacity of heptacopper(II) complex [Cu ₇ ($\hat{\rho}$ -3-Cl) ₂ ($\hat{\rho}$ -3-OH) ₆ (d-pen-disulfide) ₃]. Journal of Thermal Analysis and Calorimetry, 2010, 99, 149-152.	3.6	4
76	Heat capacities of antiferromagnetic dimer-Mott insulators in organic charge-transfer complexes. Journal of Thermal Analysis and Calorimetry, 2010, 99, 153-157.	3.6	11
77	Low-temperature heat capacity measurements of $\hat{\rho}$ -type organic superconductors under pressure. Physica B: Condensed Matter, 2010, 405, S273-S276.	2.7	5
78	Low temperature heat capacity measurements of the spin-liquid states of hydrogenated and deuterated $\hat{\rho}$ -(BEDT-TTF) ₂ Cu ₂ (CN) ₃ . Physica B: Condensed Matter, 2010, 405, S240-S243.	2.7	4
79	Thermodynamic Properties of the Kagomé Lattice in Volborthite. Journal of the Physical Society of Japan, 2010, 79, 083710.	1.6	26
80	AC-calorimetry for detecting electronic phase transitions at low temperatures using micro-chip devices. Thermochimica Acta, 2009, 492, 85-88.	2.7	7
81	Calorimetric study of molecular superconductor $\hat{\rho}$ -(BEDT-TTF) ₂ Ag(CN) ₂ H ₂ O which contains water in the anion layers. Journal of Thermal Analysis and Calorimetry, 2008, 92, 435-438.	3.6	10
82	Heat capacities of a networked system of single-molecule magnet with three-dimensional structure. Journal of Thermal Analysis and Calorimetry, 2008, 92, 439-442.	3.6	3
83	Thermodynamic properties of a spin-1/2 spin-liquid state in a $\hat{\rho}$ -type organic salt. Nature Physics, 2008, 4, 459-462.	16.7	433
84	Construction of a low-temperature thermodynamic measurement system for single crystal of molecular compounds under pressures. Review of Scientific Instruments, 2008, 79, 053901.	1.3	18
85	Thermodynamic study of $\hat{\rho}$ -(BEDT-TTF) ₂ Ag(CN) ₂ H ₂ O under pressures and with magnetic fields. Journal of Physics: Conference Series, 2008, 132, 012010.	0.4	6
86	Calorimetric Evidence for a Fulde-Ferrell-Larkin-Ovchinnikov Superconducting State in the Layered Organic Superconductor $\hat{\rho}$ -(BEDT-TTF) ₂ Cu ₂ (CN) ₃ . Physical Review B, 2008, 78, 020407.	3.2	94
87	Thermodynamic behavior of the 10K class organic superconductor $\hat{\rho}$ -(BEDT-TTF) ₂ Cu(NCS) ₂ studied by relaxation calorimetry. Thermochimica Acta, 2005, 431, 123-126.	2.7	14
88	Unusual low-temperature thermodynamic properties of pellet samples of (DMe-DCNQI) ₂ M (M=Li, Ag). Journal of Thermal Analysis and Calorimetry, 2005, 81, 587-590.	3.6	2
89	Drastic cooling rate dependence of thermal anomaly associated with the superconducting transition in $\hat{\rho}$ -(BEDT-TTF) ₄ Hg _{2.89} Br ₈ . Journal of Thermal Analysis and Calorimetry, 2005, 81, 591-594.	3.6	8
90	Anomalous enhancement of electronic heat capacity in the organic conductors $\hat{\rho}$ -(BEDT-TTF) ₄ Hg ₃ X ₈ (X=Br, Cl). Physical Review B, 2005, 71, .	3.2	22

#	ARTICLE	IF	CITATIONS
91	Low-temperature heat capacity measurements of $\hat{I}^{\pm}(\text{BEDT-TTF})_4\text{Hg}_2.89\text{Br}_8$. <i>Physica C: Superconductivity and Its Applications</i> , 2003, 388-389, 595-596.	1.2	3
92	Spin-Peierls transition of the quasi-one-dimensional electronic system $(\text{DMe}^{\pm}\text{DCNQI})_2\text{M}$ ($\text{M}=\text{Li}, \text{Ag}$) probed by heat capacity. <i>Physical Review B</i> , 2003, 68, .	3.2	23
93	Calorimetric study of the halogen-bridged mixed-valence binuclear metal chain complex $\text{Pt}_2(\text{n}^{\pm}\text{BuCS}_2)_4$ ($\text{Bu}=\text{butyl chain}$). <i>Physical Review B</i> , 2002, 66, .	3.2	34
94	Thermodynamic Investigation of the Charge-Ordered Insulating State of the Quasi-One-Dimensional Organic System $(\text{Di}^{\pm}\text{DCNQI})_2\text{Ag}$. <i>Physical Review Letters</i> , 2002, 88, 076402.	7.8	10
95	AC Magnetic Susceptibility of the Assembled-Metal Complex $\{\text{NBu}_4[\text{FeII}(\text{ox})_3]\}^{\pm}(\text{Bu}=\text{n-C}_4\text{H}_9)$. <i>J. Phys. Chem. B</i> , 2001, 105, 10784-10791.	1.6	10
96	Electronic specific heat of BEDT-TTF-based organic conductors. <i>Physica B: Condensed Matter</i> , 2000, 281-282, 899-900.	2.7	7
97	Electronic specific heat at the boundary region of the metal-insulator transition in the two-dimensional electronic system of $\hat{I}^{\pm}(\text{BEDT}^{\pm}\text{TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Br}$. <i>Physical Review B</i> , 2000, 61, R16295-R16298.	3.2	47
98	Thermodynamic investigation of the electronic states of deuterated $\hat{I}^{\pm}(\text{BEDT}^{\pm}\text{TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Br}$. <i>Physical Review B</i> , 1999, 60, 4263-4267.	3.2	9
99	Low-temperature specific heat of $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Br}$ in the superconducting state. <i>Physical Review B</i> , 1997, 55, R8670-R8673.	3.2	110
100	Thermodynamic property of organic superconductor $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{X}$ [$\text{X}=\text{Cu}(\text{NCS})_2, \text{Cu}[\text{N}(\text{CN})_2]\text{Br}$]. <i>Physica C: Superconductivity and Its Applications</i> , 1997, 282-287, 1897-1898.	1.2	12
101	NMR relaxation rate in the superconducting state of the organic conductor $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Br}$. <i>Physical Review B</i> , 1996, 54, 76-79.	3.2	130
102	Electronic structure of insulating salts of the $\hat{I}^{\pm}(\text{BEDT}^{\pm}\text{TTF})_2\text{X}$ family studied by low-temperature specific-heat measurements. <i>Physical Review B</i> , 1996, 53, R8875-R8878.	3.2	41
103	Characterization of low-temperature electronic states of the organic conductors $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{MHg}(\text{SCN})_4$ ($\text{M}=\text{K}, \text{Rb}, \text{and NH}_4$) by specific-heat measurements. <i>Physical Review B</i> , 1995, 52, 12890-12894.	3.2	41
104	Antiferromagnetic Ordering and Spin Structure in the Organic Conductor, $\hat{I}^{\pm}(\text{BEDT-TTF})_2\text{Cu}[\text{N}(\text{CN})_2]\text{Cl}$. <i>Physical Review Letters</i> , 1995, 75, 1174-1177.	7.8	260
105	Low-temperature magnetic properties of the ferromagnetic organic radical, p-nitrophenyl nitronyl nitroxide. <i>Physical Review B</i> , 1992, 46, 8906-8914.	3.2	270
106	Bulk ferromagnetism in the \hat{I}^2 -phase crystal of the p-nitrophenyl nitronyl nitroxide radical. <i>Chemical Physics Letters</i> , 1991, 186, 401-404.	2.6	553
107	Specific heat study on samples of $\text{Ba}_2\text{YCu}_3\text{O}_7$ with a double superconducting transition. <i>Solid State Communications</i> , 1988, 66, 201-204.	1.9	57