

Cheng-Peng Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5649619/publications.pdf>

Version: 2024-02-01

105
papers

5,217
citations

87888

38
h-index

85541

71
g-index

112
all docs

112
docs citations

112
times ranked

3956
citing authors

#	ARTICLE	IF	CITATIONS
1	Design and construction of coordination polymers with mixed-ligand synthetic strategy. <i>Coordination Chemistry Reviews</i> , 2013, 257, 1282-1305.	18.8	722
2	Role of solvents in coordination supramolecular systems. <i>Chemical Communications</i> , 2011, 47, 5958.	4.1	624
3	Divergent Kinetic and Thermodynamic Hydration of a Porous Cu(II) Coordination Polymer with Exclusive CO ₂ Sorption Selectivity. <i>Journal of the American Chemical Society</i> , 2014, 136, 10906-10909.	13.7	227
4	Boosting Activity on Co ₄ N Porous Nanosheet by Coupling CeO ₂ for Efficient Electrochemical Overall Water Splitting at High Current Densities. <i>Advanced Functional Materials</i> , 2020, 30, 1910596.	14.9	218
5	Nanoporous Gold Embedded ZIF Composite for Enhanced Electrochemical Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15362-15366.	13.8	205
6	Design of a Highly-Stable Pillar-Layer Zinc(II) Porous Framework for Rapid, Reversible, and Multi-Responsive Luminescent Sensor in Water. <i>Crystal Growth and Design</i> , 2019, 19, 694-703.	3.0	142
7	An Unprecedented Eight-Connected Self-Penetrating Coordination Framework Based on Cage-Shaped [Pb ₆ ($\frac{1}{4}$ -O) ₂ (O ₂ C) ₈] Clusters. <i>Crystal Growth and Design</i> , 2010, 10, 2037-2040.	3.0	127
8	Metal-organic framework supported Au nanoparticles with organosilicone coating for high-efficiency electrocatalytic N ₂ reduction to NH ₃ . <i>Applied Catalysis B: Environmental</i> , 2022, 302, 120840.	20.2	120
9	Delicate Substituent Effect of Benzene-1,2,3-Tricarboxyl Tectons on Structural Assembly of Unusual Self-Penetrating Coordination Frameworks. <i>Crystal Growth and Design</i> , 2010, 10, 3036-3043.	3.0	107
10	Dynamic structural transformations of coordination supramolecular systems upon exogenous stimulation. <i>Chemical Communications</i> , 2015, 51, 2768-2781.	4.1	104
11	Supramolecular Coordination Complexes with 5-Sulfoisophthalic Acid and 2,5-Bipyridyl-1,3,4-Oxadiazole: Specific Sensitivity to Acidity for Cd(II) Species. <i>Crystal Growth and Design</i> , 2010, 10, 2650-2660.	3.0	96
12	Zn(II) and Cd(II) Coordination Polymers Assembled from a Versatile Tecton 5-Nitro-1,2,3-benzenetricarboxylic Acid and λ^2 -Donor Ancillary Coligands. <i>Crystal Growth and Design</i> , 2010, 10, 2641-2649.	3.0	87
13	Copper(ii) 5-methoxyisophthalate coordination polymers incorporating dipyriddy co-ligands: syntheses, crystal structures, and magnetic properties. <i>Dalton Transactions</i> , 2010, 39, 2301.	3.3	87
14	Substituent effect of R-isophthalates (R = H, CH ₃ , OCH ₃ , tBu, OH, and NO ₂) on the construction of Cd(II) coordination polymers incorporating a dipyriddy tecton 2,5-bis(3-pyridyl)-1,3,4-oxadiazole. <i>CrystEngComm</i> , 2011, 13, 1885-1893.	2.6	84
15	Destruction and reconstruction of the robust [Cu ₂ (OOCR) ₄] unit during crystal structure transformations between two coordination polymers. <i>Chemical Communications</i> , 2011, 47, 8088.	4.1	84
16	Metal-Controlled Assembly of Coordination Polymers with the Flexible Building Block 4-Pyridylacetic Acid (Hpya). <i>Crystal Growth and Design</i> , 2006, 6, 335-341.	3.0	83
17	Interplay of coordinative and supramolecular interactions in engineering unusual crystalline architectures of low-dimensional metal-amoate complexes under co-ligand intervention. <i>CrystEngComm</i> , 2007, 9, 1011.	2.6	73
18	A nanoporous Ag coordination polymer for selective adsorption of carcinogenic dye Acid Red 26. <i>Chemical Communications</i> , 2017, 53, 4767-4770.	4.1	71

#	ARTICLE	IF	CITATIONS
19	Inducing Effect of Additive Agents on Coordination Assembly of Silver(I) Nitrate with 3,5-Bis(2-pyridyl)-4-amino-1,2,4-triazole: Supramolecular Isomerism and Interconversion. <i>Inorganic Chemistry</i> , 2011, 50, 9284-9289.	4.0	70
20	Highly efficient Cr ₂ O ₇ ²⁻ removal of a 3D metal-organic framework fabricated by tandem single-crystal to single-crystal transformations from a 1D coordination array. <i>Chemical Communications</i> , 2017, 53, 9206-9209.	4.1	65
21	Bixbyite-type Ln ₂ O ₃ as promoters of metallic Ni for alkaline electrocatalytic hydrogen evolution. <i>Nature Communications</i> , 2022, 13, .	12.8	62
22	Exceptional Crystallization Diversity and Solid-State Conversions of Cd ^{II} Coordination Frameworks with 5-Bromonicotinate Directed by Solvent Media. <i>Chemistry - A European Journal</i> , 2012, 18, 12437-12445.	3.3	60
23	Structural Modulation and Properties of Silver(I) Coordination Frameworks with Benzenedicarboxyl Tectons and <i>trans</i> -1-(2-Pyridyl)-2-(4-pyridyl)ethylene Spacer. <i>Crystal Growth and Design</i> , 2010, 10, 1623-1632.	3.0	59
24	Ligand Symmetry Modulation for Designing a Mesoporous Metal-Organic Framework: Dual Reactivity to Transition and Lanthanide Metals for Enhanced Functionalization. <i>Chemistry - A European Journal</i> , 2015, 21, 9713-9719.	3.3	59
25	Recent advances in Cd ^{II} coordination polymers: Structural aspects, adaptable assemblies, and potential applications. <i>Inorganic Chemistry Communication</i> , 2011, 14, 502-513.	3.9	57
26	A Double-Walled Bimetal-Organic Framework for Antibiotics Sensing and Size-Selective Catalysis. <i>Inorganic Chemistry</i> , 2018, 57, 15062-15068.	4.0	57
27	A Highly Efficient Coordination Polymer for Selective Trapping and Sensing of Perrhenate/Per technetate. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 15246-15254.	8.0	57
28	Unusual anion effect on the direction of three-dimensional (3-D) channel-like silver(I) coordination frameworks with isonicotinic acid N-oxide. <i>CrystEngComm</i> , 2009, 11, 1536.	2.6	55
29	Rational Construction of an Exceptionally Stable MOF Catalyst with Metal-Adeninate Vertices toward CO ₂ Cycloaddition under Mild and Cocatalyst-Free Conditions. <i>Chemistry - A European Journal</i> , 2019, 25, 11474-11480.	3.3	50
30	Ultra-highly selective trapping of perrhenate/per technetate by a flexible cationic coordination framework. <i>Chemical Communications</i> , 2019, 55, 1841-1844.	4.1	49
31	Optimizing Strategy for Enhancing the Stability and ⁹⁹ TcO ₄ ⁻ Sequestration of Poly(ionic liquids)@MOFs Composites. <i>ACS Central Science</i> , 2020, 6, 2354-2361.	11.3	48
32	Nanoporous Gold Embedded ZIF Composite for Enhanced Electrochemical Nitrogen Fixation. <i>Angewandte Chemie</i> , 2019, 131, 15506-15510.	2.0	46
33	Solvent-regulated assembly of 1-D and 2-D Zn ^{II} coordination polymers with tetrabromoterephthalate. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1405-1408.	3.9	42
34	Co ^{II} and Zn ^{II} Coordination Frameworks with Benzene-1,2,3-tricarboxylate Tecton and Flexible Dipyridyl Co-Ligand: A New Type of Entangled Architecture and a Unique 4-Connected Topological Network. <i>Crystal Growth and Design</i> , 2011, 11, 3309-3312.	3.0	41
35	Construction of electrochemical aptasensors with Ag(I) metal-organic frameworks toward high-efficient detection of ultra-trace penicillin. <i>Applied Surface Science</i> , 2020, 531, 147342.	6.1	41
36	Structural diversification and metal-directed assembly of coordination architectures based on tetrabromoterephthalic acid and a bent dipyridyl tecton 2,5-bis(4-pyridyl)-1,3,4-oxadiazole. <i>CrystEngComm</i> , 2010, 12, 4392.	2.6	39

#	ARTICLE	IF	CITATIONS
37	Encapsulation of an Ionic Metalloporphyrin into a Zeolite Imidazolate Framework in situ for CO ₂ Chemical Transformation via Host-Guest Synergistic Catalysis. <i>Chemistry - an Asian Journal</i> , 2019, 14, 958-962.	3.3	39
38	Metal-Involved Solvothermal Interconversions of Pyrazinyl Substituted Azole Derivatives: Controllability and Mechanism. <i>Crystal Growth and Design</i> , 2010, 10, 5034-5042.	3.0	38
39	Tracking the Superefficient Anion Exchange of a Dynamic Porous Material Constructed by Ag(I) Nitrate and Tripyridyltriazole via Multistep Single-Crystal to Single-Crystal Transformations. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7202-7208.	8.0	38
40	Hierarchical regulated assembly of new metallosupramolecular networks based on metal thiocyanate and trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene (bpe) via multiple interactions. <i>CrystEngComm</i> , 2006, 8, 552.	2.6	36
41	Distinct CdII and CoII thiocyanate coordination complexes with 2,5-bis(pyrazinyl)-1,3,4-oxadiazole: Metal-directed assembly of a 1-D polymeric chain and a 3-D supramolecular network. <i>Inorganica Chimica Acta</i> , 2006, 359, 2575-2582.	2.4	36
42	Coordination Assemblies of Co ^{II} /Cu ^{II} /Zn ^{II} /Cd ^{II} with 2,5-Bipyridyl-1,3,4-Oxadiazole and Dicyanamide Anion: Structural Diversification and Properties. <i>Crystal Growth and Design</i> , 2010, 10, 3285-3296.	3.0	36
43	Water-Stable Metal-Organic Framework for Effective and Selective Cr ₂ O ₇ ²⁻ Capture through Single-Crystal to Single-Crystal Anion Exchange. <i>Inorganic Chemistry</i> , 2018, 57, 11746-11752.	4.0	36
44	Coupling NiCo Alloy and CeO ₂ to Enhance Electrocatalytic Hydrogen Evolution in Alkaline Solution. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000122.	5.3	36
45	Metal-Assembled, Resorcin[4]arene-Based Molecular Trimer for Efficient Removal of Toxic Dichromate Pollutants and Knoevenagel Condensation Reaction. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 15591-15597.	8.0	33
46	A 3D Cu ^{II} Coordination Framework with 1/4-1/4-Oxalato Anions and a Bent Dipyridyl Coligand: Unique Zeolite-Type NiP ₂ Topological Network and Magnetic Properties. <i>Inorganic Chemistry</i> , 2011, 50, 6850-6852.	4.0	31
47	Doubly Interpenetrated Zn ₄ O-Based Metal-Organic Framework for CO ₂ Chemical Transformation and Antibiotic Sensing. <i>Crystal Growth and Design</i> , 2019, 19, 5228-5236.	3.0	31
48	Multifarious ZnII and CdII coordination frameworks constructed by a versatile trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene tecton and various benzenedicarboxyl ligands. <i>CrystEngComm</i> , 2010, 12, 834-844.	2.6	30
49	Structural diversity and fluorescent properties of CdII coordination polymers with 5-halonicotinates regulated by solvent and ligand halogen-substituting effect. <i>CrystEngComm</i> , 2013, 15, 9713.	2.6	30
50	Solvent-mediated assembly of chiral/achiral hydrophilic Ca(II)-tetrafluoroterephthalate coordination frameworks: 3D chiral water aggregation, structural transformation and selective CO ₂ adsorption. <i>CrystEngComm</i> , 2014, 16, 7673-7680.	2.6	28
51	{[Cd ₂ (pyt) ₂ (chdc)(H ₂ O)](H ₂ O) ₂] _n : A unique bilayer coordination polymer with mixed-connected network topology (Hpyt=5-(4-pyridyl)-1,3,4-oxadiazole-2-thiol and H ₂ chdc=1,4-cyclohexanedicarboxylic) <i>Tj ETQq1</i> 3.0.7843144rgBT /Ov	3.0	28
52	Mechanism-Property Correlation in Coordination Polymer Crystals toward Design of a Superior Sorbent. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42375-42384.	8.0	24
53	Formulation of Poly(ionic liquids)@COF Nanotrap for Efficient Perrhenate Sequestration from Alkaline Nuclear Waste. <i>Chemistry of Materials</i> , 2022, 34, 5452-5460.	6.7	24
54	Dual structure evolution of a Ag(I) supramolecular framework triggered by anion-exchange: replacement of terminal ligand and switching of network interpenetration degree. <i>Chemical Communications</i> , 2016, 52, 11060-11063.	4.1	23

#	ARTICLE	IF	CITATIONS
55	Metal-directed 1-D molecular-box based coordination polymers with mono- and di-nuclear nodes – Construction of 3-D supramolecular networks via hydrogen bonding and S–S interactions. <i>Inorganica Chimica Acta</i> , 2006, 359, 1690-1696.	2.4	22
56	Coordination polymers of macrocyclic oxamide with 1,3,5-benzenetricarboxylate: syntheses, crystal structures and magnetic properties. <i>Dalton Transactions</i> , 2011, 40, 5528.	3.3	21
57	Cobalt(II), silver(I), and lead(II) tetrabromoterephthalates exhibiting the 1-D linear chain, 2-D CdCl ₂ -type layer, and 3-D penta-nodal mixed-connecting coordination frameworks. <i>Polyhedron</i> , 2009, 28, 505-510.	2.2	19
58	Mixed-ligand metallosupramolecular complexes with Brn-terephthalic acid (n=1 or 4) and a versatile bent dipyriddy tecton: Structural modulation by substituent effect of the ligand and metal ion. <i>Polyhedron</i> , 2010, 29, 463-469.	2.2	18
59	Structural diversity of 5-methylnicotinate coordination assemblies regulated by metal-ligating tendency and metal-dependent anion effect. <i>CrystEngComm</i> , 2014, 16, 6433.	2.6	18
60	Exceptional sensitivity to the synthetic approach and halogen substituent for Zn(ii) coordination assemblies with 5-halonicotinic acids. <i>Dalton Transactions</i> , 2015, 44, 11109-11118.	3.3	18
61	Metal and Co–Catalyst Free CO ₂ Conversion with a Bifunctional Covalent Organic Framework (COF). <i>ChemCatChem</i> , 2020, 12, 5192-5199.	3.7	17
62	Structural Transformations Induced by Selective and Irreversible Anion Exchanges for a Layered Ag(I) Nitrite Coordination Polymer. <i>Crystal Growth and Design</i> , 2017, 17, 2024-2033.	3.0	16
63	CuII, CoII, and NiII complexes with R-isophthalate (R=–CH ₃ or –OCH ₃) and a bent dipyriddy 2,5-bis(3-pyridyl)-1,3,4-oxadiazole: Structural diversification induced by metal ion and substituent of ligand. <i>Journal of Molecular Structure</i> , 2010, 975, 147-153.	3.6	15
64	A 3-D metal–organic framework of CuII perchlorate and 2-(2-pyridyl)-5-(4-pyridyl)-1,3,4-oxadiazole showing the exclusive anion-exchange selectivity to benzoate. <i>Inorganic Chemistry Communication</i> , 2012, 15, 172-175.	3.9	15
65	Anion-directed assembly and crystal transformation of Ag(I) coordination polymers with a versatile tripyridyltriazole ligand 3,4-bis(2-pyridyl)-5-(4-pyridyl)-1,2,4-triazole. <i>Journal of Solid State Chemistry</i> , 2015, 223, 95-103.	2.9	15
66	Tunable Fluorescence in Two-Component Hydrogen-Bonded Organic Frameworks Based on Energy Transfer. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 24509-24517.	8.0	15
67	A porous metal–organic framework as active catalyst for multiple C–N/C–C bond formation reactions. <i>Inorganic Chemistry Communication</i> , 2015, 61, 13-15.	3.9	13
68	Hierarchically Nanoporous TS-1 Zeolites for Catalytic Oxidation Desulfurization of Liquid Fuels. <i>ACS Applied Nano Materials</i> , 2020, 3, 9393-9400.	5.0	13
69	Divergent Structural Transformations in 3D Ag(I) Porous Coordination Polymers Induced by Solvent and Anion Exchanges. <i>Crystal Growth and Design</i> , 2019, 19, 2235-2244.	3.0	12
70	Structural modulation of Cd(II) supramolecular frameworks with a versatile 2,4-dipyridyl-type building block and different dicarboxylate ligands. <i>Science in China Series B: Chemistry</i> , 2009, 52, 1470-1478.	0.8	11
71	Solvent-regulated assemblies of silver(I) and cadmium(II) supramolecular complexes with versatile tripyridyltriazole multidentate ligands. <i>Inorganica Chimica Acta</i> , 2013, 395, 212-217.	2.4	11
72	Anion–Directed Entangling Coordination Networks: Luminescence Sensing and Magnetic Properties. <i>ChemPlusChem</i> , 2016, 81, 857-863.	2.8	11

#	ARTICLE	IF	CITATIONS
73	Water-Mediated Structural Transformations of Cu ^{II} Halonicotinate Coordination Networks with Distinct Mechanisms. <i>Chemistry - A European Journal</i> , 2017, 23, 12985-12990.	3.3	11
74	Ligand-directed assembly of distinct 1-D Cd ^{II} coordination polymers with a bent dipyridyl derivative and two isophthalates bearing different 5-substituents. <i>Journal of Coordination Chemistry</i> , 2013, 66, 2012-2022.	2.2	10
75	Distinct 2-D and 3-D Co(II) coordination polymers with 5-bromonicotinate induced by different synthetic approaches. <i>Inorganic Chemistry Communication</i> , 2013, 36, 105-108.	3.9	10
76	A 2D Zn(II) metal-organic framework to show selective removal of Neutral Red (NR) from water. <i>Inorganic Chemistry Communication</i> , 2017, 80, 36-40.	3.9	10
77	Multi-responsive fluorescent switches and iodine capture of porous hydrogen-bonded self-assemblies. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9932-9940.	5.5	10
78	Two 3D open coordination frameworks constructed by CdII or ZnII perchlorate and 4-(4-pyridyl)-3,5-bis(2-pyridyl)-1,2,4-triazole showing selective anion-exchange behaviors to acetate. <i>Inorganic Chemistry Communication</i> , 2013, 38, 70-73.	3.9	9
79	Halide/pseudohalide-directed cadmium(II) coordination polymers based on 3-phenyl-5-(2-pyridyl)-4-(4-pyridyl)-4H-1,2,4-triazole. <i>Polyhedron</i> , 2015, 91, 104-109.	2.2	9
80	New supramolecular complexes generated from MnII, FeII, CoII, ZnII, FeIII with a bent dipyridyl ligand: Metal- and anion-directed assembly. <i>Inorganica Chimica Acta</i> , 2007, 360, 2169-2174.	2.4	8
81	Cadmium(II) and zinc(II) coordination polymers with mixed building blocks of benzenedicarboxyl and 2,5-bipyridyl-1,3,4-oxadiazole: Syntheses, crystal structures, and properties. <i>Inorganica Chimica Acta</i> , 2011, 378, 206-212.	2.4	8
82	Covalent Organic Frameworks(COFs) for Sequestration of 99TCO4 ²⁻ . <i>Chemical Research in Chinese Universities</i> , 2022, 38, 290-295.	2.6	8
83	Controlled Crystal Transformations of a Chiral Conglomerate with Heterotactic Helical Coordination Arrays. <i>Crystal Growth and Design</i> , 2018, 18, 4252-4256.	3.0	7
84	Mixed-ligand complexes with trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene terminal and different aromatic polycarboxyl linkers: Synergistic modulation of metallosupramolecular architectures via coordinative and secondary interactions. <i>Polyhedron</i> , 2009, 28, 2347-2354.	2.2	6
85	Novel HgII and MnII supramolecular complexes with a versatile building block 5-(4-pyridyl)-1,3,4-oxadiazole-2-thiolate involving in situ ligand formation. <i>Inorganic Chemistry Communication</i> , 2009, 12, 1038-1041.	3.9	6
86	2,5-Bis(4-pyridyl)-1,3,4-thiadiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o706-o707.	0.2	4
87	Configuration flexibility of 2,5-bis(3-pyridyl)-1,3,4-oxadiazole in controllable cocrystallization with 3-hydroxybenzoic acid. <i>Journal of Molecular Structure</i> , 2006, 791, 131-136.	3.6	4
88	3D pillared-layer coordination frameworks constructed from 4-(1,2,4-triazole)benzoic acid and different [M(HCOO)] _n layers. <i>Inorganic Chemistry Communication</i> , 2014, 48, 94-98.	3.9	4
89	Mechanisms of Solvent-Mediated Structural Transformations for Dynamic Crystals of Supramolecular Coordination Systems. <i>Chemistry - A European Journal</i> , 2018, 24, 13072-13077.	3.3	4
90	Self-assembly of Two 2D Copper(II) Coordination Networks with Tetrachloro-1,3-benzenedicarboxylate: Solvent Effects, Supramolecular Interactions, and Luminescence Behavior. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1810-1815.	1.2	3

#	ARTICLE	IF	CITATIONS
91	Interconvertible structural transformations between two Zn(II) interpenetrating coordination polymers. <i>Inorganic Chemistry Communication</i> , 2016, 71, 61-64.	3.9	3
92	Di- $\frac{1}{4}$ -chlorido-bis{[4-amino-3,5-bis(2-pyridyl)-4H-1,2,4-triazole- $\hat{\rho}$ N1]chloridomercury(II)}. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, m1180-m1180.	0.2	2
93	Three distinct cadmium coordination polymers with a multidentate tripyridyl-substituted triazole tecton regulated by halide anions. <i>Journal of Molecular Structure</i> , 2013, 1051, 259-264.	3.6	2
94	Fine-tuning on the structures of 3D Co(II)/5-methylnicotinate coordination polymers via three different synthetic approaches. <i>Inorganic Chemistry Communication</i> , 2015, 61, 160-164.	3.9	2
95	Multistimuli-Responsive Fluorescent Switches Based on Reversible Decomposition and Regeneration of charge-transfer Complexes. <i>Crystal Growth and Design</i> , 0, , .	3.0	2
96	Bis(2,5-di-4-pyridyl-1,3,4-oxadiazole)silver(I) nitrate monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, m3044-m3044.	0.2	1
97	3,4-Bis(2-pyridyl)-5-(3-pyridyl)-4H-1,2,4-triazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1189-o1189.	0.2	1
98	Pseudohalide anion directed assemblies of two Cu(I) complexes based on 3-(2-pyridyl)-4,5-bis(3-pyridyl)-1,2,4-triazole. <i>Transition Metal Chemistry</i> , 2015, 40, 341-345.	1.4	1
99	Hybrid Nanosheet Arrays: Boosting Activity on Co ₄ N Porous Nanosheet by Coupling CeO ₂ for Efficient Electrochemical Overall Water Splitting at High Current Densities (<i>Adv. Funct. Mater.</i> 32/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070213.	14.9	1
100	Syntheses, Crystal Structures, and Thermal Stability of Metal-Directed Co(II) and Cu(II) Coordination Assemblies with Mixed Ligands of 5-Methylisophthalic Acid and 2,5-Bis(4-Pyridyl)-1,3,4-Oxadiazole. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2011, 41, 676-682.	0.6	0
101	2,5-Bis(5-methylpyrazin-2-yl)-1,3,4-oxadiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1416-o1416.	0.2	0
102	trans-Bis[4-amino-3,5-bis(2-pyridyl)-4H-1,2,4-triazole- $\hat{\rho}$ N3]diaquacobalt(II) bis(3-carboxy-5-nitrobenzoate). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, m1344-m1345.	0.2	0
103	Anion-directed assembly of two Ag(I) complexes based on 2,2'-(4H-1,2,4-triazole-3,4-diyl)dipyridine. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2015, 41, 695-700.	1.0	0
104	Water-Mediated Structural Transformations of Cu ^{II} 5-Methylisophthalonitrates Coordination Networks with Distinct Mechanisms. <i>Chemistry - A European Journal</i> , 2017, 23, 12959-12959.	3.3	0
105	Frontispiece: Mechanisms of Solvent-Mediated Structural Transformations for Dynamic Crystals of Supramolecular Coordination Systems. <i>Chemistry - A European Journal</i> , 2018, 24, .	3.3	0