

Hannah M Sinclair

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5651441/publications.pdf>

Version: 2024-02-01

25
papers

518
citations

759233

12
h-index

839539

18
g-index

33
all docs

33
docs citations

33
times ranked

1130
citing authors

#	ARTICLE	IF	CITATIONS
1	OCT for the Identification of Vulnerable Plaque in Acute Coronary Syndrome. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 198-209.	5.3	130
2	Gender Differences in Outcomes and Predictors of All-Cause Mortality After Percutaneous Coronary Intervention (Data from United Kingdom and Sweden). <i>American Journal of Cardiology</i> , 2017, 119, 210-216.	1.6	81
3	Carotid Intima Media Thickness and Its Utility as a Predictor of Cardiovascular Disease. <i>Cardiology in Review</i> , 2016, 24, 70-75.	1.4	53
4	Endothelial Dysfunction and Coronary Artery Disease. <i>Cardiology in Review</i> , 2015, 23, 119-129.	1.4	38
5	One-year clinical outcomes in older patients with non-ST elevation acute coronary syndrome undergoing coronary angiography: An analysis of the ICON1 study. <i>International Journal of Cardiology</i> , 2019, 274, 45-51.	1.7	36
6	Gender differences in outcomes in patients with acute coronary syndrome in the current era: A review. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 51-60.	1.0	35
7	Intracoronary Imaging in the Detection of Vulnerable Plaques. <i>Current Cardiology Reports</i> , 2016, 18, 28.	2.9	26
8	Study to Improve Cardiovascular Outcomes in high-risk older patients (ICON1) with acute coronary syndrome: study design and protocol of a prospective observational study. <i>BMJ Open</i> , 2016, 6, e012091.	1.9	25
9	Engaging older patients in cardiovascular research: observational analysis of the ICON-1 study. <i>Open Heart</i> , 2016, 3, e000436.	2.3	23
10	The Role of Virtual Histology Intravascular Ultrasound in the Identification of Coronary Artery Plaque Vulnerability in Acute Coronary Syndromes. <i>Cardiology in Review</i> , 2016, 24, 303-309.	1.4	18
11	Coronary revascularisation in older patients with non-ST elevation acute coronary syndromes. <i>Heart</i> , 2016, 102, 416-424.	2.9	14
12	Coronary artery disease in patients with dementia. <i>Coronary Artery Disease</i> , 2016, 27, 511-520.	0.7	13
13	Effects of salbutamol and glyceryl trinitrate on large arterial stiffness are similar between patients with hypertension and adults with normal blood pressure. <i>British Journal of Clinical Pharmacology</i> , 2006, 62, 621-626.	2.4	9
14	Aspirin, Platelet P2Y12 Receptor Inhibitors, and Other Oral Antiplatelets. <i>Interventional Cardiology Clinics</i> , 2013, 2, 527-535.	0.4	8
15	Intravascular imaging-guided intracoronary lithotripsy: First real-world experience. <i>Health Science Reports</i> , 2021, 4, e307.	1.5	4
16	Major Adverse Cardiovascular Events at 30-days were not Significantly different between Frail and non-frail older (>75 years) Patients with non ST Elevation Acute Coronary Syndrome Managed by Invasive Strategy: An Analysis from the ICON1 Study: Abstract 5 Table 1. <i>Heart</i> , 2015, 101, A3-A4.	2.9	3
17	Frail older patients have a greater improvement in physical quality of life than robust patients at one year following invasive treatment for non-st elevation acute coronary syndrome. <i>Heart</i> , 2017, 103, A42-A43.	2.9	1
18	Association of Telomere Length and Telomerase Activity with Clinical Parameters in Older Patients Undergoing Invasive Management Of non-ST Elevation Acute Coronary Syndrome. <i>Heart</i> , 2015, 101, A2.2-A3.	2.9	0

#	ARTICLE	IF	CITATIONS
19	66â€¦Frailty is Associated with Undiagnosed Early Cognitive Impairment in older patients (â‰¥75 years) with non-ST Elevation Acute Coronary Syndrome Managed by Invasive Strategy: Abstract 6 Table 1. Heart, 2015, 101, A4.1-A4.	2.9	0
20	55â€¦High serum parathyroid hormone levels are not associated with endothelial function, vascular stiffness or early adverse outcomes after invasive management of non-st elevation myocardial infarction in high-risk older patients. Heart, 2017, 103, A43.1-A43.	2.9	0
21	56â€¦High serum parathyroid hormone level is independently associated with carotid intima-media thickness in older patients undergoing invasive management of non-st elevation myocardial infarction. Heart, 2017, 103, A43.2-A44.	2.9	0
22	57â€¦Serum total vitamin d levels are not associated with endothelial dysfunction, vascular stiffness or early adverse outcomes after invasive management of non-st elevation acute coronary syndrome in older patients. Heart, 2017, 103, A44.1-A44.	2.9	0
23	66â€¦Cognitive impairment is not associated with 30â€¦day major adverse cardiovascular events in older (75â‰¥years) patients presenting with non-st elevation acute coronary syndrome: an evaluation from the icon1 study. Heart, 2017, 103, A50.1-A50.	2.9	0
24	166â€¦Ct coronary angiography versus ct fractional flow reserve: a single centre experience. , 2021, , .		0
25	Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. , 2014, , 1-43.		0