

# Hannah M Sinclair

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5651441/publications.pdf>

Version: 2024-02-01

25  
papers

518  
citations

759233

12  
h-index

839539

18  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1130  
citing authors

#	ARTICLE	IF	CITATIONS
1	166â€¦Ct coronary angiography versus ct fractional flow reserve: a single centre experience. , 2021, , .		0
2	Intravascular imagingâ€“guided intracoronary lithotripsy: First realâ€“world experience. Health Science Reports, 2021, 4, e307.	1.5	4
3	One-year clinical outcomes in older patients with non-ST elevation acute coronary syndrome undergoing coronary angiography: An analysis of the ICON1 study. International Journal of Cardiology, 2019, 274, 45-51.	1.7	36
4	Gender Differences in Outcomes and Predictors of All-Cause Mortality After Percutaneous Coronary Intervention (Data from United Kingdom and Sweden). American Journal of Cardiology, 2017, 119, 210-216.	1.6	81
5	55â€¦High serum parathyroid hormone levels are not associated with endothelial function, vascular stiffness or early adverse outcomes after invasive management of non-st elevation myocardial infarction in high-risk older patients. Heart, 2017, 103, A43.1-A43.	2.9	0
6	54â€¦Frail older patients have a greater improvement in physical quality of life than robust patients at one year following invasive treatment for non-st elevation acute coronary syndrome. Heart, 2017, 103, A42-A43.	2.9	1
7	56â€¦High serum parathyroid hormone level is independently associated with carotid intima-media thickness in older patients undergoing invasive management of non-st elevation myocardial infarction. Heart, 2017, 103, A43.2-A44.	2.9	0
8	57â€¦Serum total vitamin d levels are not associated with endothelial dysfunction, vascular stiffness or early adverse outcomes after invasive management of non-st elevation acute coronary syndrome in older patients. Heart, 2017, 103, A44.1-A44.	2.9	0
9	66â€¦Cognitive impairment is not associated with 30â€“day major adverse cardiovascular events in older (75â€“years) patients presenting with non-st elevation acute coronary syndrome: an evaluation from the icon1 study. Heart, 2017, 103, A50.1-A50.	2.9	0
10	Carotid Intima Media Thickness and Its Utility as a Predictor of Cardiovascular Disease. Cardiology in Review, 2016, 24, 70-75.	1.4	53
11	Engaging older patients in cardiovascular research: observational analysis of the ICON-1 study. Open Heart, 2016, 3, e000436.	2.3	23
12	Study to Improve Cardiovascular Outcomes in high-risk older patients (ICON1) with acute coronary syndrome: study design and protocol of a prospective observational study. BMJ Open, 2016, 6, e012091.	1.9	25
13	Coronary artery disease in patients with dementia. Coronary Artery Disease, 2016, 27, 511-520.	0.7	13
14	The Role of Virtual Histology Intravascular Ultrasound in the Identification of Coronary Artery Plaque Vulnerability in Acute Coronary Syndromes. Cardiology in Review, 2016, 24, 303-309.	1.4	18
15	Intracoronary Imaging in the Detection of Vulnerable Plaques. Current Cardiology Reports, 2016, 18, 28.	2.9	26
16	Coronary revascularisation in older patients with non-ST elevation acute coronary syndromes. Heart, 2016, 102, 416-424.	2.9	14
17	Gender differences in outcomes in patients with acute coronary syndrome in the current era: A review. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 51-60.	1.0	35
18	5â€¦Major Adverse Cardiovascular Events at 30-days were not Significantly different between Frail and non-frail older (â‰¥75 years) Patients with non ST Elevation Acute Coronary Syndrome Managed by Invasive Strategy: An Analysis from the ICON1 Study: Abstract 5 Table 1. Heart, 2015, 101, A3-A4.	2.9	3

#	ARTICLE	IF	CITATIONS
19	Endothelial Dysfunction and Coronary Artery Disease. <i>Cardiology in Review</i> , 2015, 23, 119-129.	1.4	38
20	4â€...Association of Telomere Length and Telomerase Activity with Clinical Parameters in Older Patients Undergoing Invasive Management Of non-ST Elevation Acute Coronary Syndrome. <i>Heart</i> , 2015, 101, A2.2-A3.	2.9	0
21	6â€...Frailty is Associated with Undiagnosed Early Cognitive Impairment in older patients (â€75 years) with non-ST Elevation Acute Coronary Syndrome Managed by Invasive Strategy: Abstract 6 Table 1. <i>Heart</i> , 2015, 101, A4.1-A4.	2.9	0
22	OCT for theâ€Identification of Vulnerable Plaque inâ€Acute Coronary Syndrome. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 198-209.	5.3	130
23	Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. , 2014, , 1-43.		0
24	Aspirin, Platelet P2Y12 Receptor Inhibitors, and Other Oral Antiplatelets. <i>Interventional Cardiology Clinics</i> , 2013, 2, 527-535.	0.4	8
25	Effects of salbutamol and glyceryl trinitrate on large arterial stiffness are similar between patients with hypertension and adults with normal blood pressure. <i>British Journal of Clinical Pharmacology</i> , 2006, 62, 621-626.	2.4	9