

Áilis J O'reilly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5651543/publications.pdf>

Version: 2024-02-01

72
papers

6,369
citations

101543

36
h-index

82547

72
g-index

72
all docs

72
docs citations

72
times ranked

10000
citing authors

#	ARTICLE	IF	CITATIONS
1	Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. American Journal of Clinical Nutrition, 2009, 89, 1425-1432.	4.7	844
2	Habitual intake of flavonoid subclasses and incident hypertension in adults. American Journal of Clinical Nutrition, 2011, 93, 338-347.	4.7	387
3	Body-Mass Index and Mortality among Adults with Incident Type 2 Diabetes. New England Journal of Medicine, 2014, 370, 233-244.	27.0	369
4	Primary infection with the Epstein-Barr virus and risk of multiple sclerosis. Annals of Neurology, 2010, 67, 824-830.	5.3	309
5	Calcium intake and hip fracture risk in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials. American Journal of Clinical Nutrition, 2007, 86, 1780-1790.	4.7	301
6	Peripheral Inflammatory Biomarkers and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 167, 90-95.	3.4	272
7	Antioxidant vitamins and coronary heart disease risk: a pooled analysis of 9 cohorts. American Journal of Clinical Nutrition, 2004, 80, 1508-1520.	4.7	258
8	Coffee Consumption, Gender, and Parkinson's Disease Mortality in the Cancer Prevention Study II Cohort: The Modifying Effects of Estrogen. American Journal of Epidemiology, 2004, 160, 977-984.	3.4	203
9	Dietary Flavonoids and Risk of Stroke in Women. Stroke, 2012, 43, 946-951.	2.0	167
10	Consumption of Dairy Products and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 165, 998-1006.	3.4	156
11	Relation Between Clinical Depression Risk and Physical Activity and Time Spent Watching Television in Older Women: A 10-Year Prospective Follow-up Study. American Journal of Epidemiology, 2011, 174, 1017-1027.	3.4	152
12	Inflammatory dietary pattern and risk of depression among women. Brain, Behavior, and Immunity, 2014, 36, 46-53.	4.1	152
13	Calcium intake and hip fracture risk in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials. American Journal of Clinical Nutrition, 2007, 86, 1780-1790.	4.7	146
14	Dietary intake of ω^3 and ω^6 fatty acids and the risk of clinical depression in women: a 10-y prospective follow-up study. American Journal of Clinical Nutrition, 2011, 93, 1337-1343.	4.7	142
15	Premorbid body mass index and risk of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 205-211.	1.7	138
16	Gestational vitamin D and the risk of multiple sclerosis in offspring. Annals of Neurology, 2011, 70, 30-40.	5.3	133
17	Prospective study of plasma urate and risk of Parkinson disease in men and women. Neurology, 2016, 86, 520-526.	1.1	121
18	Smoking and Risk of Amyotrophic Lateral Sclerosis. Archives of Neurology, 2011, 68, 207-13.	4.5	117

#	ARTICLE	IF	CITATIONS
19	Alcohol Intake and Risk of Coronary Heart Disease in Younger, Middle-Aged, and Older Adults. <i>Circulation</i> , 2010, 121, 1589-1597.	1.6	116
20	Dietary flavonoid intake and risk of incident depression in midlife and older women. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 704-714.	4.7	108
21	Dietary ω -3 Polyunsaturated Fatty Acid Intake and Risk for Amyotrophic Lateral Sclerosis. <i>JAMA Neurology</i> , 2014, 71, 1102.	9.0	107
22	Vitamin E Intake and Risk of Amyotrophic Lateral Sclerosis: A Pooled Analysis of Data From 5 Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 2011, 173, 595-602.	3.4	103
23	Maternal Dietary Fat Intake in Association With Autism Spectrum Disorders. <i>American Journal of Epidemiology</i> , 2013, 178, 209-220.	3.4	101
24	Prospective study on long-term dietary patterns and incident depression in middle-aged and older women. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 813-820.	4.7	84
25	Habitual intake of flavonoid subclasses and risk of colorectal cancer in 2 large prospective cohorts. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 184-191.	4.7	80
26	Prospective Study of Restless Legs Syndrome and Risk of Depression in Women. <i>American Journal of Epidemiology</i> , 2012, 176, 279-288.	3.4	79
27	Coffee, caffeine, and risk of completed suicide: Results from three prospective cohorts of American adults. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 377-386.	2.6	79
28	Intakes of vitamin C and carotenoids and risk of amyotrophic lateral sclerosis: Pooled results from 5 cohort studies. <i>Annals of Neurology</i> , 2013, 73, 236-245.	5.3	73
29	Plasma Urate and Parkinson's Disease in Women. <i>American Journal of Epidemiology</i> , 2010, 172, 666-670.	3.4	64
30	Association of Exposure to Diethylstilbestrol During Pregnancy With Multigenerational Neurodevelopmental Deficits. <i>JAMA Pediatrics</i> , 2018, 172, 670.	6.2	57
31	Smoking and Parkinson's Disease: Using Parental Smoking as a Proxy to Explore Causality. <i>American Journal of Epidemiology</i> , 2009, 169, 678-682.	3.4	54
32	Smokeless tobacco use and the risk of Parkinson's disease mortality. <i>Movement Disorders</i> , 2005, 20, 1383-1384.	3.9	50
33	Alcohol and risk of Parkinson's disease in a large, prospective cohort of men and women. <i>Movement Disorders</i> , 2012, 27, 980-987.	3.9	49
34	Association of fish intake and smoking with risk of rheumatoid arthritis and age of onset: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 2.	1.9	47
35	Suicide Mortality in Relation to Dietary Intake of n-3 and n-6 Polyunsaturated Fatty Acids and Fish: Equivocal Findings From 3 Large US Cohort Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 1458-1466.	3.4	44
36	C-reactive protein, interleukin-6, soluble tumor necrosis factor α receptor 2 and incident clinical depression. <i>Journal of Affective Disorders</i> , 2014, 163, 25-32.	4.1	44

#	ARTICLE	IF	CITATIONS
37	Diethylstilbestrol Exposure in Utero and Depression in Women. <i>American Journal of Epidemiology</i> , 2010, 171, 876-882.	3.4	37
38	Cigarette smoking and completed suicide: Results from 3 prospective cohorts of American adults. <i>Journal of Affective Disorders</i> , 2013, 151, 1053-1058.	4.1	37
39	Restless legs syndrome and Parkinson's disease in men. <i>Movement Disorders</i> , 2010, 25, 2654-2657.	3.9	36
40	Restless Legs Syndrome and Erectile Dysfunction. <i>Sleep</i> , 2010, 33, 75-79.	1.1	36
41	Impact of Chronic Hypertension and Antihypertensive Treatment on Adverse Perinatal Outcomes: Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2021, 10, e018494.	3.7	36
42	Use of Negative Control Exposure Analysis to Evaluate Confounding: An Example of Acetaminophen Exposure and Attention-Deficit/Hyperactivity Disorder in Nurses' Health Study II. <i>American Journal of Epidemiology</i> , 2019, 188, 768-775.	3.4	32
43	Perceived and actual obesity in childhood and adolescence and risk of adult depression. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 81-86.	3.7	26
44	Prediagnostic plasma metabolomics and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2019, 92, 10.1212/WNL.0000000000007401.	1.1	26
45	Substitution of sugar-sweetened beverages for other beverages and the risk of developing coronary heart disease: Results from the Harvard Pooling Project of Diet and Coronary Disease. <i>Preventive Medicine</i> , 2020, 131, 105970.	3.4	25
46	Association between the intake of ω -3 linolenic acid and the risk of CHD. <i>British Journal of Nutrition</i> , 2014, 112, 735-743.	2.3	24
47	Non-steroidal anti-inflammatory drugs and amyotrophic lateral sclerosis: Results from five prospective cohort studies. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2012, 13, 573-579.	2.1	23
48	Prediagnostic body size and risk of amyotrophic lateral sclerosis death in 10 studies. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 396-406.	1.7	23
49	Chronic kidney disease and adverse pregnancy outcomes: a systematic review and meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 656-670.e32.	1.3	23
50	Polychlorinated biphenyls in prospectively collected serum and Parkinson's disease risk. <i>Movement Disorders</i> , 2012, 27, 1659-1665.	3.9	21
51	Incidence of first seizures, epilepsy, and seizure mimics in a geographically defined area. <i>Neurology</i> , 2020, 95, e576-e590.	1.1	21
52	Serum urate at trial entry and ALS progression in EMPOWER. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 120-125.	1.7	20
53	Prediagnostic Neurofilament Light Chain Levels in Amyotrophic Lateral Sclerosis. <i>Neurology</i> , 2021, 97, e1466-e1474.	1.1	20
54	Pregnancy outcomes in women with chronic kidney disease and chronic hypertension: a National cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 298.e1-298.e20.	1.3	20

#	ARTICLE	IF	CITATIONS
55	Augmented exercise in hospital improves physical performance and reduces negative post hospitalization events: a randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 46.	2.7	18
56	Prediagnostic plasma polyunsaturated fatty acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2020, 94, e811-e819.	1.1	18
57	Integration of risk factors for Parkinson disease in 2 large longitudinal cohorts. <i>Neurology</i> , 2018, 90, e1646-e1653.	1.1	17
58	Epstein-Barr virus neutralizing antibody levels and risk of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1185-1187.	3.0	14
59	Differences in Parkinson's Disease Risk with Caffeine Intake and Postmenopausal Hormone Use. <i>Journal of Parkinson's Disease</i> , 2017, 7, 677-684.	2.8	14
60	Interaction between caffeine and polymorphisms of glutamate ionotropic receptor NMDA type subunit 2A (<i>GRIN2A</i>) and cytochrome P450 1A2 (<i>CYP1A2</i>) on Parkinson's disease risk. <i>Movement Disorders</i> , 2018, 33, 414-420.	3.9	14
61	Early-Onset Alopecia and Amyotrophic Lateral Sclerosis: A Cohort Study. <i>American Journal of Epidemiology</i> , 2013, 178, 1146-1149.	3.4	13
62	Pre-diagnostic plasma lipid levels and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 133-143.	1.7	12
63	Pre-diagnostic plasma urate and the risk of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 194-200.	1.7	11
64	Magnesium intake and risk of amyotrophic lateral sclerosis: Results from five large cohort studies. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 356-361.	1.7	10
65	Role of Antihypertensive Treatment and Blood Pressure Control in the Occurrence of Adverse Pregnancy Outcomes: a Population-Based Study of Linked Electronic Health Records. <i>Hypertension</i> , 2022, 79, 1548-1558.	2.7	7
66	Dietary Fiber and Amyotrophic Lateral Sclerosis: Results From 5 Large Cohort Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 1442-1449.	3.4	6
67	Genetic variants related to urate and risk of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 53, 4-9.	2.2	6
68	Application of Recent International Epidemiological Guidelines to a Prospective Study of the Incidence of First Seizures, Newly-Diagnosed Epilepsy and Seizure Mimics in a Defined Geographic Region in Ireland. <i>Neuroepidemiology</i> , 2019, 53, 225-236.	2.3	6
69	Prediagnostic plasma branched chain amino acids and the risk of amyotrophic lateral sclerosis. <i>Neurology</i> , 2018, 92, 10.1212/WNL.0000000000006669.	1.1	5
70	Covid-19 Estimating the burden of symptomatic disease in the community and the impact of public health measures on physical, mental and social wellbeing: a study protocol. <i>HRB Open Research</i> , 2020, 3, 49.	0.6	3
71	OUP accepted manuscript. <i>Journal of Public Health</i> , 2022, , .	1.8	2
72	Causes and classification of first unprovoked seizures and newly-diagnosed epilepsy in a defined geographical area- an all-comers analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 92, 118-127.	2.0	1