
Ãllis J O'reilly

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5651543/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Chronic kidney disease and adverse pregnancy outcomes: a systematic review and meta-analysis. American Journal of Obstetrics and Gynecology, 2022, 226, 656-670.e32.	1.3	23
2	OUP accepted manuscript. Journal of Public Health, 2022, , .	1.8	2
3	Role of Antihypertensive Treatment and Blood Pressure Control in the Occurrence of Adverse Pregnancy Outcomes: a Population-Based Study of Linked Electronic Health Records. Hypertension, 2022, 79, 1548-1558.	2.7	7
4	Pre-diagnostic plasma lipid levels and the risk of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2021, 22, 133-143.	1.7	12
5	Impact of Chronic Hypertension and Antihypertensive Treatment on Adverse Perinatal Outcomes: Systematic Review and Metaâ€Analysis. Journal of the American Heart Association, 2021, 10, e018494.	3.7	36
6	Prediagnostic Neurofilament Light Chain Levels in Amyotrophic Lateral Sclerosis. Neurology, 2021, 97, e1466-e1474.	1.1	20
7	Pregnancy outcomes in women with chronic kidney disease and chronic hypertension: a National cohort study. American Journal of Obstetrics and Gynecology, 2021, 225, 298.e1-298.e20.	1.3	20
8	Causes and classification of first unprovoked seizures and newly-diagnosed epilepsy in a defined geographical area- an all-comers analysis. Seizure: the Journal of the British Epilepsy Association, 2021, 92, 118-127.	2.0	1
9	Substitution of sugar-sweetened beverages for other beverages and the risk of developing coronary heart disease: Results from the Harvard Pooling Project of Diet and Coronary Disease. Preventive Medicine, 2020, 131, 105970.	3.4	25
10	Incidence of first seizures, epilepsy, and seizure mimics in a geographically defined area. Neurology, 2020, 95, e576-e590.	1.1	21
11	Augmented exercise in hospital improves physical performance and reduces negative post hospitalization events: a randomized controlled trial. BMC Geriatrics, 2020, 20, 46.	2.7	18
12	Prediagnostic plasma polyunsaturated fatty acids and the risk of amyotrophic lateral sclerosis. Neurology, 2020, 94, e811-e819.	1.1	18
13	Covid-19 Estimating the burden of symptomatic disease in the community and the impact of public health measures on physical, mental and social wellbeing: a study protocol. HRB Open Research, 2020, 3, 49.	0.6	3
14	Application of Recent International Epidemiological Guidelines to a Prospective Study of the Incidence of First Seizures, Newly-Diagnosed Epilepsy and Seizure Mimics in a Defined Geographic Region in Ireland. Neuroepidemiology, 2019, 53, 225-236.	2.3	6
15	Prediagnostic plasma metabolomics and the risk of amyotrophic lateral sclerosis. Neurology, 2019, 92, 10.1212/WNL.00000000000007401.	1.1	26
16	Use of Negative Control Exposure Analysis to Evaluate Confounding: An Example of Acetaminophen Exposure and Attention-Deficit/Hyperactivity Disorder in Nurses' Health Study II. American Journal of Epidemiology, 2019, 188, 768-775.	3.4	32
17	Association of fish intake and smoking with risk of rheumatoid arthritis and age of onset: a prospective cohort study. BMC Musculoskeletal Disorders, 2019, 20, 2.	1.9	47
18	Prediagnostic body size and risk of amyotrophic lateral sclerosis death in 10 studies. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2018, 19, 396-406.	1.7	23

 $\tilde{A} \ensuremath{\sc w}^{\mbox{ilis}} J \ensuremath{\,O'}^{\mbox{reilly}}$

#	Article	IF	CITATIONS
19	Integration of risk factors for Parkinson disease in 2 large longitudinal cohorts. Neurology, 2018, 90, e1646-e1653.	1.1	17
20	Pre-diagnostic plasma urate and the risk of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2018, 19, 194-200.	1.7	11
21	Interaction between caffeine and polymorphisms of glutamate ionotropic receptor NMDA type subunit 2A (<i>CRIN2A</i>) and cytochrome P450 1A2 (<i>CYP1A2</i>) on Parkinson's disease risk. Movement Disorders, 2018, 33, 414-420.	3.9	14
22	Genetic variants related to urate and risk of Parkinson's disease. Parkinsonism and Related Disorders, 2018, 53, 4-9.	2.2	6
23	Prediagnostic plasma branched chain amino acids and the risk of amyotrophic lateral sclerosis. Neurology, 2018, 92, 10.1212/WNL.00000000006669.	1.1	5
24	Association of Exposure to Diethylstilbestrol During Pregnancy With Multigenerational Neurodevelopmental Deficits. JAMA Pediatrics, 2018, 172, 670.	6.2	57
25	Serum urate at trial entry and ALS progression in EMPOWER. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 120-125.	1.7	20
26	Differences in Parkinson's Disease Risk with Caffeine Intake and Postmenopausal Hormone Use. Journal of Parkinson's Disease, 2017, 7, 677-684.	2.8	14
27	Dietary flavonoid intake and risk of incident depression in midlife and older women. American Journal of Clinical Nutrition, 2016, 104, 704-714.	4.7	108
28	Prospective study of plasma urate and risk of Parkinson disease in men and women. Neurology, 2016, 86, 520-526.	1.1	121
29	Habitual intake of flavonoid subclasses and risk of colorectal cancer in 2 large prospective cohorts. American Journal of Clinical Nutrition, 2016, 103, 184-191.	4.7	80
30	Association between the intake of \hat{I}_{\pm} -linolenic acid and the risk of CHD. British Journal of Nutrition, 2014, 112, 735-743.	2.3	24
31	Dietary ω-3 Polyunsaturated Fatty Acid Intake and Risk for Amyotrophic Lateral Sclerosis. JAMA Neurology, 2014, 71, 1102.	9.0	107
32	Dietary Fiber and Amyotrophic Lateral Sclerosis: Results From 5 Large Cohort Studies. American Journal of Epidemiology, 2014, 179, 1442-1449.	3.4	6
33	Coffee, caffeine, and risk of completed suicide: Results from three prospective cohorts of American adults. World Journal of Biological Psychiatry, 2014, 15, 377-386.	2.6	79
34	Suicide Mortality in Relation to Dietary Intake of n-3 and n-6 Polyunsaturated Fatty Acids and Fish: Equivocal Findings From 3 Large US Cohort Studies. American Journal of Epidemiology, 2014, 179, 1458-1466.	3.4	44
35	Inflammatory dietary pattern and risk of depression among women. Brain, Behavior, and Immunity, 2014, 36, 46-53.	4.1	152
36	Body-Mass Index and Mortality among Adults with Incident Type 2 Diabetes. New England Journal of Medicine, 2014, 370, 233-244.	27.0	369

 $\tilde{A} \ensuremath{\sc w}^{\mbox{ilis}} J \ensuremath{\,O'}^{\mbox{reilly}}$

#	Article	IF	CITATIONS
37	C-reactive protein, interleukin-6, soluble tumor necrosis factor α receptor 2 and incident clinical depression. Journal of Affective Disorders, 2014, 163, 25-32.	4.1	44
38	Early-Onset Alopecia and Amyotrophic Lateral Sclerosis: A Cohort Study. American Journal of Epidemiology, 2013, 178, 1146-1149.	3.4	13
39	Cigarette smoking and completed suicide: Results from 3 prospective cohorts of American adults. Journal of Affective Disorders, 2013, 151, 1053-1058.	4.1	37
40	Intakes of vitamin C and carotenoids and risk of amyotrophic lateral sclerosis: Pooled results from 5 cohort studies. Annals of Neurology, 2013, 73, 236-245.	5.3	73
41	Premorbid body mass index and risk of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 205-211.	1.7	138
42	Prospective study on long-term dietary patterns and incident depression in middle-aged and older women. American Journal of Clinical Nutrition, 2013, 98, 813-820.	4.7	84
43	Perceived and actual obesity in childhood and adolescence and risk of adult depression. Journal of Epidemiology and Community Health, 2013, 67, 81-86.	3.7	26
44	Magnesium intake and risk of amyotrophic lateral sclerosis: Results from five large cohort studies. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 356-361.	1.7	10
45	Maternal Dietary Fat Intake in Association With Autism Spectrum Disorders. American Journal of Epidemiology, 2013, 178, 209-220.	3.4	101
46	Prospective Study of Restless Legs Syndrome and Risk of Depression in Women. American Journal of Epidemiology, 2012, 176, 279-288.	3.4	79
47	Epstein–Barr virus neutralizing antibody levels and risk of multiple sclerosis. Multiple Sclerosis Journal, 2012, 18, 1185-1187.	3.0	14
48	Dietary Flavonoids and Risk of Stroke in Women. Stroke, 2012, 43, 946-951.	2.0	167
49	Polychlorinated biphenyls in prospectively collected serum and Parkinson's disease risk. Movement Disorders, 2012, 27, 1659-1665.	3.9	21
50	Non-steroidal anti-inflammatory drugs and amyotrophic lateral sclerosis: Results from five prospective cohort studies. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 573-579.	2.1	23
51	Alcohol and risk of Parkinson's disease in a large, prospective cohort of men and women. Movement Disorders, 2012, 27, 980-987.	3.9	49
52	Habitual intake of flavonoid subclasses and incident hypertension in adults. American Journal of Clinical Nutrition, 2011, 93, 338-347.	4.7	387
53	Gestational vitamin D and the risk of multiple sclerosis in offspring. Annals of Neurology, 2011, 70, 30-40.	5.3	133
54	Relation Between Clinical Depression Risk and Physical Activity and Time Spent Watching Television in Older Women: A 10-Year Prospective Follow-up Study. American Journal of Epidemiology, 2011, 174, 1017-1027.	3.4	152

 $\tilde{A} \ensuremath{\sc w}^{\mbox{ilis}} J \ensuremath{\,O'}^{\mbox{reilly}}$

#	Article	IF	CITATIONS
55	Vitamin E Intake and Risk of Amyotrophic Lateral Sclerosis: A Pooled Analysis of Data From 5 Prospective Cohort Studies. American Journal of Epidemiology, 2011, 173, 595-602.	3.4	103
56	Dietary intake of nâ^'3 and nâ ''6 fatty acids and the risk of clinical depression in women: a 10-y prospective follow-up study. American Journal of Clinical Nutrition, 2011, 93, 1337-1343.	4.7	142
57	Smoking and Risk of Amyotrophic Lateral Sclerosis. Archives of Neurology, 2011, 68, 207-13.	4.5	117
58	Primary infection with the Epsteinâ€Barr virus and risk of multiple sclerosis. Annals of Neurology, 2010, 67, 824-830.	5.3	309
59	Restless legs syndrome and Parkinson's disease in men. Movement Disorders, 2010, 25, 2654-2657.	3.9	36
60	Restless Legs Syndrome and Erectile Dysfunction. Sleep, 2010, 33, 75-79.	1.1	36
61	Alcohol Intake and Risk of Coronary Heart Disease in Younger, Middle-Aged, and Older Adults. Circulation, 2010, 121, 1589-1597.	1.6	116
62	Plasma Urate and Parkinson's Disease in Women. American Journal of Epidemiology, 2010, 172, 666-670.	3.4	64
63	Diethylstilbestrol Exposure in Utero and Depression in Women. American Journal of Epidemiology, 2010, 171, 876-882.	3.4	37
64	Smoking and Parkinson's Disease: Using Parental Smoking as a Proxy to Explore Causality. American Journal of Epidemiology, 2009, 169, 678-682.	3.4	54
65	Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. American Journal of Clinical Nutrition, 2009, 89, 1425-1432.	4.7	844
66	Consumption of Dairy Products and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 165, 998-1006.	3.4	156
67	Calcium intake and hip fracture risk in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials. American Journal of Clinical Nutrition, 2007, 86, 1780-1790.	4.7	301
68	Peripheral Inflammatory Biomarkers and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 167, 90-95.	3.4	272
69	Calcium intake and hip fracture risk in men and women: a meta-analysis of prospective cohort studies and randomized controlled trials. American Journal of Clinical Nutrition, 2007, 86, 1780-1790.	4.7	146
70	Smokeless tobacco use and the risk of Parkinson's disease mortality. Movement Disorders, 2005, 20, 1383-1384.	3.9	50
71	Coffee Consumption, Gender, and Parkinson's Disease Mortality in the Cancer Prevention Study II Cohort: The Modifying Effects of Estrogen. American Journal of Epidemiology, 2004, 160, 977-984.	3.4	203
72	Antioxidant vitamins and coronary heart disease risk: a pooled analysis of 9 cohorts. American Journal of Clinical Nutrition, 2004, 80, 1508-1520.	4.7	258