

Yukinori Sakao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5662716/publications.pdf>

Version: 2024-02-01

123
papers

2,875
citations

186265

28
h-index

197818

49
g-index

123
all docs

123
docs citations

123
times ranked

3575
citing authors

#	ARTICLE	IF	CITATIONS
1	EML4-ALK lung cancers are characterized by rare other mutations, a TTF-1 cell lineage, an acinar histology, and young onset. <i>Modern Pathology</i> , 2009, 22, 508-515.	5.5	429
2	Differential Crizotinib Response Duration Among <i>ALK</i> Fusion Variants in <i>ALK</i> -Positive Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2016, 34, 3383-3389.	1.6	236
3	The association between baseline clinical-radiological characteristics and growth of pulmonary nodules with ground-glass opacity. <i>Lung Cancer</i> , 2014, 83, 61-66.	2.0	87
4	The Significance of the Prognostic Nutritional Index in Patients with Completely Resected Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2015, 10, e0136897.	2.5	84
5	Predictive clinical parameters for the response of nivolumab in pretreated advanced non-small-cell lung cancer. <i>Oncotarget</i> , 2017, 8, 103117-103128.	1.8	84
6	Novel ELISA system for detection of N-ERC/mesothelin in the sera of mesothelioma patients. <i>Cancer Science</i> , 2006, 97, 928-932.	3.9	80
7	Prognostic Significance of a Histologic Subtype in Small Adenocarcinoma of the Lung: The Impact of Nonbronchioloalveolar Carcinoma Components. <i>Annals of Thoracic Surgery</i> , 2007, 83, 209-214.	1.3	75
8	Surgical Outcome and Prognostic Stratification for Pulmonary Metastasis From Colorectal Cancer. <i>Annals of Thoracic Surgery</i> , 2017, 104, 979-987.	1.3	70
9	Carcinoembryonic antigen as a predictive factor for postoperative tumor relapse in early-stage lung adenocarcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 25, 520-522.	1.4	64
10	Hsp90 inhibitors cause G2/M arrest associated with the reduction of Cdc25C and Cdc2 in lung cancer cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 150-158.	2.5	64
11	Video-assisted thoracoscopic lobectomy vs. conventional lobectomy via open thoracotomy in patients with clinical stage IA non-small cell lung carcinoma. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2007, 6, 614-617.	1.1	62
12	Sensitive and Specific New Enzyme-Linked Immunosorbent Assay for N-ERC/Mesothelin Increases its Potential as a Useful Serum Tumor Marker for Mesothelioma. <i>Clinical Cancer Research</i> , 2008, 14, 1431-1437.	7.0	62
13	Association of IL-8 and MCP-1 with the development of reexpansion pulmonary edema in rabbits. <i>Annals of Thoracic Surgery</i> , 2001, 71, 1825-1832.	1.3	58
14	Alteration of expression or phosphorylation status of tob, a novel tumor suppressor gene product, is an early event in lung cancer. <i>Cancer Letters</i> , 2003, 202, 71-79.	7.2	54
15	The clinicopathological features associated with skip N2 metastases in patients with clinical stage IA non-small-cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2015, 47, 653-658.	1.4	47
16	Unique prevalence of oncogenic genetic alterations in young patients with lung adenocarcinoma. <i>Cancer</i> , 2017, 123, 1731-1740.	4.1	45
17	Prognostic Significance of Metastasis to the Highest Mediastinal Lymph Node in Nonsmall Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2006, 81, 292-297.	1.3	44
18	Comparisons of the clinicopathological features and survival outcomes between lung cancer patients with adenocarcinoma and squamous cell carcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2015, 63, 507-513.	0.9	43

#	ARTICLE	IF	CITATIONS
19	Predictive factors for survival in surgically resected clinical IA peripheral adenocarcinoma of the lung. <i>Annals of Thoracic Surgery</i> , 2004, 77, 1157-1161.	1.3	42
20	Clinical impact of crizotinib on central nervous system progression in ALK-positive non-small lung cancer. <i>Lung Cancer</i> , 2016, 97, 43-47.	2.0	42
21	Successful management of acute pulmonary embolism after surgery for lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 24, 580-587.	1.4	38
22	Cavernous Hemangioma of the Anterior Mediastinum. <i>General Thoracic and Cardiovascular Surgery</i> , 2006, 54, 221-224.	0.9	37
23	Transformation to Sarcomatoid Carcinoma in ALK-Rearranged Adenocarcinoma, Which Developed Acquired Resistance to Crizotinib and Received Subsequent Chemotherapies. <i>Journal of Thoracic Oncology</i> , 2013, 8, e75-e78.	1.1	37
24	Predictors of indocyanine green visualization during fluorescence imaging for segmental plane formation in thoroscopic anatomical segmentectomy. <i>Journal of Thoracic Disease</i> , 2016, 8, 985-991.	1.4	33
25	Clinicopathological analysis of prognostic factors in clinical IA peripheral adenocarcinoma of the lung. <i>Annals of Thoracic Surgery</i> , 2003, 75, 1113-1117.	1.3	32
26	Lung adenocarcinoma can be subtyped according to tumor dimension by computed tomography mediastinal-window setting. Additional size criteria for clinical T1 adenocarcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 26, 1211-1215.	1.4	32
27	Outcomes of segmentectomy and wedge resection for pulmonary metastases from colorectal cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 51, ezw322.	1.4	32
28	Estimation of the pathological invasive size of pulmonary adenocarcinoma using high-resolution computed tomography of the chest: A consideration based on lung and mediastinal window settings. <i>Lung Cancer</i> , 2016, 95, 51-56.	2.0	32
29	Î±-Chemokine growth factors for adenocarcinomas; a synthetic peptide inhibitor for Î±-chemokines inhibits the growth of adenocarcinoma cell lines. <i>Journal of Cancer Research and Clinical Oncology</i> , 2000, 126, 19-26.	2.5	30
30	Association Between EGFR T790M Status and Progression Patterns During Initial EGFR-TKI Treatment in Patients Harboring EGFR Mutation. <i>Clinical Lung Cancer</i> , 2017, 18, 698-705.e2.	2.6	29
31	Does Repeated Lung Resection Provide Long-Term Survival for Recurrent Pulmonary Metastases of Colorectal Cancer? Results of a Retrospective Japanese Multicenter Study. <i>Annals of Thoracic Surgery</i> , 2017, 103, 399-405.	1.3	29
32	Prognostic Significance of Tumor Size of Small Lung Adenocarcinomas Evaluated with Mediastinal Window Settings on Computed Tomography. <i>PLoS ONE</i> , 2014, 9, e110305.	2.5	27
33	The spread of metastatic lymph nodes to the mediastinum from left upper lobe cancer: results of superior mediastinal nodal dissection through a median sternotomy. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 30, 543-547.	1.4	26
34	Thoracoscopic surgery versus open surgery for lung metastases of colorectal cancer: a multi-institutional retrospective analysis using propensity score adjustment. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, 1157-1163.	1.4	23
35	The Utility of Indigo Carmine and Lipiodol Mixture for Preoperative Pulmonary Nodule Localization before Video-Assisted Thoracic Surgery. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 446-452.	0.5	23
36	The eighth TNM classification system for lung cancer: A consideration based on the degree of pleural invasion and involved neighboring structures. <i>Lung Cancer</i> , 2018, 118, 134-138.	2.0	22

#	ARTICLE	IF	CITATIONS
37	Prospective analysis of depression and psychological distress before and after surgical resection of lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2007, 55, 119-124.	0.9	21
38	Standardized uptake value on 18 F-FDG-PET/CT is a predictor of EGFR T790M mutation status in patients with acquired resistance to EGFR-TKIs. <i>Lung Cancer</i> , 2016, 100, 14-19.	2.0	20
39	Efficacy and Safety Data of Osimertinib in Elderly Patients with NSCLC Who Harbor the <i>EGFR</i> T790M Mutation After Failure of Initial EGFR-TKI Treatment. <i>Anticancer Research</i> , 2018, 38, 5231-5237.	1.1	20
40	The Impact of Superior Mediastinal Lymph Node Metastases on Prognosis in Non-small Cell Lung Cancer Located in the Right Middle Lobe. <i>Journal of Thoracic Oncology</i> , 2011, 6, 494-499.	1.1	18
41	A new LigaSure technique for the formation of segmental plane by intravenous indocyanine green fluorescence during thoracoscopic anatomical segmentectomy. <i>Journal of Thoracic Disease</i> , 2016, 8, 1210-1216.	1.4	18
42	Lymph Node Metastases and Prognosis in Left Upper Division Non-Small Cell Lung Cancers: The Impact of Interlobar Lymph Node Metastasis. <i>PLoS ONE</i> , 2015, 10, e0134674.	2.5	18
43	A Clinicopathological Study of Resected Small-Sized Squamous Cell Carcinomas of the Peripheral Lung: Prognostic Significance of Serum Carcinoembryonic Antigen Levels. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2013, 19, 351-357.	0.8	17
44	Higher frequency of occult lymph node metastasis in clinical N0 pulmonary adenocarcinoma with <i>ALK</i> rearrangement. <i>Cancer Management and Research</i> , 2018, Volume 10, 2117-2124.	1.9	17
45	Prognostic Heterogeneity in Multilevel N2 Non-Small Cell Lung Cancer Patients: Importance of Lymphadenopathy and Occult Intrapulmonary Metastases. <i>Annals of Thoracic Surgery</i> , 2010, 89, 1060-1063.	1.3	16
46	Clinical outcomes of platinum-based chemotherapy according to T790M mutation status in EGFR-positive non-small cell lung cancer patients after initial EGFR-TKI failure. <i>Lung Cancer</i> , 2017, 109, 89-91.	2.0	16
47	Detection of abundant megakaryocytes in pulmonary artery blood in lung cancer patients using a microfluidic platform. <i>Lung Cancer</i> , 2018, 125, 128-135.	2.0	16
48	Clinicopathological findings of non-small-cell lung cancer with high serum progastrin-releasing peptide concentrations. <i>Lung Cancer</i> , 2011, 74, 401-404.	2.0	15
49	Salvage surgery for small cell lung cancer after chemoradiotherapy. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 389-392.	1.3	15
50	The prognostic value of carcinoembryonic antigen in T1N1M0 and T2N1M0 non-small cell carcinoma of the lung. <i>European Journal of Cardio-thoracic Surgery</i> , 2007, 32, 440-444.	1.4	14
51	The Impact of Cigarette Smoking on Prognosis in Small Adenocarcinomas of the Lung: The Association Between Histologic Subtype and Smoking Status. <i>Journal of Thoracic Oncology</i> , 2008, 3, 958-962.	1.1	14
52	Lack of Association between the BIM Deletion Polymorphism and the Risk of Lung Cancer with and without EGFR Mutations. <i>Journal of Thoracic Oncology</i> , 2015, 10, 59-66.	1.1	13
53	Current outcomes of postrecurrence survival in patients after resection of non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 1788-1796.	1.4	13
54	Excision of a Recurrent Pericardial Cyst Using Video-Assisted Thoracic Surgery. <i>Chest</i> , 1998, 114, 1203-1204.	0.8	12

#	ARTICLE	IF	CITATIONS
55	Significance of the serum carcinoembryonic antigen level during the follow-up of patients with completely resected non-small-cell lung cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2014, 45, 687-692.	1.4	12
56	Pulmonary Adenocarcinoma In Situ. <i>American Journal of Surgical Pathology</i> , 2015, 39, 912-921.	3.7	12
57	Prognostic significance of combined radiologic imaging modalities for prognosis of clinical IA adenocarcinomas. <i>Oncotarget</i> , 2018, 9, 10745-10753.	1.8	12
58	Clinicopathological Factors Associated with Unexpected N3 in Patients with Mediastinal Lymph Node Involvement. <i>Journal of Thoracic Oncology</i> , 2007, 2, 1107-1111.	1.1	11
59	Diagnostic Ability of Percutaneous Needle Biopsy Immediately After Radiofrequency Ablation for Malignant Lung Tumors: An Initial Experience. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1187-1192.	2.0	11
60	Novel development of Spectra-A using indocyanine green for segmental boundary visibility in thoracoscopic segmentectomy. <i>Journal of Surgical Research</i> , 2018, 227, 228-233.	1.6	11
61	Deep cervical and paratracheal drainage for descending necrotizing mediastinitis. <i>Asian Cardiovascular and Thoracic Annals</i> , 2020, 28, 29-32.	0.5	11
62	Risk assessment of perioperative mortality after pulmonary resection in patients with primary lung cancer: the 30- or 90-day mortality. <i>General Thoracic and Cardiovascular Surgery</i> , 2014, 62, 308-313.	0.9	10
63	Prognosis and segment-specific nodal spread of primary lung cancer in the right lower lobe. <i>Thoracic Cancer</i> , 2015, 6, 672-677.	1.9	10
64	Impact of the oncogenic status on the mode of recurrence in resected non-small cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 928-934.	1.3	10
65	Pathologic Diagnosis and Genetic Analysis of a Lung Tumor Needle Biopsy Specimen Obtained Immediately After Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 594-602.	2.0	10
66	<p>Successful postoperative recovery management after thoracoscopic lobectomy and segmentectomy using an ERAS-based protocol of immediate ice cream intake and early ambulation: a 3-year study</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 4201-4207.	1.9	10
67	Outcome of Radical Surgery for Pulmonary Metastatic Osteosarcoma with Secondary Spontaneous Pneumothorax: Case Series Report. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014, 20, 574-577.	0.8	9
68	Histological type predicts mediastinal metastasis and surgical outcome in resected cN1 non-small cell lung cancer. <i>General Thoracic and Cardiovascular Surgery</i> , 2017, 65, 519-526.	0.9	8
69	Usefulness of suplatast tosilate for chronic cough following lung cancer surgery. <i>General Thoracic and Cardiovascular Surgery</i> , 2009, 57, 463-466.	0.9	7
70	A retrospective study on analgesic requirements for thoracoscopic surgery postoperative pain. <i>Journal of Pain Research</i> , 2017, Volume 10, 2643-2648.	2.0	7
71	A powered vascular staple for the application of segmental bronchial closure in thoracoscopic anatomic segmentectomy. <i>Journal of Thoracic Disease</i> , 2017, 9, 5352-5354.	1.4	7
72	Design variations in vertical muscle-sparing thoracotomy. <i>Journal of Thoracic Disease</i> , 2018, 10, 5115-5119.	1.4	7

#	ARTICLE	IF	CITATIONS
73	Spontaneous regression of lung squamous cell carcinoma with synchronous mediastinal progression: A case report. <i>Thoracic Cancer</i> , 2018, 9, 1778-1781.	1.9	7
74	Surgical complication and postoperative pulmonary function in patients undergoing tumor surgery with thoracic wall resection. <i>Oncology Letters</i> , 2019, 17, 3446-3456.	1.8	7
75	Subsegmental resection preserves regional pulmonary function: A focus on thoracoscopy. <i>Thoracic Cancer</i> , 2021, 12, 1033-1040.	1.9	7
76	Clinical Efficacy of Alectinib in Patients with ALK-Rearranged Non-small Cell Lung Cancer After Ceritinib Failure. <i>Anticancer Research</i> , 2017, 37, 6477-6480.	1.1	7
77	Microsatellite Instability and Frameshift Mutations in the Bax Gene in Hereditary Nonpolyposis Colorectal Carcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1020-1027.	1.7	6
78	Hypothermia augments polymorphonuclear leukocyte degranulation and interleukin-8 production from human umbilical vein endothelial cells and increases lipopolysaccharide-induced polymorphonuclear leukocyte-endothelial cell interaction when followed by normothermia. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002, 16, 561-566.	1.3	6
79	Giant cell tumor of the rib. <i>General Thoracic and Cardiovascular Surgery</i> , 2003, 51, 537-540.	0.4	6
80	Two patients of left lung cancer with right aortic arch: review of eight patients. <i>General Thoracic and Cardiovascular Surgery</i> , 2012, 60, 537-541.	0.9	6
81	Lymph node metastasis, recurrence, and prognosis in small peripheral lung adenocarcinoma. <i>General Thoracic and Cardiovascular Surgery</i> , 2002, 50, 424-429.	0.4	5
82	Prognostic value and significance of subcarinal and superior mediastinal lymph node metastasis in lower lobe tumours. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 38, 498-502.	1.4	5
83	Spinal Epidural Hematoma during Anticoagulant Therapy for Pulmonary Embolism: Postoperative Complications in a Patient with Lung Cancer. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014, 20, 493-496.	0.8	5
84	Therapeutic value of lymph node dissection for right middle lobe non-small-cell lung cancer. <i>Journal of Thoracic Disease</i> , 2016, 8, 795-802.	1.4	5
85	Mediastinal pulmonary artery is associated with greater artery diameter and lingular division volume. <i>Scientific Reports</i> , 2017, 7, 1273.	3.3	5
86	Heterogeneity of Tumor Sizes in Multiple Pulmonary Metastases of Colorectal Cancer as a Prognostic Factor. <i>Annals of Thoracic Surgery</i> , 2017, 103, 254-260.	1.3	5
87	Evaluation of lobar lymph node metastasis in non-small cell lung carcinoma using modified total lesion glycolysis. <i>Journal of Thoracic Disease</i> , 2018, 10, 6932-6941.	1.4	5
88	Deep Neck Infection Complicated by Phlegmonous Esophagitis and Mediastinitis. <i>Annals of Thoracic Surgery</i> , 2021, 111, e403-e406.	1.3	5
89	Allelotypes of lung adenocarcinomas featuring ALK fusion demonstrate fewer onco- and suppressor gene changes. <i>BMC Cancer</i> , 2013, 13, 8.	2.6	4
90	Surgical treatment of empyema after pulmonary resection using pedicle skeletal muscle plumbage, thoracoplasty, and continuous cavity ablation procedures: a report on three cases. <i>Journal of Thoracic Disease</i> , 2016, 8, 1333-1339.	1.4	4

#	ARTICLE	IF	CITATIONS
91	Importance of avoiding surgery delays after initial discovery of suspected non-small-cell lung cancer in clinical stage IA patients. <i>Cancer Management and Research</i> , 2019, Volume 11, 107-115.	1.9	4
92	Contribution of smoking habit to the prognosis of stage I KRAS-mutated non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2018, 23, 419-426.	1.7	4
93	Successful salvage surgery following multimodal therapy in a patient who harboured ALK-rearranged advanced lung adenocarcinoma with multiple organ metastases. <i>Respirology Case Reports</i> , 2019, 7, e00451.	0.6	4
94	Intrathoracic use of a small ultrasonic probe for localizing small lung tumors in thoracoscopic surgery: Empirical results and comparison with preoperative CT images. <i>General Thoracic and Cardiovascular Surgery</i> , 2021, 69, 516-524.	0.9	4
95	How preserved regional pulmonary function after thoracoscopic segmentectomy in clinical stage I non-small cell lung cancers in right upper lobe. <i>General Thoracic and Cardiovascular Surgery</i> , 2021, 69, 960-966.	0.9	4
96	Surgical outcome for pulmonary metastasis of colorectal cancer in the modern chemotherapy era: Results of a retrospective Japanese multicenter study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3528-3528.	1.6	4
97	Validity of Omission of Subcarinal Lymph Node Dissection in Patients with Cancer of the Right Upper Lobe Or Left Upper Division of the Lung. <i>Japanese Journal of Lung Cancer</i> , 2008, 48, 266-272.	0.1	4
98	Monoclonal antibodies to rabbit γ -2-macroglobulin and their use in a sensitive ELISA assay. <i>Journal of Immunological Methods</i> , 2002, 270, 147-153.	1.4	3
99	Clinical Impact of Intraoperative Detection of Carcinoembryonic Antigen mRNA in Pleural Lavage Specimens from Nonsmall Cell Lung Cancer Patients. <i>Thoracic and Cardiovascular Surgeon</i> , 2013, 60, 533-540.	1.0	3
100	Arterial embolization to preoperatively manage pulmonary disease associated with inflammation. <i>General Thoracic and Cardiovascular Surgery</i> , 2002, 50, 125-128.	0.4	2
101	Resection of a ruptured mature cystic teratoma diagnosed two years after the onset of perforation. <i>World Journal of Surgical Oncology</i> , 2014, 12, 321.	1.9	2
102	Analgesic management after thoracoscopic surgery: recent studies and our experience. <i>Journal of Thoracic Disease</i> , 2018, 10, S1050-S1054.	1.4	2
103	Favorable clinical application for segmental bronchial closure based on experiment results. <i>Journal of Thoracic Disease</i> , 2019, 11, 2267-2273.	1.4	2
104	Selection of Pathological NO (pNO) in Clinical IA (cIA) Lung Adenocarcinoma by Imaging Findings of the Main Tumor. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2021, 27, 230-236.	0.8	2
105	A Case of Recurrent Thymic Atypical Carcinoid with Pleural and Peritoneal Dissemination Six Years After Thymectomy. <i>Japanese Journal of Lung Cancer</i> , 2015, 55, 247-250.	0.1	2
106	A novel method of tracheal anastomosis healing using a single submucosal injection of basic fibroblast growth factor: initial report. <i>European Journal of Cardio-thoracic Surgery</i> , 2022, 61, 917-924.	1.4	2
107	Postoperative chylothorax after pulmonary wedge resection in two patients who underwent radical neck dissection: A case report. <i>Asian Journal of Endoscopic Surgery</i> , 2016, 9, 322-324.	0.9	1
108	Dynamics of coagulation factor XIII activity after video-assisted thoracoscopic lobectomy for non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2019, 11, 5382-5389.	1.4	1

#	ARTICLE	IF	CITATIONS
109	Primary pneumonectomy, pneumonectomy after induction therapy, and salvage pneumonectomy: a comparison of surgical and prognostic outcomes. <i>Journal of Thoracic Disease</i> , 2020, 12, 2672-2682.	1.4	1
110	Calcified Lymph Node Metastases in Bronchial Gland Cell Type Adenocarcinoma of The Lung.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 93-98.	0.1	1
111	Resected Cases of Diffuse Malignant Pleural Mesothelioma.. <i>Japanese Journal of Lung Cancer</i> , 1996, 36, 245-251.	0.1	1
112	Malignant fibrous histiocytoma of the trachea. <i>General Thoracic and Cardiovascular Surgery</i> , 2005, 53, 276-279.	0.4	0
113	Two cases of combined thoracoscopy and open chest surgery for locally advanced lung carcinoma. <i>Journal of Thoracic Disease</i> , 2018, 10, 1138-1143.	1.4	0
114	Lymph node dissection in the left upper lobe: clinical outcomes and surgical techniques in Japan. <i>Mediastinum</i> , 2019, 3, 16-16.	1.1	0
115	Radiological imaging and pathological findings of small lung adenocarcinoma: a narrative review. <i>Journal of Thoracic Disease</i> , 2021, 13, 366-371.	1.4	0
116	A Case of Benign Metastasizing Leiomyoma Diagnosed 10 Years After Hysterectomy. <i>Japanese Journal of Lung Cancer</i> , 2004, 44, 773-777.	0.1	0
117	Pneumonic-type Adenocarcinoma with Dissemination Similar to That of Bronchioloalveolar Carcinoma. <i>Japanese Journal of Lung Cancer</i> , 2012, 52, 49-53.	0.1	0
118	Risk Assessment of Perioperative Mortality After Pulmonary Resection for Primary Lung Cancer: the 30-day or 90-day Mortality. <i>Japanese Journal of Lung Cancer</i> , 2013, 53, 93-98.	0.1	0
119	Surgical Management of Postoperative Lymph Node Recurrence of Primary Lung Cancer.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 115-119.	0.1	0
120	The Significance of Bilateral Mediastinal Lymph Node Dissection (R3) for Cancer of the Left Lung.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 133-139.	0.1	0
121	A Case of Poorly Differentiated Squamous Cell Carcinoma of the Thymus Associated with Thymic Cyst.. <i>Japanese Journal of Lung Cancer</i> , 1995, 35, 343-348.	0.1	0
122	A Case of Recurrent Pulmonary Artery Intimal Sarcoma After Left Pneumonectomy. <i>Japanese Journal of Lung Cancer</i> , 2015, 55, 251-256.	0.1	0
123	Large Diaphragm Defect Reconstruction Using Reverse Latissimus Dorsi Muscle Flap. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e3199.	0.6	0