

# Rieta Gols

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5669173/publications.pdf>

Version: 2024-02-01

131  
papers

6,212  
citations

66343

42  
h-index

79698

73  
g-index

133  
all docs

133  
docs citations

133  
times ranked

4902  
citing authors

#	ARTICLE	IF	CITATIONS
1	Herbivore-induced plant volatiles, not natural enemies, mediate a positive indirect interaction between insect herbivores. <i>Oecologia</i> , 2022, 198, 443.	2.0	2
2	Effects of extreme temperature events on the parasitism performance of <i>Diadegma semiclausum</i> , an endoparasitoid of <i>Plutella xylostella</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2022, 170, 656-665.	1.4	2
3	Specialist root herbivore modulates plant transcriptome and downregulates defensive secondary metabolites in a brassicaceous plant. <i>New Phytologist</i> , 2022, 235, 2378-2392.	7.3	2
4	Insect egg-killing: a new front on the evolutionary arms-race between brassicaceous plants and pierid butterflies. <i>New Phytologist</i> , 2021, 230, 341-353.	7.3	27
5	Within-patch and edge microclimates vary over a growing season and are amplified during a heatwave: Consequences for ectothermic insects. <i>Journal of Thermal Biology</i> , 2021, 99, 103006.	2.5	7
6	Development and oviposition strategies in two congeneric gregarious larval-pupal endoparasitoids of the seven-spot ladybird, <i>Coccinella septempunctata</i> . <i>Biological Control</i> , 2021, 163, 104756.	3.0	4
7	The ecological role of bacterial seed endophytes associated with wild cabbage in the United Kingdom. <i>MicrobiologyOpen</i> , 2020, 9, e00954.	3.0	26
8	International scientists formulate a roadmap for insect conservation and recovery. <i>Nature Ecology and Evolution</i> , 2020, 4, 174-176.	7.8	176
9	Climate change-mediated temperature extremes and insects: From outbreaks to breakdowns. <i>Global Change Biology</i> , 2020, 26, 6685-6701.	9.5	114
10	Detoxification of plant defensive glucosinolates by an herbivorous caterpillar is beneficial to its endoparasitic wasp. <i>Molecular Ecology</i> , 2020, 29, 4014-4031.	3.9	19
11	Population- and Species-Based Variation of Webworm-Parasitoid Interactions in Hogweeds ( <i>Heracelum</i> spp.) in the Netherlands. <i>Environmental Entomology</i> , 2020, 49, 924-930.	1.4	3
12	Reprotoxic effects of the systemic insecticide fipronil on the butterfly <i>Pieris brassicae</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20192665.	2.6	8
13	Simulated heatwave conditions associated with global warming affect development and competition between hyperparasitoids. <i>Oikos</i> , 2019, 128, 1783-1792.	2.7	7
14	Rain downpours affect survival and development of insect herbivores: the specter of climate change?. <i>Ecology</i> , 2019, 100, e02819.	3.2	36
15	Rain Downpours Affect Survival and Development of Insect Herbivores: The Specter of Climate Change?. <i>Bulletin of the Ecological Society of America</i> , 2019, 100, e01604.	0.2	0
16	Reproduction and Offspring Sex Ratios Differ Markedly among Closely Related Hyperparasitoids Living in the Same Microhabitats. <i>Journal of Insect Behavior</i> , 2019, 32, 243-251.	0.7	8
17	Invasive moth facilitates use of a native food plant by other native and invasive arthropods. <i>Ecological Research</i> , 2019, 34, 659-666.	1.5	2
18	Variation in Performance and Resistance to Parasitism of <i>Plutella xylostella</i> Populations. <i>Insects</i> , 2019, 10, 293.	2.2	2

#	ARTICLE	IF	CITATIONS
19	Varying degree of physiological integration among host instars and their endoparasitoid affects stress-induced mortality. <i>Entomologia Experimentalis Et Applicata</i> , 2019, 167, 424-432.	1.4	7
20	The effect of rearing history and aphid density on volatile-mediated foraging behaviour of <i>Diaeretiella rapae</i> . <i>Ecological Entomology</i> , 2019, 44, 255-264.	2.2	7
21	Differential effects of climate warming on reproduction and functional responses on insects in the fourth trophic level. <i>Functional Ecology</i> , 2019, 33, 693-702.	3.6	26
22	Responses of insect herbivores and their food plants to wind exposure and the importance of predation risk. <i>Journal of Animal Ecology</i> , 2018, 87, 1046-1057.	2.8	12
23	Oviposition preference of three lepidopteran species is not affected by previous aphid infestation in wild cabbage. <i>Entomologia Experimentalis Et Applicata</i> , 2018, 166, 402-411.	1.4	4
24	Effects of plant-mediated differences in host quality on the development of two related endoparasitoids with different host-utilization strategies. <i>Journal of Insect Physiology</i> , 2018, 107, 110-115.	2.0	11
25	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and evolutionary implications. <i>New Phytologist</i> , 2018, 220, 739-749.	7.3	101
26	With or without you: Effects of the concurrent range expansion of an herbivore and its natural enemy on native species interactions. <i>Global Change Biology</i> , 2018, 24, 631-643.	9.5	21
27	Ant-like Traits in Wingless Parasitoids Repel Attack from Wolf Spiders. <i>Journal of Chemical Ecology</i> , 2018, 44, 894-904.	1.8	5
28	Plant domestication decreases both constitutive and induced chemical defences by direct selection against defensive traits. <i>Scientific Reports</i> , 2018, 8, 12678.	3.3	54
29	Seasonal and herbivore-induced dynamics of foliar glucosinolates in wild cabbage ( <i>Brassica</i> ) Tj ETQq1 1 0.784314 r <sub>BT</sub> /Overlock 10 Tj 1.1 28	1.1	28
30	Honey and honey-based sugars partially affect reproductive trade-offs in parasitoids exhibiting different life-history and reproductive strategies. <i>Journal of Insect Physiology</i> , 2017, 98, 134-140.	2.0	13
31	Dual herbivore attack and herbivore density affect metabolic profiles of <i>Brassica nigra</i> leaves. <i>Plant, Cell and Environment</i> , 2017, 40, 1356-1367.	5.7	39
32	Does Aphid Infestation Interfere with Indirect Plant Defense against Lepidopteran Caterpillars in Wild Cabbage?. <i>Journal of Chemical Ecology</i> , 2017, 43, 493-505.	1.8	12
33	Oviposition Preference for Young Plants by the Large Cabbage Butterfly ( <i>Pieris brassicae</i> ) Does not Strongly Correlate with Caterpillar Performance. <i>Journal of Chemical Ecology</i> , 2017, 43, 617-629.	1.8	12
34	Intraspecific chemical diversity among neighbouring plants correlates positively with plant size and herbivore load but negatively with herbivore damage. <i>Ecology Letters</i> , 2017, 20, 87-97.	6.4	50
35	Combined biotic stresses trigger similar transcriptomic responses but contrasting resistance against a chewing herbivore in <i>Brassica nigra</i> . <i>BMC Plant Biology</i> , 2017, 17, 127.	3.6	61
36	Symbionts protect aphids from parasitic wasps by attenuating herbivore-induced plant volatiles. <i>Nature Communications</i> , 2017, 8, 1860.	12.8	96

#	ARTICLE	IF	CITATIONS
37	Integrating Insect Life History and Food Plant Phenology: Flexible Maternal Choice Is Adaptive. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1263.	4.1	6
38	Defensive insect symbiont leads to cascading extinctions and community collapse. <i>Ecology Letters</i> , 2016, 19, 789-799.	6.4	58
39	Differential induction of plant chemical defenses by parasitized and unparasitized herbivores: consequences for reciprocal, multitrophic interactions. <i>Oikos</i> , 2016, 125, 1398-1407.	2.7	34
40	Compatible and incompatible pathogen-plant interactions differentially affect plant volatile emissions and the attraction of parasitoid wasps. <i>Functional Ecology</i> , 2016, 30, 1779-1789.	3.6	31
41	Development of a solitary koinobiont hyperparasitoid in different instars of its primary and secondary hosts. <i>Journal of Insect Physiology</i> , 2016, 90, 36-42.	2.0	5
42	Direct and indirect genetic effects in life-history traits of flour beetles ( <i>Tribolium castaneum</i> ). <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 207-217.	2.3	14
43	Interactive Effects of Cabbage Aphid and Caterpillar Herbivory on Transcription of Plant Genes Associated with Phytohormonal Signalling in Wild Cabbage. <i>Journal of Chemical Ecology</i> , 2016, 42, 793-805.	1.8	23
44	Effects of population-related variation in plant primary and secondary metabolites on aboveground and belowground multitrophic interactions. <i>Chemoecology</i> , 2016, 26, 219-233.	1.1	20
45	Short-term seasonal habitat facilitation mediated by an insect herbivore. <i>Basic and Applied Ecology</i> , 2016, 17, 447-454.	2.7	11
46	Black and Garlic Mustard Plants Are Highly Suitable for the Development of Two Native Pierid Butterflies. <i>Environmental Entomology</i> , 2016, 45, 671-676.	1.4	3
47	Community structure and abundance of insects in response to early season aphid infestation in wild cabbage populations. <i>Ecological Entomology</i> , 2016, 41, 378-388.	2.2	15
48	Volatile-mediated foraging behaviour of three parasitoid species under conditions of dual insect herbivore attack. <i>Animal Behaviour</i> , 2016, 111, 197-206.	1.9	50
49	Plant Quantity Affects Development and Survival of a Gregarious Insect Herbivore and Its Endoparasitoid Wasp. <i>PLoS ONE</i> , 2016, 11, e0149539.	2.5	14
50	Plant-mediated effects of butterfly egg deposition on subsequent caterpillar and pupal development, across different species of wild Brassicaceae. <i>Ecological Entomology</i> , 2015, 40, 444-450.	2.2	36
51	Fitness consequences of indirect plant defence in the annual weed, <i>Sida arvensis</i> . <i>Functional Ecology</i> , 2015, 29, 1019-1025.	3.6	45
52	Complex tritrophic interactions in response to crop domestication: predictions from the wild. <i>Entomologia Experimentalis Et Applicata</i> , 2015, 157, 40-59.	1.4	47
53	Host preference and offspring performance are linked in three congeneric hyperparasitoid species. <i>Ecological Entomology</i> , 2015, 40, 114-122.	2.2	13
54	To be in time: egg deposition enhances plant-mediated detection of young caterpillars by parasitoids. <i>Oecologia</i> , 2015, 177, 477-486.	2.0	29

#	ARTICLE	IF	CITATIONS
55	Editorial overview: Ecology: Ecology of plant insect interactions: the role of plant chemistry. <i>Current Opinion in Insect Science</i> , 2015, 8, iv-vi.	4.4	0
56	Habitat complexity reduces parasitoid foraging efficiency, but does not prevent orientation towards learned host plant odours. <i>Oecologia</i> , 2015, 179, 353-361.	2.0	31
57	Interactions Between a Belowground Herbivore and Primary and Secondary Root Metabolites in Wild Cabbage. <i>Journal of Chemical Ecology</i> , 2015, 41, 696-707.	1.8	29
58	Crop Domestication and Its Impact on Naturally Selected Trophic Interactions. <i>Annual Review of Entomology</i> , 2015, 60, 35-58.	11.8	316
59	Food plant and herbivore host species affect the outcome of intrinsic competition among parasitoid larvae. <i>Ecological Entomology</i> , 2014, 39, 693-702.	2.2	33
60	Seasonal phenology of interactions involving short-lived annual plants, a multivoltine herbivore and its endoparasitoid wasp. <i>Journal of Animal Ecology</i> , 2014, 83, 234-244.	2.8	28
61	Caterpillar-induced plant volatiles remain a reliable signal for foraging wasps during dual attack with a plant pathogen or non-host insect herbivore. <i>Plant, Cell and Environment</i> , 2014, 37, 1924-1935.	5.7	66
62	Synergism in the effect of prior jasmonic acid application on herbivore-induced volatile emission by Lima bean plants: transcription of a monoterpene synthase gene and volatile emission. <i>Journal of Experimental Botany</i> , 2014, 65, 4821-4831.	4.8	29
63	Intra-specific variation in wild <i>Brassica oleracea</i> for aphid-induced plant responses and consequences for caterpillar-parasitoid interactions. <i>Oecologia</i> , 2014, 174, 853-862.	2.0	32
64	Convergence and Divergence in Direct and Indirect Life-History Traits of Closely Related Parasitoids (Braconidae: Microgastrinae). <i>Evolutionary Biology</i> , 2014, 41, 134-144.	1.1	12
65	Direct and indirect chemical defences against insects in a multitrophic framework. <i>Plant, Cell and Environment</i> , 2014, 37, 1741-1752.	5.7	91
66	Effect of Sequential Induction by <i>Mamestra brassicae</i> L. and <i>Tetranychus urticae</i> Koch on Lima Bean Plant Indirect Defense. <i>Journal of Chemical Ecology</i> , 2014, 40, 977-985.	1.8	8
67	Variation in plant defences among populations of a range-expanding plant: consequences for trophic interactions. <i>New Phytologist</i> , 2014, 204, 989-999.	7.3	25
68	Reciprocal interactions between native and introduced populations of common milkweed, <i>Asclepias syriaca</i> , and the specialist aphid, <i>Aphis nerii</i> . <i>Basic and Applied Ecology</i> , 2014, 15, 444-452.	2.7	6
69	Reciprocal crosstalk between jasmonate and salicylate defence-signalling pathways modulates plant volatile emission and herbivore host-selection behaviour. <i>Journal of Experimental Botany</i> , 2014, 65, 3289-3298.	4.8	80
70	Development of a generalist predator, <i>Podisus maculiventris</i> , on glucosinolate sequestering and nonsequestering prey. <i>Die Naturwissenschaften</i> , 2014, 101, 707-714.	1.6	10
71	Plant Interactions with Multiple Insect Herbivores: From Community to Genes. <i>Annual Review of Plant Biology</i> , 2014, 65, 689-713.	18.7	361
72	Jasmonate and ethylene signaling mediate whitefly-induced interference with indirect plant defense in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2013, 197, 1291-1299.	7.3	109

#	ARTICLE	IF	CITATIONS
73	Reproductive escape: annual plant responds to butterfly eggs by accelerating seed production. <i>Functional Ecology</i> , 2013, 27, 245-254.	3.6	60
74	Ecological and phytohormonal aspects of plant volatile emission in response to single and dual infestations with herbivores and phytopathogens. <i>Functional Ecology</i> , 2013, 27, 587-598.	3.6	114
75	The importance of aboveground–belowground interactions on the evolution and maintenance of variation in plant defense traits. <i>Frontiers in Plant Science</i> , 2013, 4, 431.	3.6	29
76	A bodyguard or a tastier meal? Dying caterpillar indirectly protects parasitoid cocoons by offering alternate prey to a generalist predator. <i>Entomologia Experimentalis Et Applicata</i> , 2013, 149, 219-228.	1.4	7
77	Bidirectional Secretions from Glandular Trichomes of <i>Pyrethrum</i> Enable Immunization of Seedlings. <i>Plant Cell</i> , 2012, 24, 4252-4265.	6.6	62
78	Intrinsic competition among solitary and gregarious endoparasitoid wasps and the phenomenon of “resource sharing”. <i>Ecological Entomology</i> , 2012, 37, 65-74.	2.2	27
79	Dynamics of plant secondary metabolites and consequences for food chains and community dynamics. , 2012, , 308-328.		4
80	The roles of ecological fitting, phylogeny and physiological equivalence in understanding realized and fundamental host ranges in endoparasitoid wasps. <i>Journal of Evolutionary Biology</i> , 2012, 25, 2139-2148.	1.7	26
81	Development of a hyperparasitoid wasp in different stages of its primary parasitoid and secondary herbivore hosts. <i>Journal of Insect Physiology</i> , 2012, 58, 1463-1468.	2.0	18
82	Plant Volatiles Induced by Herbivore Egg Deposition Affect Insects of Different Trophic Levels. <i>PLoS ONE</i> , 2012, 7, e43607.	2.5	152
83	Variation in the specificity of plant volatiles and their use by a specialist and a generalist parasitoid. <i>Animal Behaviour</i> , 2012, 83, 1231-1242.	1.9	42
84	Effect of host cocoon mass on adult size in the secondary hyperparasitoid wasp, <i>Pteromalus semotus</i> (Hymenoptera: Pteromalidae). <i>Insect Science</i> , 2012, 19, 383-390.	3.0	4
85	Consequences of constitutive and induced variation in the host’s food plant quality for parasitoid larval development. <i>Journal of Insect Physiology</i> , 2012, 58, 367-375.	2.0	19
86	The effect of different dietary sugars and honey on longevity and fecundity in two hyperparasitoid wasps. <i>Journal of Insect Physiology</i> , 2012, 58, 816-823.	2.0	59
87	Herbivore-Mediated Effects of Glucosinolates on Different Natural Enemies of a Specialist Aphid. <i>Journal of Chemical Ecology</i> , 2012, 38, 100-115.	1.8	77
88	Indirect plant-mediated interactions among parasitoid larvae. <i>Ecology Letters</i> , 2011, 14, 670-676.	6.4	38
89	The “usurpation hypothesis” revisited: dying caterpillar repels attack from a hyperparasitoid wasp. <i>Animal Behaviour</i> , 2011, 81, 1281-1287.	1.9	20
90	Population-Related Variation in Plant Defense more Strongly Affects Survival of an Herbivore than Its Solitary Parasitoid Wasp. <i>Journal of Chemical Ecology</i> , 2011, 37, 1081-1090.	1.8	33

#	ARTICLE	IF	CITATIONS
91	Smelling the Wood from the Trees: Non-Linear Parasitoid Responses to Volatile Attractants Produced by Wild and Cultivated Cabbage. <i>Journal of Chemical Ecology</i> , 2011, 37, 795-807.	1.8	85
92	Differing Host Exploitation Efficiencies in Two Hyperparasitoids: When is a "Match Made in Heaven"? <i>Journal of Insect Behavior</i> , 2011, 24, 282-292.	0.7	9
93	Tri-trophic effects of inter- and intra-population variation in defence chemistry of wild cabbage ( <i>Brassica oleracea</i> ). <i>Oecologia</i> , 2011, 166, 421-431.	2.0	55
94	Development of <i>Mamestra brassicae</i> and its solitary endoparasitoid <i>Microplitis mediator</i> on two populations of the invasive weed <i>Bunias orientalis</i> . <i>Population Ecology</i> , 2011, 53, 587-596.	1.2	13
95	Differing Success of Defense Strategies in Two Parasitoid Wasps in Protecting their Pupae Against a Secondary Hyperparasitoid. <i>Annals of the Entomological Society of America</i> , 2011, 104, 1005-1011.	2.5	9
96	Ecological fits, mis-fits and lotteries involving insect herbivores on the invasive plant, <i>Bunias orientalis</i> . <i>Biological Invasions</i> , 2010, 12, 3045-3059.	2.4	64
97	Combined effects of patch size and plant nutritional quality on local densities of insect herbivores. <i>Basic and Applied Ecology</i> , 2010, 11, 396-405.	2.7	30
98	Development and host utilization in <i>Hyposoter ebeninus</i> (Hymenoptera: Ichneumonidae), a solitary endoparasitoid of <i>Pieris rapae</i> and <i>P. brassicae</i> caterpillars (Lepidoptera: Pieridae). <i>Biological Control</i> , 2010, 53, 312-318.	3.0	24
99	Behaviour of male and female parasitoids in the field: influence of patch size, host density, and habitat complexity. <i>Ecological Entomology</i> , 2010, 35, 341-351.	2.2	36
100	The effect of host developmental stage at parasitism on sex-related size differentiation in a larval endoparasitoid. <i>Ecological Entomology</i> , 2009, 34, 755-762.	2.2	13
101	Consequences of constitutive and induced variation in plant nutritional quality for immune defence of a herbivore against parasitism. <i>Oecologia</i> , 2009, 160, 299-308.	2.0	106
102	Plant-mediated effects in the Brassicaceae on the performance and behaviour of parasitoids. <i>Phytochemistry Reviews</i> , 2009, 8, 187-206.	6.5	130
103	Are population differences in plant quality reflected in the preference and performance of two endoparasitoid wasps?. <i>Oikos</i> , 2009, 118, 733-742.	2.7	68
104	Intrinsic competition and its effects on the survival and development of three species of endoparasitoid wasps. <i>Entomologia Experimentalis Et Applicata</i> , 2009, 130, 238-248.	1.4	39
105	Performance of Generalist and Specialist Herbivores and their Endoparasitoids Differs on Cultivated and Wild Brassica Populations. <i>Journal of Chemical Ecology</i> , 2008, 34, 132-143.	1.8	169
106	The effect of direct and indirect defenses in two wild brassicaceous plant species on a specialist herbivore and its gregarious endoparasitoid. <i>Entomologia Experimentalis Et Applicata</i> , 2008, 128, 99-108.	1.4	40
107	Novel bacterial pathogen <i>Acaricomes phytoseiuli</i> causes severe disease symptoms and histopathological changes in the predatory mite <i>Phytoseiulus persimilis</i> (Acari, Phytoseiidae). <i>Journal of Invertebrate Pathology</i> , 2008, 98, 127-135.	3.2	22
108	GENETIC VARIATION IN DEFENSE CHEMISTRY IN WILD CABBAGES AFFECTS HERBIVORES AND THEIR ENDOPARASITIDS. <i>Ecology</i> , 2008, 89, 1616-1626.	3.2	193

#	ARTICLE	IF	CITATIONS
109	Comparing the physiological effects and function of larval feeding in closely related endoparasitoids (Braconidae: Microgastrinae). <i>Physiological Entomology</i> , 2008, 33, 217-225.	1.5	32
110	Effects of dietary nicotine on the development of an insect herbivore, its parasitoid and secondary hyperparasitoid over four trophic levels. <i>Ecological Entomology</i> , 2007, 32, 15-23.	2.2	68
111	PCR-based identification of the pathogenic bacterium, <i>Acaricomes phytoseiuli</i> , in the biological control agent <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae). <i>Biological Control</i> , 2007, 42, 316-325.	3.0	18
112	Root herbivores influence the behaviour of an aboveground parasitoid through changes in plant-volatile signals. <i>Oikos</i> , 2007, 116, 367-376.	2.7	157
113	Time allocation of a parasitoid foraging in heterogeneous vegetation: implications for host-parasitoid interactions. <i>Journal of Animal Ecology</i> , 2007, 76, 845-853.	2.8	39
114	Temporal changes affect plant chemistry and tritrophic interactions. <i>Basic and Applied Ecology</i> , 2007, 8, 421-433.	2.7	52
115	Development of an Insect Herbivore and its Pupal Parasitoid Reflect Differences in Direct Plant Defense. <i>Journal of Chemical Ecology</i> , 2007, 33, 1556-1569.	1.8	54
116	Enter the matrix: How to analyze the structure of behavior. <i>Behavior Research Methods</i> , 2006, 38, 357-363.	4.0	10
117	Impact of Botanical Pesticides Derived from <i>Melia azedarach</i> and <i>Azadirachta indica</i> Plants on the Emission of Volatiles that Attract Parasitoids of the Diamondback Moth to Cabbage Plants. <i>Journal of Chemical Ecology</i> , 2006, 32, 325-349.	1.8	27
118	<i>Acaricomes phytoseiuli</i> gen. nov., sp. nov., isolated from the predatory mite <i>Phytoseiulus persimilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 465-469.	1.7	49
119	Reduced foraging efficiency of a parasitoid under habitat complexity: implications for population stability and species coexistence. <i>Journal of Animal Ecology</i> , 2005, 74, 1059-1068.	2.8	87
120	Variation In Plant Volatiles and Attraction Of The Parasitoid <i>Diadegma semiclausum</i> (Höllder). <i>Journal of Chemical Ecology</i> , 2005, 31, 461-480.	1.8	96
121	Population genetic structure of <i>Orchesella cincta</i> (Collembola; Hexapoda) in NW Europe, as revealed by microsatellite markers. <i>Pedobiologia</i> , 2005, 49, 167-174.	1.2	13
122	Paternity Analysis in a Hexapod ( <i>Orchesella cincta</i> ; Collembola) with Indirect Sperm Transfer. <i>Journal of Insect Behavior</i> , 2004, 17, 317-328.	0.7	21
123	Induction of Direct and Indirect Plant Responses by Jasmonic Acid, Low Spider Mite Densities, or a Combination of Jasmonic Acid Treatment and Spider Mite Infestation. <i>Journal of Chemical Ecology</i> , 2003, 29, 2651-2666.	1.8	112
124	Interactions over four trophic levels: foodplant quality affects development of a hyperparasitoid as mediated through a herbivore and its primary parasitoid. <i>Journal of Animal Ecology</i> , 2003, 72, 520-531.	2.8	181
125	Microsatellite loci in the soil-dwelling collembolan, <i>Orchesella cincta</i> . <i>Molecular Ecology Notes</i> , 2001, 1, 182-184.	1.7	4
126	Comparison of cultivars of ornamental crop <i>Gerbera jamesonii</i> on production of spider mite-induced volatiles, and their attractiveness to the predator <i>Phytoseiulus persimilis</i> . <i>Journal of Chemical Ecology</i> , 2001, 27, 1355-1372.	1.8	52

#	ARTICLE	IF	CITATIONS
127	Jasmonic acid induces the production of gerbera volatiles that attract the biological control agent <i>Phytoseiulus persimilis</i> . <i>Entomologia Experimentalis Et Applicata</i> , 1999, 93, 77-86.	1.4	71
128	Title is missing!. <i>Journal of Chemical Ecology</i> , 1999, 25, 1907-1922.	1.8	292
129	Development of the parasitoid, <i>Cotesia rubecula</i> (Hymenoptera: Braconidae) in <i>Pieris rapae</i> and <i>Pieris brassicae</i> (Lepidoptera: Pieridae): evidence for host regulation. <i>Journal of Insect Physiology</i> , 1999, 45, 173-182.	2.0	118
130	Nutritional ecology of the interaction between larvae of the gregarious ectoparasitoid, <i>Muscidifurax raptorellus</i> (Hymenoptera: Pteromalidae), and their pupal host, <i>Musca domestica</i> (Diptera: Muscidae). <i>Physiological Entomology</i> , 1998, 23, 113-120.	1.5	34
131	Plant quantity affects development and reproduction of a gregarious butterfly more than plant quality. <i>Entomologia Experimentalis Et Applicata</i> , 0, , .	1.4	2