

Fumiaki Imamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5670157/publications.pdf>

Version: 2024-02-01

104
papers

10,826
citations

66250

44
h-index

37326

100
g-index

109
all docs

109
docs citations

109
times ranked

17574
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Dietary Factors and Mortality From Heart Disease, Stroke, and Type 2 Diabetes in the United States. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 912.	3.8	764
2	Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. <i>BMJ, The</i> , 2015, 351, h3576.	3.0	664
3	The obesity transition: stages of the global epidemic. <i>Lancet Diabetes and Endocrinology,the</i> , 2019, 7, 231-240.	5.5	662
4	Dietary quality among men and women in 187 countries in 1990 and 2010: a systematic assessment. <i>The Lancet Global Health</i> , 2015, 3, e132-e142.	2.9	557
5	Consumption of sugar sweetened beverages, artificially sweetened beverages, and fruit juice and incidence of type 2 diabetes: systematic review, meta-analysis, and estimation of population attributable fraction. <i>British Journal of Sports Medicine</i> , 2016, 50, 496-504.	3.1	463
6	Systematic Review and Meta-Analysis of Methotrexate Use and Risk of Cardiovascular Disease. <i>American Journal of Cardiology</i> , 2011, 108, 1362-1370.	0.7	448
7	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014, 2, 810-818.	5.5	431
8	Consumption of ultra-processed foods and obesity in Brazilian adolescents and adults. <i>Preventive Medicine</i> , 2015, 81, 9-15.	1.6	419
9	Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. <i>BMJ, The</i> , 2013, 347, f5001-f5001.	3.0	373
10	Effects of Saturated Fat, Polyunsaturated Fat, Monounsaturated Fat, and Carbohydrate on Glucose-Insulin Homeostasis: A Systematic Review and Meta-analysis of Randomised Controlled Feeding Trials. <i>PLoS Medicine</i> , 2016, 13, e1002087.	3.9	327
11	Ω-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155.	2.6	326
12	Genetic Predisposition to an Impaired Metabolism of the Branched-Chain Amino Acids and Risk of Type 2 Diabetes: A Mendelian Randomisation Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002179.	3.9	324
13	Omega-3 fatty acids and incident type 2 diabetes: a systematic review and meta-analysis. <i>British Journal of Nutrition</i> , 2012, 107, S214-S227.	1.2	293
14	Circulating and dietary magnesium and risk of cardiovascular disease: a systematic review and meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 160-173.	2.2	273
15	A Meta-Analysis of Food Labeling Effects on Consumer Diet Behaviors and Industry Practices. <i>American Journal of Preventive Medicine</i> , 2019, 56, 300-314.	1.6	215
16	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39â€¦740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology,the</i> , 2017, 5, 965-974.	5.5	213
17	Acute effect of oral phosphate loading on serum fibroblast growth factor 23 levels in healthy men. <i>Kidney International</i> , 2006, 70, 2141-2147.	2.6	208
18	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	1.6	199

#	ARTICLE	IF	CITATIONS
19	Association between circulating 25-hydroxyvitamin D and incident type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 35-42.	5.5	164
20	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	3.9	150
21	Fatty acid biomarkers of dairy fat consumption and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2018, 15, e1002670.	3.9	143
22	Prospective association of the Mediterranean diet with cardiovascular disease incidence and mortality and its population impact in a non-Mediterranean population: the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016, 14, 135.	2.3	141
23	Contribution of Major Lifestyle Risk Factors for Incident Heart Failure in Older Adults. <i>JACC: Heart Failure</i> , 2015, 3, 520-528.	1.9	134
24	Blood n-3 fatty acid levels and total and cause-specific mortality from 17 prospective studies. <i>Nature Communications</i> , 2021, 12, 2329.	5.8	132
25	Prospective associations and population impact of sweet beverage intake and type 2 diabetes, and effects of substitutions with alternative beverages. <i>Diabetologia</i> , 2015, 58, 1474-1483.	2.9	121
26	A cross-platform approach identifies genetic regulators of human metabolism and health. <i>Nature Genetics</i> , 2021, 53, 54-64.	9.4	117
27	Assessing global dietary habits: a comparison of national estimates from the FAO and the Global Dietary Database. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1038-1046.	2.2	105
28	Preventable Cancer Burden Associated With Poor Diet in the United States. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz034.	1.4	95
29	Fatty acids in the de novo lipogenesis pathway and risk of coronary heart disease: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 431-438.	2.2	94
30	Assessing the causal association of glycine with risk of cardio-metabolic diseases. <i>Nature Communications</i> , 2019, 10, 1060.	5.8	85
31	Hepatic steatosis risk is partly driven by increased de novo lipogenesis following carbohydrate consumption. <i>Genome Biology</i> , 2018, 19, 79.	3.8	83
32	Genomic analysis of diet composition finds novel loci and associations with health and lifestyle. <i>Molecular Psychiatry</i> , 2021, 26, 2056-2069.	4.1	79
33	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ</i> , The, 2020, 370, m2194.	3.0	75
34	Dietary cost associated with adherence to the Mediterranean diet, and its variation by socio-economic factors in the UK Fenland Study. <i>British Journal of Nutrition</i> , 2018, 119, 685-694.	1.2	72
35	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021, 44, 98-106.	4.3	68
36	Generalizability of dietary patterns associated with incidence of type 2 diabetes mellitus. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1075-1083.	2.2	67

#	ARTICLE	IF	CITATIONS
37	Long-Chain Monounsaturated Fatty Acids and Incidence of Congestive Heart Failure in 2 Prospective Cohorts. <i>Circulation</i> , 2013, 127, 1512-1521.	1.6	64
38	Validity and reliability of an online self-report 24-h dietary recall method (Intake24): a doubly labelled water study and repeated-measures analysis. <i>Journal of Nutritional Science</i> , 2019, 8, e29.	0.7	62
39	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	3.9	61
40	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	1.0	60
41	Intakes and sources of dietary sugars and their association with metabolic and inflammatory markers. <i>Clinical Nutrition</i> , 2018, 37, 1313-1322.	2.3	56
42	Genome-wide association study for risk taking propensity indicates shared pathways with body mass index. <i>Communications Biology</i> , 2018, 1, 36.	2.0	54
43	Rice consumption and risk of cardiovascular disease: results from a pooled analysis of 3 U.S. cohorts. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 164-172.	2.2	53
44	Risk Factors for Type 2 Diabetes Mellitus Preceded by β -Cell Dysfunction, Insulin Resistance, or Both in Older Adults. <i>American Journal of Epidemiology</i> , 2013, 177, 1418-1429.	1.6	52
45	n-3 Fatty Acid Biomarkers and Incident Type 2 Diabetes: An Individual Participant-Level Pooling Project of 20 Prospective Cohort Studies. <i>Diabetes Care</i> , 2021, 44, 1133-1142.	4.3	50
46	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	2.3	47
47	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275.	2.2	46
48	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	3.9	45
49	Plasma Phospholipid <i>Trans</i> Fatty Acids Levels, Cardiovascular Diseases, and Total Mortality: The Cardiovascular Health Study. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	43
50	The association between adherence to the Mediterranean diet and hepatic steatosis: cross-sectional analysis of two independent studies, the UK Fenland Study and the Swiss CoLaus Study. <i>BMC Medicine</i> , 2019, 17, 19.	2.3	42
51	Adherence to 2005 Dietary Guidelines for Americans is associated with a reduced progression of coronary artery atherosclerosis in women with established coronary artery disease. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 193-201.	2.2	39
52	Associations of circulating very-long-chain saturated fatty acids and incident type 2 diabetes: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1216-1223.	2.2	39
53	Circulating and Dietary <i>Trans</i> Fatty Acids and Incident Type 2 Diabetes in Older Adults: The Cardiovascular Health Study. <i>Diabetes Care</i> , 2015, 38, 1099-1107.	4.3	38
54	Fatty acids in the de novo lipogenesis pathway and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2020, 17, e1003102.	3.9	38

#	ARTICLE	IF	CITATIONS
55	Confounding by Dietary Patterns of the Inverse Association Between Alcohol Consumption and Type 2 Diabetes Risk. <i>American Journal of Epidemiology</i> , 2009, 170, 37-45.	1.6	37
56	Physical Activity, Physical Fitness, and Leukocyte Telomere Length. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2525-2534.	0.2	37
57	The associations of longitudinal changes in consumption of total and types of dairy products and markers of metabolic risk and adiposity: findings from the European Investigation into Cancer and Nutrition (EPIC)â€“Norfolk study, United Kingdom. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1018-1026.	2.2	37
58	New Diabetes Diagnostic Threshold of Hemoglobin A1c and the 3-Year Incidence of Retinopathy. <i>Diabetes</i> , 2012, 61, 3280-3284.	0.3	36
59	Sociodemographic, lifestyle and behavioural factors associated with consumption of sweetened beverages among adults in Cambridgeshire, UK: the Fenland Study. <i>Public Health Nutrition</i> , 2017, 20, 2766-2777.	1.1	35
60	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	4.3	35
61	Serum metabolomics profiles in response to n-3 fatty acids in Chinese patients with type 2 diabetes: a double-blind randomised controlled trial. <i>Scientific Reports</i> , 2016, 6, 29522.	1.6	34
62	Erythrocyte n-6 Polyunsaturated Fatty Acids, Gut Microbiota, and Incident Type 2 Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2435-2443.	4.3	32
63	Relationship Between Physical Activity and Chronic Musculoskeletal Pain Among Community-Dwelling Japanese Adults. <i>Journal of Epidemiology</i> , 2014, 24, 474-483.	1.1	29
64	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019, 42, 568-575.	4.3	29
65	A Combination of Metabolites Predicts Adherence to the Mediterranean Diet Pattern and Its Associations with Insulin Sensitivity and Lipid Homeostasis in the General Population: The Fenland Study, United Kingdom. <i>Journal of Nutrition</i> , 2020, 150, 568-578.	1.3	29
66	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPICâ€“CVD Caseâ€“Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e019814.	1.6	29
67	Quality of dietary fat and genetic risk of type 2 diabetes: individual participant data meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 366, l4292.	2.4	28
68	Associations of Total Legume, Pulse, and Soy Consumption with Incident Type 2 Diabetes: Federated Meta-Analysis of 27 Studies from Diverse World Regions. <i>Journal of Nutrition</i> , 2021, 151, 1231-1240.	1.3	28
69	Invited Commentary: Dietary Pattern Analysis. <i>American Journal of Epidemiology</i> , 2011, 173, 1105-1108.	1.6	27
70	Doseâ€“response relationship between sports activity and musculoskeletal pain in adolescents. <i>Pain</i> , 2016, 157, 1339-1345.	2.0	27
71	Circulating Phylloquinone Concentrations and Risk of Type 2 Diabetes: A Mendelian Randomization Study. <i>Diabetes</i> , 2019, 68, 220-225.	0.3	27
72	Insights into genetic variants associated with NASH-fibrosis from metabolite profiling. <i>Human Molecular Genetics</i> , 2020, 29, 3451-3463.	1.4	27

#	ARTICLE	IF	CITATIONS
73	Novel circulating fatty acid patterns and risk of cardiovascular disease: the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1252-1261.	2.2	25
74	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1293-1303.	1.8	25
75	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	1.3	24
76	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	2.9	20
77	Prospective association of soft drink consumption with depressive symptoms. <i>Nutrition</i> , 2021, 81, 110860.	1.1	18
78	Assessing dietary intakes from household budget surveys: A national analysis in Bangladesh. <i>PLoS ONE</i> , 2018, 13, e0202831.	1.1	17
79	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 1527-1534.	2.2	17
80	<i>Trans</i> -Fatty Acid Consumption and Heart Rate Variability in 2 Separate Cohorts of Older and Younger Adults. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012, 5, 728-738.	2.1	15
81	Positive association between artificially sweetened beverage consumption and incidence of diabetes. <i>Diabetologia</i> , 2015, 58, 2455-2456.	2.9	12
82	Driving status, travel modes and accelerometer-assessed physical activity in younger, middle-aged and older adults: a prospective study of 90% UK Biobank participants. <i>International Journal of Epidemiology</i> , 2019, 48, 1175-1186.	0.9	12
83	Using genetic variation to disentangle the complex relationship between food intake and health outcomes. <i>PLoS Genetics</i> , 2022, 18, e1010162.	1.5	12
84	Genetic study of the Arctic CPT1A variant suggests that its effect on fatty acid levels is modulated by traditional Inuit diet. <i>European Journal of Human Genetics</i> , 2020, 28, 1592-1601.	1.4	10
85	Sugar-Sweetened Beverage Consumption May Modify Associations Between Genetic Variants in the CHREBP (Carbohydrate Responsive Element Binding Protein) Locus and HDL-C (High-Density Lipoprotein) Tj ETQq1_1.0.784314 rgBT 1.6 8 e003288.	1.6	8
86	<i>Trans</i> Fatty Acid Biomarkers and Incident Type 2 Diabetes: Pooled Analysis of 12 Prospective Cohort Studies in the Fatty Acids and Outcomes Research Consortium (FORCE). <i>Diabetes Care</i> , 2022, 45, 854-863.	4.3	8
87	Development and validation of a metabolite score for red meat intake: an observational cohort study and randomized controlled dietary intervention. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 511-522.	2.2	8
88	Prospective association between adherence to the Mediterranean diet and hepatic steatosis: the Swiss CoLaus cohort study. <i>BMJ Open</i> , 2020, 10, e040959.	0.8	7
89	Plasma Sulfur Amino Acids and Risk of Cerebrovascular Diseases. <i>Stroke</i> , 2021, 52, 172-180.	1.0	5
90	Mediterranean diet and risk of Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 126, 216-221.	0.4	4

#	ARTICLE	IF	CITATIONS
91	Positive association between artificially sweetened beverage consumption and incidence of diabetes. Reply to Sylvetsky Meni AC, Swithers SE, Rother KI [letter]. <i>Diabetologia</i> , 2015, 58, 2457-2458.	2.9	3
92	Macronutrients and cardiovascular risk in a global context. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 758-759.	5.5	3
93	Associations of types of dairy consumption with adiposity: cross-sectional findings from over 12 000 adults in the Fenland Study, UK. <i>British Journal of Nutrition</i> , 2019, 122, 928-935.	1.2	3
94	Abstract 41: Omega-6 Fatty Acid Biomarkers and Incident Type 2 Diabetes: A Pooled Analysis of 20 Cohort Studies. <i>Circulation</i> , 2017, 135, .	1.6	3
95	Association of alcohol consumption with prevalence of fatty liver after adjustment for dietary patterns: Cross-sectional analysis of Japanese middle-aged adults. <i>Clinical Nutrition</i> , 2020, 39, 1580-1586.	2.3	2
96	Using nutritional survey data to inform the design of sugar-sweetened beverage taxes in low-resource contexts: a cross-sectional analysis based on data from an adult Caribbean population. <i>BMJ Open</i> , 2020, 10, e035981.	0.8	2
97	Associations of Serum Folate and Holotranscobalamin with Cardiometabolic Risk Factors in Rural and Urban Cameroon. <i>Nutrients</i> , 2022, 14, 178.	1.7	2
98	On the gene-nutrient analyses of Cahill et al. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1070-1071.	2.2	1
99	Association between 25-hydroxyvitamin D and type 2 diabetes – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 11-12.	5.5	1
100	Confounders in Asian studies. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1804-1805.	2.2	0
101	Sugar-sweetened beverages and Type 2 diabetes: will a reduction in consumption reduce the risk of developing diabetes?. <i>Diabetes Management</i> , 2014, 4, 311-314.	0.5	0
102	Abstract MP47: Contribution of Preventable Risk Factors for Incident Congestive Heart Failure in Older Adults: the Cardiovascular Health Study. <i>Circulation</i> , 2014, 129, .	1.6	0
103	Abstract 17: Global diet quality among adults in 187 countries. <i>Circulation</i> , 2014, 129, .	1.6	0
104	Abstract O34: Omega-3 Fatty Acid Biomarkers and Incident Type 2 Diabetes: An Individual Participant-level Pooling Project of 20 Prospective Cohort Studies. <i>Circulation</i> , 2019, 139, .	1.6	0