List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5670451/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The vacuolar morphology protein VAC14 plays an important role in sexual development in the filamentous ascomycete Sordaria macrospora. Current Genetics, 2022, 68, 407-427.	1.7	0
2	The Glyoxysomal Protease LON2 Is Involved in Fruiting-Body Development, Ascosporogenesis and Stress Resistance in Sordaria macrospora. Journal of Fungi (Basel, Switzerland), 2021, 7, 82.	3.5	6
3	A 20â€kb lineageâ€specific genomic region tames virulence in pathogenic amphidiploid Verticillium longisporum. Molecular Plant Pathology, 2021, 22, 939-953.	4.2	6
4	Tracking Fungal Growth: Establishment of Arp1 as a Marker for Polarity Establishment and Active Hyphal Growth in Filamentous Ascomycetes. Journal of Fungi (Basel, Switzerland), 2021, 7, 580.	3.5	5
5	Analysis of the Putative Nucleoporin POM33 in the Filamentous Fungus Sordaria macrospora. Journal of Fungi (Basel, Switzerland), 2021, 7, 682.	3.5	4
6	Secondary metabolites of Hülle cells mediate protection of fungal reproductive and overwintering structures against fungivorous animals. ELife, 2021, 10, .	6.0	7
7	A 3D Printed Device for Easy and Reliable Quantification of Fungal Chemotropic Growth. Frontiers in Microbiology, 2020, 11, 584525.	3.5	2
8	Anion Inhibition Studies of the β-Class Carbonic Anhydrase CAS3 from the Filamentous Ascomycete Sordaria macrospora. Metabolites, 2020, 10, 93.	2.9	6
9	Sordaria macrospora: 25Âyears as a model organism for studying the molecular mechanisms of fruiting body development. Applied Microbiology and Biotechnology, 2020, 104, 3691-3704.	3.6	33
10	Sulfonamide Inhibition Studies of the β-Class Carbonic Anhydrase CAS3 from the Filamentous Ascomycete Sordaria macrospora. Molecules, 2020, 25, 1036.	3.8	4
11	Establishment of the monomeric yellow-green fluorescent protein mNeonGreen for life cell imaging in mycelial fungi. AMB Express, 2020, 10, 222.	3.0	2
12	NBR1 is involved in selective pexophagy in filamentous ascomycetes and can be functionally replaced by a tagged version of its human homolog. Autophagy, 2019, 15, 78-97.	9.1	18
13	Specialized infection strategies of falcate and oval conidia of Colletotrichum graminicola. Fungal Genetics and Biology, 2019, 133, 103276.	2.1	15
14	Comparative Genomics and Transcriptomics To Analyze Fruiting Body Development in Filamentous Ascomycetes. Genetics, 2019, 213, 1545-1563.	2.9	14
15	Fungal Inteins: Distribution, Evolution, and Applications. , 2018, , 57-85.		2
16	Sulfonamide inhibition studies of two β-carbonic anhydrases from the ascomycete fungus <i>Sordaria macrospora,</i> CAS1 and CAS2. Journal of Enzyme Inhibition and Medicinal Chemistry, 2018, 33, 390-396.	5.2	10
17	Genome Sequencing and analyses of Two Marine Fungi from the North Sea Unraveled a Plethora of Novel Biosynthetic Gene Clusters. Scientific Reports, 2018, 8, 10187.	3.3	25
18	A Hippo Pathway-Related GCK Controls Both Sexual and Vegetative Developmental Processes in the Fungus <i>Sordaria macrospora</i> . Genetics, 2018, 210, 137-153.	2.9	21

#	Article	IF	CITATIONS
19	A novel STRIPAK complex component mediates hyphal fusion and fruitingâ€body development in filamentous fungi. Molecular Microbiology, 2018, 110, 513-532.	2.5	19
20	Autophagy-Associated Protein SmATG12 Is Required for Fruiting-Body Formation in the Filamentous Ascomycete Sordaria macrospora. PLoS ONE, 2016, 11, e0157960.	2.5	10
21	The tetraspanin TSP3 of Neurospora crassa is a vacuolar membrane protein and shares characteristics with IDI proteins. Mycologia, 2016, 108, 581-589.	1.9	0
22	Inteins and Their Use in Protein Synthesis with Fungi. Fungal Biology, 2016, , 289-307.	0.6	1
23	Fungal Carbonic Anhydrases and Their Inhibition. Topics in Medicinal Chemistry, 2016, , 95-110.	0.8	2
24	Ectomycorrhizal ecology is imprinted in the genome of the dominant symbiotic fungus Cenococcum geophilum. Nature Communications, 2016, 7, 12662.	12.8	156
25	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). Autophagy, 2016, 12, 1-222.	9.1	4,701
26	Deletion of <scp><i>S</i></scp> <i>mgpi1</i> encoding a <scp>GPI</scp> â€anchored protein suppresses sterility of the <scp>STRIPAK</scp> mutant î" <scp>S</scp> mmob3 in the filamentous ascomycete <scp><i>S</i></scp> <i>ordaria macrospora</i> . Molecular Microbiology, 2015, 97, 676-697.	2.5	11
27	Germinal Center Kinases SmKIN3 and SmKIN24 Are Associated with the Sordaria macrospora Striatin-Interacting Phosphatase and Kinase (STRIPAK) Complex. PLoS ONE, 2015, 10, e0139163.	2.5	25
28	De Novo Assembly and Genome Analyses of the Marine-Derived Scopulariopsis brevicaulis Strain LF580 Unravels Life-Style Traits and Anticancerous Scopularide Biosynthetic Gene Cluster. PLoS ONE, 2015, 10, e0140398.	2.5	34
29	Insights on the Evolution of Mycoparasitism from the Genome of Clonostachys rosea. Genome Biology and Evolution, 2015, 7, 465-480.	2.5	150
30	The Filamentous Fungus Sordaria macrospora as a Genetic Model to Study Fruiting Body Development. Advances in Genetics, 2014, 87, 199-244.	1.8	54
31	A matter of structure: structural comparison of fungal carbonic anhydrases. Applied Microbiology and Biotechnology, 2014, 98, 8433-8441.	3.6	14
32	The filamentous ascomycete <scp><i>S</i></scp> <i>ordaria macrospora</i> can survive in ambient air without carbonic anhydrases. Molecular Microbiology, 2014, 92, 931-944.	2.5	15
33	Crystal structures of two tetrameric βâ€carbonic anhydrases from the filamentous ascomycete <i>SordariaÂmacrospora</i> . FEBS Journal, 2014, 281, 1759-1772.	4.7	40
34	Autophagic kinases SmVPS34 and SmVPS15 are required for viability in the filamentous ascomycete Sordaria macrospora. Microbiological Research, 2014, 169, 128-138.	5.3	12
35	bZIP transcription factor SmJLB1 regulates autophagy-related genes Smatg8 and Smatg4 and is required for fruiting-body development and vegetative growth in Sordaria macrospora. Fungal Genetics and Biology, 2013, 61, 50-60.	2.1	23
36	Autophagy genes <i><i>Smatg8</i></i> and <i><i>Smatg4</i></i> are required for fruiting-body development, vegetative growth and ascospore germination in the filamentous ascomycete <i><i>Sordaria macrospora</i></i> . Autophagy, 2013, 9, 33-49.	9.1	58

#	Article	IF	CITATIONS
37	Self-eating to grow and kill: autophagy in filamentous ascomycetes. Applied Microbiology and Biotechnology, 2013, 97, 9277-9290.	3.6	74
38	The Genome and Development-Dependent Transcriptomes of Pyronema confluens: A Window into Fungal Evolution. PLoS Genetics, 2013, 9, e1003820.	3.5	85
39	Sexual reproduction and mating-type–mediated strain development in the penicillin-producing fungus <i>Penicillium chrysogenum</i> . Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1476-1481.	7.1	116
40	Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-544.	9.1	3,122
41	A homologue of the human STRIPAK complex controls sexual development in fungi. Molecular Microbiology, 2012, 84, 310-323.	2.5	94
42	Molecular organization of the mating-type loci in the homothallic Ascomycete Eupenicillium crustaceum. Fungal Biology, 2011, 115, 615-624.	2.5	22
43	Evolution of Multicopper Oxidase Genes in Coprophilous and Non-Coprophilous Members of the Order Sordariales. Current Genomics, 2011, 12, 95-103.	1.6	23
44	5 Function and Evolution of Pheromones and Pheromone Receptors in Filamentous Ascomycetes. , 2011, , 73-96.		9
45	The phocein homologue SmMOB3 is essential for vegetative cell fusion and sexual development in the filamentous ascomycete Sordaria macrospora. Current Genetics, 2011, 57, 133-149.	1.7	53
46	Inteins, valuable genetic elements in molecular biology and biotechnology. Applied Microbiology and Biotechnology, 2010, 87, 479-489.	3.6	115
47	The small serine-threonine protein SIP2 interacts with STE12 and is involved in ascospore germination in Sordaria macrospora. European Journal of Cell Biology, 2010, 89, 873-887.	3.6	9
48	De novo Assembly of a 40 Mb Eukaryotic Genome from Short Sequence Reads: Sordaria macrospora, a Model Organism for Fungal Morphogenesis. PLoS Genetics, 2010, 6, e1000891.	3.5	169
49	Carbonic anhydrases in fungi. Microbiology (United Kingdom), 2010, 156, 23-29.	1.8	122
50	Inteins – Selfish Elements in Fungal Genomes. , 2009, , 41-61.		1
51	Inteins and introns within the <i> prp8</i> â€gene of four <i>Eupenicillium</i> species. Journal of Basic Microbiology, 2009, 49, 52-57.	3.3	7
52	Evolution of carbonic anhydrases in fungi. Current Genetics, 2009, 55, 211-222.	1.7	60
53	Cryptic sex in fungi. Fungal Biology Reviews, 2009, 23, 86-90.	4.7	47
54	SmATG7 is required for viability in the homothallic ascomycete Sordaria macrospora. Fungal Genetics and Biology, 2009, 46, 531-542.	2.1	30

#	Article	IF	CITATIONS
55	Sordaria macrospora, a Model System for Fungal Development. , 2009, , 17-39.		28
56	β-Carbonic Anhydrases Play a Role in Fruiting Body Development and Ascospore Germination in the Filamentous Fungus Sordaria macrospora. PLoS ONE, 2009, 4, e5177.	2.5	38
57	Influence of farnesol on the morphogenesis of <i>Aspergillus niger</i> . Journal of Basic Microbiology, 2008, 48, 99-103.	3.3	44
58	Minimization of a eukaryotic mini-intein. Biochemical and Biophysical Research Communications, 2008, 366, 239-243.	2.1	20
59	A cyanase is transcriptionally regulated by arginine and involved in cyanate decomposition in Sordaria macrospora. Fungal Genetics and Biology, 2008, 45, 1458-1469.	2.1	38
60	Eighty Years after Its Discovery, Fleming's <i>Penicillium</i> Strain Discloses the Secret of Its Sex. Eukaryotic Cell, 2008, 7, 465-470.	3.4	63
61	Coupling meiotic chromosome axis integrity to recombination. Genes and Development, 2008, 22, 796-809.	5.9	60
62	Three α-Subunits of Heterotrimeric G Proteins and an Adenylyl Cyclase Have Distinct Roles in Fruiting Body Development in the Homothallic Fungus Sordaria macrospora. Genetics, 2008, 180, 191-206.	2.9	52
63	Asexual Cephalosporin C Producer <i>Acremonium chrysogenum</i> Carries a Functional Mating Type Locus. Applied and Environmental Microbiology, 2008, 74, 6006-6016.	3.1	28
64	Visualization of peroxisomes via SKL-tagged DsRed protein in Sordaria macrospora. Fungal Genetics Reports, 2008, 55, 9-12.	0.6	25
65	Trans-splicing of an artificially split fungal mini-intein. Biochemical and Biophysical Research Communications, 2007, 355, 830-834.	2.1	14
66	Highly efficient generation of signal transduction knockout mutants using a fungal strain deficient in the mammalian ku70 ortholog. Gene, 2006, 378, 1-10.	2.2	128
67	A STE12 homologue of the homothallic ascomyceteSordaria macrosporainteracts with the MADS box protein MCM1 and is required for ascosporogenesis. Molecular Microbiology, 2006, 62, 853-868.	2.5	62
68	Protein splicing of PRP8 mini-inteins from species of the genus Penicillium. Applied Microbiology and Biotechnology, 2006, 72, 959-967.	3.6	21
69	A MADS Box Protein Interacts with a Mating-Type Protein and Is Required for Fruiting Body Development in the Homothallic Ascomycete Sordaria macrospora. Eukaryotic Cell, 2006, 5, 1043-1056.	3.4	53
70	Pheromones and Pheromone Receptors Are Required for Proper Sexual Development in the Homothallic Ascomycete Sordaria macrospora. Genetics, 2006, 172, 1521-1533.	2.9	76
71	Phylogenetic relationships between members of the crucifer pathogenic Leptosphaeria maculans species complex as shown by mating type (MAT1-2), actin, and β-tubulin sequences. Molecular Phylogenetics and Evolution, 2005, 37, 541-557.	2.7	54
72	Functional Characterization of an α-Factor-Like Sordaria macrospora Peptide Pheromone and Analysis of Its Interaction with Its Cognate Receptor in Saccharomyces cerevisiae. Eukaryotic Cell, 2005, 4, 661-672.	3.4	40

#	Article	IF	CITATIONS
73	Fungal Intervening Sequences. Applied Mycology and Biotechnology, 2005, , 71-92.	0.3	3
74	A WD40 Repeat Protein Regulates Fungal Cell Differentiation and Can Be Replaced Functionally by the Mammalian Homologue Striatin. Eukaryotic Cell, 2004, 3, 232-240.	3.4	102
75	Comparative sequence analysis of Sordaria macrospora and Neurospora crassa as a means to improve genome annotation. Fungal Genetics and Biology, 2004, 41, 285-292.	2.1	51
76	Versatile EGFP reporter plasmids for cellular localization of recombinant gene products in filamentous fungi. Current Genetics, 2003, 43, 54-61.	1.7	101
77	Functional analysis of the C6 zinc finger gene pro1 involved in fungal sexual development. Fungal Genetics and Biology, 2002, 36, 107-116.	2.1	61
78	Interaction between mating-type proteins from the homothallic fungus Sordaria macrospora. Current Genetics, 2002, 41, 150-158.	1.7	31
79	Genomic evidence for mating abilities in the asexual pathogen Aspergillus fumigatus. Current Genetics, 2002, 42, 153-160.	1.7	107
80	Identification of transcriptionally expressed pheromone receptor genes in filamentous ascomycetes. Gene, 2001, 280, 9-17.	2.2	75
81	Two pheromone precursor genes are transcriptionally expressed in the homothallic ascomycete Sordaria macrospora. Current Genetics, 2000, 37, 403-411.	1.7	63
82	Phylogenetic relationships between mating-type sequences from homothallic and heterothallic ascomycetes. Current Genetics, 1999, 36, 222-231.	1.7	113
83	Spo76p Is a Conserved Chromosome Morphogenesis Protein that Links the Mitotic and Meiotic Programs. Cell, 1999, 98, 261-271.	28.9	120
84	The pro1+ Gene From Sordaria macrospora Encodes a C6 Zinc Finger Transcription Factor Required for Fruiting Body Development. Genetics, 1999, 152, 191-199.	2.9	122
85	An efficient procedure to isolate fungal genes from an indexed cosmid library. Journal of Microbiological Methods, 1997, 29, 49-61.	1.6	47
86	Mating-Type Genes From the Homothallic Fungus <i>Sordaria macrospora</i> Are Functionally Expressed in a Heterothallic Ascomycete. Genetics, 1997, 147, 567-580.	2.9	106
87	Efficient Synthesis of a 72-kDa Mitochondrial Polypeptide Using the Yeast Ty Expression System. Biochemical and Biophysical Research Communications, 1996, 219, 890-899.	2.1	7
88	MAT and Its Role in the Homothallic Ascomycete Sordaria macrospora. , 0, , 171-188.		6