

Ole Rikard Haavet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5673054/publications.pdf>

Version: 2024-02-01

25
papers

386
citations

840776

11
h-index

794594

19
g-index

26
all docs

26
docs citations

26
times ranked

607
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis of depressed young people in primary health care—a validation of HSCL-10. <i>Family Practice</i> , 2011, 28, 233-237.	1.9	54
2	Do mental health and behavioural problems of early menarche persist into late adolescence? A three year follow-up study among adolescent girls in Oslo, Norway. <i>Social Science and Medicine</i> , 2010, 71, 529-533.	3.8	40
3	The impact of conveying the diagnosis when using a biopsychosocial approach: A qualitative study among adolescents and young adults with NES (non-epileptic seizures). <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 24, 107-113.	2.0	37
4	Perceived competence and attitudes towards patients with suicidal behaviour: a survey of general practitioners, psychiatrists and internists. <i>BMC Health Services Research</i> , 2014, 14, 208.	2.2	36
5	International variation in programmes for assessment of children’s neurodevelopment in the community: Understanding disparate approaches to evaluation of motor, social, emotional, behavioural and cognitive function. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 805-816.	2.3	22
6	Effect of Systematic Follow-Up by General Practitioners after Deliberate Self-Poisoning: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0143934.	2.5	18
7	A prospective population-based study of health complaints in adolescence and use of social welfare benefits in young adulthood. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 629-637.	2.3	18
8	Do negative life experiences predict the health-care-seeking of adolescents? A study of 10th-year students in Oslo, Norway. <i>Journal of Adolescent Health</i> , 2005, 37, 128-134.	2.5	17
9	Diagnosis of depressed young people—criterion validity of WHO-5 and HSCL-6 in Denmark and Norway. <i>Family Practice</i> , 2015, 32, 359-363.	1.9	16
10	Positive factors associated with promoting health in low-risk and high-risk populations of 15- and 16-year-old pupils in Oslo, Norway. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 345-351.	1.5	14
11	Validation study of HSCL-10, HSCL-6, WHO-5 and 3-key questions in 14–16 year ethnic minority adolescents. <i>BMC Family Practice</i> , 2016, 17, 7.	2.9	14
12	Can use of healthcare services among 15–16-year-olds predict an increased level of high school dropout? A longitudinal community study. <i>BMJ Open</i> , 2013, 3, e003125.	1.9	13
13	Social participation in young people with nonepileptic seizures (NES): A qualitative study of managing legitimacy in everyday life. <i>Epilepsy and Behavior</i> , 2016, 57, 23-28.	1.7	11
14	Identifying depression among adolescents using three key questions: a validation study in primary care. <i>British Journal of General Practice</i> , 2016, 66, e65-e70.	1.4	10
15	Does Parental Divorce Increase Risk Behaviors among 15/16 and 18/19 year-old Adolescents? A Study from Oslo, Norway. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 59-66.	1.2	9
16	Living with mentally ill parents during adolescence: a risk factor for future welfare dependence? A longitudinal, population-based study. <i>BMC Public Health</i> , 2015, 15, 413.	2.9	9
17	Depressive symptoms in adolescent pupils are heavily influenced by the school they go to. A study of 10th grade pupils in Oslo, Norway. <i>European Journal of Public Health</i> , 2006, 16, 400-404.	0.3	8
18	Somatic symptoms in children who have a parent with cancer: A systematic review. <i>Child: Care, Health and Development</i> , 2019, 45, 147-158.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Finding Relevant Psychoeducation Content for Adolescents Experiencing Symptoms of Depression: Content Analysis of User-Generated Online Texts. <i>Journal of Medical Internet Research</i> , 2021, 23, e28765.	4.3	7
20	Diagnosis of depression among adolescents – a clinical validation study of key questions and questionnaire. <i>BMC Family Practice</i> , 2007, 8, 41.	2.9	6
21	GPs™ and child and adolescent psychiatry specialists™ experiences of joint consultations in the GP™s office: a qualitative study. <i>BMC Research Notes</i> , 2017, 10, 458.	1.4	6
22	Prevalence and distribution of psychological diagnoses and related frequency of consultations in Norwegian urban general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 124-131.	1.5	6
23	Somatic symptoms and associations with common psychological diagnoses: a retrospective cohort study from Norwegian urban general practice. <i>Family Practice</i> , 2021, 38, 766-772.	1.9	3
24	Detecting young people with mental disorders: a cluster-randomised trial of multidisciplinary health teams at the GP office. <i>BMJ Open</i> , 2021, 11, e050036.	1.9	2
25	An explorative study of factors associated with treatment in specialized mental health care centers among GP patients in Norway. <i>BMC Health Services Research</i> , 2021, 21, 960.	2.2	1