
Yanbin Lu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5673833/publications.pdf Version: 2024-02-01



YANRIN LU

#	Article	IF	CITATIONS
1	One-Step Preparative Separation of Fucoxanthin from Three Edible Brown Algae by Elution-Extrusion Countercurrent Chromatography. Marine Drugs, 2022, 20, 257.	4.6	3
2	Effects of various blanching methods on fucoxanthin degradation kinetics, antioxidant activity, pigment composition, and sensory quality of Sargassum fusiforme. LWT - Food Science and Technology, 2021, 143, 111179.	5.2	24
3	Optimization and kinetic modeling of ultrasonic-assisted extraction of fucoxanthin from edible brown algae Sargassum fusiforme using green solvents. Ultrasonics Sonochemistry, 2021, 77, 105671.	8.2	49
4	Preparative separation of three terpenoids from edible brown algae Sargassum fusiforme by high-speed countercurrent chromatography combined with preparative high-performance liquid chromatography. Algal Research, 2021, 59, 102449.	4.6	11
5	Anti-Salmonella mode of action of natural l-phenyl lactic acid purified from Lactobacillus plantarum ZJ316. Applied Microbiology and Biotechnology, 2020, 104, 5283-5292.	3.6	29
6	Deep Eutectic Solvents Based Ultrasonic Extraction of Polysaccharides from Edible Brown Seaweed Sargassum horneri. Journal of Marine Science and Engineering, 2020, 8, 440.	2.6	33
7	One-Step Preparative Separation of Phytosterols from Edible Brown Seaweed Sargassum horneri by High-Speed Countercurrent Chromatography. Marine Drugs, 2019, 17, 691.	4.6	10
8	Preparative Separation and Purification of Trichothecene Mycotoxins from the Marine Fungus Fusarium sp. LS68 by High-Speed Countercurrent Chromatography in Stepwise Elution Mode. Marine Drugs, 2018, 16, 73.	4.6	9
9	Preparative separation of phytosterol analogues from green alga <i>Chlorella vulgaris</i> using recycling counterâ€eurrent chromatography. Journal of Separation Science, 2017, 40, 2326-2334.	2.5	8
10	Determination of Sulfonamides in Fish Using a Modified QuEChERS Extraction Coupled with Ultra-Performance Liquid Chromatography-Tandem Mass Spectrometry. Food Analytical Methods, 2016, 9, 1857-1866.	2.6	17
11	Analysis of trace levels of sulfonamides in fish tissue using micro-scale pipette tip-matrix solid-phase dispersion and fast liquid chromatography tandem mass spectrometry. Food Chemistry, 2016, 194, 508-515.	8.2	54
12	Preparative separation of bioactive constitutes from <i>Zanthoxylum planispinum</i> using linear gradient counter urrent chromatography. Journal of Separation Science, 2015, 38, 3735-3742.	2.5	6
13	Rapid determination of parabens in seafood sauces by high-performance liquid chromatography: A practical comparison of core-shell particles and sub-2 1¼m fully porous particles. Journal of Separation Science, 2015, 38, 3992-3999.	2.5	3
14	Precursor ion scan driven fast untargeted screening and semi-determination of caffeoylquinic acid derivatives in Cynara scolymus L. Food Chemistry, 2015, 166, 442-447.	8.2	9
15	Exploring the reaction mechanism of a cationic terminal iridium methylene complex with ethyl diazoacetate, a Lewis base and dihydrogen: a quantum chemistry study. New Journal of Chemistry, 2014, 38, 4115.	2.8	4
16	Rapid determination of trace sulfonamides in fish by graphene-based SPE coupled with UPLC/MS/MS. Analytical Methods, 2013, 5, 4363.	2.7	20
17	Separation and identification of phenolic compounds in canned artichoke by LC/DAD/ESI-MS using core–shell C18 column: A comparative study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 927, 173-180.	2.3	12
18	Application of Graphene-based Solid-Phase Extraction Coupled with Ultra High-performance Liquid Chromatography-Tandem Mass Spectrometry for Determination of Macrolides in Fish Tissues. Food Analytical Methods, 2013, 6, 1448-1457.	2.6	23

Yanbin Lu

#	Article	IF	CITATIONS
19	Application of graphene-based solid-phase extraction for ultra-fast determination of malachite green and its metabolite in fish tissues. Food Chemistry, 2013, 141, 1383-1389.	8.2	48
20	Effective and Preparative Separation of Bioactive Flavonoids From <i>Gynostemma Pentaphyllum</i> Tea Using Elution-Extrusion Counter-Current Chromatography. Separation Science and Technology, 2013, 48, 909-914.	2.5	6
21	EFFECTIVE COUNTER-CURRENT CHROMATOGRAPHIC METHOD FOR ONE-STEP PREPARATIVE ISOLATION AND PURIFICATION OF ANTHRAGLYCOSIDE B FROM <i>Begonia fimbristipula</i> USING ELUTION-EXTRUSION SEPARATION MODE. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 363-371.	1.0	4
22	Multiwalled Carbon Nanotubes as Sorbent for Online Solid-Phase Extraction of Resveratrol in Red Wines Prior to Fused-Core C18-Based Ultrahigh-Performance Liquid Chromatographyâ^'Tandem Mass Spectrometry Quantification. Journal of Agricultural and Food Chemistry, 2011, 59, 70-77.	5.2	29
23	Counterâ€current chromatographic method for preparative scale isolation of picrosides from traditional Chinese medicine <i>Picrorhiza scrophulariiflora</i> . Journal of Separation Science, 2011, 34, 1910-1916.	2.5	10
24	Development of an on-line matrix solid-phase dispersion/fast liquid chromatography/tandem mass spectrometry system for the rapid and simultaneous determination of 13 sulfonamides in grass carp tissues. Journal of Chromatography A, 2011, 1218, 929-937.	3.7	50
25	One Step Large-Scale Separation and Purification of Rutin from <i>Boenninghausenia sessilicarpa</i> by Countercurrent Chromatography. Separation Science and Technology, 2011, 46, 525-529.	2.5	3
26	Multi-walled carbon nanotubes as solid-phase extraction adsorbent for the ultra-fast determination of chloramphenicol in egg, honey, and milk by fused-core C18-based high-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2010, 398, 1819-1826.	3.7	36
27	Preparative separation of antiâ€oxidative constituents from <i>Rubia cordifolia</i> by columnâ€switching counterâ€current chromatography. Journal of Separation Science, 2010, 33, 2200-2205.	2.5	17
28	Rapid determination of caffeoylquinic acid derivatives in <i>Cynara scolymus</i> L. by ultraâ€fast liquid chromatography/tandem mass spectrometry based on a fused core C18 column. Journal of Separation Science, 2010, 33, 3152-3158.	2.5	43
29	Integrated Countercurrent Extraction of Natural Products: A Combination of Liquid and Solid Supports. Analytical Chemistry, 2010, 82, 3081-3085.	6.5	33
30	Rapid and preparative separation of traditional Chinese medicine Evodia rutaecarpa employing elution-extrusion and back-extrusion counter-current chromatography: Comparative study. Journal of Chromatography A, 2009, 1216, 4140-4146.	3.7	29
31	Determination of Anti-Tumor Constitute Mollugin from Traditional Chinese Medicine <i>Rubia cordifolia</i> : Comparative Study of Classical and Microwave Extraction Techniques. Separation Science and Technology, 2009, 44, 995-1006.	2.5	26
32	Screening of Complex Natural Extracts by Countercurrent Chromatography Using a Parallel Protocol. Analytical Chemistry, 2009, 81, 4048-4059.	6.5	56
33	Using the liquid nature of the stationary phase in counter-current chromatography. Journal of Chromatography A, 2008, 1189, 10-18.	3.7	29
34	Rapid screening of bioactive components from Zingiber cassumunar using elution-extrusion counter-current chromatography. Journal of Chromatography A, 2008, 1181, 33-44.	3.7	42
35	Ionic liquid-based microwave-assisted extraction of phenolic alkaloids from the medicinal plant Nelumbo nucifera Gaertn Journal of Chromatography A, 2008, 1208, 42-46.	3.7	151
36	Simultaneous Isolation and Purification of Mollugin and Two Anthraquinones from Rubia cordifolia by HSCCC. Chromatographia, 2008, 68, 95-99.	1.3	19

Yanbin Lu

#	Article	IF	CITATIONS
37	Recent Progress in Countercurrent Chromatography. Journal of Liquid Chromatography and Related Technologies, 2007, 30, 649-679.	1.0	45
38	An effective high-speed countercurrent chromatographic method for preparative isolation and purification of mollugin directly from the ethanol extract of the Chinese medicinal plantRubia cordifolia. Journal of Separation Science, 2007, 30, 1313-1317.	2.5	36
39	Effective two-dimensional counter-current chromatographic method for simultaneous isolation and purification of oridonin and ponicidin from the crude extract of Rabdosia rubescens. Journal of Chromatography A, 2007, 1146, 125-130.	3.7	52
40	Two-dimensional counter-current chromatography for the preparative separation of prenylflavonoids from Artocarpus altilis. Journal of Chromatography A, 2007, 1151, 31-36.	3.7	46
41	Isolation and purification of oridonin fromRabdosia rubescensusing upright counter-current chromatography. Journal of Separation Science, 2006, 29, 314-318.	2.5	18
42	A comparative study of upright counter-current chromatography and high-performance liquid chromatography for preparative isolation and purification of phenolic compounds fromMagnoliae officinalis. Journal of Separation Science, 2006, 29, 351-357.	2.5	8
43	Preparative isolation and purification of two phenylbutenoids from the rhizomes of Zingiber Cassumunar by upright counter-current chromatography. Journal of Chromatography A, 2005, 1089, 258-262.	3.7	16