

Sandra Nolte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/567533/publications.pdf>

Version: 2024-02-01

89
papers

48,361
citations

147566

31
h-index

40881

93
g-index

101
all docs

101
docs citations

101
times ranked

79808
citing authors

#	ARTICLE	IF	CITATIONS
1	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
2	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
3	Global, regional, and national ageâ€“sex specific all-cause and cause-specific mortality for 240 causes of death, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	6.3	5,847
4	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
5	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
6	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. JAMA Oncology, 2017, 3, 524.	3.4	4,254
7	The global burden of hip and knee osteoarthritis: estimates from the Global Burden of Disease 2010 study. Annals of the Rheumatic Diseases, 2014, 73, 1323-1330.	0.5	2,433
8	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	3.4	2,269
9	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
10	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
11	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	6.3	1,230
12	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	6.3	786
13	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
14	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
15	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
16	General population normative data for the EORTC QLQ-C30 health-related quality of life questionnaire based on 15,386 persons across 13 European countries, Canada and the United States. European Journal of Cancer, 2019, 107, 153-163.	1.3	259
17	Systematic skin cancer screening in Northern Germany. Journal of the American Academy of Dermatology, 2012, 66, 201-211.	0.6	256
18	Understanding the quality of life (QOL) issues in survivors of cancer: towards the development of an EORTC QOL cancer survivorship questionnaire. Health and Quality of Life Outcomes, 2018, 16, 114.	1.0	133

#	ARTICLE	IF	CITATIONS
19	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 218-228.	4.0	124
20	The extent and breadth of benefits from participating in chronic disease self-management courses: A national patient-reported outcomes survey. <i>Patient Education and Counseling</i> , 2007, 65, 351-360.	1.0	113
21	A systematic review of outcomes of chronic disease self-management interventions. <i>Quality of Life Research</i> , 2013, 22, 1805-1816.	1.5	107
22	Skin cancer screening participation and impact on melanoma incidence in Germany – an observational study on incidence trends in regions with and without population-based screening. <i>British Journal of Cancer</i> , 2012, 106, 970-974.	2.9	100
23	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: A multicenter cross-sectional study. <i>Journal of Affective Disorders</i> , 2015, 174, 636-643.	2.0	78
24	German translation, cultural adaptation, and validation of the Health Literacy Questionnaire (HLQ). <i>PLoS ONE</i> , 2017, 12, e0172340.	1.1	75
25	Standardization of health outcomes assessment for depression and anxiety: recommendations from the ICHOM Depression and Anxiety Working Group. <i>Quality of Life Research</i> , 2017, 26, 3211-3225.	1.5	70
26	Assessment of proximal outcomes of self-management programs: translation and psychometric evaluation of a German version of the Health Education Impact Questionnaire (heiQ [®] , ©). <i>Quality of Life Research</i> , 2013, 22, 1391-1403.	1.5	67
27	Frequency of Excisions and Yields of Malignant Skin Tumors in a Population-Based Screening Intervention of 360,288 Whole-Body Examinations. <i>Archives of Dermatology</i> , 2012, 148, 903-10.	1.7	66
28	Tests of measurement invariance failed to support the application of the “ethen-test”. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1173-1180.	2.4	47
29	Establishing the European Norm for the health-related quality of life domains of the computer-adaptive test EORTC CAT Core. <i>European Journal of Cancer</i> , 2019, 107, 133-141.	1.3	38
30	Implications of response shift for micro-, meso-, and macro-level healthcare decision-making using results of patient-reported outcome measures. <i>Quality of Life Research</i> , 2021, 30, 3343-3357.	1.5	38
31	Using structural equation modeling to detect response shift in performance and health-related quality of life scores of multiple sclerosis patients. <i>Quality of Life Research</i> , 2011, 20, 1527-1540.	1.5	34
32	Updated EORTC QLQ-C30 general population norm data for Germany. <i>European Journal of Cancer</i> , 2020, 137, 161-170.	1.3	32
33	Implementation of the Kids-CAT in clinical settings: a newly developed computer-adaptive test to facilitate the assessment of patient-reported outcomes of children and adolescents in clinical practice in Germany. <i>Quality of Life Research</i> , 2016, 25, 585-594.	1.5	31
34	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. <i>Journal of Medical Internet Research</i> , 2017, 19, e206.	2.1	31
35	Measurement issues in the evaluation of chronic disease self-management programs. <i>Quality of Life Research</i> , 2013, 22, 1655-1664.	1.5	30
36	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 240.	1.3	29

#	ARTICLE	IF	CITATIONS
37	Absence of social desirability bias in the evaluation of chronic disease self-management interventions. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 114.	1.0	26
38	A new computerized adaptive test advancing the measurement of health-related quality of life (HRQoL) in children: the Kids-CAT. <i>Quality of Life Research</i> , 2015, 24, 871-884.	1.5	26
39	Interval cancers after skin cancer screening: incidence, tumour characteristics and risk factors for cutaneous melanoma. <i>British Journal of Cancer</i> , 2017, 116, 253-259.	2.9	26
40	The validation of a computer-adaptive test (CAT) for assessing health-related quality of life in children and adolescents in a clinical sample: study design, methods and first results of the Kids-CAT study. <i>Quality of Life Research</i> , 2017, 26, 1105-1117.	1.5	24
41	Psychometric evaluation of the PROMIS® Depression Item Bank: an illustration of classical test theory methods. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 46.	0.9	24
42	Factor structure and measurement invariance of the Health Education Impact Questionnaire: Does the subjectivity of the response perspective threaten the contextual validity of inferences?. <i>SAGE Open Medicine</i> , 2015, 3, 205031211558504.	0.7	22
43	Predictors of self-reported health-related quality of life according to the EQ-5D-Y in chronically ill children and adolescents with asthma, diabetes, and juvenile arthritis: longitudinal results. <i>Quality of Life Research</i> , 2018, 27, 879-890.	1.5	22
44	The inclusion of "then-test"™ questions in post-test questionnaires alters post-test responses: a randomized study of bias in health program evaluation. <i>Quality of Life Research</i> , 2012, 21, 487-494.	1.5	21
45	Adaptation and validation of the Japanese version of the Health Education Impact Questionnaire (heiQ®) for the evaluation of self-management education interventions. <i>Japan Journal of Nursing Science</i> , 2013, 10, 255-266.	0.5	21
46	Adult Measures of General Health and Health-Related Quality of Life. <i>Arthritis Care and Research</i> , 2020, 72, 522-564.	1.5	21
47	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. <i>Quality of Life Research</i> , 2020, 29, 1405-1417.	1.5	21
48	Characteristics of participants in a randomized trial of an Internet intervention for depression (EVIDENT) in comparison to a national sample (DEGS1). <i>Internet Interventions</i> , 2017, 9, 46-50.	1.4	20
49	An initial psychometric evaluation of the German PROMIS v1.2 Physical Function item bank in patients with a wide range of health conditions. <i>Clinical Rehabilitation</i> , 2018, 32, 84-93.	1.0	20
50	Normative data for the EORTC QLQ-C30 from the Austrian general population. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 275.	1.0	20
51	Measurement invariance across chronic conditions: a systematic review and an empirical investigation of the Health Education Impact Questionnaire (heiQ®,c). <i>Health and Quality of Life Outcomes</i> , 2014, 12, 56.	1.0	19
52	Predictors of health-related quality of life in chronically ill children and adolescents over time. <i>Journal of Psychosomatic Research</i> , 2018, 109, 63-70.	1.2	19
53	The ProCaSP study: quality of life outcomes of prostate cancer patients after radiotherapy or radical prostatectomy in a cohort study. <i>BMC Urology</i> , 2015, 15, 28.	0.6	18
54	Making robust decisions about the impact of health education programs: Psychometric evaluation of the Health Education Impact Questionnaire (heiQ) in diverse patient groups in Norway. <i>Patient Education and Counseling</i> , 2016, 99, 1733-1738.	1.0	18

#	ARTICLE	IF	CITATIONS
55	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 25-34.	2.4	17
56	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 94-102.	2.4	16
57	Validity arguments for patient-reported outcomes: justifying the intended interpretation and use of data. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 64.	0.9	15
58	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	14
59	Is regular use of physiotherapy treatment associated with health locus of control and self-management competency? A study of patients with musculoskeletal disorders undergoing physiotherapy in primary health care. <i>Musculoskeletal Science and Practice</i> , 2018, 36, 43-47.	0.6	14
60	Quality of life in patients with relapsed/refractory multiple myeloma during ixazomib-thalidomide-dexamethasone induction and ixazomib maintenance therapy and comparison to the general population. <i>Leukemia and Lymphoma</i> , 2020, 61, 377-386.	0.6	14
61	The German SCREEN project " design and evaluation of the communication strategy. <i>European Journal of Public Health</i> , 2015, 25, 150-155.	0.1	13
62	Comparison of patient-reported need of psycho-oncologic support and the doctor's perspective: how do they relate to disease severity in melanoma patients?. <i>Psycho-Oncology</i> , 2016, 25, 1271-1277.	1.0	12
63	EORTC QLQ-C30 general population normative data for Italy by sex, age and health condition: an analysis of 1,036 individuals. <i>BMC Public Health</i> , 2022, 22, .	1.2	12
64	Measurement of stable changes of self-management skills after rehabilitation: a latent state-trait analysis of the Health Education Impact Questionnaire (heiQ _{st}). <i>Quality of Life Research</i> , 2014, 23, 2531-2543.	1.5	11
65	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. <i>Arthritis Research and Therapy</i> , 2017, 19, 66.	1.6	11
66	General Spanish population normative data analysis for the EORTC QLQ-C30 by sex, age, and health condition. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 208.	1.0	11
67	On the validity of measuring change over time in routine clinical assessment: a close examination of item-level response shifts in psychosomatic inpatients. <i>Quality of Life Research</i> , 2016, 25, 1339-1347.	1.5	10
68	Different Aspects of Self-Reported Quality of Life in 450 German Melanoma Survivors. <i>Cancers</i> , 2011, 3, 2316-2332.	1.7	9
69	Critical Appraisal of Clinical Practice Guidelines for Adaptation in the Evidence-Based Guideline "Prevention of Skin Cancer". <i>JAMA Dermatology</i> , 2013, 149, 466.	2.0	7
70	A 67-item stress resilience item bank showing high content validity was developed in a psychosomatic sample. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 1-12.	2.4	7
71	Update on the psychometric properties and minimal important difference (MID) thresholds of the FACT-M questionnaire for use in treatment-naïve and previously treated patients with metastatic Merkel cell carcinoma. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 145.	1.0	6
72	Norm-based comparison of the quality-of-life impact of ravulizumab and eculizumab in paroxysmal nocturnal hemoglobinuria. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 389.	1.2	6

#	ARTICLE	IF	CITATIONS
73	Peripheral injected cholecystokinin-8S modulates the concentration of serotonin in nerve fibers of the rat brainstem. <i>Peptides</i> , 2014, 59, 25-33.	1.2	5
74	Using subdomain-specific item sets affected PROMIS physical function scores differently in cardiology and rheumatology patients. <i>Journal of Clinical Epidemiology</i> , 2020, 127, 151-160.	2.4	5
75	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 566.	0.9	5
76	Do sociodemographic variables moderate effects of an internet intervention for mild to moderate depressive symptoms? An exploratory analysis of a randomised controlled trial (EVIDENT) including 1013 participants. <i>BMJ Open</i> , 2021, 11, e041389.	0.8	5
77	The dopamine antagonist flupentixol does not alter ghrelin-induced food intake in rats. <i>Neuropeptides</i> , 2015, 53, 19-27.	0.9	4
78	Health-related quality of life scores of metastatic pancreatic cancer patients responsive to first line chemotherapy compared to newly derived EORTC QLQ-C30 reference values. <i>BMC Cancer</i> , 2022, 22, .	1.1	4
79	Severity of osteoarthritis in global populations. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S208.	0.6	3
80	Minimal Associations Between Clinical Data and Children's Self-Reported Health-Related Quality of Life in Children With Chronic Conditionsâ€”A Cross-Sectional Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 17.	0.9	3
81	Frequently Used Patient-Reported Outcome Measures of General Physical Function Were Highly Correlated With a Multitask Performance Outcome Test Battery. <i>Value in Health</i> , 2022, 25, 1752-1759.	0.1	3
82	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: TableÂ1. <i>BMJ Open</i> , 2016, 6, e011174.	0.8	2
83	Course of self-reported symptoms of 342 outpatients receiving medium- versus long-term psychodynamic psychotherapy. <i>BioPsychoSocial Medicine</i> , 2016, 10, 23.	0.9	2
84	Health-related quality of life trajectory of treatment-naïve patients with Merkel cell carcinoma receiving avelumab. <i>Future Oncology</i> , 2020, 16, 2089-2099.	1.1	2
85	Investigating the response scale of the EORTC QLQ-C30 in German cancer patients and a population survey. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 235.	1.0	2
86	Reference values for EORTC QLQ-C30, for metastatic pancreatic cancer (mPC): Enhancing the interpretation of HRQoL scores in the POLO trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 393-393.	0.8	1
87	Evaluation of an electronic psycho-oncological adaptive screening program (EPAS) with immediate patient feedback: findings from a German cluster intervention study. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	1.5	1
88	Health-related quality of life in patients with metastatic Merkel cell carcinoma receiving second-line or later avelumab treatment: 36-month follow-up data. <i>Annals of Oncology</i> , 2019, 30, v538.	0.6	0
89	1092P Non-progression with avelumab treatment in patients with metastatic Merkel cell carcinoma (mMCC) is associated with a clinically meaningful better health-related quality of life compared with progressive disease. <i>Annals of Oncology</i> , 2020, 31, S740-S741.	0.6	0