## Weimin Ye

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5678558/publications.pdf

Version: 2024-02-01

12330 19190 18,040 327 69 118 citations h-index g-index papers 338 338 338 21237 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	ALS patients with concurrent neuroinflammatory disorders; a nationwide clinical records study. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 209-219.	1.7	5
2	Association of <scp><i>Helicobacter pylori</i></scp> and gastric atrophy with adenocarcinoma of the esophagogastric junction in Taixing, China. International Journal of Cancer, 2022, 150, 243-252.	5.1	2
3	Poor oral hygiene behavior is associated with an increased risk of gastric cancer: A populationâ€based caseâ€control study in China. Journal of Periodontology, 2022, 93, 988-1002.	3.4	9
4	Sleep duration and mortality, influence of age, retirement, and occupational group. Journal of Sleep Research, 2022, 31, e13512.	3.2	6
5	Identifying the Profile of <i>Helicobacter pylori</i> à€"Negative Gastric Cancers: A Case-Only Analysis within the Stomach Cancer Pooling (StoP) Project. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 200-209.	2.5	7
6	Esophageal abnormalities and the risk for gastroesophageal cancers—a histopathology-register-based study in Sweden. European Journal of Epidemiology, 2022, , 1.	5.7	2
7	Genomic analyses reveal SCN7A is associated with the prognosis of esophageal squamous cell carcinoma. Esophagus, 2022, 19, 303-315.	1.9	1
8	Risk of hepatoâ€pancreatoâ€biliary cancer is increased by primary sclerosing cholangitis in patients with inflammatory bowel disease: A populationâ€based cohort study. United European Gastroenterology Journal, 2022, 10, 212-224.	3.8	14
9	"True― <i>Helicobacter pylori</i> infection and nonâ€cardia gastric cancer: A pooled analysis within the Stomach Cancer Pooling (StoP) Project. Helicobacter, 2022, 27, e12883.	3.5	7
10	Inflammatory bowel disease and risk of adenocarcinoma and neuroendocrine tumors in the small bowel. Annals of Oncology, 2022, 33, 649-656.	1.2	17
11	Effect of Helicobacter pylori Eradication on Gastric Cancer Prevention: Updated Report From a Randomized Controlled Trial With 26.5 Years of Follow-up. Gastroenterology, 2022, 163, 154-162.e3.	1.3	80
12	Association between total and leisure time physical activity and risk of myocardial infarction and stroke – a Swedish cohort study. BMC Public Health, 2022, 22, 532.	2.9	5
13	Influence of Pre-treatment Saliva Microbial Diversity and Composition on Nasopharyngeal Carcinoma Prognosis. Frontiers in Cellular and Infection Microbiology, 2022, 12, 831409.	3.9	4
14	Environmental Factors for Epstein-Barr Virus Reactivation in a High-Risk Area of Nasopharyngeal Carcinoma: A Population-Based Study. Open Forum Infectious Diseases, 2022, 9, ofac128.	0.9	8
15	Knowledge of COVID-19 and its prevention among rural residents in Fuqing, China. International Journal of Nursing Sciences, 2022, 9, 196-202.	1.3	0
16	A polygenic risk score for nasopharyngeal carcinoma shows potential for risk stratification and personalized screening. Nature Communications, 2022, 13, 1966.	12.8	19
17	Dietary fat intake and risk of Parkinson disease: results from the Swedish National March Cohort. European Journal of Epidemiology, 2022, 37, 603-613.	5.7	10
18	A novel causal model for nasopharyngeal carcinoma. Cancer Causes and Control, 2022, 33, 1013-1018.	1.8	2

#	Article	IF	CITATIONS
19	Poor Oral Health and Esophageal Cancer Risk: A Nationwide Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1418-1425.	2.5	4
20	Biomarkers and Disease Trajectories Influencing Women's Health: Results from the UK Biobank Cohort. Phenomics, 2022, 2, 184-193.	2.9	9
21	Transcriptomeâ€wide association analysis identified candidate susceptibility genes for nasopharyngeal carcinoma. Cancer Communications, 2022, 42, 887-891.	9.2	1
22	Association of Esophageal Squamous Cell Carcinoma With the Interaction Between Poor Oral Health and Single Nucleotide Polymorphisms in Regulating Cell Cycles and Angiogenesis: A Case-Control Study in High-Incidence Chinese. Cancer Control, 2022, 29, 107327482210758.	1.8	2
23	Peptic ulcer as mediator of the association between risk of gastric cancer and socioeconomic status, tobacco smoking, alcohol drinking and salt intake. Journal of Epidemiology and Community Health, 2022, 76, 861-866.	3.7	6
24	Deciphering the complex interplay between pancreatic cancer, diabetes mellitus subtypes and obesity/BMI through causal inference and mediation analyses. Gut, 2021, 70, gutjnl-2019-319990.	12.1	36
25	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. Scandinavian Journal of Public Health, 2021, 49, 833-840.	2.3	7
26	Dietary antioxidants, non-enzymatic antioxidant capacity and the risk of osteoarthritis in the Swedish National March Cohort. European Journal of Nutrition, 2021, 60, 169-178.	3.9	10
27	Radiation Therapy–Induced Changes of the Nasopharyngeal Commensal Microbiome in Nasopharyngeal Carcinoma Patients. International Journal of Radiation Oncology Biology Physics, 2021, 109, 145-150.	0.8	9
28	Insomnia in the context of short sleep increases suicide risk. Sleep, 2021, 44, .	1.1	17
29	The relationship between nightmares, depression and suicide. Sleep Medicine, 2021, 77, 1-6.	1.6	18
30	Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. Carcinogenesis, 2021, 42, 369-377.	2.8	11
31	Swedish snus use is associated with mortality: a pooled analysis of eight prospective studies. International Journal of Epidemiology, 2021, 49, 2041-2050.	1.9	15
32	Effects of alcohol consumption and smoking on risk for RA: results from a Swedish prospective cohort study. RMD Open, 2021, 7, e001379.	3.8	10
33	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. Genome Medicine, 2021, 13, 15.	8.2	15
34	Targeted proteomics-derived biomarker profile develops a multi-protein classifier in liquid biopsies for early detection of esophageal squamous cell carcinoma from a population-based case-control study. Biomarker Research, 2021, 9, 12.	6.8	7
35	A nomogram for screening esophageal squamous cell carcinoma based on environmental risk factors in a high-incidence area of China: a population-based case-control study. BMC Cancer, 2021, 21, 343.	2.6	11
36	The gut microbiome in subclinical atherosclerosis: a population-based multiphenotype analysis. Rheumatology, 2021, 61, 258-269.	1.9	13

#	Article	IF	Citations
37	Occupational exposures and risk of nasopharyngeal carcinoma in a highâ€risk area: A populationâ€based caseâ€control study. Cancer, 2021, 127, 2724-2735.	4.1	10
38	The Evolving Epidemiology of Nasopharyngeal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1035-1047.	2.5	140
39	Burden of pancreatic cancer along with attributable risk factors in Europe between 1990 and 2019, and projections until 2039. International Journal of Cancer, 2021, 149, 993-1001.	5.1	66
40	Dietary patterns and risk of nasopharyngeal carcinoma: a population-based case-control study in southern China. American Journal of Clinical Nutrition, 2021, 114, 462-471.	4.7	12
41	Association of Gut Microbiota during Early Pregnancy with Risk of Incident Gestational Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4128-e4141.	3.6	21
42	Clinical indications of premenstrual disorders and subsequent risk of injury: a population-based cohort study in Sweden. BMC Medicine, 2021, 19, 119.	5.5	9
43	Risk of esophageal and gastric adenocarcinoma in men receiving androgen deprivation therapy for prostate cancer. Scientific Reports, 2021, 11, 13486.	3.3	3
44	Residence characteristics and risk of nasopharyngeal carcinoma in southern China: A population-based case-control study. Environment International, 2021, 151, 106455.	10.0	11
45	Family History and Gastric Cancer Risk: A Pooled Investigation in the Stomach Cancer Pooling (STOP) Project Consortium. Cancers, 2021, 13, 3844.	3.7	13
46	Efficacy of Loop-Mediated Isothermal Amplification for H. pylori Detection as Point-of-Care Testing by Noninvasive Sampling. Diagnostics, 2021, 11, 1538.	2.6	4
47	A comprehensive risk score for effective risk stratification and screening of nasopharyngeal carcinoma. Nature Communications, 2021, 12, 5189.	12.8	24
48	658 BETTER SURVIVAL IN FEMALES THAN MALES AFTER RESECTION OF OESOPHAGEAL OR GASTROESOPHAGEAL JUNCTION CANCER: A COHORT STUDY IN SWEDEN. Ecological Management and Restoration, 2021, 34, .	0.4	0
49	Gastric mucosal abnormality and risk of pancreatic cancer: a population-based gastric biopsy cohort study in Sweden. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, cebp.0580.2021.	2.5	0
50	Gallbladder disease and pancreatic cancer risk: a multicentric case-control European study. European Journal of Cancer Prevention, 2021, 30, 423-430.	1.3	0
51	Dietary Antioxidants and the Risk of Parkinson Disease. Neurology, 2021, 96, e895-e903.	1.1	36
52	Plasma protein biomarkers for early detection of pancreatic ductal adenocarcinoma. International Journal of Cancer, 2021, 148, 2048-2058.	5.1	12
53	Migration effects on the intestinal microbiota of Tibetans. PeerJ, 2021, 9, e12036.	2.0	4
54	Intake of Alcohol and Tea and Risk of Nasopharyngeal Carcinoma: A Population-Based Case–Control Study in Southern China. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 545-553.	2.5	5

#	Article	IF	Citations
55	Healthy Lifestyle Factors, Cancer Family History, and Gastric Cancer Risk: A Population-Based Case-Control Study in China. Frontiers in Nutrition, 2021, 8, 774530.	3.7	3
56	The disparities in gastrointestinal cancer incidence among Chinese populations in Shanghai compared to Chinese immigrants and indigenous nonâ€Hispanic white populations in Los Angeles, USA. International Journal of Cancer, 2020, 146, 329-340.	5.1	10
57	Education and gastric cancer riskâ€"An individual participant data metaâ€analysis in the StoP project consortium. International Journal of Cancer, 2020, 146, 671-681.	5.1	36
58	Associations Between Gastric Atrophy and Its Interaction With Poor Oral Health and the Risk for Esophageal Squamous Cell Carcinoma in a High-Risk Region of China: A Population-Based Case-Control Study. American Journal of Epidemiology, 2020, 189, 931-941.	3.4	12
59	Non-invasive early detection of cancer four years before conventional diagnosis using a blood test. Nature Communications, 2020, 11, 3475.	12.8	341
60	Gastric Microbiota in a Low–Helicobacter pylori Prevalence General Population and Their Associations With Gastric Lesions. Clinical and Translational Gastroenterology, 2020, 11, e00191.	2.5	29
61	Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. Gastroenterology, 2020, 159, 2065-2076.e1.	1.3	16
62	Survival of esophageal and gastric cancer patients with adjuvant and palliative chemotherapy—a retrospective analysis of a register-based patient cohort. European Journal of Clinical Pharmacology, 2020, 76, 1029-1041.	1.9	3
63	Appendectomy, Tonsillectomy and Parkinson's Disease Risk: A Swedish Register-Based Study. Frontiers in Neurology, 2020, 11, 510.	2.4	19
64	Subspecies Niche Specialization in the Oral Microbiome Is Associated with Nasopharyngeal Carcinoma Risk. MSystems, 2020, 5, .	3.8	21
65	Antidiabetics, statins and the risk of amyotrophic lateral sclerosis. European Journal of Neurology, 2020, 27, 1010-1016.	3.3	19
66	The progress of gut microbiome research related to brain disorders. Journal of Neuroinflammation, 2020, 17, 25.	7.2	252
67	Vagotomy and subsequent risk of inflammatory bowel disease: a nationwide registerâ€based matched cohort study. Alimentary Pharmacology and Therapeutics, 2020, 51, 1022-1030.	3.7	19
68	Pancreatic Cancer Risk in Relation to Lifetime Smoking Patterns, Tobacco Type, and Dose–Response Relationships. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1009-1018.	2.5	39
69	Mortality and major disease risk among migrants of the 1991–2001 Balkan wars to Sweden: A register-based cohort study. PLoS Medicine, 2020, 17, e1003392.	8.4	10
70	Ambulatory end-stage liver disease in Ghana; patient profile and utility of alpha fetoprotein and aspartate aminotransferase: platelet ratio index. BMC Gastroenterology, 2020, 20, 428.	2.0	6
71	Title is missing!. , 2020, 17, e1003392.		O
72	Title is missing!. , 2020, 17, e1003392.		О

#	Article	IF	Citations
73	Title is missing!. , 2020, 17, e1003392.		O
74	Title is missing!. , 2020, 17, e1003392.		0
75	Adult height, body mass index change, and body shape change in relation to esophageal squamous cell carcinoma risk: A populationâ€based caseâ€control study in China. Cancer Medicine, 2019, 8, 5769-5778.	2.8	10
76	Obesity and risk of infections: results from men and women in the Swedish National March Cohort. International Journal of Epidemiology, 2019, 48, 1783-1794.	1.9	31
77	Nutritional management of cirrhosis patients: A qualitative study exploring perceptions of patients and health workers in Ghana. Clinical Nutrition ESPEN, 2019, 34, 18-22.	1.2	2
78	Chinese nonmedicinal herbal diet and risk of nasopharyngeal carcinoma: A populationâ€based caseâ€control study. Cancer, 2019, 125, 4462-4470.	4.1	21
79	Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. Journal of Clinical Microbiology, 2019, 57, .	3.9	8
80	Incidental findings on brain MRI among Chinese at the age of 55–65 years: the Taizhou Imaging Study. Scientific Reports, 2019, 9, 464.	3.3	24
81	Carcinogenic risk of <i>N</i> -Nitrosamines in Shanghai Drinking Water: Indications for the Use of Ozone Pretreatment. Environmental Science & Environm	10.0	31
82	Genome sequencing analysis identifies Epstein–Barr virus subtypes associated with high risk of nasopharyngeal carcinoma. Nature Genetics, 2019, 51, 1131-1136.	21.4	133
83	Past and Recent Salted Fish and Preserved Food Intakes Are Weakly Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China. Journal of Nutrition, 2019, 149, 1596-1605.	2.9	25
84	Total Cerebral Small Vessel Disease Burden Is Related to Worse Performance on the Mini-Mental State Examination and Incident Dementia: A Prospective 5-Year Follow-Up. Journal of Alzheimer's Disease, 2019, 69, 253-262.	2.6	28
85	Future of cancer incidence in Shanghai, China: Predicting the burden upon the ageing population. Cancer Epidemiology, 2019, 60, 8-15.	1.9	28
86	Deep/mixed cerebral microbleeds are associated with cognitive dysfunction through thalamocortical connectivity disruption: The Taizhou Imaging Study. NeuroImage: Clinical, 2019, 22, 101749.	2.7	16
87	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. Clinical Gastroenterology and Hepatology, 2019, 17, 2227-2235.e1.	4.4	16
88	Body mass index, body shape, and risk of nasopharyngeal carcinoma: A populationâ€based case–control study in Southern China. Cancer Medicine, 2019, 8, 1835-1844.	2.8	15
89	Alcohol Intake Interacts with Functional Genetic Polymorphisms of Aldehyde Dehydrogenase (ALDH2) and Alcohol Dehydrogenase (ADH) to Increase Esophageal Squamous Cell Cancer Risk. Journal of Thoracic Oncology, 2019, 14, 712-725.	1.1	37
90	Differential Cumulative Risk of Genetic Polymorphisms in Familial and Nonfamilial Esophageal Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 2014-2021.	2.5	11

#	Article	IF	CITATIONS
91	Association Between Insomnia And Mortality Is Only Evident Among Long Sleepers Nature and Science of Sleep, 2019, Volume 11, 333-342.	2.7	10
92	Smoking and Helicobacter pylori infection: an individual participant pooled analysis (Stomach Cancer) Tj ETQqC	0 0 0 rgBT /	Overlock 10 1
93	Pancreatic cancer and autoimmune diseases: An association sustained by computational and epidemiological case–control approaches. International Journal of Cancer, 2019, 144, 1540-1549.	5.1	11
94	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433.	7.5	16
95	Changes in incidence and prevalence of human papillomavirus in tonsillar and base of tongue cancer during 2000â€2016 in the Stockholm region and Sweden. Head and Neck, 2019, 41, 1583-1590.	2.0	59
96	Association Between Polycystic Ovary Syndrome and Cancer Risk. JAMA Oncology, 2019, 5, 106.	7.1	59
97	Reproductive history and risk of nasopharyngeal carcinoma: A population-based case–control study in southern China. Oral Oncology, 2019, 88, 102-108.	1.5	8
98	FIVE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 399-399.	3 <b>.</b> 4	0
99	Family history of gastric mucosal abnormality and the risk of gastric cancer: a population-based observational study. International Journal of Epidemiology, 2018, 47, 440-449.	1.9	19
100	Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking among relatives. International Journal of Epidemiology, 2018, 47, 473-483.	1.9	29
101	Cancer Risk After Midurethral Sling Surgery Using Polypropylene Mesh. Obstetrics and Gynecology, 2018, 131, 469-474.	2.4	15
102	Determining Risk of Barrett's Esophagus and Esophageal Adenocarcinoma Based on Epidemiologic Factors and GeneticÂVariants. Gastroenterology, 2018, 154, 1273-1281.e3.	1.3	67
103	Medical History, Medication Use, and Risk of Nasopharyngeal Carcinoma. American Journal of Epidemiology, 2018, 187, 2117-2125.	3.4	20
104	Interactions Between Genetic Variants and Environmental Factors Affect Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. Clinical Gastroenterology and Hepatology, 2018, 16, 1598-1606.e4.	4.4	16
105	Body mass index, sitting time, and risk of Parkinson disease. Neurology, 2018, 90, e1413-e1417.	1.1	22
106	Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. European Journal of Cancer Prevention, 2018, 27, 124-133.	1.3	134
107	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. International Journal of Cancer, 2018, 142, 1189-1201.	5.1	16
108	Dietary non-enzymatic antioxidant capacity and the risk of myocardial infarction: the Swedish National March Cohort. International Journal of Epidemiology, 2018, 47, 1947-1955.	1.9	11

#	Article	IF	CITATIONS
109	Very hot tea drinking increases esophageal squamous cell carcinoma risk in a high-risk area of China: a population-based case–control study. Clinical Epidemiology, 2018, Volume 10, 1307-1320.	3.0	26
110	Diagnosis, treatment and long-term outcome of autoimmune pancreatitis in Sweden. Pancreatology, 2018, 18, 900-904.	1.1	46
111	The epidemiology of hepatitis B and hepatitis C infections in China from 2004 to 2014: An observational populationâ€based study. Journal of Viral Hepatitis, 2018, 25, 1543-1554.	2.0	54
112	Heavy Exposure of Waste Collectors to Polycyclic Aromatic Hydrocarbons in a Poor Rural Area of Middle China. Environmental Science & Echnology, 2018, 52, 8866-8875.	10.0	17
113	Poor oral health and risk of incident myocardial infarction: A prospective cohort study of Swedish adults, 1973–2012. Scientific Reports, 2018, 8, 11479.	3.3	6
114	Uterine morcellation and survival in uterine sarcomas. European Journal of Cancer, 2018, 101, 62-68.	2.8	22
115	Lack of association between cigarette smoking and Epstein Barr virus reactivation in the nasopharynx in people with elevated EBV IgA antibody titres. BMC Cancer, 2018, 18, 190.	2.6	5
116	Mass screening for liver cancer: results from a demonstration screening project in Zhongshan City, China. Scientific Reports, 2018, 8, 12787.	3.3	17
117	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. International Journal of Cancer, 2018, 143, 2437-2448.	5.1	27
118	Association between poor oral health and gastric cancer: A prospective cohort study. International Journal of Cancer, 2018, 143, 2281-2288.	5.1	29
119	Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). Cancer Epidemiology, 2018, 54, 125-132.	1.9	16
120	Socioeconomic status is inversely associated with esophageal squamous cell carcinoma risk: results from a population-based case-control study in China. Oncotarget, 2018, 9, 6911-6923.	1.8	16
121	Moist smokeless tobacco (Snus) use and risk of Parkinson's disease. International Journal of Epidemiology, 2017, 46, dyw294.	1.9	14
122	Cohort Profile: The Swedish National March Cohort. International Journal of Epidemiology, 2017, 46, dyw193.	1.9	22
123	Inverse Association Between Poor Oral Health and Inflammatory Bowel Diseases. Clinical Gastroenterology and Hepatology, 2017, 15, 525-531.	4.4	21
124	Waiting time for cancer treatment and mental health among patients with newly diagnosed esophageal or gastric cancer: a nationwide cohort study. BMC Cancer, 2017, 17, 2.	2.6	27
125	Quantification of familial risk of nasopharyngeal carcinoma in a highâ€incidence area. Cancer, 2017, 123, 2716-2725.	4.1	54
126	Occupational exposures and the risk of amyotrophic lateral sclerosis. Occupational and Environmental Medicine, 2017, 74, 87-92.	2.8	38

#	Article	IF	CITATIONS
127	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
128	Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. American Journal of Epidemiology, 2017, 185, 1272-1280.	3.4	68
129	Blood biomarkers of carbohydrate, lipid, and apolipoprotein metabolisms and risk of amyotrophic lateral sclerosis: A more than 20â€year followâ€up of the Swedish AMORIS cohort. Annals of Neurology, 2017, 81, 718-728.	5.3	111
130	Tobacco Use, Oral Health, and Risk of Parkinson's Disease. American Journal of Epidemiology, 2017, 185, 538-545.	3.4	20
131	Association of fractures with the incidence of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 419-425.	1.7	12
132	Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. Gut, 2017, 66, 1739-1747.	12.1	38
133	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested caseâ€control study. International Journal of Cancer, 2017, 140, 1727-1735.	5.1	23
134	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. British Journal of Cancer, 2017, 117, 1715-1722.	6.4	14
135	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. Scandinavian Journal of Public Health, 2017, 45, 741-748.	2.3	7
136	Physical activity and the risk of hip fracture in the elderly: a prospective cohort study. European Journal of Epidemiology, 2017, 32, 983-991.	5.7	22
137	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. Scientific Reports, 2017, 7, 12964.	3.3	34
138	Alcohol consumption and gastric cancer riskâ€"A pooled analysis within the StoP project consortium. International Journal of Cancer, 2017, 141, 1950-1962.	5.1	85
139	Maximum-likelihood estimation and presentation for the interaction between treatments in observational studies with a dichotomous outcome. Communications in Statistics Part B: Simulation and Computation, 2017, 46, 7138-7153.	1.2	1
140	Smoking and alcohol drinking in relation to the risk of esophageal squamous cell carcinoma: A population-based case-control study in China. Scientific Reports, 2017, 7, 17249.	3.3	59
141	Neurodegenerative and psychiatric diseases among families with amyotrophic lateral sclerosis. Neurology, 2017, 89, 578-585.	1.1	36
142	Physical and cognitive fitness in young adulthood and risk of amyotrophic lateral sclerosis at an early age. European Journal of Neurology, 2017, 24, 137-142.	3.3	17
143	Poor oral health is associated with an increased risk of esophageal squamous cell carcinoma - a population-based case-control study in China. International Journal of Cancer, 2017, 140, 626-635.	5.1	76
144	Incidence of IP and risk of malignant transformation in the Swedish population 1960–2010. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1445-1448.	1.6	10

#	Article	IF	CITATIONS
145	Dietary antioxidant capacity and risk for stroke in a prospective cohort study of Swedish men and women. Nutrition, 2017, 33, 234-239.	2.4	36
146	Measuring and estimating the interaction between exposures on a dichotomous outcome for observational studies. Journal of Applied Statistics, 2017, 44, 2483-2498.	1.3	0
147	Nasopharyngeal carcinoma risk prediction <i>via</i> salivary detection of host and Epstein-Barr virus genetic variants. Oncotarget, 2017, 8, 95066-95074.	1.8	13
148	Psychiatric morbidity and its impact on surgical outcomes for esophageal and gastric cancer patients: A nationwide cohort study. Oncotarget, 2017, 8, 81305-81314.	1.8	7
149	Development of a population-based cancer case-control study in southern china. Oncotarget, 2017, 8, 87073-87085.	1.8	29
150	Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. International Journal of Cancer, 2016, 138, 1146-1152.	5.1	10
151	Oral Hygiene and Risk of Nasopharyngeal Carcinoma—A Population-Based Case–Control Study in China. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1201-1207.	2.5	46
152	Blood levels of trace metals and amyotrophic lateral sclerosis. NeuroToxicology, 2016, 54, 119-126.	3.0	46
153	Tonsillectomy and Incidence of Oropharyngeal Cancers. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 944-950.	2.5	25
154	Reply. Clinical Gastroenterology and Hepatology, 2016, 14, 1841-1842.	4.4	0
155	Snus use, smoking and survival among prostate cancer patients. International Journal of Cancer, 2016, 139, 2753-2759.	5.1	27
156	Leukocyte telomere length in relation to the risk of Barrett's esophagus and esophageal adenocarcinoma. Cancer Medicine, 2016, 5, 2657-2665.	2.8	6
157	Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. International Journal of Cancer, 2016, 138, 55-64.	5.1	31
158	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	5.1	19
159	Birth order and risk of nasopharyngeal carcinoma in multiplex families from <scp>T</scp> aiwan. International Journal of Cancer, 2016, 139, 2467-2473.	5.1	1
160	A systematic review and meta-analysis comparing partial stomach partitioning gastrojejunostomy versus conventional gastrojejunostomy for malignant gastroduodenal obstruction. Langenbeck's Archives of Surgery, 2016, 401, 777-785.	1.9	21
161	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. Lancet Oncology, The, 2016, 17, 1363-1373.	10.7	133
162	Endoscopic sphincterotomy and risk of cholangiocarcinoma: a population-based cohort study in Finland and Sweden. Endoscopy International Open, 2016, 04, E1096-E1100.	1.8	3

#	Article	IF	Citations
163	A prospective cohort study on poor oral hygiene and pancreatic cancer risk. International Journal of Cancer, 2016, 138, 340-347.	5.1	46
164	Systematic review and meta-analysis on the significance of salvage esophagectomy for persistent or recurrent esophageal squamous cell carcinoma after definitive chemoradiotherapy. Ecological Management and Restoration, 2016, 29, 734-739.	0.4	42
165	Prospective study of dietary Non Enzymatic Antioxidant Capacity on the risk of hip fracture in the elderly. Bone, 2016, 90, 31-36.	2.9	5
166	A new prognostic histopathologic classification of nasopharyngeal carcinoma. Chinese Journal of Cancer, 2016, 35, 41.	4.9	83
167	Prevalence of gastro-esophageal reflux disease and its risk factors in a community-based population in southern India. BMC Gastroenterology, 2016, 16, 36.	2.0	52
168	Registers of the Swedish total population and their use in medical research. European Journal of Epidemiology, 2016, 31, 125-136.	5.7	998
169	Severity of Acute Cholecystitis and Risk of Iatrogenic Bile Duct Injury During Cholecystectomy, a Populationâ€Based Case–Control Study. World Journal of Surgery, 2016, 40, 1060-1067.	1.6	81
170	Risk of lymphoid neoplasms in a Swedish population-based cohort of 337,437 patients undergoing appendectomy. Scandinavian Journal of Gastroenterology, 2016, 51, 583-589.	1.5	7
171	A prospective cohort study of the combined effects of physical activity and anthropometric measures on the risk of post-menopausal breast cancer. European Journal of Epidemiology, 2016, 31, 395-404.	5.7	28
172	Sibship size, birth order and risk of nasopharyngeal carcinoma and infectious mononucleosis: a nationwide study in Sweden. International Journal of Epidemiology, 2016, 45, 825-834.	1.9	19
173	Risk of Gastrointestinal Cancers among Patients with Appendectomy: A Large-Scale Swedish Register-Based Cohort Study during 1970-2009. PLoS ONE, 2016, 11, e0151262.	2.5	24
174	Antibiotic Treatment and Length of Hospital Stay in Relation to Delivery Mode and Prematurity. PLoS ONE, 2016, 11, e0164126.	2.5	4
175	Variations of gastric corpus microbiota are associated with early esophageal squamous cell carcinoma and squamous dysplasia. Scientific Reports, 2015, 5, 8820.	3.3	85
176	Family history of esophageal cancer increases the risk of esophageal squamous cell carcinoma. Scientific Reports, 2015, 5, 16038.	3.3	53
177	Occupational Exposure to Electric Shocks and Magnetic Fields and Amyotrophic Lateral Sclerosis in Sweden. Epidemiology, 2015, 26, 824-830.	2.7	21
178	MiRNA-Related SNPs and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: Post Genome-Wide Association Analysis in the BEACON Consortium. PLoS ONE, 2015, 10, e0128617.	2.5	21
179	Nasopharyngeal Epstein-Barr Virus Load: An Efficient Supplementary Method for Population-Based Nasopharyngeal Carcinoma Screening. PLoS ONE, 2015, 10, e0132669.	2.5	35
180	Reducing Antibiotic Use for Young Children with Intussusception following Successful Air Enema Reduction. PLoS ONE, 2015, 10, e0142999.	2.5	6

#	Article	IF	CITATIONS
181	Oral Microbiota and Risk for Esophageal Squamous Cell Carcinoma in a High-Risk Area of China. PLoS ONE, 2015, 10, e0143603.	2.5	146
182	Variation at <i>ABO</i> histoâ€blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. International Journal of Cancer, 2015, 136, 880-893.	5.1	28
183	A Newly Identified Susceptibility Locus near <i>FOXP1</i> Modifies the Association of Gastroesophageal Reflux with Barrett's Esophagus. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1739-1747.	2.5	24
184	Polymorphisms Near TBX5 and GDF7 Are Associated With Increased Risk for Barrett's Esophagus. Gastroenterology, 2015, 148, 367-378.	1.3	93
185	Parental cancer diagnosis and child mortality—A population-based cohort study in Sweden. Cancer Epidemiology, 2015, 39, 79-85.	1.9	8
186	No difference in small bowel microbiota between patients with irritable bowel syndrome and healthy controls. Scientific Reports, 2015, 5, 8508.	3.3	66
187	Association between diabetes and amyotrophic lateral sclerosis in <scp>S</scp> weden. European Journal of Neurology, 2015, 22, 1436-1442.	3.3	102
188	Survival benefit and additional value of preoperative chemoradiotherapy in resectable gastric and gastro-oesophageal junction cancer: A direct and adjusted indirect comparison meta-analysis. European Journal of Surgical Oncology, 2015, 41, 282-294.	1.0	33
189	Physical activity and body mass index as predictors of prostate cancer risk. World Journal of Urology, 2015, 33, 1495-1502.	2.2	27
190	IgA Deficiency and Risk of Cancer: A Population-Based Matched Cohort Study. Journal of Clinical Immunology, 2015, 35, 182-188.	3.8	47
191	Increase in the Prevalence of Atrophic Gastritis Among Adults Age 35 to 44 Years Old in Northern Sweden Between 1990 andÂ2009. Clinical Gastroenterology and Hepatology, 2015, 13, 1592-1600.e1.	4.4	56
192	Cancer risk in the relatives of patients with nasopharyngeal carcinomaâ€"a register-based cohort study in Sweden. British Journal of Cancer, 2015, 112, 1827-1831.	6.4	16
193	The stomach cancer pooling (StoP) project. European Journal of Cancer Prevention, 2015, 24, 16-23.	1.3	59
194	Individual maternal and child exposure to antibiotics in hospital - a national population-based validation study. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 392-395.	1.5	6
195	Incidence of gastric cancer among patients with gastric precancerous lesions: observational cohort study in a low risk Western population. BMJ, The, 2015, 351, h3867.	6.0	198
196	Pleiotropic Analysis of Cancer Risk Loci on Esophageal Adenocarcinoma Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1801-1803.	2.5	7
197	Hepatitis B Virus Infection and Risk of Nasopharyngeal Carcinoma in Southern China. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1766-1773.	2.5	30
198	Variant Profiling of Candidate Genes in Pancreatic Ductal Adenocarcinoma. Clinical Chemistry, 2015, 61, 1408-1416.	3.2	21

#	Article	IF	Citations
199	Reliability and relative validity of three physical activity questionnaires in Taizhou population of China: the Taizhou Longitudinal Study. Public Health, 2015, 129, 1211-1217.	2.9	23
200	Childhood injury after a parental cancer diagnosis. ELife, 2015, 4, .	6.0	12
201	Dose–Response Relationship of Total and Leisure Time Physical Activity to Risk of Heart Failure. Circulation: Heart Failure, 2014, 7, 701-708.	3.9	41
202	Antibiotics in fetal and early life and subsequent childhood asthma: nationwide population based study with sibling analysis. BMJ, The, 2014, 349, g6979-g6979.	6.0	122
203	A CagAâ€independent cluster of antigens related to the risk of noncardia gastric cancer: Associations between ⟨i⟩Helicobacter pylori⟨/i⟩ antibodies and gastric adenocarcinoma explored by multiplex serology. International Journal of Cancer, 2014, 134, 2942-2950.	5.1	49
204	Evaluation of plasma Epsteinâ€Barr virus DNA load to distinguish nasopharyngeal carcinoma patients from healthy highâ€risk populations in Southern China. Cancer, 2014, 120, 1353-1360.	4.1	62
205	Obesity and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: A Mendelian Randomization Study. Journal of the National Cancer Institute, 2014, 106, .	6.3	132
206	Risk of Esophageal Adenocarcinoma Decreases With Height, Based on Consortium Analysis and Confirmed by Mendelian Randomization. Clinical Gastroenterology and Hepatology, 2014, 12, 1667-1676.e1.	4.4	30
207	Parkinson's Disease and Cancer: A Register-based Family Study. American Journal of Epidemiology, 2014, 179, 85-94.	3.4	58
208	Meta-analysis of postoperative morbidity and perioperative mortality in patients receiving neoadjuvant chemotherapy or chemoradiotherapy for resectable oesophageal and gastro-oesophageal junctional cancers. British Journal of Surgery, 2014, 101, 321-338.	0.3	189
209	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2447-2454.	2.5	36
210	Integrative post-genome-wide association analysis of CDKN2A and TP53 SNPs and risk of esophageal adenocarcinoma. Carcinogenesis, 2014, 35, 2740-2747.	2.8	31
211	Gastroesophageal Reflux in Relation to Adenocarcinomas of the Esophagus: A Pooled Analysis from the Barrett's and Esophageal Adenocarcinoma Consortium (BEACON). PLoS ONE, 2014, 9, e103508.	2.5	134
212	Tobacco use and cancer survival: A cohort study of 40,230 Swedish male construction workers with incident cancer. International Journal of Cancer, 2013, 132, 155-161.	5.1	21
213	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Annals of Oncology, 2013, 24, 2645-2651.	1.2	24
214	Validation of asthma and eczema in populationâ€based Swedish drug and patient registers. Pharmacoepidemiology and Drug Safety, 2013, 22, 850-860.	1.9	101
215	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2013, 132, 2164-2175.	5.1	20
216	Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. Journal of the National Cancer Institute, 2013, 105, 1711-1718.	6.3	85

#	Article	IF	Citations
217	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. Gut, 2013, 62, 1764-1770.	12.1	330
218	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1486-1492.	4.4	21
219	A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. Nature Genetics, 2013, 45, 1487-1493.	21.4	174
220	Severe head injury and amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 267-272.	1.7	35
221	Amyotrophic lateral sclerosis and cancer: A register-based study in Sweden. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2013, 14, 362-368.	1.7	37
222	Suicide and suicide attempt after a cancer diagnosis among young individuals. Annals of Oncology, 2013, 24, 3112-3117.	1.2	61
223	Two Epstein-Barr Virus-Related Serologic Antibody Tests in Nasopharyngeal Carcinoma Screening: Results From the Initial Phase of a Cluster Randomized Controlled Trial in Southern China. American Journal of Epidemiology, 2013, 177, 242-250.	3.4	108
224	Inflammation marker and risk of pancreatic cancer: a nested case–control study within the EPIC cohort. British Journal of Cancer, 2012, 106, 1866-1874.	6.4	58
225	Smokeless tobacco (snus) and risk of heart failure: results from two Swedish cohorts. European Journal of Preventive Cardiology, 2012, 19, 1120-1127.	1.8	40
226	Body mass index in relation to oesophageal and oesophagogastric junction adenocarcinomas: a pooled analysis from the International BEACON Consortium. International Journal of Epidemiology, 2012, 41, 1706-1718.	1.9	237
227	Gastric atrophy and oesophageal squamous cell carcinoma: possible interaction with dental health and oral hygiene habit. British Journal of Cancer, 2012, 107, 888-894.	6.4	27
228	Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. Nature Genetics, 2012, 44, 1131-1136.	21.4	162
229	Suicide and Cardiovascular Death after a Cancer Diagnosis. New England Journal of Medicine, 2012, 366, 1310-1318.	27.0	357
230	Interval Cancers in Nasopharyngeal Carcinoma Screening: Comparing Two Screening Intervals after a Negative Initial Screening Result. Journal of Medical Screening, 2012, 19, 195-200.	2.3	3
231	Low Risk of Gastrointestinal Cancer Among Patients With Celiac Disease, Inflammation, or Latent Celiac Disease. Clinical Gastroenterology and Hepatology, 2012, 10, 30-36.	4.4	81
232	The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. Cancer Epidemiology, 2012, 36, 306-316.	1.9	65
233	Prevalence and risk factors of gastroesophageal reflux symptoms in a Chinese retiree cohort. BMC Gastroenterology, 2012, 12, 161.	2.0	26
234	Reproducibility and Relative Validity of a Food Frequency Questionnaire Developed for Adults in Taizhou, China. PLoS ONE, 2012, 7, e48341.	2.5	46

#	Article	IF	CITATIONS
235	Establishment of VCA and EBNA1 IgAâ€based combination by enzymeâ€linked immunosorbent assay as preferred screening method for nasopharyngeal carcinoma: a twoâ€stage design with a preliminary performance study and a mass screening in southern China. International Journal of Cancer, 2012, 131, 406-416.	5.1	116
236	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. International Journal of Cancer, 2012, 131, 997-1002.	5.1	10
237	Antibiotics and asthma medication in a large registerâ€based cohort study – confounding, cause and effect. Clinical and Experimental Allergy, 2012, 42, 104-111.	2.9	47
238	Titration-free 454 sequencing using Y adapters. Nature Protocols, 2011, 6, 1367-1376.	12.0	24
239	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2011, 47, 1808-1816.	2.8	45
240	Fluctuations of Epstein-Barr Virus Serological Antibodies and Risk for Nasopharyngeal Carcinoma: A Prospective Screening Study with a 20-Year Follow-Up. PLoS ONE, 2011, 6, e19100.	2.5	129
241	A Method for Metagenomics of Helicobacter pylori from Archived Formalin-Fixed Gastric Biopsies Permitting Longitudinal Studies of Carcinogenic Risk. PLoS ONE, 2011, 6, e26442.	2.5	14
242	Hospitalisation of and mortality from bleeding peptic ulcer in Sweden: a nationwide timeâ€trend analysis. Alimentary Pharmacology and Therapeutics, 2011, 33, 578-584.	3.7	46
243	Plasma pepsinogens, antibodies against Helicobacter pylori, and risk of gastric cancer in the Shanghai Women's Health Study Cohort. British Journal of Cancer, 2011, 104, 1511-1516.	6.4	35
244	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Diabetologia, 2011, 54, 3037-3046.	6.3	85
245	Smoking, snus use and risk of right―and left―ided colon, rectal and anal cancer: A 37â€year followâ€up study. International Journal of Cancer, 2011, 128, 157-165.	5.1	41
246	Accuracy and Cut-Off Values of Pepsinogens I, II and Gastrin 17 for Diagnosis of Gastric Fundic Atrophy: Influence of Gastritis. PLoS ONE, 2011, 6, e26957.	2.5	46
247	Eight-Signature Classifier for Prediction of Nasopharyngeal Carcinoma Survival. Journal of Clinical Oncology, 2011, 29, 4516-4525.	1.6	131
248	Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. Gut, 2011, 60, 1029-1037.	12.1	95
249	H. pylori Seropositivity before Age 40 and Subsequent Risk of Stomach Cancer: A Glimpse of the True Relationship?. PLoS ONE, 2011, 6, e17404.	2.5	26
250	Infection of the Central Nervous System, Sepsis and Amyotrophic Lateral Sclerosis. PLoS ONE, 2011, 6, e29749.	2.5	15
251	A comprehensive analysis of common genetic variation in MUC1, MUC5AC, MUC6 genes and risk of stomach cancer. Cancer Causes and Control, 2010, 21, 313-321.	1.8	76
252	Effects of physical activity, body mass index, waist-to-hip ratio and waist circumference on total mortality risk in the Swedish National March Cohort. European Journal of Epidemiology, 2010, 25, 777-788.	5.7	60

#	Article	IF	Citations
253	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
254	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2010, 34, 696-701.	1.9	8
255	Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. Journal of the National Cancer Institute, 2010, 102, 1344-1353.	6.3	259
256	An estimate of amyotrophic lateral sclerosis heritability using twin data. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 1324-1326.	1.9	270
257	Titration-free massively parallel pyrosequencing using trace amounts of starting material. Nucleic Acids Research, 2010, 38, e137-e137.	14.5	28
258	Amyotrophic Lateral Sclerosis in Sweden, 1991-2005. Archives of Neurology, 2009, 66, 515-9.	4.5	100
259	Immediate Risk for Cardiovascular Events and Suicide Following a Prostate Cancer Diagnosis: Prospective Cohort Study. PLoS Medicine, 2009, 6, e1000197.	8.4	103
260	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. American Journal of Epidemiology, 2009, 170, 403-413.	3.4	298
261	Rationales, design and recruitment of the Taizhou Longitudinal Study. BMC Public Health, 2009, 9, 223.	2.9	101
262	Familial aggregation of amyotrophic lateral sclerosis. Annals of Neurology, 2009, 66, 94-99.	5.3	52
263	Cancer among Scandinavian women with cosmetic breast implants: A pooled longâ€term followâ€up study. International Journal of Cancer, 2009, 124, 490-493.	5.1	78
264	Incidence of human papillomavirus (HPV) positive tonsillar carcinoma in Stockholm, Sweden: An epidemic of viralâ€induced carcinoma?. International Journal of Cancer, 2009, 125, 362-366.	5.1	645
265	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
266	Genetic polymorphisms of glutathione S-transferase genes GSTP1, GSTM1, and GSTT1 and risk of esophageal and gastric cardia cancers. Cancer Causes and Control, 2009, 20, 2031-2038.	1.8	51
267	Snuff Use and Stroke. Epidemiology, 2009, 20, 469-470.	2.7	0
268	A prospective study of gout and cancer. European Journal of Cancer Prevention, 2009, 18, 127-132.	1.3	79
269	Risk of gastroesophageal cancer among smokers and users of Scandinavian moist snuff. International Journal of Cancer, 2008, 122, 1095-1099.	5.1	67
270	Interpreting trends of pancreatic cancer incidence and mortality: a nation-wide study in Sweden (1960–2003). Cancer Causes and Control, 2008, 19, 89-96.	1.8	27

#	Article	IF	Citations
271	Dietary fiber intake and risk of postmenopausal breast cancer defined by estrogen and progesterone receptor statusâ€"A prospective cohort study among Swedish women. International Journal of Cancer, 2008, 122, 403-412.	5.1	55
272	Parity and risk of stomach cancer by sub-site: a national Swedish study. British Journal of Cancer, 2008, 98, 1295-1300.	6.4	14
273	Obesity and risk of pancreatic cancer among postmenopausal women: the Women's Health Initiative (United States). British Journal of Cancer, 2008, 99, 527-531.	6.4	52
274	Risk of hypertension amongst Swedish male snuff users: a prospective study. Journal of Internal Medicine, 2008, 264, 187-194.	6.0	51
275	Stroke Incidence in Women under 60 Years of Age Related to Alcohol Intake and Smoking Habit. Cerebrovascular Diseases, 2008, 25, 517-525.	1.7	45
276	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. American Journal of Clinical Nutrition, 2008, 88, 1653-1662.	4.7	43
277	Smokeless Tobacco and the Risk of Stroke. Epidemiology, 2008, 19, 794-799.	2.7	66
278	Opium, tobacco, and alcohol use in relation to oesophageal squamous cell carcinoma in a high-risk area of Iran. British Journal of Cancer, 2008, 98, 1857-1863.	6.4	240
279	Suicide among patients with amyotrophic lateral sclerosis. Brain, 2008, 131, 2729-2733.	7.6	74
280	Risk for Gastric Cancer After Cholecystectomy. American Journal of Gastroenterology, 2007, 102, 1180-1184.	0.4	34
281	Long-Term Risk of Gastric Cancer by Subsite in Operated and Unoperated Patients Hospitalized for Peptic Ulcer. American Journal of Gastroenterology, 2007, 102, 1185-1191.	0.4	31
282	Green tea and coffee intake and risk of pancreatic cancer in a large-scale, population-based cohort study in Japan (JPHC study). European Journal of Cancer Prevention, 2007, 16, 542-548.	1.3	75
283	Oral use of Swedish moist snuff (snus) and risk for cancer of the mouth, lung, and pancreas in male construction workers: a retrospective cohort study. Lancet, The, 2007, 369, 2015-2020.	13.7	199
284	Risk of oesophageal cancer by histology among patients hospitalised for gastroduodenal ulcers. Gut, 2007, 56, 464-468.	12.1	28
285	Lifestyle Factors and Risk for Symptomatic Gastroesophageal Reflux in Monozygotic Twins. Gastroenterology, 2007, 132, 87-95.	1.3	139
286	The risk of pancreatic cancer in patients with gastric or duodenal ulcer disease. International Journal of Cancer, 2007, 120, 368-372.	5.1	44
287	Long-term use of Swedish moist snuff and the risk of myocardial infarction amongst men. Journal of Internal Medicine, 2007, 262, 351-359.	6.0	104
288	Dietary Patterns and Risk of Squamous-Cell Carcinoma and Adenocarcinoma of the Esophagus and Adenocarcinoma of the Gastric Cardia: A Population-Based Case-Control Study in Sweden. Nutrition and Cancer, 2006, 54, 171-178.	2.0	87

#	Article	IF	Citations
289	Disparities in the Classification of Esophageal and Cardia Adenocarcinomas and Their Influence on Reported Incidence Rates. Annals of Surgery, 2006, 243, 479-485.	4.2	121
290	Prospective study of body size and risk for stroke amongst women below age 60. Journal of Internal Medicine, 2006, 260, 442-450.	6.0	68
291	Trends in incidence and mortality of nasopharyngeal carcinoma over a 20–25 year period (1978/1983–2002) in Sihui and Cangwu counties in southern China. BMC Cancer, 2006, 6, 178.	2.6	199
292	Body weight and postmenopausal breast cancer risk defined by estrogen and progesterone receptor status among Swedish women: A prospective cohort study. International Journal of Cancer, 2006, 119, 1683-1689.	5.1	91
293	Human papillomavirus as a risk factor for the increase in incidence of tonsillar cancer. International Journal of Cancer, 2006, 119, 2620-2623.	5.1	396
294	The XPD 751Gln allele is associated with an increased risk for esophageal adenocarcinoma: a population-based case-control study in Sweden. Carcinogenesis, 2006, 27, 1835-1841.	2.8	72
295	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 879-885.	2.5	106
296	Tamoxifen exposure and risk of oesophageal and gastric adenocarcinoma: a population-based cohort study of breast cancer patients in Sweden. British Journal of Cancer, 2006, 95, 118-122.	6.4	44
297	No Association between Gastroesophageal Reflux and Cancers of the Larynx and Pharynx. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1194-1197.	2.5	29
298	Alcohol and Postmenopausal Breast Cancer Risk Defined by Estrogen and Progesterone Receptor Status: A Prospective Cohort Study. Journal of the National Cancer Institute, 2005, 97, 1601-1608.	6.3	115
299	Incidence of Cancer Among Patients With Atopic Dermatitis. Archives of Dermatology, 2005, 141, 1123-7.	1.4	86
300	Histology and culture results among subjects with antibodies to CagA but no evidence of Helicobacter pyloriinfection with IgG ELISA. Scandinavian Journal of Gastroenterology, 2005, 40, 312-318.	1.5	19
301	Helicobacter pylori Infection and Gastric Atrophy: Risk of Adenocarcinoma and Squamous-Cell Carcinoma of the Esophagus and Adenocarcinoma of the Gastric Cardia. Journal of the National Cancer Institute, 2004, 96, 388-396.	6.3	318
302	Reproducibility and Validity of Major Dietary Patterns among Swedish Women Assessed with a Food-Frequency Questionnaire. Journal of Nutrition, 2004, 134, 1541-1545.	2.9	215
303	Estrogen and risk of gastric cancer: a protective effect in a nationwide cohort study of patients with prostate cancer in Sweden. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 2203-7.	2.5	48
304	Risk of cancers of the oesophagus and stomach by histology or subsite in patients hospitalised for pernicious anaemia. Gut, 2003, 52, 938-941.	12.1	95
305	Obesity and Estrogen as Risk Factors for Gastroesophageal Reflux Symptoms. JAMA - Journal of the American Medical Association, 2003, 290, 66.	7.4	392
306	No excess risk of colorectal cancer among alcoholics followed for up to 25 years. British Journal of Cancer, 2003, 88, 1044-1046.	6.4	9

#	Article	IF	CITATIONS
307	Alcohol abuse and the risk of pancreatic cancer. Gut, 2002, 51, 236-239.	12.1	75
308	Risk of adenocarcinomas of the esophagus and gastric cardia in patients with gastroesophageal reflux diseases and after antireflux surgery. Gastroenterology, 2001, 121, 1286-1293.	1.3	248
309	Incidence of ovarian cancer among alcoholic women: A cohort study in Sweden. International Journal of Cancer, 2001, 91, 264-266.	5.1	3
310	Alcoholism and risk for endometrial cancer. International Journal of Cancer, 2001, 93, 299-301.	5.1	13
311	Breast cancer risk in male alcoholics in Sweden. Cancer Causes and Control, 2001, 12, 661-664.	1.8	19
312	Primary brain tumors following traumatic brain injury-a population-based cohort study in Sweden. Cancer Causes and Control, 2001, 12, 733-737.	1.8	46
313	The risk of liver and bile duct cancer in patients with chronic viral hepatitis, alcoholism, or cirrhosis. Hepatology, 2001, 34, 714-718.	7.3	105
314	Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden. Gut, 2001, 49, 678-681.	12.1	31
315	Risk of adenocarcinomas of the oesophagus and gastric cardia in patients hospitalized for asthma. British Journal of Cancer, 2001, 85, 1317-1321.	6.4	23
316	Risk of cancers of the lung, head and neck in patients hospitalized for alcoholism in Sweden. British Journal of Cancer, 2001, 85, 678-682.	6.4	31
317	Incidence of ovarian cancer among alcoholic women: A cohort study in Sweden. International Journal of Cancer, 2001, 91, 264-266.	5.1	17
318	Dietary antioxidant intake and the risk of cardia cancer and noncardia cancer of the intestinal and diffuse types: A population-based case-control study in Sweden. International Journal of Cancer, 2000, 87, 133-140.	5.1	153
319	Antioxidants and cancers of the esophagus and gastric cardia. International Journal of Cancer, 2000, 87, 750-754.	5.1	155
320	No increased risk of breast cancer after cholecystectomy. International Journal of Cancer, 2000, 88, 679-681.	5.1	1
321	Dietary antioxidant intake and the risk of cardia cancer and noncardia cancer of the intestinal and diffuse types: A populationâ€based caseâ€control study in Sweden. International Journal of Cancer, 2000, 87, 133-140.	5.1	7
322	Antioxidants and cancers of the esophagus and gastric cardia. International Journal of Cancer, 2000, 87, 750-754.	5.1	7
323	Heredity and risk of cancer of the esophagus and gastric cardia. Cancer Epidemiology Biomarkers and Prevention, 2000, 9, 757-60.	2.5	27
324	Tobacco, alcohol and the risk of gastric cancer by sub-site and histologic type. International Journal of Cancer, 1999, 83, 223-229.	5.1	106

## WEIMIN YE

#	Article	IF	CITATIONS
325	Mortality and Cancer Incidence in Misasa, Japan, a Spa Area with Elevated Radon Levels. Japanese Journal of Cancer Research, 1998, 89, 789-796.	1.7	26
326	Atrophic gastritis is inversely associated with gastroesophageal reflux disease in a twin register based study. United European Gastroenterology Journal, $0,  ,  .$	3.8	1
327	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 0, , .	2.5	1