

Paul Rohde

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5683390/publications.pdf>

Version: 2024-02-01

115
papers

13,850
citations

26630

56
h-index

21540

114
g-index

117
all docs

117
docs citations

117
times ranked

10350
citing authors

#	ARTICLE	IF	CITATIONS
1	Major Depression in Community Adolescents: Age at Onset, Episode Duration, and Time to Recurrence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1994, 33, 809-818.	0.5	706
2	Prevalence, incidence, impairment, and course of the proposed DSM-5 eating disorder diagnoses in an 8-year prospective community study of young women.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 445-457.	1.9	591
3	Adolescent suicidal ideation and attempts: Prevalence, risk factors, and clinical implications.. <i>Clinical Psychology: Science and Practice</i> , 1996, 3, 25-46.	0.9	518
4	Psychosocial risk factors for future adolescent suicide attempts.. <i>Journal of Consulting and Clinical Psychology</i> , 1994, 62, 297-305.	2.0	515
5	Comparability of Telephone and Face-to-Face Interviews in Assessing Axis I and II Disorders. <i>American Journal of Psychiatry</i> , 1997, 154, 1593-1598.	7.2	509
6	Natural Course of Adolescent Major Depressive Disorder: I. Continuity Into Young Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999, 38, 56-63.	0.5	485
7	Adolescent psychopathology: II. Psychosocial risk factors for depression.. <i>Journal of Abnormal Psychology</i> , 1994, 103, 302-315.	1.9	474
8	A meta-analytic review of depression prevention programs for children and adolescents: Factors that predict magnitude of intervention effects.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 486-503.	2.0	457
9	Cognitive-Behavioral Treatment of Adolescent Depression: Efficacy of Acute Group Treatment and Booster Sessions. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999, 38, 272-279.	0.5	439
10	Comorbidity of unipolar depression: II. Comorbidity with other mental disorders in adolescents and adults.. <i>Journal of Abnormal Psychology</i> , 1991, 100, 214-222.	1.9	393
11	Psychiatric Comorbidity with Problematic Alcohol Use in High School Students. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1996, 35, 101-109.	0.5	383
12	Correspondence Between Adolescent Report and Parent Report of Psychiatric Diagnostic Data. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997, 36, 610-619.	0.5	379
13	Predictors and Moderators of Acute Outcome in the Treatment for Adolescents With Depression Study (TADS). <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 1427-1439.	0.5	376
14	Natural Course of Adolescent Major Depressive Disorder in a Community Sample: Predictors of Recurrence in Young Adults. <i>American Journal of Psychiatry</i> , 2000, 157, 1584-1591.	7.2	366
15	Risk factors that predict future onset of each DSM-5 eating disorder: Predictive specificity in high-risk adolescent females.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 38-51.	1.9	356
16	Adolescent Psychopathology: III. The Clinical Consequences of Comorbidity. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995, 34, 510-519.	0.5	312
17	Key Characteristics of Major Depressive Disorder Occurring in Childhood, Adolescence, Emerging Adulthood, and Adulthood. <i>Clinical Psychological Science</i> , 2013, 1, 41-53.	4.0	299
18	Comorbidity between major depression and alcohol use disorder from adolescence to adulthood. <i>Comprehensive Psychiatry</i> , 2014, 55, 526-533.	3.1	241

#	ARTICLE	IF	CITATIONS
19	Development and predictive effects of eating disorder risk factors during adolescence: Implications for prevention efforts. <i>International Journal of Eating Disorders</i> , 2015, 48, 187-198.	4.0	232
20	Psychosocial functioning of young adults who have experienced and recovered from major depressive disorder during adolescence.. <i>Journal of Abnormal Psychology</i> , 2003, 112, 353-363.	1.9	221
21	Association between obesity and depression in middle-aged women. <i>General Hospital Psychiatry</i> , 2008, 30, 32-39.	2.4	220
22	Natural Course of Alcohol Use Disorders From Adolescence to Young Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001, 40, 83-90.	0.5	215
23	An Efficacy/Effectiveness Study of Cognitive-Behavioral Treatment for Adolescents With Comorbid Major Depression and Conduct Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 660-668.	0.5	188
24	Recovery and Recurrence Following Treatment for Adolescent Major Depression. <i>Archives of General Psychiatry</i> , 2011, 68, 263.	12.3	183
25	Dimensionality of coping and its relation to depression.. <i>Journal of Personality and Social Psychology</i> , 1990, 58, 499-511.	2.8	182
26	Brief cognitive-behavioral depression prevention program for high-risk adolescents outperforms two alternative interventions: A randomized efficacy trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 595-606.	2.0	154
27	An effectiveness trial of a dissonance-based eating disorder prevention program for high-risk adolescent girls.. <i>Journal of Consulting and Clinical Psychology</i> , 2009, 77, 825-834.	2.0	148
28	Impact of Comorbidity on a Cognitive-Behavioral Group Treatment for Adolescent Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2001, 40, 795-802.	0.5	144
29	A Family Study of Major Depressive Disorder in a Community Sample of Adolescents. <i>Archives of General Psychiatry</i> , 2001, 58, 13.	12.3	144
30	Psychopathology in the adolescent and young adult offspring of a community sample of mothers and fathers with major depression. <i>Psychological Medicine</i> , 2005, 35, 353-365.	4.5	135
31	Potential Mediators of Cognitive-Behavioral Therapy for Adolescents With Comorbid Major Depression and Conduct Disorder.. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 38-46.	2.0	127
32	An effectiveness trial of a selected dissonance-based eating disorder prevention program for female high school students: Long-term effects.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 500-508.	2.0	127
33	A preliminary trial of a prototype internet dissonance-based eating disorder prevention program for young women with body image concerns.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 907-916.	2.0	126
34	Incidence, recurrence and comorbidity of anxiety disorders in four major developmental stages. <i>Journal of Affective Disorders</i> , 2018, 228, 248-253.	4.1	123
35	Psychiatric disorders, familial factors, and cigarette smoking: II. Associations with progression to daily smoking. <i>Nicotine and Tobacco Research</i> , 2004, 6, 119-132.	2.6	119
36	Randomized trial of a brief depression prevention program: An elusive search for a psychosocial placebo control condition. <i>Behaviour Research and Therapy</i> , 2007, 45, 863-876.	3.1	119

#	ARTICLE	IF	CITATIONS
37	The Treatment for Adolescents With Depression Study (TADS): Outcomes Over 1 Year of Naturalistic Follow-Up. <i>American Journal of Psychiatry</i> , 2009, 166, 1141-1149.	7.2	114
38	Efficacy trial of a brief cognitive-behavioral depression prevention program for high-risk adolescents: Effects at 1- and 2-year follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 856-867.	2.0	106
39	Reported food choices in older women in relation to body mass index and depressive symptoms. <i>Appetite</i> , 2009, 52, 238-240.	3.7	98
40	Depression, suicidal ideation and STD-related risk in homeless older adolescents. <i>Journal of Adolescence</i> , 2001, 24, 447-460.	2.4	95
41	Predictors of first lifetime onset of major depressive disorder in young adulthood.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1-6.	1.9	94
42	Meta-analytic review of dissonance-based eating disorder prevention programs: Intervention, participant, and facilitator features that predict larger effects. <i>Clinical Psychology Review</i> , 2019, 70, 91-107.	11.4	94
43	Psychiatric disorders, familial factors and cigarette smoking: I. Associations with smoking initiation. <i>Nicotine and Tobacco Research</i> , 2003, 5, 85-98.	2.6	92
44	Psychosocial functioning of adults who experienced substance use disorders as adolescents.. <i>Psychology of Addictive Behaviors</i> , 2007, 21, 155-164.	2.1	88
45	Efficacy trial of a selective prevention program targeting both eating disorders and obesity among female college students: 1- and 2-year follow-up effects.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 183-189.	2.0	87
46	Major and minor depression in female adolescents: onset, course, symptom presentation, and demographic associations. <i>Journal of Clinical Psychology</i> , 2009, 65, 1339-1349.	1.9	83
47	An effectiveness trial of a new enhanced dissonance eating disorder prevention program among female college students. <i>Behaviour Research and Therapy</i> , 2013, 51, 862-871.	3.1	77
48	Efficacy trial of a selective prevention program targeting both eating disorder symptoms and unhealthy weight gain among female college students.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 164-170.	2.0	75
49	Screening for depression prevention: Identifying adolescent girls at high risk for future depression.. <i>Journal of Abnormal Psychology</i> , 2009, 118, 161-170.	1.9	70
50	High- and low-level dissonance-based eating disorder prevention programs with young women with body image concerns: An experimental trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 129-134.	2.0	69
51	Clinician-led, peer-led, and internet-delivered dissonance-based eating disorder prevention programs: Acute effectiveness of these delivery modalities.. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 883-895.	2.0	68
52	Alcohol consumption in high school adolescents: frequency of use and dimensional structure of associated problems. <i>Addiction</i> , 1996, 91, 375-390.	3.3	68
53	An Exploratory Analysis of the Impact of Family Functioning on Treatment for Depression in Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2009, 38, 814-825.	3.4	61
54	Pilot Evaluation of the Coping Course: A Cognitive-Behavioral Intervention to Enhance Coping Skills in Incarcerated Youth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 669-676.	0.5	60

#	ARTICLE	IF	CITATIONS
55	Predicting time to recovery among depressed adolescents treated in two psychosocial group interventions.. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 80-88.	2.0	59
56	Testing mediators of intervention effects in randomized controlled trials: An evaluation of three depression prevention programs.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 273-280.	2.0	59
57	The association of psychiatric disorders with suicide attempts in a juvenile delinquent sample. <i>Criminal Behaviour and Mental Health</i> , 1997, 7, 187-200.	0.8	58
58	Effectiveness trial of a selective dissonance-based eating disorder prevention program with female college students: Effects at 2- and 3-year follow-up. <i>Behaviour Research and Therapy</i> , 2015, 71, 20-26.	3.1	58
59	Acute Time to Response in the Treatment for Adolescents With Depression Study (TADS). <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 1412-1418.	0.5	57
60	Effectiveness of peer-led dissonance-based eating disorder prevention groups: Results from two randomized pilot trials. <i>Behaviour Research and Therapy</i> , 2013, 51, 197-206.	3.1	57
61	Experimental test of the affect-regulation theory of bulimic symptoms and substance use: A randomized trial. <i>International Journal of Eating Disorders</i> , 2007, 40, 27-36.	4.0	56
62	Family study of subthreshold depressive symptoms: risk factor for MDD?. <i>Journal of Affective Disorders</i> , 2003, 77, 149-157.	4.1	53
63	Clinician-led, peer-led, and internet-delivered dissonance-based eating disorder prevention programs: Effectiveness of these delivery modalities through 4-year follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 481-494.	2.0	52
64	Structure and measurement of depression in youths: Applying item response theory to clinical data.. <i>Psychological Assessment</i> , 2011, 23, 819-833.	1.5	51
65	Testing mediators hypothesized to account for the effects of a dissonance-based eating disorder prevention program over longer term follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 398-405.	2.0	49
66	ADOLESCENT SUICIDE ATTEMPTS AND ADULT ADJUSTMENT. <i>Depression and Anxiety</i> , 2015, 32, 270-276.	4.1	49
67	Gender Differences in the Suicide-Related Behaviors of Adolescents and Young Adults. <i>Sex Roles</i> , 1998, 39, 839-854.	2.4	48
68	Indicated cognitive behavioral group depression prevention compared to bibliotherapy and brochure control: Acute effects of an effectiveness trial with adolescents.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 65-74.	2.0	46
69	A pilot randomized trial of a cognitive reappraisal obesity prevention program. <i>Physiology and Behavior</i> , 2015, 138, 124-132.	2.1	46
70	Association of Parental Depression With Psychiatric Course From Adolescence to Young Adulthood Among Formerly Depressed Individuals.. <i>Journal of Abnormal Psychology</i> , 2005, 114, 409-420.	1.9	46
71	Statistical analysis of group-administered intervention data: Reanalysis of two randomized trials. <i>Psychotherapy Research</i> , 2008, 18, 365-376.	1.8	40
72	Effectiveness trial of an indicated cognitive-behavioral group adolescent depression prevention program versus bibliotherapy and brochure control at 1- and 2-year follow-up.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 736-747.	2.0	40

#	ARTICLE	IF	CITATIONS
73	Effects of a prototype Internet dissonance-based eating disorder prevention program at 1- and 2-year follow-up.. <i>Health Psychology</i> , 2014, 33, 1558-1567.	1.6	39
74	The Life Attitudes Schedule-Short Form: Psychometric Properties and Correlates of Adolescent Suicide Proneness. <i>Suicide and Life-Threatening Behavior</i> , 2003, 33, 249-260.	1.9	37
75	Psychiatric disorders, familial factors, and cigarette smoking: III. Associations with cessation by young adulthood among daily smokers. <i>Nicotine and Tobacco Research</i> , 2004, 6, 509-522.	2.6	36
76	Dissonance-based prevention of eating disorder risk factors in middle school girls: Results from two pilot trials. <i>International Journal of Eating Disorders</i> , 2014, 47, 483-494.	4.0	36
77	Sequenced versus coordinated treatment for adolescents with comorbid depressive and substance use disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 342-348.	2.0	33
78	Achievement and Maintenance of Sustained Response During the Treatment for Adolescents With Depression Study Continuation and Maintenance Therapy. <i>Archives of General Psychiatry</i> , 2008, 65, 447.	12.3	31
79	Treating Depression and Oppositional Behavior in Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2010, 39, 559-567.	3.4	30
80	Negative Life Events and Substance Use Moderate Cognitive Behavioral Adolescent Depression Prevention Intervention. <i>Cognitive Behaviour Therapy</i> , 2012, 41, 241-250.	3.5	29
81	Weight suppression increases odds for future onset of anorexia nervosa, bulimia nervosa, and purging disorder, but not binge eating disorder. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 941-947.	4.7	29
82	Effects of an indicated cognitive-behavioral depression prevention program are similar for Asian American, Latino, and European American adolescents. <i>Behaviour Research and Therapy</i> , 2010, 48, 821-825.	3.1	28
83	Sequencing of symptom emergence in anorexia nervosa, bulimia nervosa, binge eating disorder, and purging disorder and relations of prodromal symptoms to future onset of these disorders.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 377-387.	1.9	28
84	Moderators of two indicated cognitive-behavioral depression prevention approaches for adolescents in a school-based effectiveness trial. <i>Behaviour Research and Therapy</i> , 2014, 53, 55-62.	3.1	25
85	Age effects in eating disorder baseline risk factors and prevention intervention effects. <i>International Journal of Eating Disorders</i> , 2017, 50, 1273-1280.	4.0	23
86	Cognitive-behavioral group depression prevention compared to bibliotherapy and brochure control: Nonsignificant effects in pilot effectiveness trial with college students. <i>Behaviour Research and Therapy</i> , 2014, 55, 48-53.	3.1	22
87	Effects of Three Depression Prevention Interventions on Risk for Depressive Disorder Onset in the Context of Depression Risk Factors. <i>Prevention Science</i> , 2012, 13, 584-593.	2.6	20
88	Participant feedback from peer-led, clinician-led, and internet-delivered eating disorder prevention interventions. <i>International Journal of Eating Disorders</i> , 2016, 49, 1087-1092.	4.0	20
89	Are increased weight and appetite useful indicators of depression in children and adolescents?. <i>Journal of Abnormal Psychology</i> , 2012, 121, 838-851.	1.9	19
90	Moderators of the effects of indicated group and bibliotherapy cognitive behavioral depression prevention programs on adolescents' depressive symptoms and depressive disorder onset. <i>Behaviour Research and Therapy</i> , 2015, 75, 1-10.	3.1	18

#	ARTICLE	IF	CITATIONS
91	Reduced substance use as a secondary benefit of an indicated cognitive-behavioral adolescent depression prevention program.. Psychology of Addictive Behaviors, 2012, 26, 599-608.	2.1	17
92	Major depression prevention effects for a cognitive-behavioral adolescent indicated prevention group intervention across four trials. Behaviour Research and Therapy, 2018, 100, 1-6.	3.1	17
93	Do participant, facilitator, or group factors moderate effectiveness of the Body Project? Implications for dissemination. Behaviour Research and Therapy, 2014, 61, 142-149.	3.1	13
94	Questioning Kindling. Clinical Psychological Science, 2016, 4, 229-238.	4.0	13
95	Patterns, predictors, and outcome of the trajectories of depressive symptoms from adolescence to adulthood. Depression and Anxiety, 2020, 37, 565-575.	4.1	13
96	Does the association between depression and smoking vary by body mass index (BMI) category?. Preventive Medicine, 2009, 49, 380-383.	3.4	12
97	Assessing program sustainability in an eating disorder prevention effectiveness trial delivered by college clinicians. Behaviour Research and Therapy, 2015, 72, 1-8.	3.1	12
98	Factors that predict persistence versus non-persistence of eating disorder Symptoms: A prospective study of high-risk young women. Behaviour Research and Therapy, 2021, 144, 103932.	3.1	12
99	Psychosocial Predictors of Physical Activity Change Among College Students in an Obesity Prevention Trial. Journal of Physical Activity and Health, 2017, 14, 513-519.	2.0	11
100	Identification of caregivers at greatest risk of major depression in two prevention studies. Psychotherapy Research, 2014, 24, 578-593.	1.8	10
101	Pilot trial of a dissonance-based cognitive-behavioral group depression prevention with college students. Behaviour Research and Therapy, 2016, 82, 21-27.	3.1	10
102	Depression Change Profiles in Adolescents Treated for Comorbid Depression/Substance Abuse and Profile Membership Predictors. Journal of Clinical Child and Adolescent Psychology, 2018, 47, 595-607.	3.4	9
103	The impact of pre- and perinatal factors on psychopathology in adulthood. Journal of Affective Disorders, 2018, 236, 52-59.	4.1	9
104	Predictors of Prevention Failure in College Students Participating in Two Indicated Depression Prevention Programs. International Journal of Environmental Research and Public Health, 2014, 11, 3803-3821.	2.6	7
105	Predicting persistence of eating disorder compensatory weight control behaviors. International Journal of Eating Disorders, 2017, 50, 561-568.	4.0	7
106	Moderators of two dual eating disorder and obesity prevention programs. Behaviour Research and Therapy, 2019, 118, 77-86.	3.1	6
107	Randomized trial of a dissonance-based transdiagnostic group treatment for eating disorders: An evaluation of target engagement.. Journal of Consulting and Clinical Psychology, 2019, 87, 772-786.	2.0	6
108	Is success in weight loss treatment contagious (do attendance and outcomes cluster within) Tj ETQq0 0 0 rgBT /Overlock 10 Jf 50 62 T	1.8	5

#	ARTICLE	IF	CITATIONS
109	Mediators of two selective prevention interventions targeting both obesity and eating disorders. Behaviour Research and Therapy, 2018, 106, 8-17.	3.1	5
110	Disaggregating the predictive effects of impaired psychosocial functioning on future DSM-5 eating disorder onset in high-risk female adolescents. International Journal of Eating Disorders, 2019, 52, 817-824.	4.0	5
111	Cost-Effectiveness Comparison of Delivery Modalities for a Dissonance-Based Eating Disorder Prevention Program over 4-Year Follow-Up. Prevention Science, 2021, 22, 1086-1095.	2.6	5
112	Using participant feedback to improve two selective eating disorder and obesity prevention programs. Eating Behaviors, 2018, 30, 93-97.	2.0	4
113	Hopelessness and depressive symptoms in children and adolescents: An integrative data analysis.. Journal of Abnormal Psychology, 2021, 130, 594-607.	1.9	3
114	Evidence that a novel transdiagnostic eating disorder treatment reduces reward region response to the thin beauty ideal and high-calorie binge foods. Psychological Medicine, 2021, , 1-11.	4.5	2
115	Attempt to Replicate Evidence that Weight and Shape Concerns Amplify the Effects of Gradual Lifestyle Improvement Obesity Prevention Programs. Obesity, 2018, 26, 1254-1254.	3.0	0