

# Arnold J Greenspon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5687203/publications.pdf>

Version: 2024-02-01

55  
papers

4,883  
citations

394421

19  
h-index

206112

48  
g-index

55  
all docs

55  
docs citations

55  
times ranked

3936  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adverse Effect of Ventricular Pacing on Heart Failure and Atrial Fibrillation Among Patients With Normal Baseline QRS Duration in a Clinical Trial of Pacemaker Therapy for Sinus Node Dysfunction. <i>Circulation</i> , 2003, 107, 2932-2937.	1.6	1,501
2	Ventricular Pacing or Dual-Chamber Pacing for Sinus-Node Dysfunction. <i>New England Journal of Medicine</i> , 2002, 346, 1854-1862.	27.0	888
3	16-Year Trends in the Infection Burden for Pacemakers and Implantable Cardioverter-Defibrillators in the United States. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1001-1006.	2.8	634
4	Lead Extraction in the Contemporary Setting: The LEXIcon Study. <i>Journal of the American College of Cardiology</i> , 2010, 55, 579-586.	2.8	503
5	Trends in Permanent Pacemaker Implantation in the United States From 1993 to 2009. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1540-1545.	2.8	404
6	Implantation Trends and Patient Profiles for Pacemakers and Implantable Cardioverter Defibrillators in the United States: 1993-2006. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, 705-711.	1.2	188
7	Timing of the Most Recent Device Procedure Influences the Clinical Outcome of Lead-Associated Endocarditis. <i>Journal of the American College of Cardiology</i> , 2012, 59, 681-687.	2.8	79
8	A Review of Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Postgraduate Medicine</i> , 2012, 124, 7-16.	2.0	74
9	Incidence, Treatment Intensity, and Incremental Annual Expenditures for Patients Experiencing a Cardiac Implantable Electronic Device Infection. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	4.8	64
10	Successful Radiofrequency Catheter Ablation of Sustained Ventricular Tachycardia Postmyocardial Infarction in Man Guided by a Multielectrode "Basket" Catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 1997, 8, 565-570.	1.7	47
11	Lead-Associated Endocarditis: The Important Role of Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 548-553.	1.2	44
12	Treatment patterns, costs, and mortality among Medicare beneficiaries with CIED infection. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 495-503.	1.2	43
13	Influence of Vegetation Size on the Clinical Presentation and Outcome of Lead-Associated Endocarditis. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 541-549.	5.3	39
14	Reimplantation and Repeat Infection After Cardiac-Implantable Electronic Device Infections. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	39
15	Variability in Clinical Features of Early Versus Late Cardiovascular Implantable Electronic Device Pocket Infections. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 955-962.	1.2	34
16	Clinical significance of atrial fibrillation detected by cardiac implantable electronic devices. <i>Heart Rhythm</i> , 2014, 11, 719-724.	0.7	30
17	Tracking of Atrial Flutter During DDD Pacing: Another Form of Pacemaker-Mediated Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984, 7, 955-960.	1.2	26
18	Attempted salvage of infected cardiovascular implantable electronic devices: Are there clinical factors that predict success?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 524-531.	1.2	24

#	ARTICLE	IF	CITATIONS
19	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , 2021, 23, 1446-1455.	1.7	23
20	Amiodarone: Individualizing Dosage with Serum Concentrations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1983, 6, 1327-1335.	1.2	22
21	Swallowing-Induced Tachycardia: Electrophysiologic and Pharmacologic Observations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1988, 11, 1566-1570.	1.2	15
22	Cardiac Device-Related Endocarditis Complicated by Spinal Abscess. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 269-274.	1.2	13
23	Impact of Abandoned Leads on Cardiovascular Implantable Electronic Device Infections. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 201-208.	3.2	12
24	"Pseudo" Loss of Atrial Sensing by a DDD Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987, 10, 943-948.	1.2	11
25	Clinical Presentation, Timing, and Microbiology of CIED Infections. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 50-61.	3.2	11
26	Permanent pacing from a left ventricular vein in a patient with persistent left superior vena cava and absent right superior vena cava: use of an over-the-wire system. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 9, 357-360.	1.3	10
27	Effect of battery longevity on costs and health outcomes associated with cardiac implantable electronic devices: a Markov model-based Monte Carlo simulation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 149-158.	1.3	10
28	Insights into the Mechanism of Sustained Ventricular Tachycardia after Myocardial Infarction in a Closed Chest Porcine Model Using a Multielectrode "Basket" Catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 1501-1516.	1.7	9
29	Microwaves Treat Heart Disease. <i>IEEE Microwave Magazine</i> , 2007, 8, 70-75.	0.8	8
30	Idiopathic Ventricular Fibrillation Ablation Facilitated by PENTARAY Mapping of the Moderator Band. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 313-314.	3.2	8
31	Clinical and electrophysiological characteristics of patients with paroxysmal intra-His block with narrow QRS complexes. <i>Heart Rhythm</i> , 2018, 15, 1372-1377.	0.7	8
32	Clinical presentation of CIED infection following initial implant versus reoperation for generator change or lead addition. <i>Open Heart</i> , 2018, 5, e000681.	2.3	8
33	Characterization of Outer Insulation in Long-Term-Implanted Leads. <i>Journal of Long-Term Effects of Medical Implants</i> , 2016, 26, 225-232.	0.7	7
34	A narrow complex tachycardia with intermittent atrioventricular dissociation: What is the mechanism?. <i>Heart Rhythm</i> , 2014, 11, 2116-2119.	0.7	6
35	Hereditary Long QT Syndrome Associated with Cardiac Conduction System Disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989, 12, 479-485.	1.2	5
36	The Effects of Type I Antiarrhythmic Drugs on the Signal-Averaged Electrocardiogram in Patients with Malignant Ventricular Arrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 1445-1453.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Cardiovascular implantable electronic device infections due to enterococcal species: Clinical features, management, and outcomes. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1331-1339.	1.2	5
38	Clinical performance of implantable cardioverter-defibrillator lead monitoring diagnostics. <i>Heart Rhythm</i> , 2022, 19, 363-371.	0.7	5
39	The Effects of Direct Current Countershock on Ventricular Late Potentials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987, 10, 305-309.	1.2	4
40	Atrial fibrillation post central retinal artery occlusion: Role of implantable loop recorders. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 992-999.	1.2	4
41	Atrial Lead Dislodgement with a DDD Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1986, 9, 436-440.	1.2	3
42	Sex differences in rates and causes of 30-day readmissions after cardiac electronic device implantations: insights from the Nationwide Readmissions Database. <i>International Journal of Cardiology</i> , 2020, 302, 67-74.	1.7	3
43	Programmable External Automatic Antitachycardia Pacing as a Bridge to Definitive Therapy in Patients with Recurrent Sustained Ventricular Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 1258-1265.	1.2	2
44	Use of External Muscle Stimulation in a Patient with a Unipolar DDD Pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987, 10, 958-958.	1.2	1
45	Pacing at Rates Slower than the Lower Rate Limit: Function or Malfunction?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 149-150.	1.2	1
46	Termination of a narrow complex tachycardia by a single extrastimulus: What is the mechanism?. <i>Heart Rhythm</i> , 2018, 15, 1889-1890.	0.7	1
47	Outcomes of cardiac implantable electronic device transvenous lead extractions performed in centers without onsite cardiac surgery. <i>International Journal of Cardiology</i> , 2020, 300, 154-160.	1.7	1
48	An unusual incessant long RP tachycardia—What is the mechanism?. <i>Heart Rhythm</i> , 2021, 18, 2215-2218.	0.7	1
49	Insights into cardiac pacemaker and defibrillator revision/upgrades. , 2011, , ,		0
50	Ventricular Tracking of Atrial Flutter in a Patient with Complete Atrioventricular Block: Is it the Device's Fault?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 891-894.	1.2	0
51	Synchrony and Defibrillation: What Is the Mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1153-1155.	1.2	0
52	1085. Enterococcal Cardiac Implantable Electronic Device (CIED) Infections: Clinical Features and Outcomes. <i>Open Forum Infectious Diseases</i> , 2018, 5, S325-S325.	0.9	0
53	Ventricular tachycardia induced by a backup pacing stimulus in a patient with a dual chamber pacemaker with AutoCapture. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1130-1132.	1.2	0
54	Dual-chamber pacing with variable AV delays: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1735-1737.	1.2	0

#	ARTICLE	IF	CITATIONS
55	Implantable Cardioverter-Defibrillator Therapy. , 0, , 18-28.		0