William K Reisen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5687872/publications.pdf

Version: 2024-02-01

103 4,827 36
papers citations h-index

105 105 105 3181 all docs docs citations times ranked citing authors

102487

66

g-index

#	Article	IF	Citations
1	Vector Competence of California Mosquitoes for West Nile virus. Emerging Infectious Diseases, 2002, 8, 1385-1391.	4.3	456
2	Effects of Temperature on the Transmission of West Nile Virus by <i>Culex tarsalis</i> (Diptera:) Tj ETQq0 0 0 rgBT	/Oyerlock	10 Tf 50 70
3	Effects of Temperature on the Transmission of West Nile Virus by <i>Culex tarsalis</i> (Diptera:) Tj ETQq1 1 0.784	1314 rgBT 1.8	/Overlock 1
4	Landscape Epidemiology of Vector-Borne Diseases. Annual Review of Entomology, 2010, 55, 461-483.	11.8	279
5	West Nile Virus in California. Emerging Infectious Diseases, 2004, 10, 1369-1378.	4.3	237
6	Epidemiology of St. Louis encephalitis virus. Advances in Virus Research, 2003, 61, 139-183.	2.1	150
7	Ecology of West Nile Virus in North America. Viruses, 2013, 5, 2079-2105.	3.3	130
8	Overwintering of West Nile Virus in Southern California. Journal of Medical Entomology, 2006, 43, 344-355.	1.8	116
9	Effects of Temperature on Emergence and Seasonality of West Nile Virus in California. American Journal of Tropical Medicine and Hygiene, 2012, 86, 884-894.	1.4	114
10	Differential Impact of West Nile Virus on California Birds. Condor, 2009, 111, 1-20.	1.6	95
11	Repeated West Nile Virus Epidemic Transmission in Kern County, California, 2004–2007. Journal of Medical Entomology, 2009, 46, 139-157.	1.8	92
12	Delinquent Mortgages, Neglected Swimming Pools, and West Nile Virus, California. Emerging Infectious Diseases, 2008, 14, 1747-1749.	4.3	87
13	Persistent West Nile Virus Transmission and the Apparent Displacement St. Louis Encephalitis Virus in Southeastern California, 2003–2006. Journal of Medical Entomology, 2008, 45, 494-508.	1.8	81
14	Role of Corvids in Epidemiology of West Nile Virus in Southern California. Journal of Medical Entomology, 2006, 43, 356-367.	1.8	76
15	PREVIOUS INFECTION WITH WEST NILE OR ST. LOUIS ENCEPHALITIS VIRUSES PROVIDES CROSS PROTECTION DURING REINFECTION IN HOUSE FINCHES. American Journal of Tropical Medicine and Hygiene, 2006, 75, 480-485.	1.4	74
16	Impact of climate variation on mosquito abundance in California. Journal of Vector Ecology, 2008, 33, 89-98.	1.0	72
17	Mosquito Host Selection Varies Seasonally with Host Availability and Mosquito Density. PLoS Neglected Tropical Diseases, 2011, 5, e1452.	3.0	71
18	Overwintering Biology of <i>Culex</i> (Diptera: Culicidae) Mosquitoes in the Sacramento Valley of California. Journal of Medical Entomology, 2013, 50, 773-790.	1.8	70

#	Article	IF	CITATIONS
19	West Nile Virus Emergence and Persistence in Los Angeles, California, 2003–2008. American Journal of Tropical Medicine and Hygiene, 2010, 83, 400-412.	1.4	66
20	West Nile virus in North America: perspectives on epidemiology and intervention. Pest Management Science, 2007, 63, 641-646.	3.4	65
21	Role of Corvids in Epidemiology of West Nile Virus in Southern California. Journal of Medical Entomology, 2006, 43, 356-367.	1.8	65
22	Does Variation in Culex (Diptera: Culicidae) Vector Competence Enable Outbreaks of West Nile Virus in California?. Journal of Medical Entomology, 2008, 45, 1126-1138.	1.8	59
23	Landscape Affects the Host-Seeking Patterns of <i>Culex tarsalis </i> (Diptera: Culicidae) in the Coachella Valley of California. Journal of Medical Entomology, 2001, 38, 325-332.	1.8	54
24	Antecedent Avian Immunity Limits Tangential Transmission of West Nile Virus to Humans. PLoS ONE, 2012, 7, e34127.	2.5	54
25	Experimental and Natural Vertical Transmission of West Nile Virus by California < >Culex< l> (Diptera: Culicidae) Mosquitoes. Journal of Medical Entomology, 2013, 50, 371-378.	1.8	53
26	Does Variation in <l>Culex</l> (Diptera: Culicidae) Vector Competence Enable Outbreaks of West Nile Virus in California?. Journal of Medical Entomology, 2008, 45, 1126-1138.	1.8	52
27	Previous infection with West Nile or St. Louis encephalitis viruses provides cross protection during reinfection in house finches. American Journal of Tropical Medicine and Hygiene, 2006, 75, 480-5.	1.4	50
28	Effects of Warm Winter Temperature on the Abundance and Gonotrophic Activity of <i>Culex</i> (Diptera: Culicidae) in California. Journal of Medical Entomology, 2010, 47, 230-237.	1.8	49
29	Real-time monitoring of flavivirus induced cytopathogenesis using cell electric impedance technology. Journal of Virological Methods, 2011, 173, 251-258.	2.1	49
30	Comparison of Enzootic Risk Measures for Predicting West Nile Disease, Los Angeles, California, USA, 2004–2010. Emerging Infectious Diseases, 2012, 18, 1298-306.	4.3	46
31	Factors Influencing the Outcome of Mark-Release-Recapture Studies with <l>Culex tarsalis</l> (Diptera: Culicidae). Journal of Medical Entomology, 2003, 40, 820-829.	1.8	44
32	Risk Factors Associated with Human Infection during the 2006 West Nile Virus Outbreak in Davis, a Residential Community in Northern California. American Journal of Tropical Medicine and Hygiene, 2008, 78, 53-62.	1.4	42
33	WEST NILE VIRUS INFECTION IN TREE SQUIRRELS (RODENTIA: SCIURIDAE) IN CALIFORNIA, 2004–2005. American Journal of Tropical Medicine and Hygiene, 2007, 76, 810-813.	1.4	41
34	The Impact of Cycling Temperature on the Transmission of West Nile Virus. Journal of Medical Entomology, 2016, 53, 681-686.	1.8	40
35	Intensive Early Season Adulticide Applications Decrease Arbovirus Transmission Throughout the Coachella Valley, Riverside County, California. Vector-Borne and Zoonotic Diseases, 2008, 8, 475-490.	1.5	39
36	Evidence for Co-evolution of West Nile Virus and House Sparrows in North America. PLoS Neglected Tropical Diseases, 2014, 8, e3262.	3.0	39

#	Article	IF	Citations
37	Genotype-specific variation in West Nile virus dispersal in California. Virology, 2015, 485, 79-85.	2.4	37
38	Dynamics of West Nile Virus Persistence in House Sparrows (Passer domesticus). PLoS Neglected Tropical Diseases, 2012, 6, e1860.	3.0	35
39	The Contrasting Bionomics of Culex Mosquitoes in Western North America. Journal of the American Mosquito Control Association, 2012, 28, 82-91.	0.7	35
40	Effects of Warm Winter Temperature on the Abundance and Gonotrophic Activity of <l>Culex</l> (Diptera: Culicidae) in California. Journal of Medical Entomology, 2010, 47, 230-237.	1.8	32
41	Tickâ€; mosquitoâ€; and rodentâ€borne parasite sampling designs for the National Ecological Observatory Network. Ecosphere, 2016, 7, e01271.	2.2	31
42	COMPARISON OF IMMUNE RESPONSES OF BROWN-HEADED COWBIRD AND RELATED BLACKBIRDS TO WEST NILE AND OTHER MOSQUITO-BORNE ENCEPHALITIS VIRUSES. Journal of Wildlife Diseases, 2007, 43, 439-449.	0.8	29
43	North American West Nile virus genotype isolates demonstrate differential replicative capacities in response to temperature. Journal of General Virology, 2011, 92, 2523-2533.	2.9	29
44	Multiplex qRT-PCR for the Detection of Western Equine Encephalomyelitis, St. Louis Encephalitis, and West Nile Viral RNA in Mosquito Pools (Diptera: Culicidae). Journal of Medical Entomology, 2015, 52, 491-499.	1.8	29
45	Population Genetic and Admixture Analyses of Culex pipiens Complex (Diptera: Culicidae) Populations in California, United States. American Journal of Tropical Medicine and Hygiene, 2013, 89, 1154-1167.	1.4	28
46	Sentinel Chicken Seroconversions Track Tangential Transmission of West Nile Virus to Humans in the Greater Los Angeles Area of California. American Journal of Tropical Medicine and Hygiene, 2010, 83, 1137-1145.	1.4	27
47	Phenotypic Variation among Culex pipiens Complex (Diptera: Culicidae) Populations from the Sacramento Valley, California: Horizontal and Vertical Transmission of West Nile Virus, Diapause Potential, Autogeny, and Host Selection. American Journal of Tropical Medicine and Hygiene, 2013, 89, 1168-1178.	1.4	27
48	Role of California (Callipepla californica) and Gambel's (Callipepla gambelii) Quail in the Ecology of Mosquito-Borne Encephalitis Viruses in California, USA. Vector-Borne and Zoonotic Diseases, 2006, 6, 248-260.	1.5	26
49	Host Competence and Helicase Activity Differences Exhibited by West Nile Viral Variants Expressing NS3-249 Amino Acid Polymorphisms. PLoS ONE, 2014, 9, e100802.	2.5	26
50	Migratory Birds and the Dispersal of Arboviruses in California. American Journal of Tropical Medicine and Hygiene, 2010, 83, 808-815.	1.4	25
51	Chronic Infections of West Nile Virus Detected in California Dead Birds. Vector-Borne and Zoonotic Diseases, 2013, 13, 401-405.	1.5	25
52	Risk factors associated with human infection during the 2006 West Nile virus outbreak in Davis, a residential community in northern California. American Journal of Tropical Medicine and Hygiene, 2008, 78, 53-62.	1.4	25
53	Is Nonviremic Transmission of West Nile Virus by <1>Culex 1 Mosquitoes (Diptera: Culicidae) Nonviremic?. Journal of Medical Entomology, 2007, 44, 299-302.	1.8	24
54	High Subclinical West Nile Virus Incidence among Nonvaccinated Horses in Northern California Associated with Low Vector Abundance and Infection. American Journal of Tropical Medicine and Hygiene, 2008, 78, 45-52.	1.4	24

#	Article	IF	CITATIONS
55	VECTOR COMPETENCE OF CULISETA INCIDENS AND CULEX THRIAMBUS FOR WEST NILE VIRUS1. Journal of the American Mosquito Control Association, 2006, 22, 662-665.	0.7	23
56	Effects of immunosuppression on encephalitis virus infection in the house finch, <i>Carpodacus mexicanus</i> . Journal of Medical Entomology, 2003, 40, 206-214.	1.8	22
57	Simulated Overwintering of Encephalitis Viruses in Diapausing FemaleCulex tarsalis(Diptera:) Tj ETQq1 1 0.784314	t rgBT /Ov	erlock 10 T 21
58	Encephalitis Virus Persistence in California Birds: Experimental Infections in Mourning Doves (<i>Zenaidura macroura</i>). Journal of Medical Entomology, 2004, 41, 462-466.	1.8	21
59	Evolutionary genomics of <i>Culex pipiens </i> global and local adaptations associated with climate, life-history traits and anthropogenic factors. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20150728.	2.6	21
60	Extrinsic Incubation Rate is Not Accelerated in Recent California Strains of West Nile Virus in <i>Culex tarsalis</i> (Diptera: Culicidae). Journal of Medical Entomology, 2015, 52, 1083-1089.	1.8	21
61	WEST NILE VIRUS–RELATED TRENDS IN AVIAN MORTALITY IN CALIFORNIA, USA, 2003–12. Journal of Wildlife Diseases, 2015, 51, 576-588.	0.8	20
62	West Nile and St. Louis encephalitis viral genetic determinants of avian host competence. PLoS Neglected Tropical Diseases, 2018, 12, e0006302.	3.0	20
63	VARIATION OF WEST NILE VIRUS ANTIBODY PREVALENCE IN MIGRATING AND WINTERING HAWKS IN CENTRAL CALIFORNIA. Condor, 2006, 108, 435.	1.6	19
64	Envelope and pre-membrane protein structural amino acid mutations mediate diminished avian growth and virulence of a Mexican West Nile virus isolate. Journal of General Virology, 2011, 92, 2810-2820.	2.9	18
65	Host-Selection Patterns of <i>Culex tarsalis</i> (Diptera: Culicidae) Determine the Spatial Heterogeneity of West Nile Virus Enzootic Activity in Northern California. Journal of Medical Entomology, 2013, 50, 1303-1309.	1.8	18
66	Surveys for Antibodies Against Mosquitoborne Encephalitis Viruses in California Birds, 1996–2013. Vector-Borne and Zoonotic Diseases, 2016, 16, 264-282.	1.5	18
67	Limited interdecadal variation in mosquito (Diptera: Culicidae) and avian host competence for Western equine encephalomyelitis virus (Togaviridae: Alphavirus). American Journal of Tropical Medicine and Hygiene, 2008, 78, 681-6.	1.4	18
68	Role of Communally Nesting Ardeid Birds in the Epidemiology of West Nile Virus Revisited. Vector-Borne and Zoonotic Diseases, 2009, 9, 275-280.	1.5	17
69	Emergence or improved detection of Japanese encephalitis virus in the Himalayan highlands?. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2016, 110, 209-211.	1.8	17
70	Response of House Finches to Infection with Sympatric and Allopatric Strains of Western Equine Encephalomyelitis and St. Louis Encephalitis Viruses from California. Journal of Medical Entomology, 2000, 37, 259-264.	1.8	16
71	Blinded Laboratory Comparison of the In Situ Enzyme Immunoassay, the VecTest Wicking Assay, and a Reverse Transcription-Polymerase Chain Reaction Assay to Detect Mosquitoes Infected with West Nile and St. Louis Encephalitis Viruses. Journal of Medical Entomology, 2004, 41, 539-544.	1.8	16
72	Overwintering of West Nile Virus in the United States. Journal of Medical Entomology, 2019, 56, 1498-1507.	1.8	16

#	Article	IF	CITATIONS
73	Guidance for Evaluating the Safety of Experimental Releases of Mosquitoes, Emphasizing Mark-Release-Recapture Techniques. Vector-Borne and Zoonotic Diseases, 2018, 18, 39-48.	1.5	14
74	Low heterozygosity is associated with vectorâ€borne disease in crows. Ecosphere, 2018, 9, e02407.	2.2	14
75	West Nile virus in California, 2003–2018: A persistent threat. PLoS Neglected Tropical Diseases, 2020, 14, e0008841.	3.0	14
76	Evaluation of Nucleic Acid Preservation Cards for West Nile Virus Testing in Dead Birds. PLoS ONE, 2016, 11, e0157555.	2.5	12
77	High subclinical West Nile virus incidence among nonvaccinated horses in northern California associated with low vector abundance and infection. American Journal of Tropical Medicine and Hygiene, 2008, 78, 45-52.	1.4	12
78	West Nile virus cluster analysis and vertical transmission inCulex pipienscomplex mosquitoes in Sacramento and Yolo Counties, California, 2011. Journal of Vector Ecology, 2012, 37, 442-449.	1.0	11
79	Heightened Exposure to Parasites Favors the Evolution of Immunity in Brood Parasitic Cowbirds. Evolutionary Biology, 2011, 38, 214-224.	1.1	10
80	Structural gene (prME) chimeras of St Louis encephalitis virus and West Nile virus exhibit altered in vitro cytopathic and growth phenotypes. Journal of General Virology, 2012, 93, 39-49.	2.9	10
81	West Nile virus infection in tree squirrels (Rodentia: Sciuridae) in California, 2004-2005. American Journal of Tropical Medicine and Hygiene, 2007, 76, 810-3.	1.4	10
82	Effect of Dose on House Finch Infection with Western Equine Encephalomyelitis and St. Louis Encephalitis Viruses. Journal of Medical Entomology, 2004, 41, 978-981.	1.8	9
83	Host Selection Patterns of <i>Culex tarsalis</i> (Diptera: Culicidae) at Wetlands Near the Salton Sea, Coachella Valley, California, 1998–2002. Journal of Medical Entomology, 2013, 50, 1071-1076.	1.8	9
84	Genetic Determinants of Differential Oral Infection Phenotypes of West Nile and St. Louis Encephalitis Viruses in Culex spp. Mosquitoes. American Journal of Tropical Medicine and Hygiene, 2014, 91, 1066-1072.	1.4	9
85	Medical entomology – Back to the future?. Infection, Genetics and Evolution, 2014, 28, 573-582.	2.3	9
86	Avian malaria co-infections confound infectivity and vector competence assays of Plasmodium homopolare. Parasitology Research, 2018, 117, 2385-2394.	1.6	9
87	Mosquito blood-feeding patterns and nesting behavior of American crows, an amplifying host of West Nile virus. Parasites and Vectors, 2021, 14, 331.	2.5	9
88	Increases in the competitive fitness of West Nile virus isolates after introduction into California. Virology, 2018, 514, 170-181.	2.4	8
89	N-linked glycosylation of the West Nile virus envelope protein is not a requisite for avian virulence or vector competence. PLoS Neglected Tropical Diseases, 2019, 13, e0007473.	3.0	8
90	Does Feeding on Infected Mosquitoes (Diptera: Culicidae) Enhance the Role of Song Sparrows in the Transmission of Arboviruses in California?. Journal of Medical Entomology, 2007, 44, 316-319.	1.8	7

#	Article	IF	CITATIONS
91	Allele-specific qRT-PCR demonstrates superior detection of single nucleotide polymorphisms as genetic markers for West Nile virus compared to LuminexÂ $^{\odot}$ and quantitative sequencing. Journal of Virological Methods, 2014, 195, 76-85.	2.1	7
92	Abundance and Bloodfeeding Patterns of Mosquitoes (Diptera: Culicidae) in an Oak Woodland on the Eastern Slope of the Northern Coast Range of California. Journal of Medical Entomology, 2017, 54, 1344-1353.	1.8	6
93	Comparative fitness of West Nile virus isolated during California epidemics. PLoS Neglected Tropical Diseases, 2019, 13, e0007135.	3.0	5
94	Detection of Arbovirus Transmission via Sugar Feeding in a Laboratory Setting. Journal of Medical Entomology, 2018, 55, 1575-1579.	1.8	5
95	Comparing Competitive Fitness of West Nile Virus Strains in Avian and Mosquito Hosts. PLoS ONE, 2015, 10, e0125668.	2.5	4
96	Twenty Years of West Nile Virus in the United States: Introduction. Journal of Medical Entomology, 2019, 56, 1447-1447.	1.8	3
97	Annual Survival of House Finches in Relation to West Nile Virus. Condor, 2011, 113, 233-238.	1.6	2
98	Comparative Study of the Pathological Effects of Western Equine Encephalomyelitis Virus in Four Strains of Culex tarsalis Coquillett (Diptera: Culicidae). Frontiers in Public Health, 2014, 2, 184.	2.7	2
99	West Nile Virus Fitness Costs in Different Mosquito Species. Trends in Microbiology, 2016, 24, 429-430.	7.7	2
100	Field Methods and Sample Collection Techniques for the Surveillance of West Nile Virus in Avian Hosts. Methods in Molecular Biology, 2016, 1435, 207-220.	0.9	1
101	Flanders hapavirus in western North America. Archives of Virology, 2018, 163, 3351-3356.	2.1	0
102	Introduction to the 2019 Highlights of Medical, Urban, and Veterinary Entomology. Journal of Medical Entomology, 2020, 57, 1335-1335.	1.8	0
103	West Nile Virus Activity in Kern County and the Factors Leading to the 2007 Outbreak. Proceedings and papers of the Annual Conference of the Mosquito and Vector Control Association of California., 2009, 76, 138-145.	0.0	0