
## Eva Dybvik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5691720/publications.pdf Version: 2024-02-01



FUA DVRUIK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The unmet need for treatment of children with musculoskeletal impairment in Malawi. BMC<br>Pediatrics, 2022, 22, 67.  | 1.7 | 3         |
| 2  | Intramedullary nail versus sliding hip screw for stable and unstable trochanteric and subtrochanteric fractures. Bone and Joint Journal, 2022, 104-B, 274-282.  | 4.4 | 24        |
| 3  | Kaplan-Meier and Cox Regression Are Preferable for the Analysis of Time to Revision of Joint<br>Arthroplasty. JBJS Open Access, 2022, 7, .  | 1.5 | 5         |
| 4  | Subsequent ipsi- and contralateral femoral fractures after intramedullary nailing of a trochanteric or subtrochanteric fracture: a cohort study on 2012 patients. BMC Musculoskeletal Disorders, 2022, 23, 399.   | 1.9 | 0         |
| 5  | Prevalence, causes and impact of musculoskeletal impairment in Malawi: A national cluster randomized survey. PLoS ONE, 2021, 16, e0243536.  | 2.5 | 6         |
| 6  | Is there a correlation between functional results and radiographic findings in patients with distal<br>radius fracture A0 type A3 treated with volar locking plate or external fixator?. OTA International the<br>Open Access Journal of Orthopaedic Trauma, 2021, 4, e142. | 1.0 | 6         |
| 7  | Waiting time for hip fracture surgery: hospital variation, causes, and effects on postoperative mortality. Bone & Joint Open, 2021, 2, 710-720.   | 2.6 | 13        |
| 8  | Implants for trochanteric fractures in Norway: the role of the trochanteric stabilizing plate—a study<br>on 20,902 fractures from the Norwegian hip fracture register 2011–2017. Journal of Orthopaedic<br>Surgery and Research, 2021, 16, 26.                              | 2.3 | 10        |
| 9  | Surgical Treatment of Distal Radial Fractures with External Fixation Versus Volar Locking Plate.<br>Journal of Bone and Joint Surgery - Series A, 2021, 103, 405-414.   | 3.0 | 5         |
| 10 | Title is missing!. , 2021, 16, e0243536.  |     | 0         |
| 11 | Title is missing!. , 2021, 16, e0243536.  |     | Ο         |
| 12 | Title is missing!. , 2021, 16, e0243536.  |     | 0         |
| 13 | Title is missing!. , 2021, 16, e0243536.  |     | Ο         |
| 14 | Title is missing!. , 2021, 16, e0243536.  |     | 0         |
| 15 | Title is missing!. , 2021, 16, e0243536.  |     | Ο         |
| 16 | ls there a weekend effect after hip fracture surgery? A study of 74,410 hip fractures reported to the<br>Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020,<br>91, 63-68.   | 3.3 | 10        |
| 17 | Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip<br>Fracture Register. Clinical Orthopaedics and Related Research, 2020, 478, 90-100.   | 1.5 | 74        |
| 18 | Hip fracture treatment in Norway. Bone & Joint Open, 2020, 1, 644-653.  | 2.6 | 12        |

Ενα Ουβνικ

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Operative approach influences functional outcome after DAIR for infected total hip arthroplasty.<br>Bone and Joint Journal, 2020, 102-B, 1662-1669.  | 4.4 | 8         |
| 20 | A prospective study on cancer risk after total hip replacements for 41,402 patients linked to the Cancer registry of Norway. BMC Musculoskeletal Disorders, 2020, 21, 599.   | 1.9 | 1         |
| 21 | Do direct oral anticoagulants (DOACs) cause delayed surgery, longer length of hospital stay, and poorer outcome for hip fracture patients?. European Geriatric Medicine, 2020, 11, 563-569.  | 2.8 | 21        |
| 22 | Reply to the Letter to the Editor: Cemented or Uncemented Hemiarthroplasty for Femoral Neck<br>Fracture? Data from the Norwegian Hip Fracture Register. Clinical Orthopaedics and Related Research,<br>2020, 478, 687-689.   | 1.5 | 1         |
| 23 | Cognitive impairment influences the risk of reoperation after hip fracture surgery: results of 87,573 operations reported to the Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 146-151.   | 3.3 | 15        |
| 24 | Compliance with national guidelines for antibiotic prophylaxis in hip fracture patients: a quality<br>assessment study of 13 329 patients in the Norwegian Hip Fracture Register. BMJ Open, 2020, 10, e035598.   | 1.9 | 6         |
| 25 | Validation of orthopaedic surgeons' assessment of cognitive function in patients with acute hip fracture. BMC Musculoskeletal Disorders, 2019, 20, 268.  | 1.9 | 6         |
| 26 | Does time from fracture to surgery affect mortality and intraoperative medical complications for hip fracture patients?. Bone and Joint Journal, 2019, 101-B, 1129-1137.   | 4.4 | 85        |
| 27 | A survivorship study of 838 total elbow replacements: a report from the Norwegian Arthroplasty<br>Register 1994-2016. Journal of Shoulder and Elbow Surgery, 2018, 27, 260-269.  | 2.6 | 50        |
| 28 | Low-molecular-weight heparin for hip fracture patients treated with osteosynthesis: should<br>thromboprophylaxis start before or after surgery? An observational study of 45,913 hip fractures<br>reported to the Norwegian Hip Fracture Register. Monthly Notices of the Royal Astronomical Society:<br>Letters, 2018, 89, 615-621. | 3.3 | 4         |
| 29 | Surgeon's experience level and risk of reoperation after hip fracture surgery: an observational study<br>on 30,945 patients in the Norwegian Hip Fracture Register 2011–2015. Monthly Notices of the Royal<br>Astronomical Society: Letters, 2018, 89, 496-502.  | 3.3 | 23        |
| 30 | Similar Clinical Outcomes with Preoperative and Postoperative Start of Thromboprophylaxis in THA: A Register-based Study. Clinical Orthopaedics and Related Research, 2017, 475, 2245-2252.  | 1.5 | 4         |
| 31 | Improved outcome after hip fracture surgery in Norway. Monthly Notices of the Royal Astronomical<br>Society: Letters, 2017, 88, 505-511.   | 3.3 | 40        |
| 32 | Postoperative start compared to preoperative start of low-molecular-weight heparin increases<br>mortality in patients with femoral neck fractures. Monthly Notices of the Royal Astronomical<br>Society: Letters, 2017, 88, 48-54.   | 3.3 | 14        |
| 33 | Pelvic irradiation does not increase the risk of hip replacement in patients with gynecological cancer.<br>Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 652-656.  | 3.3 | 6         |
| 34 | Long-term risk of receiving a total hip replacement in cancer patients. Cancer Epidemiology, 2009, 33, 235-241.  | 1.9 | 4         |