

Nagako Okuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5694674/publications.pdf>

Version: 2024-02-01

116
papers

3,951
citations

172457

29
h-index

133252

59
g-index

118
all docs

118
docs citations

118
times ranked

5838
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Non-fasting Triglycerides and Cardiovascular Disease Mortality in a 20-year Follow-up Study of a Japanese General Population: NIPPON DATA90. <i>Journal of Epidemiology</i> , 2022, 32, 303-313.	2.4	9
2	Predictors of lower limb fractures in general Japanese: NIPPON DATA90. <i>PLoS ONE</i> , 2022, 17, e0261716.	2.5	2
3	Alcohol drinking and brain morphometry in apparently healthy community-dwelling Japanese men. <i>Alcohol</i> , 2021, 90, 57-65.	1.7	6
4	Relationship Between Calcium Intake and Impaired Activities of Daily Living in a Japanese Population: NIPPON DATA90. <i>Journal of Epidemiology</i> , 2021, 31, 119-124.	2.4	3
5	Risk Factors That Most Accurately Predict Coronary Artery Disease Based on the Duration of Follow-up. NIPPON DATA80. <i>Circulation Journal</i> , 2021, 85, 908-913.	1.6	5
6	Association between socioeconomic status and prolonged television viewing time in a general Japanese population: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 57.	3.4	3
7	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , 2021, 16, e0254706.	2.5	5
8	Relationships of Alcohol Consumption with Coronary Risk Factors and Macro- and Micro-Nutrient Intake in Japanese People: The INTERLIPID Study. <i>Journal of Nutritional Science and Vitaminology</i> , 2021, 67, 28-38.	0.6	2
9	Association between Milk Intake and Incident Stroke among Japanese Community Dwellers: The Iwate-KENCO Study. <i>Nutrients</i> , 2021, 13, 3781.	4.1	2
10	Perspective: The Application of A Priori Diet Quality Scores to Cardiovascular Disease Risk—A Critical Evaluation of Current Scoring Systems. <i>Advances in Nutrition</i> , 2020, 11, 10-24.	6.4	43
11	Dietary Inflammatory Index Positively Associated With High-Sensitivity C-Reactive Protein Level in Japanese From NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2020, 30, 98-107.	2.4	18
12	Relationship between carbohydrate and dietary fibre intake and the risk of cardiovascular disease mortality in Japanese: 24-year follow-up of NIPPON DATA80. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 67-76.	2.9	17
13	Relationship of household salt intake level with long-term all-cause and cardiovascular disease mortality in Japan: NIPPON DATA80. <i>Hypertension Research</i> , 2020, 43, 132-139.	2.7	11
14	Association of Red Meat Intake with the Risk of Cardiovascular Mortality in General Japanese Stratified by Kidney Function: NIPPON DATA80. <i>Nutrients</i> , 2020, 12, 3707.	4.1	4
15	Food Sources of Dietary Potassium in the Adult Japanese Population: The International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP). <i>Nutrients</i> , 2020, 12, 787.	4.1	13
16	The Relationship of Dietary Cholesterol with Serum Low-Density Lipoprotein Cholesterol and Confounding by Reverse Causality: The INTERLIPID Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 170-182.	2.0	4
17	Cardiovascular Risk Assessment Chart by Dietary Factors in Japan. NIPPON DATA80. <i>Circulation Journal</i> , 2019, 83, 1254-1260.	1.6	11
18	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 37.	3.4	11

#	ARTICLE	IF	CITATIONS
19	Salt intake and prevalence of overweight/obesity in Japan, China, the United Kingdom, and the United States: the INTERMAP Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 34-40.	4.7	69
20	Association of Work Situation With Cardiovascular Disease Mortality Risk Among Working-Age Japanese Men—A 20-Year Follow-up of NIPPON DATA90. <i>Circulation Journal</i> , 2019, 83, 1506-1513.	1.6	7
21	One-year weight loss maintenance outcomes following a worksite-based weight reduction program among Japanese men with cardiovascular risk factors. <i>Journal of Occupational Health</i> , 2019, 61, 189-196.	2.1	7
22	Agreement between 24-h dietary recalls and 24-h urine collections for estimating sodium intake in China, Japan, UK, USA. <i>Journal of Hypertension</i> , 2019, 37, 814-819.	0.5	17
23	Factors associated with intra-individual visit-to-visit variability of blood pressure in four countries: the INTERMAP study. <i>Journal of Human Hypertension</i> , 2019, 33, 229-236.	2.2	7
24	Having few remaining teeth is associated with a low nutrient intake and low serum albumin levels in middle-aged and older Japanese individuals: findings from the NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 1.	3.4	84
25	Vegetable Protein Intake was Inversely Associated with Cardiovascular Mortality in a 15-Year Follow-Up Study of the General Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 198-206.	2.0	17
26	Re-evaluation of the associations of egg intake with serum total cholesterol and cause-specific and total mortality in Japanese women. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 841-847.	2.9	21
27	Dietary tofu intake and long-term risk of death from stroke in a general population. <i>Clinical Nutrition</i> , 2018, 37, 182-188.	5.0	10
28	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S66-S72.	2.4	12
29	Socioeconomic Inequalities in Oral Health among Middle-Aged and Elderly Japanese: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S59-S65.	2.4	11
30	The Influence of the Japanese Nationwide Cardiovascular Prevention System Health Guidance on Smoking Cessation Among Smokers: A Propensity Score Matching Analysis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 323-334.	2.0	2
31	Usefulness of a Short Dietary Propensity Questionnaire in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 430-438.	2.0	1
32	The National Integrated Project for Prospective Observation of Non-communicable Disease and its Trends in the Aged 2010 (NIPPON DATA2010): Objectives, Design, and Population Characteristics. <i>Journal of Epidemiology</i> , 2018, 28, S2-S9.	2.4	29
33	Relationships among Food Group Intakes, Household Expenditure, and Education Attainment in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S23-S28.	2.4	10
34	Relationship Between Socioeconomic Status and the Prevalence of Underweight, Overweight or Obesity in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S10-S16.	2.4	26
35	Macronutrient Intake and Socioeconomic Status: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S17-S22.	2.4	19
36	Socioeconomic Status Associated With Urinary Sodium and Potassium Excretion in Japan: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S29-S34.	2.4	15

#	ARTICLE	IF	CITATIONS
37	Differences in Lifestyle Improvements With the Intention to Prevent Cardiovascular Diseases by Socioeconomic Status in a Representative Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S35-S39.	2.4	2
38	Associations between Socioeconomic Status and the Prevalence and Treatment of Hypercholesterolemia in a General Japanese Population: NIPPON DATA2010. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 606-620.	2.0	17
39	Passive Smoking at Home by Socioeconomic Factors in a Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S40-S45.	2.4	4
40	Time-Related Changes in Relationships Between the Keys Score, Dietary Lipids, and Serum Total Cholesterol in Japan. NIPPON DATA80/90/2010. <i>Circulation Journal</i> , 2018, 83, 147-155.	1.6	4
41	Associations of High-Density Lipoprotein Particle and High-Density Lipoprotein Cholesterol With Alcohol Intake, Smoking, and Body Mass Index. The INTERLIPID Study. <i>Circulation Journal</i> , 2018, 82, 2557-2565.	1.6	18
42	Socioeconomic Status and Knowledge of Cardiovascular Risk Factors: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S46-S52.	2.4	17
43	Factors Related to Participation in Health Examinations for Japanese National Health Insurance: NIPPON DATA2010. <i>Journal of Epidemiology</i> , 2018, 28, S53-S58.	2.4	8
44	Food sources of dietary sodium in the Japanese adult population: the international study of macro-/micronutrients and blood pressure (INTERMAP). <i>European Journal of Nutrition</i> , 2017, 56, 1269-1280.	3.9	20
45	Effects of rapid aging and lower participation rate among younger adults on the short-term trend of physical activity in the National Health and Nutrition Survey, Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1677-1682.	1.5	10
46	Associations of socioeconomic status with prevalence, awareness, treatment, and control of hypertension in a general Japanese population. <i>Journal of Hypertension</i> , 2017, 35, 401-408.	0.5	74
47	Impacts of chronic kidney disease and diabetes on cardiovascular mortality in a general Japanese population: A 20-year follow-up of the NIPPON DATA90 study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 505-513.	1.8	8
48	Overall nutrient and total fat intake among Japanese people: The INTERLIPID Study Japan. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017, 26, 837-848.	0.4	3
49	The Relationship between Very High Levels of Serum High-Density Lipoprotein Cholesterol and Cause-Specific Mortality in a 20-Year Follow-Up Study of Japanese General Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 800-809.	2.0	48
50	Association of Total Energy Intake with 29-Year Mortality in the Japanese: NIPPON DATA80. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 339-354.	2.0	16
51	Does the flushing response modify the relationship between alcohol intake and hypertension in the Japanese population? NIPPON DATA2010. <i>Hypertension Research</i> , 2016, 39, 670-679.	2.7	8
52	Smoking, Smoking Cessation, and Measures of Subclinical Atherosclerosis in Multiple Vascular Beds in Japanese Men. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	39
53	Association of Energy Intake With the Lack of in-Person Review of Household Dietary Records: Analysis of Japan National Health and Nutrition Surveys From 1997 to 2011. <i>Journal of Epidemiology</i> , 2016, 26, 84-91.	2.4	4
54	Relationship of Consumption of Meals Including Grain, Fish and Meat, and Vegetable Dishes to the Prevention of Nutrient Deficiency: The INTERMAP Toyama Study. <i>Journal of Nutritional Science and Vitaminology</i> , 2016, 62, 101-107.	0.6	15

#	ARTICLE	IF	CITATIONS
55	Dietary sodium-to-potassium ratio as a risk factor for stroke, cardiovascular disease and all-cause mortality in Japan: the NIPPON DATA80 cohort study. <i>BMJ Open</i> , 2016, 6, e011632.	1.9	104
56	Relation of unprocessed, processed red meat and poultry consumption to blood pressure in East Asian and Western adults. <i>Journal of Hypertension</i> , 2016, 34, 1721-1729.	0.5	19
57	Relationship of three different types of low-carbohydrate diet to cardiometabolic risk factors in a Japanese population: the INTERMAP/INTERLIPID Study. <i>European Journal of Nutrition</i> , 2016, 55, 1515-1524.	3.9	12
58	Independent Prognostic Value of Single and Multiple Non-Specific 12-Lead Electrocardiographic Findings for Long-Term Cardiovascular Outcomes: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0157563.	2.5	4
59	Risk of Hypercholesterolemia for Cardiovascular Disease and the Population Attributable Fraction in a 24-year Japanese Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 95-107.	2.0	33
60	Alcohol Consumption, Hospitalization and Medical Expenditure: A Large Epidemiological Study on the Medical Insurance System in Japan. <i>Alcohol and Alcoholism</i> , 2015, 50, 236-243.	1.6	1
61	Fruit and vegetable intake and mortality from cardiovascular disease in Japan: a 24-year follow-up of the NIPPON DATA80 Study. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 482-488.	2.9	59
62	Long-term outcomes associated with prolonged PR interval in the general Japanese population. <i>International Journal of Cardiology</i> , 2015, 184, 291-293.	1.7	12
63	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , 2015, 38, 790-795.	2.7	39
64	Understanding of sodium content labeled on food packages by Japanese people. <i>Hypertension Research</i> , 2014, 37, 467-471.	2.7	15
65	Low-carbohydrate diets and cardiovascular and total mortality in Japanese: a 29-year follow-up of NIPPON DATA80. <i>British Journal of Nutrition</i> , 2014, 112, 916-924.	2.3	59
66	Individual efforts to reduce salt intake in China, Japan, UK, USA. <i>Journal of Hypertension</i> , 2014, 32, 2385-2392.	0.5	44
67	High long-chain n-3 fatty acid intake attenuates the effect of high resting heart rate on cardiovascular mortality risk: A 24-year follow-up of Japanese general population. <i>Journal of Cardiology</i> , 2014, 64, 218-224.	1.9	11
68	Cumulative impact of axial, structural, and repolarization ECG findings on long-term cardiovascular mortality among healthy individuals in Japan: National Integrated Project for Prospective Observation of Non-Communicable Disease and its Trends in the Aged, 1980 and 1990. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1501-1508.	1.8	17
69	Long-chain n-3 polyunsaturated fatty acids intake and cardiovascular disease mortality risk in Japanese: A 24-year follow-up of NIPPON DATA80. <i>Atherosclerosis</i> , 2014, 232, 384-389.	0.8	51
70	Serum leptin and total dietary energy intake: the INTERLIPID Study. <i>European Journal of Nutrition</i> , 2013, 52, 1641-1648.	3.9	10
71	Prognostic values of bundle branch blocks for cardiovascular mortality in Japanese (24year) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5	0.9	10
72	Dietary glycine and blood pressure: the International Study on Macro/Micronutrients and Blood Pressure. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 136-145.	4.7	39

#	ARTICLE	IF	CITATIONS
73	Interaction between dietary marine-derived n-3 fatty acids intake and J-point elevation on the risk of cardiac death: a 24-year follow-up of Japanese men. <i>Heart</i> , 2013, 99, 1024-1029.	2.9	7
74	Association of raw fruit and fruit juice consumption with blood pressure: the INTERMAP Study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1083-1091.	4.7	31
75	Relation of Serum Leptin and Adiponectin Level to Serum C-Reactive Protein: The INTERLIPID Study. <i>International Journal of Vascular Medicine</i> , 2013, 2013, 1-7.	1.0	9
76	Dietary Intake of Nutrients with Adequate Intake Values in the Dietary Reference Intakes for Japanese. <i>Journal of Nutritional Science and Vitaminology</i> , 2013, 59, 584-595.	0.6	19
77	Fatty Acid Intakes and Coronary Heart Disease Mortality in Japan: NIPPON DATA90, 1990-2005. <i>Current Nutrition and Food Science</i> , 2013, 9, 26-32.	0.6	1
78	Relationship of dietary monounsaturated fatty acids to blood pressure. <i>Journal of Hypertension</i> , 2013, 31, 1144-1150.	0.5	38
79	Treated and untreated hypertension, hospitalization, and medical expenditure. <i>Journal of Hypertension</i> , 2013, 31, 1032-1042.	0.5	16
80	Distribution of Vitamin E Intake among Japanese Dietary Supplement and Fortified Food Users: A Secondary Analysis from the National Health and Nutrition Survey, 2003-2009. <i>Journal of Nutritional Science and Vitaminology</i> , 2013, 59, 576-583.	0.6	10
81	Consumption of Dairy Products and Death From Cardiovascular Disease in the Japanese General Population: The NIPPON DATA80. <i>Journal of Epidemiology</i> , 2013, 23, 47-54.	2.4	51
82	Long-Term Outcome of Healthy Participants with Atrial Premature Complex: A 15-Year Follow-Up of the NIPPON DATA 90 Cohort. <i>PLoS ONE</i> , 2013, 8, e80853.	2.5	29
83	Fatty Acid Intakes and Coronary Heart Disease Mortality in Japan: NIPPON DATA90, 1990-2005. <i>Current Nutrition and Food Science</i> , 2013, 9, 26-32.	0.6	2
84	Food and nutrient intakes and their associations with lower BMI in middle-aged US adults: the International Study of Macro-/Micronutrients and Blood Pressure (INTERMAP). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 483-491.	4.7	67
85	Relation of dietary and lifestyle traits to difference in serum leptin of Japanese in Japan and Hawaii: The INTERLIPID study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 14-22.	2.6	3
86	Nutrient and food intakes of middle-aged adults at low risk of cardiovascular disease: the international study of macro-/micronutrients and blood pressure (INTERMAP). <i>European Journal of Nutrition</i> , 2012, 51, 917-926.	3.9	35
87	Corrigendum to "Gamma-Glutamyltransferase and mortality risk from heart disease and stroke in Japanese men and women: NIPPON DATA 90". <i>CVD Prevention and Control</i> , 2011, 6, 63.	0.7	0
88	Relationship between Dietary and Other Lifestyle Habits and Cardiometabolic Risk Factors in Men. <i>Diabetology and Metabolic Syndrome</i> , 2011, 3, 30.	2.7	3
89	Iron Intake and Associated Factors in General Japanese Population: NIPPON DATA80, NIPPON DATA90 and National Nutrition Monitoring. <i>Journal of Epidemiology</i> , 2010, 20, S557-S566.	2.4	6
90	Comparison of the National Nutritional Survey in Japan Estimated Individual-Based Nutritional Data and NIPPON DATA80 Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2010, 20, S582-S586.	2.4	7

#	ARTICLE	IF	CITATIONS
91	Integration of Data from NIPPON DATA80/90 and National Nutrition Survey in Japan: For Cohort Studies of Representative Japanese on Nutrition. <i>Journal of Epidemiology</i> , 2010, 20, S506-S514.	2.4	40
92	J Epidemiol 2010;20(Suppl 3):S506-S514 Integration of Data from NIPPON DATA80/90 and National Nutrition Survey in Japan: For Cohort Studies of Representative Japanese on Nutrition. <i>Journal of Epidemiology</i> , 2010, 20, 346-346.	2.4	4
93	Dietary Salt Intake and Blood Pressure in a Representative Japanese Population: Baseline Analyses of NIPPON DATA80. <i>Journal of Epidemiology</i> , 2010, 20, S524-S530.	2.4	45
94	Fatty Acids Intakes and Serum Lipid Profiles: NIPPON DATA90 and the National Nutrition Monitoring. <i>Journal of Epidemiology</i> , 2010, 20, S544-S548.	2.4	20
95	Dietary Intake of Potassium and Associated Dietary Factors among Representative Samples of Japanese General Population: NIPPON DATA 80/90. <i>Journal of Epidemiology</i> , 2010, 20, S567-S575.	2.4	9
96	NIPPON DATA80/90 Nutrition Study: Appendix Tables. <i>Journal of Epidemiology</i> , 2010, 20, S587-S596.	2.4	2
97	Population Attributable Fraction of Smoking and Metabolic Syndrome on Cardiovascular Disease Mortality in Japan: a 15-Year Follow Up of NIPPON DATA90. <i>BMC Public Health</i> , 2010, 10, 306.	2.9	15
98	Dietary Sources of Sodium in China, Japan, the United Kingdom, and the United States, Women and Men Aged 40 to 59 Years: The INTERMAP Study. <i>Journal of the American Dietetic Association</i> , 2010, 110, 736-745.	1.1	440
99	Relationship of the Polyunsaturated to Saturated Fatty Acid Ratio to Cardiovascular Risk Factors and Metabolic Syndrome in Japanese: the INTERLIPID Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 777-784.	2.0	17
100	Cigarette smoking in middle age and a long-term risk of impaired activities of daily living: NIPPON DATA80. <i>Nicotine and Tobacco Research</i> , 2010, 12, 944-949.	2.6	23
101	̢-Glutamyltransferase and mortality risk from heart disease and stroke in Japanese men and women: NIPPON DATA90. <i>CVD Prevention and Control</i> , 2010, 5, 27.	0.7	5
102	Bundle branch block and other cardiovascular disease risk factors: US-Japan comparison. <i>International Journal of Cardiology</i> , 2010, 143, 432-440.	1.7	14
103	Relation of Serum Leptin to Blood Pressure of Japanese in Japan and Japanese-Americans in Hawaii. <i>Hypertension</i> , 2009, 54, 1416-1422.	2.7	5
104	High blood pressure in middle age is associated with a future decline in activities of daily living. NIPPON DATA80. <i>Journal of Human Hypertension</i> , 2009, 23, 546-552.	2.2	17
105	Risk Factor Effects and Total Mortality in Older Japanese Men in Japan and Hawaii. <i>Annals of Epidemiology</i> , 2008, 18, 913-918.	1.9	4
106	Cardiovascular Disease and Risk Factors in Asia. <i>Circulation</i> , 2008, 118, 2702-2709.	1.6	604
107	Relation of dietary and other lifestyle traits to difference in serum adiponectin concentration of Japanese in Japan and Hawaii: the INTERLIPID Study. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 424-430.	4.7	29
108	Development of a Food Frequency and Quantity Method for Assessing Dietary Habits of Japanese Individuals -Comparison with Results from 24hr Recall Dietary Survey. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008, 15, 324-333.	2.0	5

#	ARTICLE	IF	CITATIONS
109	Dietary Factors Related to Higher Plasma Fibrinogen Levels of Japanese-Americans in Hawaii Compared With Japanese in Japan. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1674-1679.	2.4	21
110	A validation study on food composition tables for the international cooperative INTERMAP study in Japan. <i>Environmental Health and Preventive Medicine</i> , 2005, 10, 150-156.	3.4	21
111	Relation of long chain n-3 polyunsaturated fatty acid intake to serum high density lipoprotein cholesterol among Japanese men in Japan and Japanese-American men in Hawaii: the INTERLIPID study. <i>Atherosclerosis</i> , 2005, 178, 371-379.	0.8	71
112	Enhancing data on nutrient composition of foods eaten by participants in the INTERMAP study in China, Japan, the United Kingdom, and the United States. <i>Journal of Food Composition and Analysis</i> , 2003, 16, 395-408.	3.9	52
113	INTERMAP: the dietary data process and quality control. <i>Journal of Human Hypertension</i> , 2003, 17, 609-622.	2.2	163
114	Nutrient intakes of middle-aged men and women in China, Japan, United Kingdom, and United States in the late 1990s: The INTERMAP Study. <i>Journal of Human Hypertension</i> , 2003, 17, 623-630.	2.2	400
115	Differences in cardiovascular disease risk factors between Japanese in Japan and Japanese-Americans in Hawaii: the INTERLIPID study. <i>Journal of Human Hypertension</i> , 2003, 17, 631-639.	2.2	108
116	Higher blood pressure in middle-aged American adults with less education role of multiple dietary factors: The INTERMAP Study. <i>Journal of Human Hypertension</i> , 2003, 17, 655-664.	2.2	93