H Susan J Picavet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5695669/publications.pdf

Version: 2024-02-01

126907 91884 5,015 77 33 69 citations g-index h-index papers 79 79 79 7494 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Pain Catastrophizing and Kinesiophobia: Predictors of Chronic Low Back Pain. American Journal of Epidemiology, 2002, 156, 1028-1034.	3.4	543
2	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103.	2.0	537
3	Survey Non-response in the Netherlands Effects on Prevalence Estimates and Associations. Annals of Epidemiology, 2003, 13, 105-110.	1.9	353
4	Prevalence of Musculoskeletal Disorders Is Systematically Higher in Women Than in Men. Clinical Journal of Pain, 2006, 22, 717-724.	1.9	303
5	Physical activity and low back pain: A U-shaped relation?. Pain, 2009, 143, 21-25.	4.2	264
6	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. Nature Human Behaviour, 2021, 5, 113-122.	12.0	193
7	Time Trends in Prevalence of Chronic Diseases and Multimorbidity Not Only due to Aging: Data from General Practices and Health Surveys. PLoS ONE, 2016, 11, e0160264.	2.5	188
8	Multimorbidity of chronic diseases and health care utilization in general practice. BMC Family Practice, 2014, 15, 61.	2.9	175
9	Multimorbidity and comorbidity in the Dutch population – data from general practices. BMC Public Health, 2012, 12, 715.	2.9	170
10	Explaining sex differences in chronic musculoskeletal pain in a general population. Pain, 2006, 124, 158-166.	4.2	150
11	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5.	5.5	148
12	Pain catastrophizing and general health status in a large Dutch community sample. Pain, 2002, 99, 367-376.	4.2	122
13	Pain-related fear in low back pain: A prospective study in the general population. European Journal of Pain, 2007, 11, 256-266.	2.8	97
14	Greener living environment healthier people?. Preventive Medicine, 2016, 89, 7-14.	3.4	97
15	Pain Catastrophizing Is Associated With Health Indices in Musculoskeletal Pain: A Cross-Sectional Study in the Dutch Community Health Psychology, 2004, 23, 49-57.	1.6	85
16	Prevalence and Characteristics of Complaints of the Arm, Neck, and/or Shoulder (CANS) in the Open Population. Clinical Journal of Pain, 2008, 24, 253-259.	1.9	84
17	Retirement and a healthy lifestyle: opportunity or pitfall? A narrative review of the literature. European Journal of Public Health, 2014, 24, 433-439.	0.3	84
18	Do positive or negative experiences of social support relate to current and future health? Results from the Doetinchem Cohort Study. BMC Public Health, 2012, 12, 65.	2.9	71

#	Article	IF	Citations
19	Hormonal and Reproductive Factors are Associated With Chronic Low Back Pain and Chronic Upper Extremity Pain in Women–The MORGEN Study. Spine, 2006, 31, 1496-1502.	2.0	69
20	Physical fitness, rather than self-reported physical activities, is more strongly associated with low back pain: evidence from a working population. European Spine Journal, 2012, 21, 1265-1272.	2.2	67
21	Frailty is associated with elevated CRP trajectories and higher numbers of neutrophils and monocytes. Experimental Gerontology, 2019, 125, 110674.	2.8	63
22	Biochemical Markers of Aging for Longitudinal Studies in Humans. Epidemiologic Reviews, 2013, 35, 132-151.	3.5	62
23	Ten year course of low back pain in an adult populationâ€based cohortâ€"The Doetinchem Cohort Study. European Journal of Pain, 2011, 15, 993-998.	2.8	61
24	Sex Differences in Consequences of Musculoskeletal Pain. Spine, 2007, 32, 1360-1367.	2.0	60
25	How Stable Are Physical Activity Habits among Adults? The Doetinchem Cohort Study. Medicine and Science in Sports and Exercise, 2011, 43, 74-79.	0.4	60
26	Today's adult generations are less healthy than their predecessors: generation shifts in metabolic risk factors: the Doetinchem Cohort Study. European Journal of Preventive Cardiology, 2014, 21, 1134-1144.	1.8	48
27	A four-domain approach of frailty explored in the Doetinchem Cohort Study. BMC Geriatrics, 2017, 17, 196.	2.7	48
28	Pain catastrophizing and consequences of musculoskeletal pain: A prospective study in the Dutch community. Journal of Pain, 2005, 6, 125-132.	1.4	45
29	The Disabling Effect of Diseases: A Study on Trends in Diseases, Activity Limitations, and Their Interrelationships. American Journal of Public Health, 2012, 102, 163-170.	2.7	44
30	Utilization of Health Resources due to Low Back Pain. Spine, 2008, 33, 436-444.	2.0	40
31	Trends in activity limitations: the Dutch older population between 1990 and 2007. International Journal of Epidemiology, 2011, 40, 1056-1067.	1.9	38
32	A weak sense of coherence is associated with a higher mortality risk. Journal of Epidemiology and Community Health, 2014, 68, 411-417.	3.7	37
33	Health literacy among older adults is associated with their 10-years' cognitive functioning and decline - the Doetinchem Cohort Study. BMC Geriatrics, 2018, 18, 77.	2.7	37
34	Measuring musculoskeletal pain by questionnaires: The manikin versus written questions. European Journal of Pain, 2010, 14, 335-338.	2.8	36
35	The epidemiology of soft tissue rheumatism. Best Practice and Research in Clinical Rheumatology, 2002, 16, 777-793.	3.3	34
36	Increased cardiovascular risk factors in different rheumatic diseases compared with the general population. Rheumatology, 2013, 52, 210-216.	1.9	27

#	Article	IF	Citations
37	Characterizing Adult Sleep Behavior Over 20 Yearsâ€"The Population-Based Doetinchem Cohort Study. Sleep, 2017, 40, .	1.1	27
38	Shift work, chronotype and the risk of cardiometabolic risk factors. European Journal of Public Health, 2019, 29, 128-134.	0.3	26
39	Susceptibility to Chronic Mucus Hypersecretion, a Genome Wide Association Study. PLoS ONE, 2014, 9, e91621.	2.5	25
40	Weight Change and Incident Diabetes: Addressing an Unresolved Issue. American Journal of Epidemiology, 2010, 172, 263-270.	3.4	24
41	Aging-related trajectories of lung function in the general populationâ€"The Doetinchem Cohort Study. PLoS ONE, 2018, 13, e0197250.	2.5	24
42	The Impact of Long-Term Body Mass Index Patterns on Health-Related Quality of Life. American Journal of Epidemiology, 2013, 178, 804-812.	3.4	21
43	Musculoskeletal complaints while growing up from age 11 to age 14: the PIAMA birth cohort study. Pain, 2016, 157, 2826-2833.	4.2	21
44	Musculoskeletal Complaints Among 11-Year-Old Children and Associated Factors: The PIAMA Birth Cohort Study. American Journal of Epidemiology, 2011, 174, 877-884.	3.4	20
45	Adopting an Active Lifestyle During Adulthood and Health-Related Quality of Life: The Doetinchem Cohort Study. American Journal of Public Health, 2012, 102, e62-e68.	2.7	19
46	In-depth immune cellular profiling reveals sex-specific associations with frailty. Immunity and Ageing, 2020, 17, 20.	4.2	19
47	The Relation between Occupational Sitting and Mental, Cardiometabolic, and Musculoskeletal Health over a Period of 15 Years – The Doetinchem Cohort Study. PLoS ONE, 2016, 11, e0146639.	2.5	18
48	Generation shifts in smoking over 20Âyears in two Dutch population-based cohorts aged 20–100 years. BMC Public Health, 2015, 15, 142.	2.9	17
49	Sex differences in mental health among older adults: investigating time trends and possible risk groups with regard to age, educational level and ethnicity. Aging and Mental Health, 2021, 25, 2355-2364.	2.8	17
50	Inflammatory marker trajectories associated with frailty and ageing in a 20â€year longitudinal study. Clinical and Translational Immunology, 2022, 11, e1374.	3.8	17
51	The sex difference in gait speed among older adults: how do sociodemographic, lifestyle, social and health determinants contribute?. BMC Geriatrics, 2021, 21, 340.	2.7	16
52	Longitudinal Associations Between Physical Load and Chronic Low Back Pain in the General Population. Spine, 2012, 37, 788-796.	2.0	15
53	Pain over the adult life course: 15â€year pain trajectoriesâ€"The Doetinchem Cohort Study. European Journal of Pain, 2019, 23, 1723-1732.	2.8	15
54	Sitting Behaviors and Mental Health among Workers and Nonworkers: The Role of Weight Status. Journal of Obesity, 2012, 2012, 1-9.	2.7	13

#	Article	IF	Citations
55	The association between adverse life events and body weight change: results of a prospective cohort study. BMC Public Health, 2013, 13, 957.	2.9	13
56	The Healthy Aging Index analyzed over 15Âyears in the general population: The Doetinchem Cohort Study. Preventive Medicine, 2020, 139, 106193.	3.4	13
57	Common trajectories of physical functioning in the Doetinchem Cohort Study. Age and Ageing, 2016, 45, 382-388.	1.6	10
58	Anti-Mýllerian hormone levels and risk of type 2 diabetes in women. Diabetologia, 2021, 64, 375-384.	6.3	9
59	A widening gap between boys and girls in musculoskeletal complaints, while growing up from age 11 to age 20 ―the PIAMA birth Cohort study. European Journal of Pain, 2021, 25, 902-912.	2.8	9
60	Adherence to dietary guidelines and cognitive decline from middle age: the Doetinchem Cohort Study. American Journal of Clinical Nutrition, 2021, 114, 871-881.	4.7	9
61	Sex Differences in Cognitive Functioning with Aging in the Netherlands. Gerontology, 2022, 68, 999-1009.	2.8	8
62	Trajectories of (Bio)markers During the Development of Cognitive Frailty in the Doetinchem Cohort Study. Frontiers in Neurology, 2019, 10, 497.	2.4	6
63	Do generations differ in sports participation and physical activity over the life course? Evidence from multiple datasets. European Journal of Sport Science, 2019, 19, 1395-1403.	2.7	6
64	Musculoskeletal pain complaints from a sex and gender perspective. , 2010, , 119-126.		6
65	Impaired JAK-STAT pathway signaling in leukocytes of the frail elderly. Immunity and Ageing, 2022, 19, 5.	4.2	6
66	Health Losses at The End of Life: A Bayesian Mixed Beta Regression Approach. Journal of the Royal Statistical Society Series A: Statistics in Society, 2017, 180, 723-749.	1.1	4
67	Measurement and genetic architecture of lifetime depression in the Netherlands as assessed by LIDAS (Lifetime Depression Assessment Self-report). Psychological Medicine, 2020, , 1-10.	4.5	4
68	The mediating role of unhealthy behavior in the relationship between shift work and perceived health. BMC Public Health, 2021, 21, 1300.	2.9	4
69	0125â€Shift work, chronotype and the risk of cardiometabolic disturbances. , 2017, , .		3
70	The Combined Effect of Cancer and Cardiometabolic Conditions on the Mortality Burden in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 366-372.	3.6	3
71	Headache in girls and boys growing up from age 11 to 20 years: the Prevention and Incidence of Asthma and Mite Allergy birth cohort study. Pain, 2021 , 162 , 1449 - 1456 .	4.2	3
72	20-year individual physical activity patterns and related characteristics. BMC Public Health, 2022, 22, 437.	2.9	3

#	Article	IF	CITATIONS
73	Psychological distress as a determinant of changes in body mass index over a period of 10years. Preventive Medicine, 2015, 77, 17-22.	3.4	1
74	EUPHA NEWS. European Journal of Public Health, 1993, 3, 214-215.	0.3	0
75	Comparative study of two birth cohorts: did the explanatory role of behavioural, social and psychological factors in educational inequalities in mortality change over time?. BMJ Open, 2022, 12, e052204.	1.9	O
76	The Sex Difference in Gait Speed: How Do Sociodemographic, Lifestyle, Social, and Health Determinants Contribute?. Innovation in Aging, 2021, 5, 168-168.	0.1	0
77	The Sex Difference in Physical Functioning: How Do Risk Factors Contribute?. Innovation in Aging, 2021, 5, 542-543.	0.1	0