

Gennaro Galizia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5696496/publications.pdf>

Version: 2024-02-01

89
papers

4,551
citations

94433

37
h-index

102487

66
g-index

91
all docs

91
docs citations

91
times ranked

6329
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of SARS-CoV-2-Related Lung Inflammation Spreading by V:ERITAS (Vanvitelli Early) Tj ETQq1 1 0.784314,rgBT /Ove3lock 10	2.9	3
2	Microsatellite Status Detection in Gastrointestinal Cancers: PCR/NGS Is Mandatory in Negative/Patchy MMR Immunohistochemistry. <i>Cancers</i> , 2022, 14, 2204.	3.7	12
3	Giant retroperitoneal liposarcoma treated with radical conservative surgery: A case report and review of literature. <i>World Journal of Clinical Cases</i> , 2022, 10, 6636-6646.	0.8	0
4	Naples Prognostic Score Predicts Tumor Regression Grade in Resectable Gastric Cancer Treated with Preoperative Chemotherapy. <i>Cancers</i> , 2021, 13, 4676.	3.7	11
5	Comparison Between Multidetector CT and High-Field 3T MR Imaging in Diagnostic and Tumour Extension Evaluation of Patients with Cholangiocarcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2020, 51, 534-544.	1.3	7
6	Durable Complete Radiological Response to Nivolumab in Two Heavily Pretreated Western Elderly Patients With Metastatic Gastric Cancer: A Case Report. <i>Frontiers in Oncology</i> , 2020, 10, 130.	2.8	4
7	Comparative Study of NGS Platform Ion Torrent Personal Genome Machine and Therascreen Rotor-Gene Q for the Detection of Somatic Variants in Cancer. <i>High-Throughput</i> , 2020, 9, 4.	4.4	1
8	The Role of Near-Infrared Fluorescence Imaging in the Assessment of Peritoneal Carcinomatosis from Colorectal Cancer. , 2020, , 183-194.		0
9	Clinical and pathological factors predictive of response to neoadjuvant chemotherapy in breast cancer: A single center experience. <i>Oncology Letters</i> , 2019, 18, 3873-3879.	1.8	15
10	Increased circulating levels of vascular endothelial growth factor C can predict outcome in resectable gastric cancer patients. <i>Journal of Gastrointestinal Oncology</i> , 2019, 10, 314-323.	1.4	3
11	Perioperative Treatment in Resectable Gastric Cancer: Current Perspectives and Future Directions. <i>Cancers</i> , 2019, 11, 399.	3.7	46
12	Inflammatory and nutritional status is a predictor of long-term outcome in patients undergoing surgery for gastric cancer. Validation of the Naples prognostic score. <i>Annali Italiani Di Chirurgia</i> , 2019, 90, 404-416.	0.1	8
13	Indocyanine Green Fluorescence Imaging-Guided Surgery in Primary and Metastatic Liver Tumors. <i>Surgical Innovation</i> , 2018, 25, 62-68.	0.9	41
14	Fluorescence-Guided Surgery in the Combined Treatment of Peritoneal Carcinomatosis from Colorectal Cancer: Preliminary Results and Considerations. <i>World Journal of Surgery</i> , 2018, 42, 1154-1160.	1.6	39
15	What's New in Gastric Cancer: The Therapeutic Implications of Molecular Classifications and Future Perspectives. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2659.	4.1	41
16	Systemic-inflammation-based score can predict prognosis in metastatic gastric cancer patients before first-line chemotherapy. <i>Future Oncology</i> , 2018, 14, 2493-2505.	2.4	15
17	Sigmoid metastasis from endometrioid cancer. <i>Minerva Surgery</i> , 2018, 73, 447-449.	0.6	1
18	Propensity score-matched comparison between complete mesocolic excision and classic right hemicolectomy for colon cancer. <i>Minerva Surgery</i> , 2018, 73, 1-12.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Preoperative Neutrophil to Lymphocyte Ratio and Lymphocyte to Monocyte Ratio are Prognostic Factors in Gastric Cancers Undergoing Surgery. <i>Journal of Gastrointestinal Surgery</i> , 2017, 21, 1764-1774.	1.7	49
20	Naples Prognostic Score, Based on Nutritional and Inflammatory Status, is an Independent Predictor of Long-term Outcome in Patients Undergoing Surgery for Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2017, 60, 1273-1284.	1.3	100
21	Comparison of the current AJCC-TNM numeric-based with a new anatomical location-based lymph node staging system for gastric cancer: A western experience. <i>PLoS ONE</i> , 2017, 12, e0173619.	2.5	16
22	Does Preoperative Neutrophil to Lymphocyte Ratio Predict Disease-Free Survival Rate in Colorectal Cancer Patients Undergoing Curative Surgery?. <i>Annals of Surgery</i> , 2016, 263, e80.	4.2	0
23	NAB-paclitaxel and gemcitabine in metastatic pancreatic ductal adenocarcinoma (PDAC): from clinical trials to clinical practice. <i>BMC Cancer</i> , 2016, 16, 709.	2.6	48
24	Neutrophil to lymphocyte ratio (NLR) for prediction of distant metastasis-free survival (DMFS) in early breast cancer: a propensity score-matched analysis. <i>ESMO Open</i> , 2016, 1, e000038.	4.5	66
25	Modified versus standard D2 lymphadenectomy in total gastrectomy for nonjunctional gastric carcinoma with lymph node metastasis. <i>Surgery</i> , 2015, 157, 285-296.	1.9	49
26	CD26-positive/CD326-negative circulating cancer cells as prognostic markers for colorectal cancer recurrence. <i>Oncology Letters</i> , 2015, 9, 542-550.	1.8	18
27	Neutrophil to lymphocyte ratio is a strong predictor of tumor recurrence in early colon cancers: A propensity score-matched analysis. <i>Surgery</i> , 2015, 158, 112-120.	1.9	71
28	Reply "Modified D2 lymphadenectomy is effective in patients with node-positive gastric cancers undergoing potentially curative total gastrectomy". <i>Surgery</i> , 2015, 158, 1447-1448.	1.9	1
29	Treatment of esophagogastric junction carcinoma: An unsolved debate. <i>World Journal of Gastroenterology</i> , 2015, 21, 4427-4431.	3.3	4
30	Treatment of gastric cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 1635.	3.3	508
31	Effect of Preoperative Chemoradiotherapy on Outcome of Patients with Locally Advanced Esophagogastric Junction Adenocarcinoma" A Pilot Study. <i>Current Oncology</i> , 2014, 21, 125-133.	2.2	13
32	Is complete mesocolic excision with central vascular ligation safe and effective in the surgical treatment of right-sided colon cancers? A prospective study. <i>International Journal of Colorectal Disease</i> , 2014, 29, 89-97.	2.2	107
33	Clinical management of advanced gastric cancer: The role of new molecular drugs. <i>World Journal of Gastroenterology</i> , 2014, 20, 14537.	3.3	41
34	Postoperative Detection of Circulating Tumor Cells Predicts Tumor Recurrence in Colorectal Cancer Patients. <i>Journal of Gastrointestinal Surgery</i> , 2013, 17, 1809-1818.	1.7	45
35	CD66c is a novel marker for colorectal cancer stem cell isolation, and its silencing halts tumor growth in vivo. <i>Cancer</i> , 2013, 119, 729-738.	4.1	57
36	Preoperative treatment of locally advanced esophageal carcinoma. <i>International Journal of Oncology</i> , 2013, 43, 1745-1753.	3.3	8

#	ARTICLE	IF	CITATIONS
37	Conversion chemotherapy followed by hepatic resection in colorectal cancer with initially unresectable liver-limited metastases. <i>Oncology Reports</i> , 2013, 30, 2992-2998.	2.6	11
38	Radiofrequency-Assisted Liver Resection With a Comb-Shaped Bipolar Device Versus Clamp Crushing. <i>Surgical Innovation</i> , 2012, 19, 407-414.	0.9	6
39	Combined CD133/CD44 Expression as a Prognostic Indicator of Disease-Free Survival in Patients With Colorectal Cancer. <i>Archives of Surgery</i> , 2012, 147, 18.	2.2	68
40	Current status of targeted therapies in advanced gastric cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, S29-S34.	3.4	35
41	The Over-The-Scope-Clip (OTSC) System is Effective in the Treatment of Chronic Esophagojejunal Anastomotic Leakage. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1585-1589.	1.7	35
42	Complete response to preoperative chemoradiation and survival in esophageal cancer: a pooled analysis of three single-institution phase II trials. <i>Ecological Management and Restoration</i> , 2012, 25, 130-136.	0.4	20
43	A multicenter phase II study of induction chemotherapy with FOLFOX-4 and cetuximab followed by radiation and cetuximab in locally advanced oesophageal cancer. <i>British Journal of Cancer</i> , 2011, 104, 427-432.	6.4	42
44	Behavior of Circulating CD4+CD25+Foxp3+ Regulatory T Cells in Colon Cancer Patients Undergoing Surgery. <i>Journal of Clinical Immunology</i> , 2011, 31, 1095-1104.	3.8	38
45	Endoscopic Intraoperative Anastomotic Testing May Avoid Early Gastrointestinal Anastomotic Complications. A Prospective Study. <i>Journal of Gastrointestinal Surgery</i> , 2011, 15, 145-152.	1.7	25
46	A subtle case of iron-deficiency anemia. <i>Internal and Emergency Medicine</i> , 2011, 6, 191-192.	2.0	0
47	Dufourmental Rhomboid Flap in the Radical Treatment of Primary and Recurrent Sacrococcygeal Pilonidal Disease. <i>Diseases of the Colon and Rectum</i> , 2010, 53, 1061-1068.	1.3	31
48	Adjuvant Chemoradiotherapy in Patients With Stage III or IV Radically Resected Gastric Cancer. <i>Archives of Surgery</i> , 2010, 145, 233.	2.2	17
49	Weekly Chemotherapy with Cisplatin and Paclitaxel and Concurrent Radiation Therapy as Preoperative Treatment in Locally Advanced Esophageal Cancer: A Phase II Study. <i>Cancer Investigation</i> , 2010, 28, 820-827.	1.3	18
50	Perspectives in Adjuvant Therapy of Gastric Cancer. <i>Oncology</i> , 2009, 77, 38-42.	1.9	17
51	The Lymph Node Ratio Is a Powerful Prognostic Factor of Node-Positive Colon Cancers Undergoing Potentially Curative Surgery. <i>World Journal of Surgery</i> , 2009, 33, 2704-2713.	1.6	38
52	Correlation between efficacy and skin rash occurrence following treatment with the epidermal growth factor receptor inhibitor cetuximab: A single institution retrospective analysis. <i>Oncology Reports</i> , 2009, 21, 1023-8.	2.6	48
53	Prognostic Biomarkers and Targeted Therapy in Gastric Cancer: Reply. <i>World Journal of Surgery</i> , 2008, 32, 1227-1229.	1.6	6
54	Complete pathological response of colorectal liver metastases after chemotherapy and bevacizumab treatment: a case report. <i>Targeted Oncology</i> , 2008, 3, 253-258.	3.6	2

#	ARTICLE	IF	CITATIONS
55	Expression of Vascular Endothelial Growth Factor (VEGF) and Epidermal Growth Factor Receptor (EGFR) is an Independent Prognostic Indicator of Worse Outcome in Gastric Cancer Patients. <i>Annals of Surgical Oncology</i> , 2008, 15, 69-79.	1.5	220
56	Integrated Therapy in Localized Gastric Cancer: Targeted and Tailored Approach. <i>Annals of Surgical Oncology</i> , 2008, 15, 2983-2985.	1.5	1
57	First-Line Chemotherapy vs Bowel Tumor Resection Plus Chemotherapy for Patients With Unresectable Synchronous Colorectal Hepatic Metastases. <i>Archives of Surgery</i> , 2008, 143, 352.	2.2	114
58	Adjuvant chemotherapy with epirubicin, leucovorin, 5-fluorouracil and etoposide regimen in resected gastric cancer patients: a randomized phase III trial by the Gruppo Oncologico Italia Meridionale (GOIM) Tj ETQq0 O1rgBT /Owrlck 10		
59	Cetuximab, A Chimeric Anti-Epidermal Growth Factor Receptor Monoclonal Antibody, in Colorectal Cancer Treatment. <i>Current Cancer Therapy Reviews</i> , 2007, 3, 242-248.	0.3	0
60	Hepatoid carcinoma colliding with a liposarcoma of the left colon serosa presenting as an abdominal mass. <i>World Journal of Surgical Oncology</i> , 2007, 5, 42.	1.9	11
61	Cetuximab, a chimeric human mouse anti-epidermal growth factor receptor monoclonal antibody, in the treatment of human colorectal cancer. <i>Oncogene</i> , 2007, 26, 3654-3660.	5.9	140
62	Epidermal Growth Factor Receptor (EGFR) Expression is Associated With a Worse Prognosis in Gastric Cancer Patients Undergoing Curative Surgery. <i>World Journal of Surgery</i> , 2007, 31, 1458-1468.	1.6	140
63	Prognostic Significance of Epidermal Growth Factor Receptor Expression in Colon Cancer Patients Undergoing Curative Surgery. <i>Annals of Surgical Oncology</i> , 2006, 13, 823-835.	1.5	104
64	Feasibility of Primary Inguinal Hernia Repair with a New Mesh. <i>World Journal of Surgery</i> , 2006, 30, 1055-1062.	1.6	3
65	p27 downregulation and metallothionein overexpression in gastric cancer patients are associated with a poor survival rate. <i>Journal of Surgical Oncology</i> , 2006, 93, 241-252.	1.7	35
66	Weekly docetaxel and capecitabine is not effective in the treatment of advanced gastric cancer: a phase II study. <i>Annals of Oncology</i> , 2006, 17, 1529-1532.	1.2	14
67	A phase II study of biweekly oxaliplatin plus infusional 5-fluorouracil and folinic acid (FOLFOX-4) as first-line treatment of advanced gastric cancer patients. <i>British Journal of Cancer</i> , 2005, 92, 1644-1649.	6.4	171
68	Adverse effects of preoperative hepatic artery chemoembolization for resectable hepatocellular carcinoma: A retrospective comparison of 138 liver resections. <i>British Journal of Surgery</i> , 2005, 76, 871-876.	0.3	2
69	Cetuximab in the treatment of colorectal cancer. <i>Future Oncology</i> , 2005, 1, 173-181.	2.4	17
70	Determination of Molecular Marker Expression Can Predict Clinical Outcome in Colon Carcinomas. <i>Clinical Cancer Research</i> , 2004, 10, 3490-3499.	7.0	103
71	Digital karyotyping identifies thymidylate synthase amplification as a mechanism of resistance to 5-fluorouracil in metastatic colorectal cancer patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 3089-3094.	7.1	175
72	Prognostic Value of p27, p53, and Vascular Endothelial Growth Factor in Dukes A and B Colon Cancer Patients Undergoing Potentially Curative Surgery. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 1904-1914.	1.3	30

#	ARTICLE	IF	CITATIONS
73	Elevated perioperative serum vascular endothelial growth factor levels in patients with colon carcinoma. <i>Cancer</i> , 2004, 100, 270-278.	4.1	100
74	Normal Interleukin-10 Serum Level Opposed to High Serum Levels of Carbohydrate Antigen 19-9 and Cancer Antigens 125 and 50 in a Case of True Splenic Cyst. <i>Archives of Medical Research</i> , 2003, 34, 145-148.	3.3	12
75	A True Splenic Cyst Producing Carbohydrate Antigen 19-9 and Cancer Antigens 50 and 125, but Not Interleukin 10. <i>Digestive Surgery</i> , 2003, 20, 71-74.	1.2	7
76	Elevated Serum Levels of Interleukin-8 in Advanced Non-Small Cell Lung Cancer Patients: Relationship with Prognosis. <i>Journal of Interferon and Cytokine Research</i> , 2002, 22, 1129-1135.	1.2	70
77	Preoperative Chemoradiotherapy for Squamous Cell Carcinoma and Adenocarcinoma of the Esophagus. <i>Chest</i> , 2002, 122, 1302-1308.	0.8	52
78	Counting alleles to predict recurrence of early-stage colorectal cancers. <i>Lancet</i> , The, 2002, 359, 219-225.	13.7	140
79	Prognostic Significance of Circulating IL-10 and IL-6 Serum Levels in Colon Cancer Patients Undergoing Surgery. <i>Clinical Immunology</i> , 2002, 102, 169-178.	3.2	196
80	Circulating Levels of Interleukin-10 and Interleukin-6 in Gastric and Colon Cancer Patients Before and After Surgery: Relationship with Radicality and Outcome. <i>Journal of Interferon and Cytokine Research</i> , 2002, 22, 473-482.	1.2	60
81	Hemodynamic and pulmonary changes during open, carbon dioxide pneumoperitoneum, and abdominal wall-lifting cholecystectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2001, 15, 477-483.	2.4	148
82	Counting alleles reveals a connection between chromosome 18q loss and vascular invasion. <i>Nature Biotechnology</i> , 2001, 19, 78-81.	17.5	59
83	Interleukin-6 Serum Level Correlates with Survival in Advanced Gastrointestinal Cancer Patients but Is Not an Independent Prognostic Indicator. <i>Journal of Interferon and Cytokine Research</i> , 2001, 21, 45-52.	1.2	76
84	Behaviour of interleukin-2 serum levels in advanced non-small-cell lung cancer patients: relationship with response to therapy and survival. <i>Cancer Immunology, Immunotherapy</i> , 2000, 49, 530-536.	4.2	51
85	Serum Interleukin-10 Levels as a Prognostic Factor in Advanced Non-small Cell Lung Cancer Patients. <i>Chest</i> , 2000, 117, 365-373.	0.8	139
86	Serum interleukin-10 levels in patients with advanced gastrointestinal malignancies. , 1999, 86, 1936-1943.		75
87	Intraoperative ultrasonography in resection of small hepatocellular carcinoma associated with cirrhosis. <i>American Journal of Surgery</i> , 1989, 158, 40-42.	1.8	22
88	Androgen Receptor in Hepatocellular Carcinoma as a Prognostic Factor After Hepatic Resection. <i>Annals of Surgery</i> , 1989, 209, 424-427.	4.2	50
89	EVIDENCE THAT CYCLOSPORINE PRETREATMENT PROTECTS LYSOSOMAL MEMBRANE IN LIVER ISCHEMIA IN DOGS. <i>Transplantation</i> , 1989, 47, 924-926.	1.0	10