

Hai-Yang Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5704584/publications.pdf>

Version: 2024-02-01

204
papers

6,391
citations

87888

38
h-index

98798

67
g-index

209
all docs

209
docs citations

209
times ranked

9460
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyploidy Spectrum Correlates with Immunophenotype and Shapes Hepatocellular Carcinoma Recurrence Following Liver Transplantation. <i>Journal of Inflammation Research</i> , 2022, Volume 15, 217-233.	3.5	3
2	A pan-cancer analysis of the oncogenic role of Holliday junction recognition protein in human tumors. <i>Open Medicine (Poland)</i> , 2022, 17, 317-328.	1.3	3
3	STAT5A modulates CDYL2/SLC7A6 pathway to inhibit the proliferation and invasion of hepatocellular carcinoma by targeting to mTORC1. <i>Oncogene</i> , 2022, 41, 2492-2504.	5.9	7
4	Blocking CD47 promotes antitumour immunity through CD103+ dendritic cellâ€“NK cell axis in murine hepatocellular carcinoma model. <i>Journal of Hepatology</i> , 2022, 77, 467-478.	3.7	47
5	Liver transplantation for Hepatocellular Carcinoma: A prognostic model incorporating pretransplant inflammatory cytokines. <i>Cytokine</i> , 2022, 153, 155847.	3.2	2
6	Sperm associated antigen 4 promotes SREBP1-mediated de novo lipogenesis via interaction with lamin A/C and contributes to tumor progression in hepatocellular carcinoma. <i>Cancer Letters</i> , 2022, 536, 215642.	7.2	9
7	Culture of patient-derived multicellular clusters in suspended hydrogel capsules for pre-clinical personalized drug screening. <i>Bioactive Materials</i> , 2022, 18, 164-177.	15.6	14
8	Activation of YAP1 by N6-Methyladenosineâ€“Modified circCPSF6 Drives Malignancy in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2022, 82, 599-614.	0.9	51
9	Targeting anillin inhibits tumorigenesis and tumor growth in hepatocellular carcinoma via impairing cytokinesis fidelity. <i>Oncogene</i> , 2022, 41, 3118-3130.	5.9	9
10	Methylation site <i>APC</i> 112043544 as a potential biomarker for post-transplant hepatocellular carcinoma recurrence. <i>Future Oncology</i> , 2022, 18, 2401-2413.	2.4	1
11	The immune profiles and â€œminimizing tacrolimusâ€“strategy for long-term survival recipients after liver transplantation. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 20, 190-192.	1.3	0
12	EAG1 enhances hepatocellular carcinoma proliferation by modulating SKP2 and metastasis through pseudopod formation. <i>Oncogene</i> , 2021, 40, 163-176.	5.9	15
13	Molecular phenotypes reveal heterogeneous engraftments of patient-derived hepatocellular carcinoma xenografts. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2021, 33, 470-479.	2.2	8
14	AG-1024 Sensitizes Sorafenib-Resistant Hepatocellular Carcinoma Cells to Sorafenib via Enhancing G1/S Arrest. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 1049-1059.	2.0	2
15	Severity of early allograft dysfunction following donation after circulatory death liver transplantation: a multicentre study. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 9-19.	1.5	14
16	Nanoparticle formulation of mycophenolate mofetil achieves enhanced efficacy against hepatocellular carcinoma by targeting tumourâ€“associated fibroblast. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3511-3523.	3.6	11
17	Tuning the efficacy of esterase-activatable prodrug nanoparticles for the treatment of colorectal malignancies. <i>Biomaterials</i> , 2021, 270, 120705.	11.4	45
18	B-Cell Receptor-Associated Protein 31 Promotes Metastasis via AKT/Î²-Catenin/Snail Pathway in Hepatocellular Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 656151.	3.5	5

#	ARTICLE	IF	CITATIONS
19	Targeting WEE1 by adavosertib inhibits the malignant phenotypes of hepatocellular carcinoma. <i>Biochemical Pharmacology</i> , 2021, 188, 114494.	4.4	5
20	The effect of SphK1/S1P signaling pathway on hepatic sinus microcirculation in rats with hepatic ischemia-reperfusion injury. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 21, 94-94.	1.3	2
21	Targeting peripheral immune organs with self-assembling prodrug nanoparticles ameliorates allogeneic heart transplant rejection. <i>American Journal of Transplantation</i> , 2021, 21, 3871-3882.	4.7	14
22	Multi-Omics Analysis Reveals Disturbance of Nanosecond Pulsed Electric Field in the Serum Metabolic Spectrum and Gut Microbiota. <i>Frontiers in Microbiology</i> , 2021, 12, 649091.	3.5	1
23	Metabolic Changes of Hepatocytes in NAFLD. <i>Frontiers in Physiology</i> , 2021, 12, 710420.	2.8	46
24	CEUS-Based Radiomics Can Show Changes in Protein Levels in Liver Metastases After Incomplete Thermal Ablation. <i>Frontiers in Oncology</i> , 2021, 11, 694102.	2.8	5
25	Stereotactic body radiation therapy versus radiofrequency ablation in patients with small hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 623-630.	1.5	9
26	VIRMA contributes to non-small cell lung cancer progression via N6-methyladenosine-dependent DAPK3 post-transcriptional modification. <i>Cancer Letters</i> , 2021, 522, 142-154.	7.2	29
27	Hypermethylation of GNA14 and its tumor-suppressive role in hepatitis B virus-related hepatocellular carcinoma. <i>Theranostics</i> , 2021, 11, 2318-2333.	10.0	21
28	The distinct responsiveness of cytokeratin 19-positive hepatocellular carcinoma to regorafenib. <i>Cell Death and Disease</i> , 2021, 12, 1084.	6.3	7
29	Glutamine synthetase promotes tumor invasion in hepatocellular carcinoma through mediating epithelialâ€mesenchymal transition. <i>Hepatology Research</i> , 2020, 50, 246-257.	3.4	19
30	Multiple novel hepatocellular carcinoma signature genes are commonly controlled by the master pluripotency factor OCT4. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 279-295.	4.4	13
31	Protein Profiles of Pretransplant Grafts Predict Early Allograft Dysfunction After Liver Transplantation From Donation After Circulatory Death. <i>Transplantation</i> , 2020, 104, 79-89.	1.0	7
32	Metabonomic Profile of Macrosteatotic Allografts for Orthotopic Liver Transplantation in Patients With Initial Poor Function: Mechanistic Investigation and Prognostic Prediction. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 826.	3.7	5
33	A novel role for farnesoid X receptor in the bile acidâ€mediated intestinal glucose homeostasis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 12848-12861.	3.6	13
34	The Similar Effects of miR-512-3p and miR-519a-2-5p on the Promotion of Hepatocellular Carcinoma: Different Tunes Sung With Equal Skill. <i>Frontiers in Oncology</i> , 2020, 10, 1244.	2.8	9
35	ALKBH5 suppresses malignancy of hepatocellular carcinoma via m6A-guided epigenetic inhibition of LYPD1. <i>Molecular Cancer</i> , 2020, 19, 123.	19.2	170
36	Target-oriented delivery of self-assembled immunosuppressant cocktails prolongs allogeneic orthotopic liver transplant survival. <i>Journal of Controlled Release</i> , 2020, 328, 237-250.	9.9	29

#	ARTICLE	IF	CITATIONS
37	Recipient gender and body mass index are associated with early acute rejection in donation after cardiac death liver transplantation. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 100004.	1.5	2
38	A Systematic Review and Meta-Analysis of Machine Perfusion vs. Static Cold Storage of Liver Allografts on Liver Transplantation Outcomes: The Future Direction of Graft Preservation. <i>Frontiers in Medicine</i> , 2020, 7, 135.	2.6	30
39	Delivery of microRNA-33 Antagomirs by Mesoporous Silica Nanoparticles to Ameliorate Lipid Metabolic Disorders. <i>Frontiers in Pharmacology</i> , 2020, 11, 921.	3.5	8
40	Synergistic interaction between thioredoxin inhibitor 1-methylpropyl 2-imidazolyl disulfide and sorafenib in liver cancer cells. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2020, 19, 295-298.	1.3	0
41	A two-circular RNA signature of donor circFOXN2 and circNECTIN3 predicts early allograft dysfunction after liver transplantation. <i>Annals of Translational Medicine</i> , 2020, 8, 94-94.	1.7	7
42	The circFASN/miR-33a pathway participates in tacrolimus-induced dysregulation of hepatic triglyceride homeostasis. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 23.	17.1	19
43	Generation of ZJUi003-A, an induced pluripotent stem cell line from a Wilson's disease patient carrying a c.180_181del mutation in ATP7B gene. <i>Stem Cell Research</i> , 2020, 46, 101873.	0.7	0
44	Dimerization-induced self-assembly of a redox-responsive prodrug into nanoparticles for improved therapeutic index. <i>Acta Biomaterialia</i> , 2020, 113, 464-477.	8.3	31
45	Macrovascular Endothelial Cells Enhance the Motility of Liver Cancer Cells by Up-regulation of MMP-3, Activation of Integrin/FAK Signaling Pathway and Induction of Non-classical Epithelial-mesenchymal Transition. <i>Journal of Cancer</i> , 2020, 11, 2044-2059.	2.5	9
46	The chromosome 19 microRNA cluster, regulated by promoter hypomethylation, is associated with tumour burden and poor prognosis in patients with hepatocellular carcinoma. <i>Journal of Cellular Physiology</i> , 2020, 235, 6103-6112.	4.1	11
47	Identification of HO-1 as a novel biomarker for graft acute cellular rejection and prognosis prediction after liver transplantation. <i>Annals of Translational Medicine</i> , 2020, 8, 221-221.	1.7	8
48	ZNF143-Mediated H3K9 Trimethylation Upregulates CDC6 by Activating MDIG in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2020, 80, 2599-2611.	0.9	30
49	DNA methylation of SOCS1/2/3 predicts hepatocellular carcinoma recurrence after liver transplantation. <i>Molecular Biology Reports</i> , 2020, 47, 1773-1782.	2.3	11
50	SOCS1 blocks G1-S transition in hepatocellular carcinoma by reducing the stability of the CyclinD1/CDK4 complex in the nucleus. <i>Aging</i> , 2020, 12, 3962-3975.	3.1	12
51	Combination of HSP90 and autophagy inhibitors promotes hepatocellular carcinoma apoptosis following incomplete thermal ablation. <i>Molecular Medicine Reports</i> , 2020, 22, 337-343.	2.4	6
52	EPS8L3 promotes hepatocellular carcinoma proliferation and metastasis by modulating EGFR dimerization and internalization. <i>American Journal of Cancer Research</i> , 2020, 10, 60-77.	1.4	4
53	Y-320, a novel immune-modulator, sensitizes multidrug-resistant tumors to chemotherapy. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 551-562.	0.0	4
54	pSTAT3 Y705 is a prognostic biomarker identified from time-series gene expression profiles of a chemically induced mouse model of hepatocellular carcinoma. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 1443-1458.	0.0	0

#	ARTICLE	IF	CITATIONS
55	Endoplasmic reticulum stress triggers delanzomib-induced apoptosis in HCC cells through the PERK/eIF2 β /ATF4/CHOP pathway. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 2875-2889.	0.0	4
56	Gut microbiome analysis as a tool towards targeted non-invasive biomarkers for early hepatocellular carcinoma. <i>Gut</i> , 2019, 68, 1014-1023.	12.1	498
57	Mixed adenoendocrine carcinoma in the extrahepatic biliary tract: A case report and literature review. <i>Oncology Letters</i> , 2019, 18, 1585-1596.	1.8	10
58	miR-424-5p represses the metastasis and invasion of intrahepatic cholangiocarcinoma by targeting ARK5. <i>International Journal of Biological Sciences</i> , 2019, 15, 1591-1599.	6.4	53
59	A prognostic fingerprint in liver transplantation for hepatocellular carcinoma based on plasma metabolomics profiling. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2347-2352.	1.0	16
60	MSC-triggered metabolomic alterations in liver-resident immune cells isolated from CCl4-induced mouse ALI model. <i>Experimental Cell Research</i> , 2019, 383, 111511.	2.6	11
61	Combined kidney& liver perfusion enhances the proliferation effects of hypothermic perfusion on liver grafts via upregulation of IL6/Stat3 signaling. <i>Molecular Medicine Reports</i> , 2019, 20, 1663-1671.	2.4	0
62	COL6A1 promotes metastasis and predicts poor prognosis in patients with pancreatic cancer. <i>International Journal of Oncology</i> , 2019, 55, 391-404.	3.3	28
63	TCF12 promotes the tumorigenesis and metastasis of hepatocellular carcinoma via upregulation of CXCR4 expression. <i>Theranostics</i> , 2019, 9, 5810-5827.	10.0	57
64	MRC-5 Cancer-associated Fibroblasts Influence Production of Cancer Stem Cell Markers and Inflammation-associated Cell Surface Molecules, in Liver Cancer Cell Lines. <i>International Journal of Medical Sciences</i> , 2019, 16, 1157-1170.	2.5	10
65	WTAP facilitates progression of hepatocellular carcinoma via m6A-HuR-dependent epigenetic silencing of ETS1. <i>Molecular Cancer</i> , 2019, 18, 127.	19.2	400
66	The Combination Strategy of Transarterial Chemoembolization and Radiofrequency Ablation or Microwave Ablation against Hepatocellular Carcinoma. <i>Analytical Cellular Pathology</i> , 2019, 2019, 1-7.	1.4	38
67	Retinoblastoma binding protein 4 up-regulation is correlated with hepatic metastasis and poor prognosis in colon cancer patients. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 446-451.	1.3	16
68	Rpn10 promotes tumor progression by regulating hypoxia-inducible factor 1 alpha through the PTEN/Akt signaling pathway in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 447, 1-11.	7.2	19
69	Upregulated expression of HOXB7 in intrahepatic cholangiocarcinoma is associated with tumor cell metastasis and poor prognosis. <i>Laboratory Investigation</i> , 2019, 99, 736-748.	3.7	14
70	Exosome-derived galectin-9 may be a novel predictor of rejection and prognosis after liver transplantation. <i>Journal of Zhejiang University: Science B</i> , 2019, 20, 605-612.	2.8	13
71	A promising ex vivo liver protection strategy: machine perfusion and repair. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 142-143.	1.5	2
72	High Expression of Human AugminComplex Submit 3 Indicates Poor Prognosis and Associates with Tumor Progression in Hepatocellular Carcinoma. <i>Journal of Cancer</i> , 2019, 10, 1434-1443.	2.5	12

#	ARTICLE	IF	CITATIONS
73	A risk assessment model of acute liver allograft rejection by genetic polymorphism of <i>CD276</i> . <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e689.	1.2	6
74	Survival comparison between primary hepatic neuroendocrine neoplasms and primary pancreatic neuroendocrine neoplasms and the analysis on prognosis-related factors. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 538-545.	1.3	12
75	Structural shifts in the intestinal microbiota of rats treated with cyclosporine A after orthotopic liver transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 451-460.	3.4	16
76	Preoperative risk stratification for early recurrence of HBV-related hepatocellular carcinoma after deceased donor liver transplantation: a five-eight model development and validation. <i>BMC Cancer</i> , 2019, 19, 1136.	2.6	8
77	Galectin-1 attenuates hepatic ischemia reperfusion injury in mice. <i>International Immunopharmacology</i> , 2019, 77, 105997.	3.8	5
78	Revival of a potent therapeutic maytansinoid agent using a strategy that combines covalent drug conjugation with sequential nanoparticle assembly. <i>International Journal of Pharmaceutics</i> , 2019, 556, 159-171.	5.2	8
79	Heat shock protein expression and autophagy after incomplete thermal ablation and their correlation. <i>International Journal of Hyperthermia</i> , 2019, 36, 95-103.	2.5	19
80	Graft protection of the liver by hypothermic machine perfusion involves recovery of graft regeneration in rats. <i>Journal of International Medical Research</i> , 2019, 47, 427-437.	1.0	5
81	lncRNA DRHC inhibits proliferation and invasion in hepatocellular carcinoma via <i>Myb</i> -regulated MEK/ERK signaling. <i>Molecular Carcinogenesis</i> , 2019, 58, 366-375.	2.7	18
82	Prediction of Early Recurrence of Hepatocellular Carcinoma in Patients with Cirrhosis Who Had Received Deceased Donor Liver Transplantation: A Multicenter Study. <i>Annals of Transplantation</i> , 2019, 24, 489-498.	0.9	3
83	LY2228820 induces synergistic anti-cancer effects with anti-microtubule chemotherapeutic agents independent of P-glycoprotein in multidrug resistant cancer cells. <i>American Journal of Cancer Research</i> , 2019, 9, 2216-2232.	1.4	1
84	Genome-wide CRISPR screen reveals SGOL1 as a druggable target of sorafenib-treated hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2018, 98, 734-744.	3.7	40
85	The association between donor genetic variations in one-carbon metabolism pathway genes and hepatitis B recurrence after liver transplantation. <i>Gene</i> , 2018, 663, 121-125.	2.2	10
86	Enhancing the Efficacy and Safety of Doxorubicin against Hepatocellular Carcinoma through a Modular Assembly Approach: The Combination of Polymeric Prodrug Design, Nanoparticle Encapsulation, and Cancer Cell-Specific Drug Targeting. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 3229-3240.	8.0	45
87	H2A.Z regulates tumorigenesis, metastasis and sensitivity to cisplatin in intrahepatic cholangiocarcinoma. <i>International Journal of Oncology</i> , 2018, 52, 1235-1245.	3.3	13
88	Long noncoding RNA HOTTIP expression predicts tumor recurrence in hepatocellular carcinoma patients following liver transplantation. <i>Hepatobiliary Surgery and Nutrition</i> , 2018, 7, 429-439.	1.5	16
89	The HDAC Inhibitor Quisinostat (JNJ-26481585) Suppresses Hepatocellular Carcinoma alone and Synergistically in Combination with Sorafenib by G0/G1 phase arrest and Apoptosis induction. <i>International Journal of Biological Sciences</i> , 2018, 14, 1845-1858.	6.4	28
90	The role of cancer-associated fibroblast MRC-5 in pancreatic cancer. <i>Journal of Cancer</i> , 2018, 9, 614-628.	2.5	13

#	ARTICLE	IF	CITATIONS
91	High Expression of ITGA3 Promotes Proliferation and Cell Cycle Progression and Indicates Poor Prognosis in Intrahepatic Cholangiocarcinoma. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	28
92	Partial Inhibition of HO-1 Attenuates HMP-Induced Hepatic Regeneration against Liver Injury in Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-11.	4.0	11
93	Poly lactide-tethered prodrugs in polymeric nanoparticles as reliable nanomedicines for the efficient eradication of patient-derived hepatocellular carcinoma. <i>Theranostics</i> , 2018, 8, 3949-3963.	10.0	57
94	MCM family in HCC: MCM6 indicates adverse tumor features and poor outcomes and promotes S/G2 cell cycle progression. <i>BMC Cancer</i> , 2018, 18, 200.	2.6	99
95	17-beta-hydroxysteroid dehydrogenase 13 inhibits the progression and recurrence of hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 220-226.	1.3	23
96	Implementing an innovated liver ex-situ machine perfusion technology: The 2018 Joint International Congress of ILTS, ELITA and LICAGE. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 283-285.	1.3	0
97	Metallothionein 1 family profiling identifies MT1X as a tumor suppressor involved in the progression and metastatic capacity of hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2018, 57, 1435-1444.	2.7	27
98	MicroRNA-424 expression predicts tumor recurrence in patients with hepatocellular carcinoma following liver transplantation. <i>Oncology Letters</i> , 2018, 15, 9126-9132.	1.8	9
99	Optimal immunosuppressor induces stable gut microbiota after liver transplantation. <i>World Journal of Gastroenterology</i> , 2018, 24, 3871-3883.	3.3	31
100	Overexpression of CXCL2 inhibits cell proliferation and promotes apoptosis in hepatocellular carcinoma. <i>BMB Reports</i> , 2018, 51, 630-635.	2.4	41
101	Cabazitaxel, a novel chemotherapeutic alternative for drug-resistant hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , 2018, 8, 1297-1306.	1.4	12
102	Prediction of CD16 Monocyte in Acute Rejection after Liver Transplantation. <i>Annals of Clinical and Laboratory Science</i> , 2018, 48, 328-332.	0.2	2
103	Downregulation of AZGP1 by Ikaros and histone deacetylase promotes tumor progression through the PTEN/Akt and CD44s pathways in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2017, 38, bgw125.	2.8	24
104	Cancer-associated fibroblasts promote M2 polarization of macrophages in pancreatic ductal adenocarcinoma. <i>Cancer Medicine</i> , 2017, 6, 463-470.	2.8	135
105	Precise Engineering of Prodrug Cocktails into Single Polymeric Nanoparticles for Combination Cancer Therapy: Extended and Sequentially Controllable Drug Release. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 10567-10576.	8.0	50
106	Metformin potentiates the effect of arsenic trioxide suppressing intrahepatic cholangiocarcinoma: roles of p38 MAPK, ERK3, and mTORC1. <i>Journal of Hematology and Oncology</i> , 2017, 10, 59.	17.0	67
107	USP22 mediates the multidrug resistance of hepatocellular carcinoma via the SIRT1/AKT/MRP1 signaling pathway. <i>Molecular Oncology</i> , 2017, 11, 682-695.	4.6	79
108	14-3-3 β downregulation suppresses ICC metastasis via impairing migration, invasion, and anoikis resistance of ICC cells. <i>Cancer Biomarkers</i> , 2017, 19, 313-325.	1.7	5

#	ARTICLE	IF	CITATIONS
109	The local liver ablation with pulsed electric field stimulate systemic immune reaction against hepatocellular carcinoma (HCC) with time-dependent cytokine profile. <i>Cytokine</i> , 2017, 93, 44-50.	3.2	26
110	Dysfunction of IKZF1/MYC/MDIG axis contributes to liver cancer progression through regulating H3K9me3/p21 activity. <i>Cell Death and Disease</i> , 2017, 8, e2766-e2766.	6.3	33
111	Fibrinogen and Dâ€dimer levels elevate in advanced hepatocellular carcinoma: High pretreatment fibrinogen levels predict poor outcomes. <i>Hepatology Research</i> , 2017, 47, 1108-1117.	3.4	28
112	HINT2 triggers mitochondrial Ca ²⁺ influx by regulating the mitochondrial Ca ²⁺ uniporter (MCU) complex and enhances gemcitabine apoptotic effect in pancreatic cancer. <i>Cancer Letters</i> , 2017, 411, 106-116.	7.2	51
113	New Generation Nanomedicines Constructed from Self-Assembling Small-Molecule Prodrugs Alleviate Cancer Drug Toxicity. <i>Cancer Research</i> , 2017, 77, 6963-6974.	0.9	128
114	Pseudogene PDIA3P1 promotes cell proliferation, migration and invasion, and suppresses apoptosis in hepatocellular carcinoma by regulating the p53 pathway. <i>Cancer Letters</i> , 2017, 407, 76-83.	7.2	55
115	Prognostic value of Rho GDP dissociation inhibitors in patients with hepatocellular carcinoma following liver transplantation. <i>Oncology Letters</i> , 2017, 14, 1395-1402.	1.8	0
116	Parkin targets HIF-1 α for ubiquitination and degradation to inhibit breast tumor progression. <i>Nature Communications</i> , 2017, 8, 1823.	12.8	151
117	Over Expression of Long Non-Coding RNA PANDA Promotes Hepatocellular Carcinoma by Inhibiting Senescence Associated Inflammatory Factor IL8. <i>Scientific Reports</i> , 2017, 7, 4186.	3.3	25
118	Metformin ameliorates arsenic trioxide hepatotoxicity via inhibiting mitochondrial complex I. <i>Cell Death and Disease</i> , 2017, 8, e3159-e3159.	6.3	48
119	Baicalin Ameliorates Experimental Liver Cholestasis in Mice by Modulation of Oxidative Stress, Inflammation, and NRF2 Transcription Factor. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-11.	4.0	48
120	TFCP2 Genetic Polymorphism Is Associated with Predisposition to and Transplant Prognosis of Hepatocellular Carcinoma. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-8.	1.5	3
121	KCTD11 inhibits growth and metastasis of hepatocellular carcinoma through activating Hippo signaling. <i>Oncotarget</i> , 2017, 8, 37717-37729.	1.8	15
122	The prognostic relevance of primary tumor location in patients undergoing resection for pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 15159-15167.	1.8	39
123	Gut microbial profile analysis by MiSeq sequencing of pancreatic carcinoma patients in China. <i>Oncotarget</i> , 2017, 8, 95176-95191.	1.8	160
124	CR6-interacting factor 1 inhibits invasiveness by suppressing TGF- β -mediated epithelial-mesenchymal transition in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 94759-94768.	1.8	6
125	Mitofusin-2 mediated mitochondrial Ca ²⁺ uptake 1/2 induced liver injury in rat remote ischemic preconditioning liver transplantation and alpha mouse liver-12 hypoxia cell line models. <i>World Journal of Gastroenterology</i> , 2017, 23, 6995-7008.	3.3	5
126	Remote ischemic preconditioning prevents liver transplantation-induced ischemia/reperfusion injury in rats: Role of ROS/RNS and eNOS. <i>World Journal of Gastroenterology</i> , 2017, 23, 830.	3.3	27

#	ARTICLE	IF	CITATIONS
127	Global proteomic profiling in multistep hepatocarcinogenesis and identification of PARP1 as a novel molecular marker in hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 13730-13741.	1.8	17
128	Expression and Clinical Significance of the Novel Long Noncoding RNA ZNF674-AS1 in Human Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2016, 2016, 1-5.	1.9	12
129	Ras-related associated with diabetes gene acts as a suppressor and inhibits Warburg effect in hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 3925-3937.	2.0	14
130	Expression and Critical Role of Interleukin Enhancer Binding Factor 2 in Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1373.	4.1	24
131	Downregulation of HDAC6 promotes angiogenesis in hepatocellular carcinoma cells and predicts poor prognosis in liver transplantation patients. <i>Molecular Carcinogenesis</i> , 2016, 55, 1024-1033.	2.7	40
132	The phospholipase A2 activity of peroxiredoxin 6 promotes cancer cell death induced by tumor necrosis factor alpha in hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2016, 55, 1299-1308.	2.7	22
133	Donor miR-196a polymorphism is associated with hepatocellular carcinoma recurrence after liver transplantation in a Han Chinese population. <i>International Journal of Cancer</i> , 2016, 138, 620-629.	5.1	26
134	CXCL3 contributes to CD133+ CSCs maintenance and forms a positive feedback regulation loop with CD133 in HCC via Erk1/2 phosphorylation. <i>Scientific Reports</i> , 2016, 6, 27426.	3.3	47
135	Mesenchymal stem cells improve mouse non-heart-beating liver graft survival by inhibiting Kupffer cell apoptosis via TLR4-ERK1/2-Fas/FasL-caspase3 pathway regulation. <i>Stem Cell Research and Therapy</i> , 2016, 7, 157.	5.5	31
136	Enucleation versus Anatomic Resection for Giant Hepatic Hemangioma: A Meta-Analysis. <i>Gastrointestinal Tumors</i> , 2016, 3, 153-162.	0.7	22
137	Solanine-induced reactive oxygen species inhibit the growth of human hepatocellular carcinoma HepG2 cells. <i>Oncology Letters</i> , 2016, 11, 2145-2151.	1.8	24
138	TAZ regulates cell proliferation and sensitivity to vitamin D3 in intrahepatic cholangiocarcinoma. <i>Cancer Letters</i> , 2016, 381, 370-379.	7.2	22
139	In-vivo organ engineering: Perfusion of hepatocytes in a single liver lobe scaffold of living rats. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 80, 124-131.	2.8	18
140	The suppressor of cytokine signaling 2 (SOCS2) inhibits tumor metastasis in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 13521-13531.	1.8	40
141	MicroRNA-761 is upregulated in hepatocellular carcinoma and regulates tumorigenesis by targeting Mitofusin2. <i>Cancer Science</i> , 2016, 107, 424-432.	3.9	64
142	Downregulation of Peptidylprolyl isomerase A promotes cell death and enhances doxorubicin-induced apoptosis in hepatocellular carcinoma. <i>Gene</i> , 2016, 591, 236-244.	2.2	23
143	Nanosecond pulsed electric field (nsPEF) enhance cytotoxicity of cisplatin to hepatocellular cells by microdomain disruption on plasma membrane. <i>Experimental Cell Research</i> , 2016, 346, 233-240.	2.6	12
144	iRGD-Decorated Polymeric Nanoparticles for the Efficient Delivery of Vandetanib to Hepatocellular Carcinoma: Preparation and in Vitro and in Vivo Evaluation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 19228-19237.	8.0	73

#	ARTICLE	IF	CITATIONS
145	Therapeutic efficacy and safety of S-1-based combination therapy compare with S-1 monotherapy following gemcitabine failure in pancreatic cancer: a meta-analysis. <i>Scientific Reports</i> , 2016, 6, 36944.	3.3	0
146	miRNA profiles in livers with different mass deficits after partial hepatectomy and miR-106b~25 cluster accelerating hepatocyte proliferation in rats. <i>Scientific Reports</i> , 2016, 6, 31267.	3.3	13
147	Cytokine and human leukocyte antigen (HLA) profile for graft-versus-host disease (GVHD) after organ transplantation. <i>European Journal of Medical Research</i> , 2016, 21, 38.	2.2	5
148	New-onset diabetes after liver transplantation: a national report from China Liver Transplant Registry. <i>Liver International</i> , 2016, 36, 705-712.	3.9	39
149	Rational design of multifunctional small-molecule prodrugs for simultaneous suppression of cancer cell growth and metastasis in vitro and in vivo. <i>Chemical Communications</i> , 2016, 52, 5601-5604.	4.1	28
150	Coding-noncoding gene expression in intrahepatic cholangiocarcinoma. <i>Translational Research</i> , 2016, 168, 107-121.	5.0	35
151	Liver transplantation for hepatocellular carcinoma beyond the Milan criteria. <i>Gut</i> , 2016, 65, 1035-1041.	12.1	169
152	MicroRNA-452 promotes stem-like cells of hepatocellular carcinoma by inhibiting Sox7 involving Wnt/ β -catenin signaling pathway. <i>Oncotarget</i> , 2016, 7, 28000-28012.	1.8	62
153	Central pancreatectomy for pancreatic schwannoma: A case report and literature review. <i>World Journal of Gastroenterology</i> , 2016, 22, 8439.	3.3	15
154	Synchronous occurrence of a hepatic myelolipoma and two hepatocellular carcinomas. <i>World Journal of Gastroenterology</i> , 2016, 22, 9654.	3.3	6
155	Schwannoma in the hepatoduodenal ligament: A case report and literature review. <i>World Journal of Gastroenterology</i> , 2016, 22, 10260.	3.3	10
156	Efficacy and Safety of a Steroid-Free Immunosuppressive Regimen after Liver Transplantation for Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2016, 10, 604-610.	2.9	13
157	Self-Assembling Prodrugs by Precise Programming of Molecular Structures that Contribute Distinct Stability, Pharmacokinetics, and Antitumor Efficacy. <i>Advanced Functional Materials</i> , 2015, 25, 4956-4965.	14.9	125
158	Electric Ablation with Irreversible Electroporation (IRE) in Vital Hepatic Structures and Follow-up Investigation. <i>Scientific Reports</i> , 2015, 5, 16233.	3.3	35
159	IL-15 is decreased upon CsA and FK506 treatment of acute rejection following heart transplantation in mice. <i>Molecular Medicine Reports</i> , 2015, 11, 37-42.	2.4	10
160	MRC-5 fibroblast-conditioned medium influences multiple pathways regulating invasion, migration, proliferation, and apoptosis in hepatocellular carcinoma. <i>Journal of Translational Medicine</i> , 2015, 13, 237.	4.4	30
161	Influence of perfusate on liver viability during hypothermic machine perfusion. <i>World Journal of Gastroenterology</i> , 2015, 21, 8848.	3.3	16
162	Protective Effect of Remote Limb Ischemic Preconditioning on the Liver Grafts of Rats with a Novel Model. <i>PLoS ONE</i> , 2015, 10, e0121972.	2.5	16

#	ARTICLE	IF	CITATIONS
163	Epigallocatechin 3-Gallate Ameliorates Bile Duct Ligation Induced Liver Injury in Mice by Modulation of Mitochondrial Oxidative Stress and Inflammation. <i>PLoS ONE</i> , 2015, 10, e0126278.	2.5	37
164	Association between epidermal growth factor gene +61A/G polymorphism and the risk of hepatocellular carcinoma: a meta-analysis based on 16 studies. <i>BMC Cancer</i> , 2015, 15, 314.	2.6	23
165	Mitofusin-2 triggers mitochondria Ca ²⁺ influx from the endoplasmic reticulum to induce apoptosis in hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2015, 358, 47-58.	7.2	101
166	The effect of secondary cholestasis on the CD68-positive and CD163-positive macrophage population, cellular proliferation, and apoptosis in rat testis. <i>Journal of Reproductive Immunology</i> , 2015, 110, 36-47.	1.9	8
167	Serum DLK1 is a potential prognostic biomarker in patients with hepatocellular carcinoma. <i>Tumor Biology</i> , 2015, 36, 8399-8404.	1.8	16
168	Long non-coding RNA PVT1 is associated with tumor progression and predicts recurrence in hepatocellular carcinoma patients. <i>Oncology Letters</i> , 2015, 9, 955-963.	1.8	114
169	Serum carcinoembryonic antigen and carbohydrate antigen 19-9 for prediction of malignancy and invasiveness in intraductal papillary mucinous neoplasms of the pancreas: A meta-analysis. <i>Biomedical Reports</i> , 2015, 3, 43-50.	2.0	61
170	Innate immune evasion by hepatitis B virus-mediated downregulation of TRIF. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 719-725.	2.1	16
171	Differences in antiproliferative effect of STAT3 inhibition in HCC cells with versus without HBV expression. <i>Biochemical and Biophysical Research Communications</i> , 2015, 461, 513-518.	2.1	6
172	Characterization of genome-wide TFCP2 targets in hepatocellular carcinoma: implication of targets FN1 and TJP1 in metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 6.	8.6	27
173	Hypoxia-inducible MiR-182 promotes angiogenesis by targeting RASA1 in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 67.	8.6	60
174	Polymorphisms of FGFR1 in HBV-related hepatocellular carcinoma. <i>Tumor Biology</i> , 2015, 36, 8881-8886.	1.8	1
175	Diagnostic Value of Preoperative Needle Biopsy for Tumor Grading Assessment in Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0144216.	2.5	12
176	Î³-H2AX promotes hepatocellular carcinoma angiogenesis via EGFR/HIF-1Î±/VEGF pathways under hypoxic condition. <i>Oncotarget</i> , 2015, 6, 2180-2192.	1.8	33
177	BCL6B expression in hepatocellular carcinoma and its efficacy in the inhibition of liver damage and fibrogenesis. <i>Oncotarget</i> , 2015, 6, 20252-20265.	1.8	13
178	Orosomucoid 2 inhibits tumor metastasis and is upregulated by CCAAT/enhancer binding protein Î² in hepatocellular carcinomas. <i>Oncotarget</i> , 2015, 6, 16106-16119.	1.8	30
179	An isocorydine derivative (d-ICD) inhibits drug resistance by downregulating IGF2BP3 expression in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 25149-25160.	1.8	33
180	Association of RNF43 with cell cycle proteins involved in p53 pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 14995-5000.	0.5	3

#	ARTICLE	IF	CITATIONS
181	ZIP4, a Novel Determinant of Tumor Invasion in Hepatocellular Carcinoma, Contributes to Tumor Recurrence after Liver Transplantation. <i>International Journal of Biological Sciences</i> , 2014, 10, 245-256.	6.4	36
182	Single Nucleotide Polymorphisms in the Metastasis-associated in Colon Cancer-1 Gene Predict the Recurrence of Hepatocellular Carcinoma after Transplantation. <i>International Journal of Medical Sciences</i> , 2014, 11, 142-150.	2.5	22
183	Role of overexpression of MACC1 and/or FAK in predicting prognosis of hepatocellular carcinoma after liver transplantation. <i>International Journal of Medical Sciences</i> , 2014, 11, 268-275.	2.5	17
184	Inhibitory effects of transcription factor Ikaros on the expression of liver cancer stem cell marker CD133 in hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 10621-10635.	1.8	41
185	BAG3 regulates epithelial-mesenchymal transition and angiogenesis in human hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2014, 94, 252-261.	3.7	44
186	First case report of isolated penile mucormycosis in a liver transplantation recipient. <i>International Journal of Infectious Diseases</i> , 2014, 29, 208-210.	3.3	6
187	Long Non-Coding RNA HOTAIR Promotes Cell Migration and Invasion via Down-Regulation of RNA Binding Motif Protein 38 in Hepatocellular Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2014, 15, 4060-4076.	4.1	150
188	BAG3 and HIF-1 α Coexpression Detected by Immunohistochemistry Correlated with Prognosis in Hepatocellular Carcinoma after Liver Transplantation. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	20
189	A Critical Role for ZDHHC2 in Metastasis and Recurrence in Human Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	22
190	Structure-Based Rational Design of Prodrugs To Enable Their Combination with Polymeric Nanoparticle Delivery Platforms for Enhanced Antitumor Efficacy. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11532-11537.	13.8	83
191	Deoxycholic acid-modified chito oligosaccharide/mPEG-PDLLA mixed micelles loaded with paclitaxel for enhanced antitumor efficacy. <i>International Journal of Pharmaceutics</i> , 2014, 475, 60-68.	5.2	39
192	Proteomics-based identification of the tumor suppressor role of aminoacylase 1 in hepatocellular carcinoma. <i>Cancer Letters</i> , 2014, 351, 117-125.	7.2	21
193	Nanosecond pulsed electric field (nsPEF) treatment for hepatocellular carcinoma: A novel locoregional ablation decreasing lung metastasis. <i>Cancer Letters</i> , 2014, 346, 285-291.	7.2	62
194	The influence of a contemporaneous portal and hepatic artery revascularization protocol on biliary complications after liver transplantation. <i>Surgery</i> , 2014, 155, 190-195.	1.9	15
195	MHC-mismatched mice liver transplantation promotes tumor growth in liver graft. <i>Cancer Letters</i> , 2014, 351, 162-171.	7.2	4
196	Human heat shock protein 27 exacerbates ischemia reperfusion injury in rats by reducing the number of T regulatory cells. <i>Molecular Medicine Reports</i> , 2014, 9, 1998-2002.	2.4	3
197	Comparative Study of Nanosecond Electric Fields In Vitro and In Vivo on Hepatocellular Carcinoma Indicate Macrophage Infiltration Contribute to Tumor Ablation In Vivo. <i>PLoS ONE</i> , 2014, 9, e86421.	2.5	33
198	The Stratifying Value of Hangzhou Criteria in Liver Transplantation for Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e93128.	2.5	31

#	ARTICLE	IF	CITATIONS
199	MiR-152 May Silence Translation of CaMK II and Induce Spontaneous Immune Tolerance in Mouse Liver Transplantation. PLoS ONE, 2014, 9, e105096.	2.5	13
200	Doxorubicin-eluting bead versus conventional TACE for unresectable hepatocellular carcinoma: a meta-analysis. Hepato-Gastroenterology, 2013, 60, 813-20.	0.5	49
201	Evaluation of hepatitis B viral replication and proteomic analysis of HepG2.2.15 cell line after knockdown of HBx. Hepatobiliary and Pancreatic Diseases International, 2011, 10, 295-302.	1.3	12
202	Triiodothyronine enhances liver regeneration after living donor liver transplantation in rats. Journal of Hepato-Biliary-Pancreatic Sciences, 2011, 18, 806-814.	2.6	11
203	Evaluation of hepatitis B virus replication and proteomic analysis of HepG2.2.15 cell line after cyclosporine A treatment. Acta Pharmacologica Sinica, 2007, 28, 975-984.	6.1	24
204	Infusion of nonmyeloablative bone marrow alleviates acute rejection reaction in liver allotransplantation. Journal of Zhejiang University: Science B, 2005, 6, 1188-1194.	2.8	2