

Caitriona M O'driscoll

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5705391/publications.pdf>

Version: 2024-02-01

114
papers

6,175
citations

53789

45
h-index

76898

74
g-index

119
all docs

119
docs citations

119
times ranked

7894
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipid-based formulations for intestinal lymphatic delivery. <i>European Journal of Pharmaceutical Sciences</i> , 2002, 15, 405-415.	4.0	332
2	PEGylated gold nanoparticles: polymer quantification as a function of PEG lengths and nanoparticle dimensions. <i>RSC Advances</i> , 2013, 3, 6085-6094.	3.6	262
3	Biopharmaceutical challenges associated with drugs with low aqueous solubility—The potential impact of lipid-based formulations. <i>Advanced Drug Delivery Reviews</i> , 2008, 60, 617-624.	13.7	252
4	Comparison of drug transporter gene expression and functionality in Caco-2 cells from 10 different laboratories. <i>European Journal of Pharmaceutical Sciences</i> , 2008, 35, 383-396.	4.0	220
5	Lipid-based nanocarriers for oral peptide delivery. <i>Advanced Drug Delivery Reviews</i> , 2016, 106, 337-354.	13.7	204
6	Gold nanoparticles enlighten the future of cancer theranostics. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 6131-6152.	6.7	202
7	Life in 3D is never flat: 3D models to optimise drug delivery. <i>Journal of Controlled Release</i> , 2015, 215, 39-54.	9.9	184
8	The blood-brain barrier in aging and neurodegeneration. <i>Molecular Psychiatry</i> , 2022, 27, 2659-2673.	7.9	141
9	Cell transfection with polycationic cyclodextrin vectors. <i>European Journal of Pharmaceutical Sciences</i> , 2004, 21, 625-633.	4.0	135
10	Anisamide-targeted cyclodextrin nanoparticles for siRNA delivery to prostate tumours in mice. <i>Biomaterials</i> , 2012, 33, 7775-7784.	11.4	115
11	Comparison of in vitro tests at various levels of complexity for the prediction of in vivo performance of lipid-based formulations: Case studies with fenofibrate. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2014, 86, 427-437.	4.3	111
12	Pattern recognition receptors—Molecular orchestrators of inflammation in inflammatory bowel disease. <i>Cytokine and Growth Factor Reviews</i> , 2013, 24, 91-104.	7.2	106
13	Intestinal delivery of non-viral gene therapeutics: physiological barriers and preclinical models. <i>Drug Discovery Today</i> , 2011, 16, 203-218.	6.4	103
14	Can non-viral technologies knockdown the barriers to siRNA delivery and achieve the next generation of cancer therapeutics?. <i>Biotechnology Advances</i> , 2011, 29, 402-417.	11.7	98
15	Self-assembling Modified β -Cyclodextrin Nanoparticles as Neuronal siRNA Delivery Vectors: Focus on Huntington's Disease. <i>Molecular Pharmaceutics</i> , 2013, 10, 640-649.	4.6	98
16	The use of collagen-based scaffolds to simulate prostate cancer bone metastases with potential for evaluating delivery of nanoparticulate gene therapeutics. <i>Biomaterials</i> , 2015, 66, 53-66.	11.4	90
17	Nanoparticles and the Blood-Brain Barrier: Advancing from In-Vitro Models Towards Therapeutic Significance. <i>Pharmaceutical Research</i> , 2015, 32, 1161-1185.	3.5	90
18	Evaluation of Cellular Uptake and Gene Transfer Efficiency of Pegylated Poly-L-lysine Compacted DNA: Implications for Cancer Gene Therapy. <i>Molecular Pharmaceutics</i> , 2006, 3, 644-653.	4.6	88

#	ARTICLE	IF	CITATIONS
19	Current challenges and future perspectives in oral absorption research: An opinion of the UNGAP network. <i>Advanced Drug Delivery Reviews</i> , 2021, 171, 289-331.	13.7	84
20	Pharmacokinetic, pharmacodynamic and biodistribution following oral administration of nanocarriers containing peptide and protein drugs. <i>Advanced Drug Delivery Reviews</i> , 2016, 106, 367-380.	13.7	83
21	Systemic delivery of therapeutic small interfering RNA using a pH-triggered amphiphilic poly-L-lysine nanocarrier to suppress prostate cancer growth in mice. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 45, 521-532.	4.0	79
22	Food for thought: formulating away the food effect – a PEARL review. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 510-535.	2.4	75
23	Mechanistic studies on the uptake and intracellular trafficking of novel cyclodextrin transfection complexes by intestinal epithelial cells. <i>International Journal of Pharmaceutics</i> , 2011, 413, 174-183.	5.2	73
24	The therapeutic and diagnostic potential of the prostate specific membrane antigen/glutamate carboxypeptidase II (PSMA/GCPII) in cancer and neurological disease. <i>British Journal of Pharmacology</i> , 2016, 173, 3041-3079.	5.4	71
25	A comparison of the permeation enhancement potential of simple bile salt and mixed bile salt:fatty acid micellar systems using the CaCo-2 cell culture model. <i>International Journal of Pharmaceutics</i> , 2000, 207, 21-30.	5.2	68
26	A click chemistry route to 2-functionalised PEGylated and cationic β -cyclodextrins: co-formulation opportunities for siRNA delivery. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 4954.	2.8	68
27	Bioconjugated gold nanoparticles enhance cellular uptake: A proof of concept study for siRNA delivery in prostate cancer cells. <i>International Journal of Pharmaceutics</i> , 2016, 509, 16-27.	5.2	68
28	Stimulation of Triglyceride-Rich Lipoprotein Secretion by Polysorbate 80: In Vitro and in Vivo Correlation Using Caco-2 Cells and a Cannulated Rat Intestinal Lymphatic Model. <i>Pharmaceutical Research</i> , 2004, 21, 2320-2326.	3.5	67
29	Click-Modified Cyclodextrins as Nonviral Vectors for Neuronal siRNA Delivery. <i>ACS Chemical Neuroscience</i> , 2012, 3, 744-752.	3.5	67
30	A novel, anisamide-targeted cyclodextrin nanoformulation for siRNA delivery to prostate cancer cells expressing the sigma-1 receptor. <i>International Journal of Pharmaceutics</i> , 2016, 499, 131-145.	5.2	64
31	Oral delivery of non-viral nucleic acid-based therapeutics - do we have the guts for this?. <i>European Journal of Pharmaceutical Sciences</i> , 2019, 133, 190-204.	4.0	64
32	A cyclodextrin-based nanoformulation achieves co-delivery of ginsenoside Rg3 and quercetin for chemo-immunotherapy in colorectal cancer. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 378-393.	12.0	63
33	The effects of pluronics block copolymers and Cremophor EL on intestinal lipoprotein processing and the potential link with P-glycoprotein in Caco-2 cells. <i>Pharmaceutical Research</i> , 2003, 20, 1085-1092.	3.5	62
34	Gene silencing of TNF-alpha in a murine model of acute colitis using a modified cyclodextrin delivery system. <i>Journal of Controlled Release</i> , 2013, 168, 28-34.	9.9	61
35	A comparison of intestinal lymphatic transport and systemic bioavailability of saquinavir from three lipid-based formulations in the anaesthetised rat model. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 917-925.	2.4	57
36	Synthesis and characterization of rabies virus glycoprotein-tagged amphiphilic cyclodextrins for siRNA delivery in human glioblastoma cells: In vitro analysis. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 71, 80-92.	4.0	57

#	ARTICLE	IF	CITATIONS
37	Antibody-Targeted Cyclodextrin-Based Nanoparticles for siRNA Delivery in the Treatment of Acute Myeloid Leukemia: Physicochemical Characteristics, <i>in Vitro</i> Mechanistic Studies, and <i>in Vivo</i> Patient Derived Therapeutic Efficacy. <i>Molecular Pharmaceutics</i> , 2017, 14, 940-952.	4.6	56
38	A novel lipid-based solid dispersion for enhancing oral bioavailability of Lycopene – In vivo evaluation using a pig model. <i>International Journal of Pharmaceutics</i> , 2013, 453, 307-314.	5.2	54
39	Therapeutic targeting in the silent era: advances in non-viral siRNA delivery. <i>Molecular BioSystems</i> , 2010, 6, 1143-61.	2.9	53
40	Impact of gastrointestinal disease states on oral drug absorption – implications for formulation design – a PEARL review. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 674-698.	2.4	53
41	Nanostructures of Cationic Amphiphilic Cyclodextrin Complexes with DNA. <i>Biomacromolecules</i> , 2013, 14, 811-817.	5.4	50
42	Highly stable PEGylated gold nanoparticles in water: applications in biology and catalysis. <i>RSC Advances</i> , 2013, 3, 21016.	3.6	49
43	Folate-targeted amphiphilic cyclodextrin.siRNA nanoparticles for prostate cancer therapy exhibit PSMA mediated uptake, therapeutic gene silencing <i>in vitro</i> and prolonged circulation <i>in vivo</i> . <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016, 12, 2341-2351.	3.3	48
44	Physicochemical, pharmacokinetic and pharmacodynamic analyses of amphiphilic cyclodextrin-based nanoparticles designed to enhance intestinal delivery of insulin. <i>Journal of Controlled Release</i> , 2018, 286, 402-414.	9.9	48
45	Self-Assembled Cationic β -Cyclodextrin Nanostructures for siRNA Delivery. <i>Molecular Pharmaceutics</i> , 2019, 16, 1358-1366.	4.6	47
46	Non-Viral Nanosystems for Gene and Small Interfering RNA Delivery to the Central Nervous System: Formulating the Solution. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 3469-3484.	3.3	46
47	PEGylated cyclodextrins as novel siRNA nanosystems: Correlations between polyethylene glycol length and nanoparticle stability. <i>International Journal of Pharmaceutics</i> , 2014, 473, 105-112.	5.2	45
48	Anisamide-targeted gold nanoparticles for siRNA delivery in prostate cancer – synthesis, physicochemical characterisation and <i>in vitro</i> evaluation. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2242-2252.	5.8	45
49	The role of transcription factors in prostate cancer and potential for future RNA interference therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 633-649.	3.4	44
50	Formulation and Evaluation of Anisamide-Targeted Amphiphilic Cyclodextrin Nanoparticles To Promote Therapeutic Gene Silencing in a 3D Prostate Cancer Bone Metastases Model. <i>Molecular Pharmaceutics</i> , 2017, 14, 42-52.	4.6	44
51	Targeted gene delivery to hepatocytes with galactosylated amphiphilic cyclodextrins. <i>Journal of Pharmacy and Pharmacology</i> , 2012, 64, 1063-1073.	2.4	43
52	Anisamide-targeted PEGylated gold nanoparticles designed to target prostate cancer mediate: Enhanced systemic exposure of siRNA, tumour growth suppression and a synergistic therapeutic response in combination with paclitaxel in mice. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 137, 56-67.	4.3	43
53	The effect of mixed micellar systems, bile salt/fatty acids, on the solubility and intestinal absorption of clofazimine (B663) in the anaesthetised rat. <i>International Journal of Pharmaceutics</i> , 1994, 109, 147-154.	5.2	42
54	Bioavailability of lycopene in the rat: the role of intestinal lymphatic transport. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 323-331.	2.4	41

#	ARTICLE	IF	CITATIONS
55	Delivering a disease-modifying treatment for Huntington's disease. <i>Drug Discovery Today</i> , 2015, 20, 50-64.	6.4	39
56	Biomimetic nanoparticles for siRNA delivery in the treatment of leukaemia. <i>Biotechnology Advances</i> , 2014, 32, 1396-1409.	11.7	38
57	In Vitro Investigations of the Efficacy of Cyclodextrin-siRNA Complexes Modified with Lipid-PEG-Octaarginine: Towards a Formulation Strategy for Non-viral Neuronal siRNA Delivery. <i>Pharmaceutical Research</i> , 2013, 30, 1086-1098.	3.5	36
58	Delivering RNAi therapeutics with non-viral technology: a promising strategy for prostate cancer?. <i>Trends in Molecular Medicine</i> , 2013, 19, 250-261.	6.7	36
59	Differential nanotoxicological and neuroinflammatory liabilities of non-viral vectors for RNA interference in the central nervous system. <i>Biomaterials</i> , 2014, 35, 489-499.	11.4	36
60	Evaluation of the physicochemical properties and the biocompatibility of polyethylene glycol-conjugated gold nanoparticles: A formulation strategy for siRNA delivery. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 135, 604-612.	5.0	36
61	Targeted Drug Delivery via Folate Receptors for the Treatment of Brain Cancer: Can the Promise Deliver?. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 3413-3420.	3.3	36
62	Carcinoembryonic antigen (CEACAM) family members and Inflammatory Bowel Disease. <i>Cytokine and Growth Factor Reviews</i> , 2019, 47, 21-31.	7.2	36
63	Scaffold-Based Delivery of Nucleic Acid Therapeutics for Enhanced Bone and Cartilage Repair. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1671-1680.	2.3	34
64	Mechanistic studies on nonviral gene delivery to the intestine using in vitro differentiated cell culture models and an in vivo rat intestinal loop. <i>Pharmaceutical Research</i> , 2003, 20, 569-575.	3.5	33
65	Cationic and PEGylated Amphiphilic Cyclodextrins: Co-Formulation Opportunities for Neuronal siRNA Delivery. <i>PLoS ONE</i> , 2013, 8, e66413.	2.5	32
66	Early-Stage Development of Novel Cyclodextrin-siRNA Nanocomplexes Allows for Successful Postnebulization Transfection of Bronchial Epithelial Cells. <i>Journal of Aerosol Medicine and Pulmonary Drug Delivery</i> , 2014, 27, 466-477.	1.4	32
67	Advances in the Design of (Nano)Formulations for Delivery of Antisense Oligonucleotides and Small Interfering RNA: Focus on the Central Nervous System. <i>Molecular Pharmaceutics</i> , 2021, 18, 1491-1506.	4.6	32
68	Oligonucleotide conjugates – Candidates for gene silencing therapeutics. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016, 107, 321-340.	4.3	31
69	Nanoparticle-mediated siRNA delivery assessed in a 3D co-culture model simulating prostate cancer bone metastasis. <i>International Journal of Pharmaceutics</i> , 2016, 511, 1058-1069.	5.2	30
70	Best practices in current models mimicking drug permeability in the gastrointestinal tract - An UNGAP review. <i>European Journal of Pharmaceutical Sciences</i> , 2022, 170, 106098.	4.0	29
71	Amphiphilic polyallylamine based polymeric micelles for siRNA delivery to the gastrointestinal tract: In vitro investigations. <i>International Journal of Pharmaceutics</i> , 2013, 447, 150-157.	5.2	28
72	Positively charged, surfactant-free gold nanoparticles for nucleic acid delivery. <i>RSC Advances</i> , 2015, 5, 17862-17871.	3.6	28

#	ARTICLE	IF	CITATIONS
73	Lipidic dispersion to reduce food dependent oral bioavailability of fenofibrate: In vitro, in vivo and in silico assessments. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015, 96, 207-216.	4.3	28
74	Exploring the Impact of Drug Properties on the Extent of Intestinal Lymphatic Transport - In Vitro and In Vivo Studies. <i>Pharmaceutical Research</i> , 2015, 32, 1817-1829.	3.5	28
75	The relationship between rat intestinal permeability and hydrophilic probe size. <i>Pharmaceutical Research</i> , 1996, 13, 1554-1558.	3.5	27
76	Opportunities and challenges for oral delivery of hydrophobic versus hydrophilic peptide and protein-like drugs using lipid-based technologies. <i>Therapeutic Delivery</i> , 2011, 2, 1633-1653.	2.2	27
77	Folate-targeted amphiphilic cyclodextrin nanoparticles incorporating a fusogenic peptide deliver therapeutic siRNA and inhibit the invasive capacity of 3D prostate cancer tumours. <i>International Journal of Pharmaceutics</i> , 2017, 532, 511-518.	5.2	27
78	Anionic liposomes for small interfering ribonucleic acid (siRNA) delivery to primary neuronal cells: Evaluation of alpha-synuclein knockdown efficacy. <i>Nano Research</i> , 2017, 10, 3496-3508.	10.4	27
79	Cyclodextrin-siRNA conjugates as versatile gene silencing agents. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 114, 30-37.	4.0	27
80	Characterisation of cationic amphiphilic cyclodextrins for neuronal delivery of siRNA: Effect of reversing primary and secondary face modifications. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 47, 896-903.	4.0	26
81	<p>Development of anisamide-targeted PEGylated gold nanorods to deliver epirubicin for chemo-photothermal therapy in tumor-bearing mice</p>. <i>International Journal of Nanomedicine</i> , 2019, Volume 14, 1817-1833.	6.7	26
82	Cyclodextrin mediated delivery of NF- κ B and SRF siRNA reduces the invasion potential of prostate cancer cells in vitro. <i>Gene Therapy</i> , 2015, 22, 802-810.	4.5	25
83	Nanodelivery of immunogenic cell death-inducers for cancer immunotherapy. <i>Drug Discovery Today</i> , 2021, 26, 651-662.	6.4	23
84	A folate-targeted PEGylated cyclodextrin-based nanoformulation achieves co-delivery of docetaxel and siRNA for colorectal cancer. <i>International Journal of Pharmaceutics</i> , 2021, 606, 120888.	5.2	23
85	Biomimetic gold nanocomplexes for gene knockdown: Will gold deliver dividends for small interfering RNA nanomedicines?. <i>Nano Research</i> , 2015, 8, 3111-3140.	10.4	22
86	Regulation of CEACAM Family Members by IBD-Associated Triggers in Intestinal Epithelial Cells, Their Correlation to Inflammation and Relevance to IBD Pathogenesis. <i>Frontiers in Immunology</i> , 2021, 12, 655960.	4.8	22
87	The effect of simple micellar systems on the solubility and intestinal absorption of clofazimine (B663) in the anaesthetised rat. <i>International Journal of Pharmaceutics</i> , 1994, 105, 137-146.	5.2	21
88	Quantitative estimation of the effects of bile salt surfactant systems on insulin stability and permeability in the rat intestine using a mass balance model. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 169-175.	2.4	21
89	The potential for clinical translation of antibody-targeted nanoparticles in the treatment of acute myeloid leukaemia. <i>Journal of Controlled Release</i> , 2018, 286, 154-166.	9.9	19
90	A Retrospective Biopharmaceutical Analysis of >800 Approved Oral Drug Products: Are Drug Properties of Solid Dispersions and Lipid-Based Formulations Distinctive?. <i>Journal of Pharmaceutical Sciences</i> , 2020, 109, 3248-3261.	3.3	19

#	ARTICLE	IF	CITATIONS
91	7-formyl-10-methylisoellipticine, a novel ellipticine derivative, induces mitochondrial reactive oxygen species (ROS) and shows anti-leukaemic activity in mice. <i>Investigational New Drugs</i> , 2016, 34, 15-23.	2.6	18
92	Gastrointestinal gene delivery by cyclodextrins – In vitro quantification of extracellular barriers. <i>International Journal of Pharmaceutics</i> , 2013, 456, 390-399.	5.2	17
93	Modified cyclodextrin-based nanoparticles mediated delivery of siRNA for huntingtin gene silencing across an in vitro BBB model. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 169, 309-318.	4.3	17
94	Cyclodextrins for Non-Viral Gene and siRNA Delivery. <i>Pharmaceutical Nanotechnology</i> , 2012, 1, 6-14.	1.5	16
95	RNA interference for multiple myeloma therapy: targeting signal transduction pathways. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 107-121.	3.4	16
96	Mesoporous silica-based dosage forms improve bioavailability of poorly soluble drugs in pigs: case example fenofibrate. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 1284-1292.	2.4	14
97	Blood and lymph transport of DDT after oral and parenteral administration to anaesthetised rats. <i>International Journal of Pharmaceutics</i> , 1991, 73, 177-183.	5.2	12
98	An Examination of the Effect of Intestinal First Pass Extraction on Intestinal Lymphatic Transport of Saquinavir in the Rat. <i>Pharmaceutical Research</i> , 2008, 25, 1125-1133.	3.5	12
99	Biophysical and Structural Characterisation of Nucleic Acid Complexes with Modified Cyclodextrins Using Circular Dichroism. <i>Journal of Pharmaceutical Sciences</i> , 2014, 103, 1346-1355.	3.3	12
100	Poly(ethylene glycol)-Based Peptidomimetic –PEGtide– of Oligo-Arginine Allows for Efficient siRNA Transfection and Gene Inhibition. <i>ACS Omega</i> , 2019, 4, 10078-10088.	3.5	11
101	Pre-Clinical Evaluation of a Modified Cyclodextrin-Based Nanoparticle for Intestinal Delivery of Liraglutide. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 292-300.	3.3	9
102	Gastrointestinal diseases and their impact on drug solubility: Crohn's disease. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 152, 105459.	4.0	8
103	Predicting budesonide performance in healthy subjects and patients with Crohn's disease using biorelevant in vitro dissolution testing and PBPK modeling. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 157, 105617.	4.0	8
104	Investigating the Impact of Crohn's Disease on the Bioaccessibility of a Lipid-Based Formulation with an In Vitro Dynamic Gastrointestinal Model. <i>Molecular Pharmaceutics</i> , 2021, 18, 1530-1543.	4.6	8
105	RNAi therapeutics for brain cancer: current advancements in RNAi delivery strategies. <i>Molecular BioSystems</i> , 2015, 11, 2635-2657.	2.9	7
106	Estimation of absorption parameters from the non-steady-state phase in the rat gut perfusion model. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 55, 487-493.	2.4	5
107	In Vitro and In Silico ADME Prediction. , 2018, , 301-330.		5
108	Gastrointestinal diseases and their impact on drug solubility: Ulcerative Colitis. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 152, 105458.	4.0	5

#	ARTICLE	IF	CITATIONS
109	Clofazimine. Analytical Profiles of Drug Substances and Excipients, 1992, , 75-108.	0.0	4
110	Gastrointestinal diseases and their impact on drug solubility: Celiac disease. European Journal of Pharmaceutical Sciences, 2020, 152, 105460.	4.0	4
111	Chapter 2.1. Nanostructures Overcoming the Intestinal Barrier: Physiological Considerations and Mechanistic Issues. RSC Drug Discovery Series, 2012, , 39-62.	0.3	4
112	NANOSTRUCTURES OVERCOMING THE INTESTINAL BARRIER: DRUG DELIVERY STRATEGIES. RSC Drug Discovery Series, 2012, , 63-90.	0.3	3
113	Long-term stability of insulin glulisine loaded nanoparticles formulated using an amphiphilic cyclodextrin and designed for intestinal delivery. Drug Development and Industrial Pharmacy, 2020, 46, 1073-1079.	2.0	2
114	Carbenoxolone Sodium. Analytical Profiles of Drug Substances and Excipients, 1996, 24, 1-43.	0.0	1