

Jonathan D Power

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5708494/publications.pdf>

Version: 2024-02-01

50
papers

27,746
citations

94433

37
h-index

189892

50
g-index

54
all docs

54
docs citations

54
times ranked

19978
citing authors

#	ARTICLE	IF	CITATIONS
1	On measuring head motion and effects of head molds during fMRI. <i>NeuroImage</i> , 2021, 225, 117494.	4.2	9
2	An effort-based social feedback paradigm reveals aversion to popularity in socially anxious participants and increased motivation in adolescents. <i>PLoS ONE</i> , 2021, 16, e0249326.	2.5	4
3	Remote Liaison to Families: a Psychiatric Response to Medical Care Gaps Created by Pandemic Surge Conditions in New York City. <i>Academic Psychiatry</i> , 2021, 45, 619-622.	0.9	1
4	Characteristics of respiratory measures in young adults scanned at rest, including systematic changes and "omitted" deep breaths. <i>NeuroImage</i> , 2020, 204, 116234.	4.2	49
5	Prevalent and sex-biased breathing patterns modify functional connectivity MRI in young adults. <i>Nature Communications</i> , 2020, 11, 5290.	12.8	25
6	Rapid Precision Functional Mapping of Individuals Using Multi-Echo fMRI. <i>Cell Reports</i> , 2020, 33, 108540.	6.4	96
7	A Critical, Event-Related Appraisal of Denoising in Resting-State fMRI Studies. <i>Cerebral Cortex</i> , 2020, 30, 5544-5559.	2.9	26
8	Resting-State fMRI: Preclinical Foundations. , 2020, , 47-63.		3
9	Distinctions among real and apparent respiratory motions in human fMRI data. <i>NeuroImage</i> , 2019, 201, 116041.	4.2	101
10	Temporal ICA has not properly separated global fMRI signals: A comment on Glasser et al. (2018). <i>NeuroImage</i> , 2019, 197, 650-651.	4.2	37
11	Reply to Spreng et al.: Multiecho fMRI denoising does not remove global motion-associated respiratory signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 19243-19244.	7.1	11
12	Customized head molds reduce motion during resting state fMRI scans. <i>NeuroImage</i> , 2019, 189, 141-149.	4.2	77
13	Reward-related regions form a preferentially coupled system at rest. <i>Human Brain Mapping</i> , 2019, 40, 361-376.	3.6	23
14	Ridding fMRI data of motion-related influences: Removal of signals with distinct spatial and physical bases in multiecho data. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2105-E2114.	7.1	250
15	Brain Network Theory Can Predict Whether Neuropsychological Outcomes Will Differ from Clinical Expectations. <i>Archives of Clinical Neuropsychology</i> , 2017, 32, 40-52.	0.5	11
16	Neural plasticity across the lifespan. <i>Wiley Interdisciplinary Reviews: Developmental Biology</i> , 2017, 6, e216.	5.9	58
17	Benchmarking of participant-level confound regression strategies for the control of motion artifact in studies of functional connectivity. <i>NeuroImage</i> , 2017, 154, 174-187.	4.2	842
18	Neural correlates of preferred activities: development of an interest-specific go/nogo task. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1890-1901.	3.0	3

#	ARTICLE	IF	CITATIONS
19	On Global fMRI Signals and Simulations. Trends in Cognitive Sciences, 2017, 21, 911-913.	7.8	66
20	Sources and implications of whole-brain fMRI signals in humans. NeuroImage, 2017, 146, 609-625.	4.2	446
21	A simple but useful way to assess fMRI scan qualities. NeuroImage, 2017, 154, 150-158.	4.2	110
22	Temporal interpolation alters motion in fMRI scans: Magnitudes and consequences for artifact detection. PLoS ONE, 2017, 12, e0182939.	2.5	67
23	Evaluation of Denoising Strategies to Address Motion-Related Artifacts in Resting-State Functional Magnetic Resonance Imaging Data from the Human Connectome Project. Brain Connectivity, 2016, 6, 669-680.	1.7	226
24	Accurate age classification of 6 and 12 month-old infants based on resting-state functional connectivity magnetic resonance imaging data. Developmental Cognitive Neuroscience, 2015, 12, 123-133.	4.0	51
25	Recent progress and outstanding issues in motion correction in resting state fMRI. NeuroImage, 2015, 105, 536-551.	4.2	870
26	Statistical improvements in functional magnetic resonance imaging analyses produced by censoring high-motion data points. Human Brain Mapping, 2014, 35, 1981-1996.	3.6	457
27	Methods to detect, characterize, and remove motion artifact in resting state fMRI. NeuroImage, 2014, 84, 320-341.	4.2	2,881
28	Developmental Changes in the Organization of Functional Connections between the Basal Ganglia and Cerebral Cortex. Journal of Neuroscience, 2014, 34, 5842-5854.	3.6	81
29	Parcellating an Individual Subject's Cortical and Subcortical Brain Structures Using Snowball Sampling of Resting-State Correlations. Cerebral Cortex, 2014, 24, 2036-2054.	2.9	115
30	Studying Brain Organization via Spontaneous fMRI Signal. Neuron, 2014, 84, 681-696.	8.1	239
31	Intrinsic and Task-Evoked Network Architectures of the Human Brain. Neuron, 2014, 83, 238-251.	8.1	1,369
32	Network measures predict neuropsychological outcome after brain injury. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 14247-14252.	7.1	240
33	Control-related systems in the human brain. Current Opinion in Neurobiology, 2013, 23, 223-228.	4.2	292
34	Multi-task connectivity reveals flexible hubs for adaptive task control. Nature Neuroscience, 2013, 16, 1348-1355.	14.8	1,377
35	Evidence for Hubs in Human Functional Brain Networks. Neuron, 2013, 79, 798-813.	8.1	699
36	Functional network architecture of reading-related regions across development. Brain and Language, 2013, 125, 231-243.	1.6	68

#	ARTICLE	IF	CITATIONS
37	Steps toward optimizing motion artifact removal in functional connectivity MRI; a reply to Carp. <i>NeuroImage</i> , 2013, 76, 439-441.	4.2	310
38	Resting-state fMRI in the Human Connectome Project. <i>NeuroImage</i> , 2013, 80, 144-168.	4.2	1,367
39	Resting State Functional Connectivity of the Ventral Attention Network in Children With a History of Depression or Anxiety. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 1326-1336.e5.	0.5	60
40	Parcellation in Left Lateral Parietal Cortex Is Similar in Adults and Children. <i>Cerebral Cortex</i> , 2012, 22, 1148-1158.	2.9	34
41	Spurious but systematic correlations in functional connectivity MRI networks arise from subject motion. <i>NeuroImage</i> , 2012, 59, 2142-2154.	4.2	6,516
42	Functional Network Organization of the Human Brain. <i>Neuron</i> , 2011, 72, 665-678.	8.1	3,485
43	Modulation of the brain's functional network architecture in the transition from wake to sleep. <i>Progress in Brain Research</i> , 2011, 193, 277-294.	1.4	114
44	Development of the Brain's Functional Network Architecture. <i>Neuropsychology Review</i> , 2010, 20, 362-375.	4.9	109
45	Identifying basal ganglia divisions in individuals using resting-state functional connectivity MRI. <i>Frontiers in Systems Neuroscience</i> , 2010, 4, 18.	2.5	108
46	Prediction of Individual Brain Maturity Using fMRI. <i>Science</i> , 2010, 329, 1358-1361.	12.6	1,884
47	A Parcellation Scheme for Human Left Lateral Parietal Cortex. <i>Neuron</i> , 2010, 67, 156-170.	8.1	327
48	The Development of Human Functional Brain Networks. <i>Neuron</i> , 2010, 67, 735-748.	8.1	668
49	Functional Brain Networks Develop from a "Local to Distributed" Organization. <i>PLoS Computational Biology</i> , 2009, 5, e1000381.	3.2	1,274
50	Effects of Adsorption to Aluminum Salt Adjuvants on the Structure and Stability of Model Protein Antigens. <i>Journal of Biological Chemistry</i> , 2005, 280, 13406-13414.	3.4	172