Nagara Tamaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/571371/publications.pdf

Version: 2024-02-01

76 papers 1,913 citations

430874 18 h-index 265206 42 g-index

78 all docs 78 does citations

78 times ranked 2003 citing authors

#	Article	IF	Citations
1	Positron emission tomography using fluorine-18 deoxyglucose in evaluation of coronary artery bypass grafting. American Journal of Cardiology, 1989, 64, 860-865.	1.6	365
2	Focal uptake on 18F-fluoro-2-deoxyglucose positron emission tomography images indicates cardiac involvement of sarcoidosisâ€. European Heart Journal, 2005, 26, 1538-1543.	2.2	360
3	Delayed18F-fluoro-2-deoxy-D-glucose positron emission tomography scan for differentiation between malignant and benign lesions in the pancreas. Cancer, 2000, 89, 2547-2554.	4.1	208
4	A Semi-Automated Technique Determining the Liver Standardized Uptake Value Reference for Tumor Delineation in FDG PET-CT. PLoS ONE, 2014, 9, e105682.	2.5	79
5	Effects of insulin and glucose loading on FDG uptake in experimental malignant tumours and inflammatory lesions. European Journal of Nuclear Medicine and Molecular Imaging, 2001, 28, 730-735.	2.1	57
6	Characteristics of immunoglobulin G4-related aortitis/periaortitis and periarteritis on fluorodeoxyglucose positron emission tomography/computed tomography co-registered with contrast-enhanced computed tomography. EJNMMI Research, 2017, 7, 20.	2.5	57
7	Increased Metabolite Levels of Glycolysis and Pentose Phosphate Pathway in Rabbit Atherosclerotic Arteries and Hypoxic Macrophage. PLoS ONE, 2014, 9, e86426.	2.5	55
8	Use of 18F-FDG PET/CT texture analysis to diagnose cardiac sarcoidosis. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 1240-1247.	6.4	36
9	The Roles of Hypoxia Imaging Using 18F-Fluoromisonidazole Positron Emission Tomography in Glioma Treatment. Journal of Clinical Medicine, 2019, 8, 1088.	2.4	34
10	Evaluation of coronary blood flow reserve by 13N-NH3 positron emission computed tomography (PET) with dipyridamole in the treatment of hypertension with the ACE inhibitor (Cilazapril). Annals of Nuclear Medicine, 2000, 14, 353-360.	2.2	33
11	Characterization of the role of sphingomyelin synthase 2 in glucose metabolism in whole-body and peripheral tissues in mice. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 688-702.	2.4	33
12	18F-fluoromisonidazole positron emission tomography can predict pathological necrosis of brain tumors. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1469-1476.	6.4	28
13	18F-FMISO PET/CT detects hypoxic lesions of cardiac and extra-cardiac involvement in patients with sarcoidosis. Journal of Nuclear Cardiology, 2021, 28, 2141-2148.	2.1	23
14	Reproducibility and uptake time dependency of volume-based parameters on FDG-PET for lung cancer. BMC Cancer, 2016, 16, 576.	2.6	22
15	Regional interaction between myocardial sympathetic denervation, contractile dysfunction, and fibrosis in heart failure with preserved ejection fraction: 11C-hydroxyephedrine PET study. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1897-1905.	6.4	22
16	Effects of coronary revascularization on global coronary flow reserve in stable coronary artery disease. Cardiovascular Research, 2019, 115, 119-129.	3.8	22
17	Biodistribution and radiation dosimetry of the novel hypoxia PET probe [18F]DiFA and comparison with [18F]FMISO. EJNMMI Research, 2019, 9, 60.	2.5	21
18	Volume-based parameters on FDG PET may predict the proliferative potential of soft-tissue sarcomas. Annals of Nuclear Medicine, 2019, 33, 22-31.	2.2	21

#	Article	IF	CITATIONS
19	Quantitative FDG PET Assessment for Oncology Therapy. Cancers, 2021, 13, 869.	3.7	20
20	Regional alterations of myocardial norepinephrine transporter density in streptozotocin-induced diabetic rats: implications for heterogeneous cardiac accumulation of MIBG in diabetes. European Journal of Nuclear Medicine and Molecular Imaging, 2001, 28, 894-899.	2.1	19
21	[18F]DPA-714 PET imaging shows immunomodulatory effect of intravenous administration of bone marrow stromal cells after transient focal ischemia. EJNMMI Research, 2018, 8, 35.	2.5	18
22	Suppressive Effects of Irbesartan on Inflammation and Apoptosis in Atherosclerotic Plaques of apoEâ [^] /lâ [^] Mice: Molecular Imaging with 14C-FDG and 99mTc-Annexin A5. PLoS ONE, 2014, 9, e89338.	2.5	16
23	Clinical Perspectives of Theranostics. Molecules, 2021, 26, 2232.	3.8	16
24	A new dynamic myocardial phantom for the assessment of left ventricular function by gated single-photon emission tomography. European Journal of Nuclear Medicine and Molecular Imaging, 2000, 27, 1525-1530.	2.1	15
25	The role of multimodality imaging in takotsubo cardiomyopathy. Journal of Nuclear Cardiology, 2019, 26, 1602-1616.	2.1	15
26	18F-FDG uptake of the right ventricle is an important predictor of histopathologic diagnosis by endomyocardial biopsy in patients with cardiac sarcoidosis. Journal of Nuclear Cardiology, 2020, 27, 2135-2143.	2.1	15
27	Improved regional myocardial blood flow and flow reserve after coronary revascularization as assessed by serial 15O-water positron emission tomography/computed tomography. European Heart Journal Cardiovascular Imaging, 2020, 21, 36-46.	1.2	15
28	Combination of FDG-PET and FMISO-PET as a treatment strategy for patients undergoing early-stage NSCLC stereotactic radiotherapy. EJNMMI Research, 2019, 9, 104.	2.5	15
29	Combined Plasma and Tissue Proteomic Study of Atherogenic Model Mouse: Approach To Elucidate Molecular Determinants in Atherosclerosis Development. Journal of Proteome Research, 2015, 14, 4257-4269.	3.7	13
30	Dynamic whole-body 18F-FDG PET for differentiating abnormal lesions from physiological uptake. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2293-2300.	6.4	13
31	18 F-Fluoromisonidazole positron emission tomography (FMISO-PET) may reflect hypoxia and cell proliferation activity in oral squamous cell carcinoma. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2017, 124, 261-270.	0.4	12
32	Altered glucose metabolism and hypoxic response in alloxan-induced diabetic atherosclerosis in rabbits. PLoS ONE, 2017, 12, e0175976.	2.5	11
33	Elimination of tumor hypoxia by eribulin demonstrated by 18F-FMISO hypoxia imaging in human tumor xenograft models. EJNMMI Research, 2019, 9, 51.	2.5	11
34	Recent advances in cardiac positron emission tomography for quantitative perfusion analyses and molecular imaging. Annals of Nuclear Medicine, 2020, 34, 697-706.	2.2	11
35	Influences of mitral annuloplasty on left ventricular flow dynamics assessed with 3-dimensional cine phase-contrast flow magnetic resonance imaging. Journal of Thoracic and Cardiovascular Surgery, 2022, 163, 947-959.	0.8	11
36	Elevated serum endothelin-1 is an independent predictor of coronary microvascular dysfunction in non-obstructive territories in patients with coronary artery disease. Heart and Vessels, 2021, 36, 917-923.	1.2	11

#	Article	IF	CITATIONS
37	Assessment of biventricular hemodynamics and energy dynamics using lumen-tracking 4D flow MRI without contrast medium. Journal of Cardiology, 2021, 78, 79-87.	1.9	11
38	Positron emission tomography/MRI for cardiac diseases assessment. British Journal of Radiology, 2020, 93, 20190836.	2.2	10
39	Molecular imaging in heart failure patients. Clinical and Translational Imaging, 2013, 1, 341-351.	2.1	9
40	Early effects of transcatheter aortic valve replacement on cardiac sympathetic nervous function assessed by 123I-metaiodobenzylguanidine scintigraphy in patients with severe aortic valve stenosis. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1657-1667.	6.4	9
41	Prognostic value of phase analysis on gated single photon emission computed tomography in patients with cardiac sarcoidosis. Journal of Nuclear Cardiology, 2021, 28, 128-136.	2.1	9
42	Use of FDG-PET to detect a chronic odontogenic infection as a possible source of the brain abscess. Odontology / the Society of the Nippon Dental University, 2016, 104, 239-243.	1.9	8
43	Indium-111 Antimyosin Antibody Imaging and Thallium-201 Imaging. Japanese Circulation Journal, 1997, 61, 827-835.	1.0	7
44	Simultaneous Tc-99m and I-123 dual-radionuclide imaging with a solid-state detector-based brain-SPECT system and energy-based scatter correction. EJNMMI Physics, 2016, 3, 10.	2.7	7
45	Dynamic PET evaluation of elevated FLT level after sorafenib treatment in mice bearing human renal cell carcinoma xenograft. EJNMMI Research, 2016, 6, 90.	2.5	7
46	Visualization of collateral channels with coronary computed tomography angiography for the retrograde approach in percutaneous coronary intervention for chronic total occlusion. Journal of Cardiovascular Computed Tomography, 2016, 10, 128-134.	1.3	7
47	The role of nuclear medicine in assessments of cardiac dyssynchrony. Journal of Nuclear Cardiology, 2018, 25, 1980-1987.	2.1	7
48	Prognostic value of cardiac ¹²³ lâ€metaiodobenzylguanidine imaging for predicting cardiac events after transcatheter aortic valve replacement. ESC Heart Failure, 2021, 8, 1106-1116.	3.1	7
49	Comparison between dynamic whole-body FDG-PET and early-delayed imaging for the assessment of motion in focal uptake in colorectal area. Annals of Nuclear Medicine, 2021, 35, 1305-1311.	2.2	7
50	Determination of brain tumor recurrence using ¹¹ Câ€methionine positron emission tomography after radiotherapy. Cancer Science, 2021, 112, 4246-4256.	3.9	7
51	JCS 2021 Guideline on Radiation Safety in Cardiology. Circulation Journal, 2022, 86, 1148-1203.	1.6	7
52	Heterogeneity of longitudinal and circumferential contraction in relation to late gadolinium enhancement in hypertrophic cardiomyopathy patients with preserved left ventricular ejection fraction. Japanese Journal of Radiology, 2018, 36, 103-112.	2.4	6
53	Prognostic Value of 1-Day Stress/Rest Electrocardiogram-Gated Single-Photon Emission Computed Tomography Using Tc-99m-Labeled Methoxy-Isobutyl Isonitrile. Japanese Circulation Journal, 1998, 62, 405-408.	1.0	5
54	Perspectives of quantitative assessment of myocardial blood flow. Clinical and Translational Imaging, 2018, 6, 321-327.	2.1	5

#	Article	IF	CITATIONS
55	A Post-marketing Clinical Study to Confirm the Efficacy of ¹⁸ F-fluorodeoxyglucose for the Diagnosis of Myocardial Viability. Annals of Nuclear Cardiology, 2016, 2, 9-20.	0.2	5
56	Dynamic Whole-Body 18F-FDG PET for Minimizing Patient Motion Artifact. Clinical Nuclear Medicine, 2020, 45, 880-882.	1.3	5
57	Advances in Diagnostic Imaging for Cardiac Sarcoidosis. Journal of Clinical Medicine, 2021, 10, 5808.	2.4	5
58	uPAR as a Glioma Imaging Target. Journal of Nuclear Medicine, 2016, 57, 169-170.	5.0	3
59	In vitro uptake and metabolism of [14C]acetate in rabbit atherosclerotic arteries: biological basis for atherosclerosis imaging with [11C]acetate. Nuclear Medicine and Biology, 2018, 56, 21-25.	0.6	3
60	Value of simultaneous assessment of cardiac functions by PET/MRI. Journal of Nuclear Cardiology, 2019, 26, 1958-1961.	2.1	3
61	Ischemia and inflammation on chronic kidney disease. Journal of Nuclear Cardiology, 2019, 26, 441-442.	2.1	3
62	Serial changes in cardiac sympathetic nervous function after transcatheter aortic valve replacement: A prospective observational study using 123I-meta-iodobenzylguanidine imaging. Journal of Nuclear Cardiology, 2022, 29, 2652-2663.	2.1	3
63	A deep learning method for translating 3DCT to SPECT ventilation imaging: First comparison with ^{81m} Krâ€gas SPECT ventilation imaging. Medical Physics, 2022, 49, 4353-4364.	3.0	3
64	New trials for assessment of left atrial dysfunction by FDG-PET. Journal of Nuclear Cardiology, 2020, 27, 1563-1565.	2.1	2
65	Dynamic whole-body FDG-PET imaging for oncology studies. Clinical and Translational Imaging, 2022, 10, 249-258.	2.1	2
66	Assessment of Coronary Flow Velocity Reserve in the Left Main Trunk Using Phase-contrast MR Imaging at 3T: Comparison with ¹⁵ O-labeled Water Positron Emission Tomography. Magnetic Resonance in Medical Sciences, 2019, 18, 134-141.	2.0	1
67	Validation of regional myocardial blood flow quantification using three-dimensional PET with rubidium-82: repeatability and comparison with two-dimensional PET data acquisition. Nuclear Medicine Communications, 2020, 41, 768-775.	1.1	1
68	Association of coronary revascularisation after physician-referred non-invasive diagnostic imaging tests with outcomes in patients with suspected coronary artery disease: a post hoc subgroup analysis. BMJ Open, 2020, 10, e035111.	1.9	1
69	The future of cardiac disease assessment using 18F-FDG PET/CT. Japanese Journal of Radiology, 2021, 39, 511-513.	2.4	1
70	Potential roles of 123I-BMIPP SPECT to assess cardiac sarcoidosis. Journal of Nuclear Cardiology, 2021, 28, 936-938.	2.1	1
71	Positron Emission Tomography Myocardial Perfusion Imaging Tracer Choice for Assessment of Myocardial Blood Flow. Annals of Nuclear Cardiology, 2019, 5, 50-52.	0.2	1
72	Measurement of Iodine-Derived Contamination in L-[¹¹ C]Methionine Injection. Radioisotopes, 2018, 67, 75-83.	0.2	1

#	Article	IF	CITATIONS
73	Quantitative Evaluation of Myocardial Ischemia with Dynamic Perfusion CT. Annals of Nuclear Cardiology, 2019, 5, 79-83.	0.2	1
74	Laser to the heart in coronary artery disease. International Journal of Cardiovascular Imaging, 2000, 16, 279-282.	0.6	0
75	New method for accurate estimations of LV function for small hearts. Journal of Nuclear Cardiology, 2017, 24, 1393-1394.	2.1	O
76	Reduced Myocardial Flow Reserve Is Associated with Subendocardial Infarction and Coronary Stenosis in Patients with Coronary Artery Disease: A Perfusion MRI Study. Cardiovascular Imaging Asia, 2019, 3, 8.	0.1	0