

Hang Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/571564/publications.pdf>

Version: 2024-02-01

371
papers

16,769
citations

13827

67
h-index

26548

107
g-index

373
all docs

373
docs citations

373
times ranked

14079
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanoemulsion delivery systems: Influence of carrier oil on β -carotene bioaccessibility. <i>Food Chemistry</i> , 2012, 135, 1440-1447.	4.2	472
2	Nanoemulsion- and emulsion-based delivery systems for curcumin: Encapsulation and release properties. <i>Food Chemistry</i> , 2012, 132, 799-807.	4.2	462
3	Physical and chemical stability of β -carotene-enriched nanoemulsions: Influence of pH, ionic strength, temperature, and emulsifier type. <i>Food Chemistry</i> , 2012, 132, 1221-1229.	4.2	433
4	Core-shell biopolymer nanoparticle delivery systems: Synthesis and characterization of curcumin fortified zein-pectin nanoparticles. <i>Food Chemistry</i> , 2015, 182, 275-281.	4.2	367
5	Is nano safe in foods? Establishing the factors impacting the gastrointestinal fate and toxicity of organic and inorganic food-grade nanoparticles. <i>Npj Science of Food</i> , 2017, 1, 6.	2.5	325
6	Potential biological fate of ingested nanoemulsions: influence of particle characteristics. <i>Food and Function</i> , 2012, 3, 202-220.	2.1	265
7	Progress in microencapsulation of probiotics: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 857-874.	5.9	238
8	Resveratrol encapsulation in core-shell biopolymer nanoparticles: Impact on antioxidant and anticancer activities. <i>Food Hydrocolloids</i> , 2017, 64, 157-165.	5.6	231
9	The Nutraceutical Bioavailability Classification Scheme: Classifying Nutraceuticals According to Factors Limiting their Oral Bioavailability. <i>Annual Review of Food Science and Technology</i> , 2015, 6, 299-327.	5.1	227
10	Pro-oxidative activities and dose-response relationship of (β)-epigallocatechin-3-gallate in the inhibition of lung cancer cell growth: a comparative study in vivo and in vitro. <i>Carcinogenesis</i> , 2010, 31, 902-910.	1.3	213
11	Delivery of Lipophilic Bioactives: Assembly, Disassembly, and Reassembly of Lipid Nanoparticles. <i>Annual Review of Food Science and Technology</i> , 2014, 5, 53-81.	5.1	179
12	Interaction of dietary polyphenols and gut microbiota: Microbial metabolism of polyphenols, influence on the gut microbiota, and implications on host health. <i>Food Frontiers</i> , 2020, 1, 109-133.	3.7	172
13	Encapsulation and release of hydrophobic bioactive components in nanoemulsion-based delivery systems: impact of physical form on quercetin bioaccessibility. <i>Food and Function</i> , 2013, 4, 162-174.	2.1	168
14	Excipient foods: designing food matrices that improve the oral bioavailability of pharmaceuticals and nutraceuticals. <i>Food and Function</i> , 2014, 5, 1320-1333.	2.1	167
15	Control of lipase digestibility of emulsified lipids by encapsulation within calcium alginate beads. <i>Food Hydrocolloids</i> , 2011, 25, 122-130.	5.6	164
16	Enhancing the bioaccessibility of hydrophobic bioactive agents using mixed colloidal dispersions: Curcumin-loaded zein nanoparticles plus digestible lipid nanoparticles. <i>Food Research International</i> , 2016, 81, 74-82.	2.9	163
17	Nanoemulsion-based delivery systems for poorly water-soluble bioactive compounds: Influence of formulation parameters on polymethoxyflavone crystallization. <i>Food Hydrocolloids</i> , 2012, 27, 517-528.	5.6	161
18	Enhancement of curcumin water dispersibility and antioxidant activity using core-shell protein-polysaccharide nanoparticles. <i>Food Research International</i> , 2016, 87, 1-9.	2.9	161

#	ARTICLE	IF	CITATIONS
19	Enhancing nutraceutical bioavailability using excipient emulsions: Influence of lipid droplet size on solubility and bioaccessibility of powdered curcumin. <i>Journal of Functional Foods</i> , 2015, 15, 72-83.	1.6	152
20	Monodemethylated polymethoxyflavones from sweet orange (<i>Citrus sinensis</i>) peel Inhibit growth of human lung cancer cells by apoptosis. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 398-406.	1.5	141
21	Inhibition of β -carotene degradation in oil-in-water nanoemulsions: Influence of oil-soluble and water-soluble antioxidants. <i>Food Chemistry</i> , 2012, 135, 1036-1043.	4.2	139
22	Impact of lipid nanoparticle physical state on particle aggregation and β -carotene degradation: Potential limitations of solid lipid nanoparticles. <i>Food Research International</i> , 2013, 52, 342-349.	2.9	134
23	Pterostilbene, an Active Constituent of Blueberries, Suppresses Aberrant Crypt Foci Formation in the Azoxymethane-Induced Colon Carcinogenesis Model in Rats. <i>Clinical Cancer Research</i> , 2007, 13, 350-355.	3.2	133
24	Droplet size and composition of nutraceutical nanoemulsions influences bioavailability of long chain fatty acids and Coenzyme Q10. <i>Food Chemistry</i> , 2014, 156, 117-122.	4.2	133
25	Improving oral bioavailability of nutraceuticals by engineered nanoparticle-based delivery systems. <i>Current Opinion in Food Science</i> , 2015, 2, 14-19.	4.1	131
26	Biosynthesis of citrus flavonoids and their health effects. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 566-583.	5.4	130
27	Tangeretin-loaded protein nanoparticles fabricated from zein/ β -lactoglobulin: Preparation, characterization, and functional performance. <i>Food Chemistry</i> , 2014, 158, 466-472.	4.2	126
28	The Pak4 Protein Kinase Plays a Key Role in Cell Survival and Tumorigenesis in Athymic Mice. <i>Molecular Cancer Research</i> , 2008, 6, 1215-1224.	1.5	123
29	Dietary Fibers from Fruits and Vegetables and Their Health Benefits via Modulation of Gut Microbiota. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2019, 18, 1514-1532.	5.9	123
30	Pectins from fruits: Relationships between extraction methods, structural characteristics, and functional properties. <i>Trends in Food Science and Technology</i> , 2021, 110, 39-54.	7.8	123
31	A common antimicrobial additive increases colonic inflammation and colitis-associated colon tumorigenesis in mice. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	117
32	Green tea polyphenols inhibit colorectal aberrant crypt foci (ACF) formation and prevent oncogenic changes in dysplastic ACF in azoxymethane-treated F344 rats. <i>Carcinogenesis</i> , 2007, 29, 113-119.	1.3	113
33	An integrated methodology for assessing the impact of food matrix and gastrointestinal effects on the biokinetics and cellular toxicity of ingested engineered nanomaterials. <i>Particle and Fibre Toxicology</i> , 2017, 14, 40.	2.8	112
34	Curcumin: Recent Advances in the Development of Strategies to Improve Oral Bioavailability. <i>Annual Review of Food Science and Technology</i> , 2019, 10, 597-617.	5.1	112
35	Enhancing Nutraceutical Performance Using Excipient Foods: Designing Food Structures and Compositions to Increase Bioavailability. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2015, 14, 824-847.	5.9	108
36	Utilizing Food Matrix Effects To Enhance Nutraceutical Bioavailability: Increase of Curcumin Bioaccessibility Using Excipient Emulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2052-2062.	2.4	107

#	ARTICLE	IF	CITATIONS
37	Nutraceutical nanoemulsions: influence of carrier oil composition (digestible <i>versus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 2013, 93, 3175-3183.	1.7	105
38	Emulsion-Based Delivery Systems for Tributyrin, a Potential Colon Cancer Preventative Agent. Journal of Agricultural and Food Chemistry, 2009, 57, 9243-9249.	2.4	104
39	Inhibitory effects of 5-hydroxy polymethoxyflavones on colon cancer cells. Molecular Nutrition and Food Research, 2010, 54, S244-52.	1.5	104
40	The role of the food matrix and gastrointestinal tract in the assessment of biological properties of ingested engineered nanomaterials (iENMs): State of the science and knowledge gaps. NanolImpact, 2016, 3-4, 47-57.	2.4	103
41	Controlling the functional performance of emulsion-based delivery systems using multi-component biopolymer coatings. European Journal of Pharmaceutics and Biopharmaceutics, 2010, 76, 38-47.	2.0	101
42	Enhancement of carotenoid bioaccessibility from carrots using excipient emulsions: influence of particle size of digestible lipid droplets. Food and Function, 2016, 7, 93-103.	2.1	101
43	Physicochemical and colloidal aspects of food matrix effects on gastrointestinal fate of ingested inorganic nanoparticles. Advances in Colloid and Interface Science, 2017, 246, 165-180.	7.0	100
44	Uptake of Gold Nanoparticles by Intestinal Epithelial Cells: Impact of Particle Size on Their Absorption, Accumulation, and Toxicity. Journal of Agricultural and Food Chemistry, 2015, 63, 8044-8049.	2.4	99
45	Enhanced viability of probiotics (<i>Pediococcus pentosaceus</i> Li05) by encapsulation in microgels doped with inorganic nanoparticles. Food Hydrocolloids, 2018, 83, 246-252.	5.6	96
46	Comparison of Biopolymer Emulsifier Performance in Formation and Stabilization of Orange Oil-in-Water Emulsions. JAOCS, Journal of the American Oil Chemists' Society, 2011, 88, 47-55.	0.8	93
47	Nanoemulsion-based delivery systems for nutraceuticals: Influence of carrier oil type on bioavailability of pterostilbene. Journal of Functional Foods, 2015, 13, 61-70.	1.6	93
48	Food-grade nanoparticles for encapsulation, protection and delivery of curcumin: comparison of lipid, protein, and phospholipid nanoparticles under simulated gastrointestinal conditions. RSC Advances, 2016, 6, 3126-3136.	1.7	93
49	Encapsulation of carotenoids in emulsion-based delivery systems: Enhancement of β -carotene water-dispersibility and chemical stability. Food Hydrocolloids, 2017, 69, 49-55.	5.6	92
50	Microencapsulation of <i>Lactobacillus salivarius</i> Li01 for enhanced storage viability and targeted delivery to gut microbiota. Food Hydrocolloids, 2017, 72, 228-236.	5.6	92
51	Antioxidant Functions of Selected Allium Thiosulfinates and S-Alk(en)yl-L-Cysteine Sulfoxides. Journal of Agricultural and Food Chemistry, 2002, 50, 2488-2493.	2.4	91
52	Combination of atorvastatin and celecoxib synergistically induces cell cycle arrest and apoptosis in colon cancer cells. International Journal of Cancer, 2008, 122, 2115-2124.	2.3	86
53	Differential Inhibition of Human Platelet Aggregation by Selected Allium Thiosulfinates. Journal of Agricultural and Food Chemistry, 2000, 48, 5731-5735.	2.4	85
54	Designing excipient emulsions to increase nutraceutical bioavailability: emulsifier type influences curcumin stability and bioaccessibility by altering gastrointestinal fate. Food and Function, 2015, 6, 2475-2486.	2.1	84

#	ARTICLE	IF	CITATIONS
55	Dietary Intake of Whole Strawberry Inhibited Colonic Inflammation in Dextran-Sulfate-Sodium-Treated Mice via Restoring Immune Homeostasis and Alleviating Gut Microbiota Dysbiosis. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9168-9177.	2.4	84
56	Combination regimen with statins and NSAIDs: A promising strategy for cancer chemoprevention. <i>International Journal of Cancer</i> , 2008, 123, 983-990.	2.3	83
57	A $\hat{\alpha}$ -Tocopherol-Rich Mixture of Tocopherols Inhibits Colon Inflammation and Carcinogenesis in Azoxymethane and Dextran Sulfate Sodium-Treated Mice. <i>Cancer Prevention Research</i> , 2009, 2, 143-152.	0.7	83
58	Boosting the bioavailability of hydrophobic nutrients, vitamins, and nutraceuticals in natural products using excipient emulsions. <i>Food Research International</i> , 2016, 88, 140-152.	2.9	81
59	UV-C irradiation as an alternative disinfection technique: Study of its effect on polyphenols and antioxidant activity of apple juice. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 34, 344-351.	2.7	80
60	Fatty Acid Profile and the sn-2 Position Distribution in Triacylglycerols of Breast Milk during Different Lactation Stages. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 3118-3126.	2.4	78
61	Membrane disruption and DNA binding of <i>Staphylococcus aureus</i> cell induced by a novel antimicrobial peptide produced by <i>Lactobacillus paracasei</i> subsp. <i>tolerans</i> FX-6. <i>Food Control</i> , 2016, 59, 609-613.	2.8	77
62	Development of a standardized food model for studying the impact of food matrix effects on the gastrointestinal fate and toxicity of ingested nanomaterials. <i>NanoImpact</i> , 2019, 13, 13-25.	2.4	77
63	Phase II Enzyme-Inducing and Antioxidant Activities of Beetroot (<i>Beta vulgaris</i> L.) Extracts from Phenotypes of Different Pigmentation. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6704-6709.	2.4	76
64	Inhibitory Effects of Resveratrol and Pterostilbene on Human Colon Cancer Cells: A Side-by-Side Comparison. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10964-10970.	2.4	76
65	Synergistic actions of atorvastatin with $\hat{\alpha}$ -tocotrienol and celecoxib against human colon cancer HT29 and HCT116 cells. <i>International Journal of Cancer</i> , 2010, 126, 852-863.	2.3	75
66	Chemopreventive effects of nobiletin and its colonic metabolites on colon carcinogenesis. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 2383-2394.	1.5	75
67	Dietary resveratrol attenuated colitis and modulated gut microbiota in dextran sulfate sodium-treated mice. <i>Food and Function</i> , 2020, 11, 1063-1073.	2.1	75
68	Synergistic Anti-inflammatory Effects of Nobiletin and Sulforaphane in Lipopolysaccharide-Stimulated RAW 264.7 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 2157-2164.	2.4	71
69	Identification of pinostilbene as a major colonic metabolite of pterostilbene and its inhibitory effects on colon cancer cells. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1924-1932.	1.5	69
70	Potential health benefits of edible insects. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 3499-3508.	5.4	69
71	Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 1717-1767.	5.9	68
72	Dietary cranberry suppressed colonic inflammation and alleviated gut microbiota dysbiosis in dextran sodium sulfate-treated mice. <i>Food and Function</i> , 2019, 10, 6331-6341.	2.1	67

#	ARTICLE	IF	CITATIONS
73	Nobiletin and its colonic metabolites suppress colitis-associated colon carcinogenesis by down-regulating iNOS, inducing antioxidative enzymes and arresting cell cycle progression. <i>Journal of Nutritional Biochemistry</i> , 2017, 42, 17-25.	1.9	66
74	Structure-Activity Relationship of Curcumin: Role of the Methoxy Group in Anti-inflammatory and Anticolitis Effects of Curcumin. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 4509-4515.	2.4	66
75	Synergistic Inhibition of Lung Tumorigenesis by a Combination of Green Tea Polyphenols and Atorvastatin. <i>Clinical Cancer Research</i> , 2008, 14, 4981-4988.	3.2	65
76	Black Tea Polyphenols: A Mechanistic Treatise. <i>Critical Reviews in Food Science and Nutrition</i> , 2014, 54, 1002-1011.	5.4	65
77	Chemical and cellular antioxidative properties of threadfin bream (<i>Nemipterus</i> spp.) surimi byproduct hydrolysates fractionated by ultrafiltration. <i>Food Chemistry</i> , 2015, 167, 7-15.	4.2	65
78	Increasing Carotenoid Bioaccessibility from Yellow Peppers Using Excipient Emulsions: Impact of Lipid Type and Thermal Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8534-8543.	2.4	64
79	Enhancing Nutraceutical Bioavailability from Raw and Cooked Vegetables Using Excipient Emulsions: Influence of Lipid Type on Carotenoid Bioaccessibility from Carrots. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10508-10517.	2.4	64
80	Identification of novel bioactive metabolites of 5-demethylnobiletin in mice. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1999-2007.	1.5	63
81	Chemical and Physical Stability of Astaxanthin-Enriched Emulsion-Based Delivery Systems. <i>Food Biophysics</i> , 2016, 11, 302-310.	1.4	62
82	5- <i>demethyltangeretin</i> inhibits human nonsmall cell lung cancer cell growth by inducing G ₂ /M cell cycle arrest and apoptosis. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 2103-2111.	1.5	61
83	Antioxidation and anti-ageing activities of different stereoisomeric astaxanthin in vitro and in vivo. <i>Journal of Functional Foods</i> , 2016, 25, 50-61.	1.6	60
84	Foodborne Titanium Dioxide Nanoparticles Induce Stronger Adverse Effects in Obese Mice than Non-Obese Mice: Gut Microbiota Dysbiosis, Colonic Inflammation, and Proteome Alterations. <i>Small</i> , 2020, 16, e2001858.	5.2	60
85	Alterations of host-gut microbiome interactions in multiple sclerosis. <i>EBioMedicine</i> , 2022, 76, 103798.	2.7	59
86	Influence of Lipid Phase Composition of Excipient Emulsions on Curcumin Solubility, Stability, and Bioaccessibility. <i>Food Biophysics</i> , 2016, 11, 213-225.	1.4	58
87	Whole Food-Based Approaches to Modulating Gut Microbiota and Associated Diseases. <i>Annual Review of Food Science and Technology</i> , 2020, 11, 119-143.	5.1	58
88	Induction of Phase II Enzyme Activity by Various Selenium Compounds. <i>Nutrition and Cancer</i> , 2006, 55, 210-223.	0.9	57
89	Impact of Layer Structure on Physical Stability and Lipase Digestibility of Lipid Droplets Coated by Biopolymer Nanolaminated Coatings. <i>Food Biophysics</i> , 2011, 6, 37-48.	1.4	57
90	Encapsulation of <i>Bifidobacterium pseudocatenulatum</i> G7 in gastroprotective microgels: Improvement of the bacterial viability under simulated gastrointestinal conditions. <i>Food Hydrocolloids</i> , 2019, 91, 283-289.	5.6	57

#	ARTICLE	IF	CITATIONS
91	Encapsulation of bifidobacterium in alginate microgels improves viability and targeted gut release. <i>Food Hydrocolloids</i> , 2021, 116, 106634.	5.6	57
92	Enhancement of Nutraceutical Bioavailability using Excipient Nanoemulsions: Role of Lipid Digestion Products on Bioaccessibility of Carotenoids and Phenolics from Mangoes. <i>Journal of Food Science</i> , 2016, 81, N754-61.	1.5	56
93	Enhancement of phytochemical bioaccessibility from plant-based foods using excipient emulsions: impact of lipid type on carotenoid solubilization from spinach. <i>Food and Function</i> , 2018, 9, 4352-4365.	2.1	56
94	A α -tocopherol-rich mixture of tocopherols inhibits chemically induced lung tumorigenesis in A/J mice and xenograft tumor growth. <i>Carcinogenesis</i> , 2010, 31, 687-694.	1.3	55
95	Designing food structure and composition to enhance nutraceutical bioactivity to support cancer inhibition. <i>Seminars in Cancer Biology</i> , 2017, 46, 215-226.	4.3	55
96	Dietary Intake of <i>Pleurotus eryngii</i> Ameliorated Dextran α -Sulfate α -Induced Colitis in Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801265.	1.5	54
97	The p53 α , Bax α and p21 α -dependent inhibition of colon cancer cell growth by 5 α -hydroxy polymethoxyflavones. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 613-622.	1.5	53
98	Impact of protein-nanoparticle interactions on gastrointestinal fate of ingested nanoparticles: Not just simple protein corona effects. <i>NanoImpact</i> , 2019, 13, 37-43.	2.4	53
99	Diet-Based Strategies for Cancer Chemoprevention: The Role of Combination Regimens Using Dietary Bioactive Components. <i>Annual Review of Food Science and Technology</i> , 2015, 6, 505-526.	5.1	52
100	Highly Branched RG-I Domain Enrichment Is Indispensable for Pectin Mitigating against High-Fat Diet-Induced Obesity. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 8688-8701.	2.4	52
101	Structure and fermentation characteristics of five polysaccharides sequentially extracted from sugar beet pulp by different methods. <i>Food Hydrocolloids</i> , 2022, 126, 107462.	5.6	52
102	Interfacial Engineering Using Mixed Protein Systems: Emulsion-Based Delivery Systems for Encapsulation and Stabilization of β -Carotene. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 5163-5169.	2.4	51
103	Nanoemulsion-Based Delivery Systems for Nutraceuticals: Influence of Long-Chain Triglyceride (LCT) Type on In Vitro Digestion and Astaxanthin Bioaccessibility. <i>Food Biophysics</i> , 2018, 13, 412-421.	1.4	51
104	Isolation of a novel bioactive protein from an edible mushroom <i>Pleurotus eryngii</i> and its anti-inflammatory potential. <i>Food and Function</i> , 2017, 8, 2175-2183.	2.1	50
105	Anti-inflammatory effects of 4 α -demethylnobiletin, a major metabolite of nobiletin. <i>Journal of Functional Foods</i> , 2015, 19, 278-287.	1.6	49
106	Enhancing vitamin E bioaccessibility: factors impacting solubilization and hydrolysis of α -tocopherol acetate encapsulated in emulsion-based delivery systems. <i>Food and Function</i> , 2015, 6, 83-96.	2.1	49
107	Impact of Lipid Phase on the Bioavailability of Vitamin E in Emulsion-Based Delivery Systems: Relative Importance of Bioaccessibility, Absorption, and Transformation. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 3946-3955.	2.4	49
108	Nutrients and bioactives in citrus fruits: Different citrus varieties, fruit parts, and growth stages. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 2018-2041.	5.4	49

#	ARTICLE	IF	CITATIONS
109	A metabolite of nobiletin, 4â€²-demethylnobiletin and atorvastatin synergistically inhibits human colon cancer cell growth by inducing G0/G1 cell cycle arrest and apoptosis. <i>Food and Function</i> , 2018, 9, 87-95.	2.1	48
110	Influence of Tripolyphosphate Cross-Linking on the Physical Stability and Lipase Digestibility of Chitosan-Coated Lipid Droplets. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1283-1289.	2.4	47
111	Characterization of the Interactions between Titanium Dioxide Nanoparticles and Polymethoxyflavones Using Surface-Enhanced Raman Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9436-9441.	2.4	47
112	High-fat-dietâ€œinduced obesity is associated with decreased antiinflammatory <i>Lactobacillus reuteri</i> sensitive to oxidative stress in mouse Peyer's patches. <i>Nutrition</i> , 2016, 32, 265-272.	1.1	47
113	The gastrointestinal behavior of emulsifiers used to formulate excipient emulsions impact the bioavailability of Î²-carotene from spinach. <i>Food Chemistry</i> , 2019, 278, 811-819.	4.2	47
114	<i>Lactobacillus acidophilus</i> loaded pickering double emulsion with enhanced viability and colon-adhesion efficiency. <i>LWT - Food Science and Technology</i> , 2020, 121, 108928.	2.5	46
115	Characterization of polysaccharide from <i>Pleurotus eryngii</i> during simulated gastrointestinal digestion and fermentation. <i>Food Chemistry</i> , 2022, 370, 131303.	4.2	46
116	Chemoprevention of colonic tumorigenesis by dietary hydroxylated polymethoxyflavones in azoxymethaneâ€œtreated mice. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 278-290.	1.5	45
117	Microbial inactivation and cytotoxicity evaluation of UV irradiated coconut water in a novel continuous flow spiral reactor. <i>Food Research International</i> , 2018, 103, 59-67.	2.9	45
118	Targeted Metabolomics Identifies the Cytochrome P450 Monooxygenase Eicosanoid Pathway as a Novel Therapeutic Target of Colon Tumorigenesis. <i>Cancer Research</i> , 2019, 79, 1822-1830.	0.4	45
119	Synergistic chemopreventive effects of nobiletin and atorvastatin on colon carcinogenesis. <i>Carcinogenesis</i> , 2017, 38, 455-464.	1.3	43
120	Characterization of physical properties and electronic sensory analyses of citrus oil-based nanoemulsions. <i>Food Research International</i> , 2018, 109, 149-158.	2.9	43
121	Polyphenols-rich extract from <i>Pleurotus eryngii</i> with growth inhibitory of HCT116 colon cancer cells and anti-inflammatory function in RAW264.7 cells. <i>Food and Function</i> , 2018, 9, 1601-1611.	2.1	43
122	Stereoisomers of Astaxanthin Inhibit Human Colon Cancer Cell Growth by Inducing G2/M Cell Cycle Arrest and Apoptosis. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 7750-7759.	2.4	42
123	Design of nanoemulsion-based delivery systems to enhance intestinal lymphatic transport of lipophilic food bioactives: Influence of oil type. <i>Food Chemistry</i> , 2020, 317, 126229.	4.2	42
124	Hydroxytyrosol Alleviates Dextran Sulfate Sodium-Induced Colitis by Modulating Inflammatory Responses, Intestinal Barrier, and Microbiome. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 2241-2252.	2.4	42
125	Encapsulation of protein nanoparticles within alginate microparticles: Impact of pH and ionic strength on functional performance. <i>Journal of Food Engineering</i> , 2016, 178, 81-89.	2.7	41
126	Bioactive Peptides Isolated from Casein Phosphopeptides Enhance Calcium and Magnesium Uptake in Caco-2 Cell Monolayers. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2307-2314.	2.4	41

#	ARTICLE	IF	CITATIONS
127	<i>In Vitro</i> Bioavailability, Cellular Antioxidant Activity, and Cytotoxicity of β -Carotene-Loaded Emulsions Stabilized by Catechin-Egg White Protein Conjugates. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 1649-1657.	2.4	41
128	Factors impacting lipid digestion and β -carotene bioaccessibility assessed by standardized gastrointestinal model (INFOGEST): oil droplet concentration. <i>Food and Function</i> , 2020, 11, 7126-7137.	2.1	41
129	<i>In Vitro</i> Stability and Chemical Reactivity of Thiosulfinates. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2644-2651.	2.4	40
130	Simultaneous determination of four 5-hydroxy polymethoxyflavones by reversed-phase high performance liquid chromatography with electrochemical detection. <i>Journal of Chromatography A</i> , 2010, 1217, 642-647.	1.8	40
131	Formulation and properties of model beverage emulsions stabilized by sucrose monopalmitate: Influence of pH and lyso-lecithin addition. <i>Food Research International</i> , 2011, 44, 3006-3012.	2.9	40
132	Inhibitory Effects of Metabolites of 5-Demethylnobiletin on Human Nonsmall Cell Lung Cancer Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 4943-4949.	2.4	40
133	Impact of Lipid Content on the Ability of Excipient Emulsions to Increase Carotenoid Bioaccessibility from Natural Sources (Raw and Cooked Carrots). <i>Food Biophysics</i> , 2016, 11, 71-80.	1.4	40
134	Improvement of carotenoid bioaccessibility from spinach by co-ingesting with excipient nanoemulsions: impact of the oil phase composition. <i>Food and Function</i> , 2019, 10, 5302-5311.	2.1	40
135	Dietary Tangeretin Alleviated Dextran Sulfate Sodium-Induced Colitis in Mice via Inhibiting Inflammatory Response, Restoring Intestinal Barrier Function, and Modulating Gut Microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 7663-7674.	2.4	40
136	Analysis of 10 Metabolites of Polymethoxyflavones with High Sensitivity by Electrochemical Detection in High-Performance Liquid Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 509-516.	2.4	39
137	Microbial enzymes induce colitis by reactivating triclosan in the mouse gastrointestinal tract. <i>Nature Communications</i> , 2022, 13, 136.	5.8	39
138	Isolation and identification of potential cancer chemopreventive agents from methanolic extracts of green onion (<i>Allium cepa</i>). <i>Phytochemistry</i> , 2007, 68, 1059-1067.	1.4	38
139	Encapsulation and Delivery of Crystalline Hydrophobic Nutraceuticals using Nanoemulsions: Factors Affecting Polymethoxyflavone Solubility. <i>Food Biophysics</i> , 2012, 7, 341-353.	1.4	38
140	Influence of Physical State of β -Carotene (Crystallized versus Solubilized) on Bioaccessibility. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 990-997.	2.4	38
141	Encapsulation of Polymethoxyflavones in Citrus Oil Emulsion-Based Delivery Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1732-1739.	2.4	38
142	The stability of three different citrus oil-in-water emulsions fabricated by spontaneous emulsification. <i>Food Chemistry</i> , 2018, 269, 577-587.	4.2	38
143	Astaxanthin attenuates d-galactose-induced brain aging in rats by ameliorating oxidative stress, mitochondrial dysfunction, and regulating metabolic markers. <i>Food and Function</i> , 2020, 11, 4103-4113.	2.1	37
144	Gut Microbiome: The Cornerstone of Life and Health. , 2022, 2022, 1-3.		37

#	ARTICLE	IF	CITATIONS
145	Mechanism of Different Stereoisomeric Astaxanthin in Resistance to Oxidative Stress in <i>Caenorhabditis elegans</i> . <i>Journal of Food Science</i> , 2016, 81, H2280-7.	1.5	36
146	Triclosan, a common antimicrobial ingredient, on gut microbiota and gut health. <i>Gut Microbes</i> , 2019, 10, 434-437.	4.3	36
147	Characterization and digestion features of a novel polysaccharide-Fe(III) complex as an iron supplement. <i>Carbohydrate Polymers</i> , 2020, 249, 116812.	5.1	36
148	Health effects of dietary sulfated polysaccharides from seafoods and their interaction with gut microbiota. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 2882-2913.	5.9	36
149	Inhibitory Effects of 4 β -Demethylnobiletin, a Metabolite of Nobiletin, on 12-O-Tetradecanoylphorbol-13-acetate (TPA)-Induced Inflammation in Mouse Ears. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10921-10927.	2.4	35
150	Food Matrix Effects on Nutraceutical Bioavailability: Impact of Protein on Curcumin Bioaccessibility and Transformation in Nanoemulsion Delivery Systems and Excipient Nanoemulsions. <i>Food Biophysics</i> , 2016, 11, 142-153.	1.4	35
151	Health benefits of edible mushroom polysaccharides and associated gut microbiota regulation. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 6646-6663.	5.4	35
152	Characterization of insoluble dietary fiber from three food sources and their potential hypoglycemic and hypolipidemic effects. <i>Food and Function</i> , 2021, 12, 6576-6587.	2.1	35
153	Enhanced Anti-inflammatory Activities by the Combination of Luteolin and Tangeretin. <i>Journal of Food Science</i> , 2016, 81, H1320-7.	1.5	34
154	Citrus Oil Emulsions Stabilized by Citrus Pectin: The Influence Mechanism of Citrus Variety and Acid Treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 12978-12988.	2.4	34
155	Efficiency of four different dietary preparation methods in extracting functional compounds from dried tangerine peel. <i>Food Chemistry</i> , 2019, 289, 340-350.	4.2	34
156	Nanoliposomes as delivery system for anthocyanins: Physicochemical characterization, cellular uptake, and antioxidant properties. <i>LWT - Food Science and Technology</i> , 2021, 139, 110554.	2.5	34
157	Impact of UV-C irradiation on the quality, safety, and cytotoxicity of cranberry-flavored water using a novel continuous flow UV system. <i>LWT - Food Science and Technology</i> , 2018, 95, 230-239.	2.5	33
158	Synergism between luteolin and sulforaphane in anti-inflammation. <i>Food and Function</i> , 2018, 9, 5115-5123.	2.1	33
159	IgE-binding epitope mapping of tropomyosin allergen (Exo m 1) from <i>Exopalaemon modestus</i> , the freshwater Siberian prawn. <i>Food Chemistry</i> , 2020, 309, 125603.	4.2	33
160	iTRAQ-Based Quantitative Proteomic Analysis of the Antimicrobial Mechanism of Peptide F1 against <i>Escherichia coli</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 7190-7197.	2.4	32
161	Synergistic chemopreventive effect of allyl isothiocyanate and sulforaphane on non-small cell lung carcinoma cells. <i>Food and Function</i> , 2019, 10, 893-902.	2.1	32
162	Role of Mucin in Behavior of Food-Grade TiO ₂ Nanoparticles under Simulated Oral Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5882-5890.	2.4	32

#	ARTICLE	IF	CITATIONS
163	Exploring the effects of carrier oil type on in vitro bioavailability of β -carotene: A cell culture study of carotenoid-enriched nanoemulsions. <i>LWT - Food Science and Technology</i> , 2020, 134, 110224.	2.5	32
164	Soluble epoxide hydrolase is an endogenous regulator of obesity-induced intestinal barrier dysfunction and bacterial translocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8431-8436.	3.3	32
165	The inhibitory effects of 5-hydroxy- β ,6,7,8,3,4-hexamethoxyflavone on human colon cancer cells. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1523-1532.	1.5	31
166	Effect of UV Irradiation on the Nutritional Quality and Cytotoxicity of Apple Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 7812-7822.	2.4	31
167	Chemical characterization of the glycosylated myofibrillar proteins from grass carp (<i>Ctenopharyngodon</i>) Tj ETQq1 1 0.784314 rgBT /Over 8, 1184-1194.	2.1	31
168	Food-grade cationic antimicrobial μ -polylysine transiently alters the gut microbial community and predicted metagenome function in CD-1 mice. <i>Npj Science of Food</i> , 2017, 1, 8.	2.5	31
169	Bioaccessibility and cellular uptake of β -carotene in emulsion-based delivery systems using scallop (<i>Patinopecten yessoensis</i>) gonad protein isolates: effects of carrier oil. <i>Food and Function</i> , 2019, 10, 49-60.	2.1	31
170	Non-extractable polyphenols from cranberries: potential anti-inflammation and anti-colon-cancer agents. <i>Food and Function</i> , 2019, 10, 7714-7723.	2.1	31
171	Inhibitory effects of nobiletin and its major metabolites on lung tumorigenesis. <i>Food and Function</i> , 2019, 10, 7444-7452.	2.1	31
172	Bioactive Components of Polyphenol-Rich and Non-Polyphenol-Rich Cranberry Fruit Extracts and Their Chemopreventive Effects on Colitis-Associated Colon Cancer. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6845-6853.	2.4	30
173	Solid state fermentation by <i>Fomitopsis pinicola</i> improves physicochemical and functional properties of wheat bran and the bran-containing products. <i>Food Chemistry</i> , 2020, 328, 127046.	4.2	30
174	In-vivo biotransformation of citrus functional components and their effects on health. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, 61, 756-776.	5.4	30
175	Simultaneous determination of 14 bioactive citrus flavonoids using thin-layer chromatography combined with surface enhanced Raman spectroscopy. <i>Food Chemistry</i> , 2021, 338, 128115.	4.2	30
176	Composition and immuno-stimulatory properties of extracellular DNA from mouse gut flora. <i>World Journal of Gastroenterology</i> , 2017, 23, 7830-7839.	1.4	30
177	Solid Lipid Nanoparticles: Effect of Carrier Oil and Emulsifier Type on Phase Behavior and Physical Stability. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2012, 89, 17-28.	0.8	29
178	Potential impact of inorganic nanoparticles on macronutrient digestion: titanium dioxide nanoparticles slightly reduce lipid digestion under simulated gastrointestinal conditions. <i>Nanotoxicology</i> , 2017, 11, 1087-1101.	1.6	29
179	Triclocarban exposure exaggerates colitis and colon tumorigenesis: roles of gut microbiota involved. <i>Gut Microbes</i> , 2020, 12, 1690364.	4.3	29
180	Fabrication, characterization and properties of filled hydrogel particles formed by the emulsion-template method. <i>Journal of Food Engineering</i> , 2015, 155, 16-21.	2.7	28

#	ARTICLE	IF	CITATIONS
181	Improving nutraceutical bioavailability using mixed colloidal delivery systems: lipid nanoparticles increase tangeretin bioaccessibility and absorption from tangeretin-loaded zein nanoparticles. <i>RSC Advances</i> , 2015, 5, 73892-73900.	1.7	28
182	Controlling the gastrointestinal fate of nutraceutical and pharmaceutical-enriched lipid nanoparticles: From mixed micelles to chylomicrons. <i>NanoImpact</i> , 2017, 5, 13-21.	2.4	28
183	Conformation, allergenicity and human cell allergy sensitization of tropomyosin from <i>Exopalaemon modestus</i> : Effects of deglycosylation and Maillard reaction. <i>Food Chemistry</i> , 2019, 276, 520-527.	4.2	28
184	Insight into the allergenicity of shrimp tropomyosin glycosylated by functional oligosaccharides containing advanced glycation end products. <i>Food Chemistry</i> , 2020, 302, 125348.	4.2	28
185	Arginine-lysine functionalized chitosan- β -casein core-shell and pH-responsive nanoparticles: fabrication, characterization and bioavailability enhancement of hydrophobic and hydrophilic bioactive compounds. <i>Food and Function</i> , 2020, 11, 4638-4647.	2.1	28
186	Fabrication, characterization and functional attributes of zein-egg white derived peptides (EWDP)-chitosan ternary nanoparticles for encapsulation of curcumin: Role of EWDP. <i>Food Chemistry</i> , 2022, 372, 131266.	4.2	28
187	Chemical Mapping of Essential Oils, Flavonoids and Carotenoids in Citrus Peels by Raman Microscopy. <i>Journal of Food Science</i> , 2017, 82, 2840-2846.	1.5	27
188	Chemopreventive Effects of Whole Cranberry (<i>Vaccinium macrocarpon</i>) on Colitis-Associated Colon Tumorigenesis. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800942.	1.5	27
189	Structural Features and Digestive Behavior of Fucosylated Chondroitin Sulfate from Sea Cucumbers <i>Stichopus japonicus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10534-10542.	2.4	27
190	Inhibitory effect of black tea (<i>Camellia sinensis</i>) theaflavins and thearubigins against HCT 116 colon cancer cells and HT 460 lung cancer cells. <i>Journal of Food Biochemistry</i> , 2019, 43, e12822.	1.2	27
191	Role of prebiotics in enhancing the function of next-generation probiotics in gut microbiota. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 1037-1054.	5.4	27
192	Enhanced lymphatic transport of bioactive lipids: cell culture study of polymethoxyflavone incorporation into chylomicrons. <i>Food and Function</i> , 2013, 4, 1662.	2.1	26
193	Isolation of <i>Lactobacillus reuteri</i> from Peyer's patches and their effects on sIgA production and gut microbiota diversity. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 2020-2030.	1.5	26
194	Effects of Preheating and Storage Temperatures on Aroma Profile and Physical Properties of Citrus-Oil Emulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 7781-7789.	2.4	26
195	Toxicity, gut microbiota and metabolome effects after copper exposure during early life in SD rats. <i>Toxicology</i> , 2020, 433-434, 152395.	2.0	26
196	In vitro and in vivo study of the enhancement of carotenoid bioavailability in vegetables using excipient nanoemulsions: Impact of lipid content. <i>Food Research International</i> , 2021, 141, 110162.	2.9	26
197	Novel ent-Kaurane Diterpenoid from <i>Rubus corchorifolius</i> L. f. Inhibits Human Colon Cancer Cell Growth via Inducing Cell Cycle Arrest and Apoptosis. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1566-1573.	2.4	25
198	Inhibitory Effects of Peptide Lunasin in Colorectal Cancer HCT-116 Cells and Their Tumorsphere-Derived Subpopulation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 537.	1.8	25

#	ARTICLE	IF	CITATIONS
199	Improving intracellular uptake of 5-demethyltangeretin by food grade nanoemulsions. <i>Food Research International</i> , 2014, 62, 98-103.	2.9	24
200	Effects of casein phosphopeptides on calcium absorption and metabolism bioactivity <i>in vitro</i> and <i>in vivo</i> . <i>Food and Function</i> , 2018, 9, 5220-5229.	2.1	24
201	Characterization of polymethoxyflavone demethylation during drying processes of citrus peels. <i>Food and Function</i> , 2019, 10, 5707-5717.	2.1	24
202	Impact of $\hat{\mu}$ -polylysine and pectin on the potential gastrointestinal fate of emulsified lipids: In vitro mouth, stomach and small intestine model. <i>Food Chemistry</i> , 2016, 192, 857-864.	4.2	23
203	Dietary 5-demethylnobiletin inhibits cigarette carcinogen NNK-induced lung tumorigenesis in mice. <i>Food and Function</i> , 2017, 8, 954-963.	2.1	23
204	Green Tea Polyphenols Inhibit Colorectal Tumorigenesis in Azoxymethane-Treated F344 Rats. <i>Nutrition and Cancer</i> , 2017, 69, 623-631.	0.9	23
205	Effects of spray-drying temperature on the physicochemical properties and polymethoxyflavone loading efficiency of citrus oil microcapsules. <i>LWT - Food Science and Technology</i> , 2020, 133, 109954.	2.5	23
206	Assembly pattern of multicomponent supramolecular oleogel composed of ceramide and lecithin in sunflower oil: self-assembly or self-sorting?. <i>Food and Function</i> , 2020, 11, 7651-7660.	2.1	23
207	The chemopreventive effect of 5-demethylnobiletin, a unique citrus flavonoid, on colitis-driven colorectal carcinogenesis in mice is associated with its colonic metabolites. <i>Food and Function</i> , 2020, 11, 4940-4952.	2.1	23
208	Challenges of pectic polysaccharides as a prebiotic from the perspective of fermentation characteristics and anti-colitis activity. <i>Carbohydrate Polymers</i> , 2021, 270, 118377.	5.1	23
209	Influence of Lipid Content in a Corn Oil Preparation on the Bioaccessibility of $\hat{2}$ Carotene: A Comparison of Low-Fat and High-Fat Samples. <i>Journal of Food Science</i> , 2017, 82, 373-379.	1.5	22
210	Angiotensin-converting enzyme-inhibitory and antithrombotic activities of soluble peptide extracts from buffalo and cow milk Cheddar cheeses. <i>International Journal of Dairy Technology</i> , 2017, 70, 380-388.	1.3	22
211	A green, facile, and rapid method for microextraction and Raman detection of titanium dioxide nanoparticles from milk powder. <i>RSC Advances</i> , 2017, 7, 21380-21388.	1.7	22
212	Effects of Consumer Antimicrobials Benzalkonium Chloride, Benzethonium Chloride, and Chloroxylenol on Colonic Inflammation and Colitis-Associated Colon Tumorigenesis in Mice. <i>Toxicological Sciences</i> , 2018, 163, 490-499.	1.4	22
213	IgA-Targeted <i>Lactobacillus jensenii</i> Modulated Gut Barrier and Microbiota in High-Fat Diet-Fed Mice. <i>Frontiers in Microbiology</i> , 2019, 10, 1179.	1.5	22
214	UV-C treatment on the safety of skim milk: Effect on microbial inactivation and cytotoxicity evaluation. <i>Journal of Food Process Engineering</i> , 2019, 42, e12944.	1.5	22
215	Structural characterization and immunostimulatory activity of a glucan from <i>Cyclina sinensis</i> . <i>International Journal of Biological Macromolecules</i> , 2020, 161, 779-786.	3.6	22
216	Improved Simple Sample Pretreatment Method for Quantitation of Major Human Milk Oligosaccharides Using Ultrahigh Pressure Liquid Chromatography with Fluorescence Detection. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 12237-12244.	2.4	21

#	ARTICLE	IF	CITATIONS
217	Identification of a new benzophenone from <i>Psidium guajava</i> L. leaves and its antineoplastic effects on human colon cancer cells. <i>Food and Function</i> , 2019, 10, 4189-4198.	2.1	21
218	Gut Microbiota-Derived Resveratrol Metabolites, Dihydroresveratrol and Lunularin, Significantly Contribute to the Biological Activities of Resveratrol. <i>Frontiers in Nutrition</i> , 2022, 9, .	1.6	21
219	Organoselenium Compounds Modulate Extracellular Redox by Induction of Extracellular Cysteine and Cell Surface Thioredoxin Reductase. <i>Chemical Research in Toxicology</i> , 2013, 26, 456-464.	1.7	20
220	Encapsulation in lysozyme/ <i>A. Sphaerocephala</i> Krasch polysaccharide nanoparticles increases stability and bioefficacy of curcumin. <i>Journal of Functional Foods</i> , 2017, 38, 100-109.	1.6	20
221	Infrared Drying as a Quick Preparation Method for Dried Tangerine Peel. <i>International Journal of Analytical Chemistry</i> , 2017, 2017, 1-11.	0.4	20
222	Fabrication of surface-active antioxidant biopolymers by using a grafted scallop (<i>Patinopecten</i>) stability of tuna oil-loaded emulsions. <i>Food and Function</i> , 2019, 10, 6752-6766.	2.1	20
223	Insight into the effects of deglycosylation and glycation of shrimp tropomyosin on <i>in vivo</i> allergenicity and mast cell function. <i>Food and Function</i> , 2019, 10, 3934-3941.	2.1	20
224	Modulation of physicochemical stability and bioaccessibility of β -carotene using alginate beads and emulsion stabilized by scallop (<i>Patinopecten yessoensis</i>) gonad protein isolates. <i>Food Research International</i> , 2020, 129, 108875.	2.9	20
225	Curcumin inhibits lymphangiogenesis <i>in vitro</i> and <i>in vivo</i> . <i>Molecular Nutrition and Food Research</i> , 2015, 59, 2345-2354.	1.5	19
226	Allergenicity suppression of tropomyosin from <i>Exopalaemon modestus</i> by glycation with saccharides of different molecular sizes. <i>Food Chemistry</i> , 2019, 288, 268-275.	4.2	19
227	Identification of Flavonoids From Finger Citron and Evaluation on Their Antioxidative and Antiaging Activities. <i>Frontiers in Nutrition</i> , 2020, 7, 584900.	1.6	19
228	A review on the bioavailability, bio-efficacies and novel delivery systems for piperine. <i>Food and Function</i> , 2021, 12, 8867-8881.	2.1	19
229	Impact of encapsulating a probiotic (<i>Pediococcus pentosaceus</i> Li05) within gastro-responsive microgels on <i>Clostridium difficile</i> infections. <i>Food and Function</i> , 2021, 12, 3180-3190.	2.1	19
230	Bamboo shavings derived O-acetylated xylan alleviates loperamide-induced constipation in mice. <i>Carbohydrate Polymers</i> , 2022, 276, 118761.	5.1	19
231	Marine-derived uronic acid-containing polysaccharides: Structures, sources, production, and nutritional functions. <i>Trends in Food Science and Technology</i> , 2022, 122, 1-12.	7.8	19
232	Isolation and Identification of Phase II Enzyme-Inducing Agents from Nonpolar Extracts of Green Onion (<i>Allium</i> spp.). <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8417-8424.	2.4	18
233	Optimization of culture conditions for the production of antimicrobial substances by probiotic <i>Lactobacillus paracasei</i> subsp. <i>Tolerans</i> FX-6. <i>Journal of Functional Foods</i> , 2015, 18, 244-253.	1.6	18
234	The impact of lactation and gestational age on the composition of branched-chain fatty acids in human breast milk. <i>Food and Function</i> , 2018, 9, 1747-1754.	2.1	18

#	ARTICLE	IF	CITATIONS
235	Anti-inflammatory effect of xanthomicrol, a major colonic metabolite of 5-demethyltangeretin. <i>Food and Function</i> , 2018, 9, 3104-3113.	2.1	18
236	Hypoglycemic effects of wheat bran alkylresorcinols in high-fat/high-sucrose diet and low-dose streptozotocin-induced type 2 diabetic male mice and protection of pancreatic β cells. <i>Food and Function</i> , 2019, 10, 3282-3290.	2.1	18
237	Factors impacting lipid digestion and nutraceutical bioaccessibility assessed by standardized gastrointestinal model (INFOGEST): oil. <i>Food and Function</i> , 2020, 11, 9936-9946.	2.1	18
238	Identification of terpenoids from <i>Rubus corchorifolius</i> L. f. leaves and their anti-proliferative effects on human cancer cells. <i>Food and Function</i> , 2017, 8, 1052-1060.	2.1	17
239	Glycation by saccharides of different molecular sizes affected the allergenicity of shrimp tropomyosin <i>via</i> epitope loss and the generation of advanced glycation end products. <i>Food and Function</i> , 2019, 10, 7042-7051.	2.1	17
240	A surface enhanced Raman spectroscopic study of interactions between casein and polymethoxyflavones. <i>Journal of Raman Spectroscopy</i> , 2013, 44, 531-535.	1.2	16
241	In vitro and in vivo inhibitory effects of a <i>Pleurotus eryngii</i> protein on colon cancer cells. <i>Food and Function</i> , 2017, 8, 3553-3562.	2.1	16
242	Oxidation pretreatment by calcium hypochlorite to improve the sensitivity of enzyme inhibition-based detection of organophosphorus pesticides. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 2624-2631.	1.7	16
243	Characterization of a probiotic starter culture with anti- <i>Candida</i> activity for Chinese pickle fermentation. <i>Food and Function</i> , 2019, 10, 6936-6944.	2.1	16
244	Dietary cholesterol oxidation products: Perspectives linking food processing and storage with health implications. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 738-779.	5.9	16
245	Characterization of Bacterial Microbiota in Tilapia Fillets Under Different Storage Temperatures. <i>Journal of Food Science</i> , 2019, 84, 1487-1493.	1.5	15
246	Synergistic anticancer effects of curcumin and 3',4'-didemethylnobiletin in combination on colon cancer cells. <i>Journal of Food Science</i> , 2020, 85, 1292-1301.	1.5	15
247	Review and Perspective on the Composition and Safety of Green Tea Extracts. <i>European Journal of Nutrition & Food Safety</i> , 2015, 5, 1-31.	0.2	15
248	Quantitative analysis of hydroxylated polymethoxyflavones by high-performance liquid chromatography. <i>Biomedical Chromatography</i> , 2010, 24, 838-845.	0.8	14
249	Apoptosis in MCF-7 breast cancer cells induced by S-alkenylmercaptocysteine (CySSR) species derived from <i>Allium</i> tissues in combination with sodium selenite. <i>Food and Chemical Toxicology</i> , 2014, 68, 1-10.	1.8	14
250	Oxidative Conversion Mediates Antiproliferative Effects of <i>tert</i> -Butylhydroquinone: Structure and Activity Relationship Study. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 3743-3748.	2.4	14
251	Protective effects of polyphenolic extracts from longan seeds promote healing of deep second-degree burn in mice. <i>Food and Function</i> , 2019, 10, 1433-1443.	2.1	14
252	Structural Characterization and Pro-inflammatory Activity of a Thaumatin-Like Protein from Pulp Tissues of <i>Litchi chinensis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6439-6447.	2.4	14

#	ARTICLE	IF	CITATIONS
253	Protection of β -Carotene from Chemical Degradation in Emulsion-Based Delivery Systems Using Scallop (<i>Patinopecten yessoensis</i>) Gonad Protein Isolates. <i>Food and Bioprocess Technology</i> , 2020, 13, 680-692.	2.6	14
254	Water extract of shepherd's purse prevents high-fructose induced-liver injury by regulating glucolipid metabolism and gut microbiota. <i>Food Chemistry</i> , 2021, 342, 128536.	4.2	14
255	The Role of Dihydroresveratrol in Enhancing the Synergistic Effect of <i>Ligilactobacillus salivarius</i> LiO1 and Resveratrol in Ameliorating Colitis in Mice. <i>Research</i> , 2022, 2022, .	2.8	14
256	Safety evaluation and lipid-lowering effects of food-grade biopolymer complexes (β -polylysine-pectin) in mice fed a high-fat diet. <i>Food and Function</i> , 2017, 8, 1822-1829.	2.1	13
257	Hepatic transcriptome and proteome analyses provide new insights into the regulator mechanism of dietary avicularin in diabetic mice. <i>Food Research International</i> , 2019, 125, 108570.	2.9	13
258	<i>N</i> -Acetyl-cysteine-Cysteine-Functionalized Chitosan β -Lactoglobulin Self-Assembly Nanoparticles: A Promising Way for Oral Delivery of Hydrophilic and Hydrophobic Bioactive Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 12511-12519.	2.4	13
259	Preparation of newly identified polysaccharide from <i>Pleurotus eryngii</i> and its anti-inflammatory activities potential. <i>Journal of Food Science</i> , 2020, 85, 2822-2831.	1.5	13
260	In Situ Formation of Polymeric Nanoassemblies Using an Efficient Reversible Click Reaction. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15135-15140.	7.2	13
261	Structurally stable sustained-release microcapsules stabilized by self-assembly of pectin-chitosan-collagen in aqueous two-phase system. <i>Food Hydrocolloids</i> , 2022, 125, 107413.	5.6	13
262	Gut Microbiota Composition in Relation to the Metabolism of Oral Administrated Resveratrol. <i>Nutrients</i> , 2022, 14, 1013.	1.7	13
263	Monitoring the Chemical Production of Citrus-Derived Bioactive 5-Demethylnobiletin Using Surface-Enhanced Raman Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8079-8083.	2.4	12
264	UV Irradiation on the Quality of Green Tea: Effect on Catechins, Antioxidant Activity, and Cytotoxicity. <i>Journal of Food Science</i> , 2018, 83, 1258-1264.	1.5	12
265	The gastrointestinal fate of limonin and its effect on gut microbiota in mice. <i>Food and Function</i> , 2019, 10, 5521-5530.	2.1	12
266	Flavor Characteristics of Ganpu Tea Formed During the Sun-Drying Processing and Its Antidepressant-Like Effects. <i>Frontiers in Nutrition</i> , 2021, 8, 647537.	1.6	12
267	LC-Q-TOF-MS/MS detection of food flavonoids: principle, methodology, and applications. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 3750-3770.	5.4	12
268	Effect of high hydrostatic pressure on the edible quality, health and safety attributes of plant-based foods represented by cereals and legumes: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 4636-4654.	5.4	12
269	Protective effects of non-extractable phenolics from strawberry against inflammation and colon cancer in vitro. <i>Food Chemistry</i> , 2022, 374, 131759.	4.2	12
270	Pre-treated theaflavin-3,3'-digallate has a higher inhibitory effect on the HCT116 cell line. <i>Food and Nutrition Research</i> , 2017, 61, 1400340.	1.2	11

#	ARTICLE	IF	CITATIONS
271	The Prevention of a High Dose of Vitamin D or Its Combination with Sulforaphane on Intestinal Inflammation and Tumorigenesis in <i>Apc^{1638N}</i> Mice Fed a High-Fat Diet. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1800824.	1.5	11
272	Modulating effects of capsaicin on glucose homeostasis and the underlying mechanism. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 3634-3652.	5.4	11
273	Structural and inflammatory characteristics of Maillard reaction products from litchi thaumatin-like protein and fructose. <i>Food Chemistry</i> , 2022, 374, 131821.	4.2	11
274	Simultaneous characterization of chemical structures and bioactivities of citrus-derived components using SERS barcodes. <i>Food Chemistry</i> , 2018, 240, 743-750.	4.2	10
275	A sulfated polysaccharide from abalone influences iron uptake by the contrary impacts of its chelating and reducing activities. <i>International Journal of Biological Macromolecules</i> , 2019, 138, 49-56.	3.6	10
276	Analysis of bisabolocurcumin ether (a terpene-conjugated curcuminoid) and three curcuminoids in <i>Curcuma</i> species from different regions by UPLC-ESI MS/MS and their in vitro anti-inflammatory activities. <i>Journal of Functional Foods</i> , 2019, 52, 186-195.	1.6	10
277	Increasing the nutritional value of strawberry puree by adding xylo-oligosaccharides. <i>Heliyon</i> , 2020, 6, e03769.	1.4	10
278	Inhibitory effects of Î ² -type glycosidic polysaccharide from <i>Pleurotus eryngii</i> on dextran sodium sulfate-induced colitis in mice. <i>Food and Function</i> , 2021, 12, 3831-3841.	2.1	10
279	Identification of 4â ² -Demethyltangeretin as a Major Urinary Metabolite of Tangeretin in Mice and Its Anti-inflammatory Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4381-4391.	2.4	10
280	Black pepper and vegetable oil-based emulsion synergistically enhance carotenoid bioavailability of raw vegetables in humans. <i>Food Chemistry</i> , 2022, 373, 131277.	4.2	10
281	The role of probiotic exopolysaccharides in adhesion to mucin in different gastrointestinal conditions. <i>Current Research in Food Science</i> , 2022, 5, 581-589.	2.7	10
282	Effects of Combination of Calcium and Aspirin on Azoxymethane-Induced Aberrant Crypt Foci Formation in the Colons of Mice and Rats. <i>Nutrition and Cancer</i> , 2008, 60, 660-665.	0.9	9
283	Direct Fluorescent Detection of a Polymethoxyflavone in Cell Culture and Mouse Tissue. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 10620-10627.	2.4	9
284	Surface-enhanced Raman scattering characterization of monohydroxylated polymethoxyflavones. <i>Journal of Raman Spectroscopy</i> , 2016, 47, 901-907.	1.2	9
285	The fabrication, characterization, and application of chitosan-NaOH modified casein nanoparticles and their stabilized long-term stable high internal phase Pickering emulsions. <i>Food and Function</i> , 2022, 13, 1408-1420.	2.1	9
286	Structure and Properties of Organogels Prepared from Rapeseed Oil with Stigmasterol. <i>Foods</i> , 2022, 11, 939.	1.9	9
287	Structure and In Vitro Fermentation Characteristics of Polysaccharides Sequentially Extracted from Goji Berry (<i>Lycium barbarum</i>) Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2022, , .	2.4	9
288	Intervention effects of delivery vehicles on the therapeutic efficacy of 6-gingerol on colitis. <i>Journal of Controlled Release</i> , 2022, 349, 51-66.	4.8	9

#	ARTICLE	IF	CITATIONS
289	Label-free Imaging and Characterization of Cancer Cell Responses to Polymethoxyflavones Using Raman Microscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 9708-9713.	2.4	8
290	5-Hydroxy polymethoxyflavones inhibit glycosaminoglycan biosynthesis in lung and colon cancer cells. <i>Journal of Functional Foods</i> , 2017, 30, 39-47.	1.6	8
291	Identification and characterization of a novel carboxylesterase from <i>Phaseolus vulgaris</i> for detection of organophosphate and carbamates pesticides. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 5095-5104.	1.7	8
292	Inhibitory effects of 7,7-dibromo-curcumin on 12-O-tetradecanoylphorbol-13-acetate-induced skin inflammation. <i>European Journal of Pharmacology</i> , 2019, 858, 172479.	1.7	8
293	Kinetic parameters of thiamine degradation in NASA spaceflight foods determined by the endpoints method for long-term storage. <i>Food Chemistry</i> , 2020, 302, 125365.	4.2	8
294	Impact of excipient emulsions made from different types of oils on the bioavailability and metabolism of curcumin in gastrointestinal tract. <i>Food Chemistry</i> , 2022, 370, 130980.	4.2	8
295	Antifatigue effect of functional cookies fortified with mushroom powder (<i>Tricholoma</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.5	7
296	Characterization of the Immunomodulatory Mechanism of a <i>Pleurotus eryngii</i> Protein by Isobaric Tags for Relative and Absolute Quantitation Proteomics. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 13189-13199.	2.4	7
297	Extraction kinetics, physicochemical properties and immunomodulatory activity of the novel continuous phase transition extraction of polysaccharides from <i>Ganoderma lucidum</i> . <i>Food and Function</i> , 2021, 12, 9708-9718.	2.1	7
298	A self-assembled amphiphilic polysaccharide-based co-delivery system for egg white derived peptides and curcumin with oral bioavailability enhancement. <i>Food and Function</i> , 2021, 12, 10512-10523.	2.1	7
299	Promoting the Calcium-Uptake Bioactivity of Casein Phosphopeptides in vitro and in vivo. <i>Frontiers in Nutrition</i> , 2021, 8, 743791.	1.6	7
300	Effects of Molecular Distillation on the Chemical Components, Cleaning, and Antibacterial Abilities of Four Different Citrus Oils. <i>Frontiers in Nutrition</i> , 2021, 8, 731724.	1.6	7
301	Potential impact of biopolymers (μ -polylysine and/or pectin) on gastrointestinal fate of foods: In vitro study. <i>Food Research International</i> , 2015, 76, 769-776.	2.9	6
302	Identification of Xanthomicrol as a Major Metabolite of 5-Demethyltangeretin in Mouse Gastrointestinal Tract and Its Inhibitory Effects on Colon Cancer Cells. <i>Frontiers in Nutrition</i> , 2020, 7, 103.	1.6	6
303	A Novel Continuous Phase Transition Extraction Effectively Improves the Yield and Quality of Finger Citron Essential Oil Extract. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 2021, 98, 911-921.	0.8	6
304	Gastrointestinal biotransformation of resveratrol in mice. <i>FASEB Journal</i> , 2016, 30, 145.7.	0.2	6
305	Exogenous GABA improves the antioxidant and anti-aging ability of silkworm (<i>Bombyx mori</i>). <i>Food Chemistry</i> , 2022, 383, 132400.	4.2	6
306	Co-delivery of EGCG and lycopene via a pickering double emulsion induced synergistic hypolipidemic effect. <i>Food and Function</i> , 2022, 13, 3419-3430.	2.1	6

#	ARTICLE	IF	CITATIONS
307	Updated insights into anthocyanin stability behavior from bases to cases: Why and why not anthocyanins lose during food processing. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 8639-8671.	5.4	6
308	The Effect of Different Treatments of (â€“)Epigallocatechin-3-Gallate on Colorectal Carcinoma Cell Lines. <i>Nutrition and Cancer</i> , 2018, 70, 1126-1136.	0.9	5
309	Gastrointestinal biotransformation and tissue distribution of pterostilbene after long-term dietary administration in mice. <i>Food Chemistry</i> , 2022, 372, 131213.	4.2	5
310	Extraction, Structural Characterization, and Immunomodulatory Activity of a High Molecular Weight Polysaccharide From <i>Ganoderma lucidum</i> . <i>Frontiers in Nutrition</i> , 2022, 9, 846080.	1.6	5
311	The hepatoprotective effects of plant-based foods based on the â€œgutâ€ liver axisâ€ a prospective review. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 9136-9162.	5.4	5
312	An organâ€specific transcriptomic atlas of the medicinal plant <i>Bletilla striata</i> : Proteinâ€coding genes, microRNAs, and regulatory networks. <i>Plant Genome</i> , 2022, 15, e20210.	1.6	5
313	Peyer's patch-specific <i>Lactobacillus reuteri</i> strains increase extracellular microbial DNA and antimicrobial peptide expression in the mouse small intestine. <i>Food and Function</i> , 2018, 9, 2989-2997.	2.1	4
314	In Situ Formation of Polymeric Nanoassemblies Using an Efficient Reversible Click Reaction. <i>Angewandte Chemie</i> , 2020, 132, 15247-15252.	1.6	4
315	Cloning, Heterologous Expression, and Characterization of a Î²-Carrageenase From Marine Bacterium <i>Wenyngzhuangia funcanilytica</i> : A Specific Enzyme for the Hybrid Carrageenanâ€Furcellaran. <i>Frontiers in Microbiology</i> , 2021, 12, 697218.	1.5	4
316	Adverse effects of linoleic acid: Influence of lipid oxidation on lymphatic transport of citrus flavonoid and enterocyte morphology. <i>Food Chemistry</i> , 2022, 369, 130968.	4.2	4
317	Effects of Antibacterial Peptide F1 on Bacterial Liposome Membrane Integrity. <i>Frontiers in Nutrition</i> , 2021, 8, 768890.	1.6	4
318	Enzymatic Synthesis of Diacylglycerol-Enriched Oil by Two-Step Vacuum-Mediated Conversion of Fatty Acid Ethyl Ester and Fatty Acid From Soy Sauce By-Product Oil as Lipid-Lowering Functional Oil. <i>Frontiers in Nutrition</i> , 2022, 9, 884829.	1.6	4
319	Influence of Rosemary Extract Addition in Different Phases on the Oxidation of Lutein and WPI in WPI-Stabilized Lutein Emulsions. <i>Journal of Food Quality</i> , 2020, 2020, 1-10.	1.4	3
320	Dietary Pterostilbene Inhibited Colonic Inflammation in Dextran-Sodium-Sulfate-Treated Mice: A Perspective of Gut Microbiota. <i>Infectious Microbes & Diseases</i> , 2021, 3, 22-29.	0.5	3
321	Structure analysis of ethyl ferulate from <i>Rubus corchorifolius</i> L.f. leaves and its inhibitory effects on HepG2 liver cancer cells. <i>Food Bioscience</i> , 2021, 45, 101340.	2.0	3
322	Guidelines for inflammation models in mice for food components. <i>EFood</i> , 2022, 3, .	1.7	3
323	Food Additives: Foodborne Titanium Dioxide Nanoparticles Induce Stronger Adverse Effects in Obese Mice than Nonâ€Obese Mice: Gut Microbiota Dysbiosis, Colonic Inflammation, and Proteome Alterations (Small 36/2020). <i>Small</i> , 2020, 16, 2070199.	5.2	2
324	Comprehensive Utilization of Immature Honey Pomelo Fruit for the Production of Value-Added Compounds Using Novel Continuous Phase Transition Extraction Technology. <i>Biology</i> , 2021, 10, 815.	1.3	2

#	ARTICLE	IF	CITATIONS
325	Disruption and Proteome Alterations of Escherichia coli Induced by a Novel Antimicrobial Peptide from Tibetan Kefir. FASEB Journal, 2015, 29, LB345.	0.2	2
326	Gut microbiota dictate metabolic Fate of Curcumin in the colon. FASEB Journal, 2017, 31, .	0.2	2
327	Editorial: Effects of Probiotics and Prebiotics on Gut Pathogens and Toxins. Frontiers in Microbiology, 2022, 13, 856779.	1.5	2
328	Bioactive Components From Gracilaria rubra With Growth Inhibition on HCT116 Colon Cancer Cells and Anti-inflammatory Capacity in RAW 264.7 Macrophages. Frontiers in Nutrition, 2022, 9, 856282.	1.6	2
329	Purification and Characterization of the Recombinant Multifunctional Cellulase from Volvariella volvacea. Food Biotechnology, 2012, 26, 164-179.	0.6	1
330	Exploring the Antihyperglycemic Chemical Composition and Mechanisms of Tea Using Molecular Docking. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-12.	0.5	1
331	<i>Food Frontiers</i>: An academically sponsored new journal. Food Frontiers, 2020, 1, 3-5.	3.7	1
332	Biotransformation of Polymethoxyflavones by Mouse and Human Colonic Microflora. FASEB Journal, 2013, 27, 1056.10.	0.2	1
333	Tissue distribution and metabolism of 5â€demethylnobiletin after its longâ€term dietary administration in mice (270.5). FASEB Journal, 2014, 28, 270.5.	0.2	1
334	Controlling the gastrointestinal fate of nutraceuticalâ€enriched lipid nanoparticles: From mixed micelles to chylomicrons. FASEB Journal, 2015, 29, 249.6.	0.2	1
335	Nanoemulsionâ€based delivery systems for nutraceuticals: Influence of carrier oil type on bioavailability of pterostilbene. FASEB Journal, 2015, 29, 249.5.	0.2	1
336	Effects of Dietary Resveratrol on Gut Microbiota in Mice with Colitis. FASEB Journal, 2017, 31, 972.13.	0.2	1
337	Gut Microbiotaâ€Mediated Colonic Metabolism of Triclosan Contributes to its Proinflammatory Effects. FASEB Journal, 2019, 33, .	0.2	1
338	Decreased Expression of Retinoid X Receptors During Human and Azoxymethane-induced Colorectal Carcinogenesis in the Rat. Anticancer Research, 2016, 36, 2659-64.	0.5	1
339	Inhibition of Lung Cancer Cell Growth by Polymethoxyflavones from Sweet Orange. FASEB Journal, 2010, 24, 217.8.	0.2	0
340	Hydroxylated polymethoxyflavones induce p53 and Bax dependent apoptosis and cell cycle arrest.. FASEB Journal, 2010, 24, lb484.	0.2	0
341	Synergistic inhibition of colon cancer cell growth by 5â€hydroxy nobiletin and atorvastatin. FASEB Journal, 2010, 24, 928.13.	0.2	0
342	Bioavailability of antiâ€carcinogenic hydroxylated polymethoxyflavones in mice. FASEB Journal, 2011, 25, 977.14.	0.2	0

#	ARTICLE	IF	CITATIONS
343	Anti-angiogenic Effects of Citrus Polymethoxyflavones and Their Major Metabolites. FASEB Journal, 2012, 26, 822.16.	0.2	0
344	Improving Bioavailability of 5-Hydroxy Tangeretin by Food Grade Nanoemulsions. FASEB Journal, 2012, 26, 646.20.	0.2	0
345	The Metabolism of Polymethoxyflavone and Its Implication in Colon Cancer Inhibition. FASEB Journal, 2012, 26, 124.5.	0.2	0
346	Identification of colonic metabolites of 5-Hydroxynobiletin and their roles in colon cancer inhibition. FASEB Journal, 2013, 27, 248.6.	0.2	0
347	In vitro and in vivo anti-inflammatory effect of 4-Hydroxynobiletin, a major colonic metabolite of nobiletin. FASEB Journal, 2013, 27, 862.26.	0.2	0
348	Characterization and bioaccessibility of tangeretin-loaded zein colloidal system. FASEB Journal, 2013, 27, 636.28.	0.2	0
349	Synergistic Anti-inflammatory Effects of Luteolin and Tangeretin on Lipopolysaccharide-Stimulated Raw 264.7 Cells. FASEB Journal, 2013, 27, 862.15.	0.2	0
350	Inhibitory effects of polymethoxyflavones on colon cancer stem cells. FASEB Journal, 2013, 27, lb420.	0.2	0
351	Nobiletin inhibits colitis-associated colon carcinogenesis in mice (121.6). FASEB Journal, 2014, 28, 121.6.	0.2	0
352	Enhance intestinal lymphatic transport of lipophilic bioactive food components by nanoemulsion delivery system (1044.16). FASEB Journal, 2014, 28, 1044.16.	0.2	0
353	Inhibitory effects of epoxy metabolites of docosahexaenoic acid on human colon cancer stem cells (261.3). FASEB Journal, 2014, 28, 261.3.	0.2	0
354	Curcumin and 3,4-didemethylnobiletin in combination synergistically inhibit cell proliferation and potentiate apoptosis in HCT116 colon cancer cells (647.37). FASEB Journal, 2014, 28, 647.37.	0.2	0
355	Demethylation of Polymethoxyflavones by Human Gut Microbiome (LB601). FASEB Journal, 2014, 28, LB601.	0.2	0
356	Chemopreventive effects of North American cranberry (Vaccinium Macrocarpon) on colitis-associated colon carcinogenesis in mice.. FASEB Journal, 2015, 29, 380.2.	0.2	0
357	The Heat Shock Proteins are Novel Targets For Nobiletin in Human Cancer Cells. FASEB Journal, 2015, 29, 752.21.	0.2	0
358	High fat diet induced obesity is associated with increased abundance of pro-inflammatory Lactobacillus in Peyer's patches of small intestine. FASEB Journal, 2015, 29, 385.4.	0.2	0
359	Cell Membrane Disruption and DNA Binding of Staphylococcus Aureus Induced by Antibacterial Peptide F1 from Tibetan Kefir. FASEB Journal, 2015, 29, LB349.	0.2	0
360	Nobiletin and atorvastatin synergistically inhibit azoxymethane (AOM)-induced colon carcinogenesis in rats. FASEB Journal, 2015, 29, 271.2.	0.2	0

#	ARTICLE	IF	CITATIONS
361	Chemopreventive Effects of Nobiletin on Azoxymethane-Induced Colon Carcinogenesis in Rats is Associated with Inhibition of Heat Shock Proteins. <i>FASEB Journal</i> , 2015, 29, 752.20.	0.2	0
362	Characterizing Heterogeneous Cellular Responses to Polymethoxyflavones Using Raman Microscopy. <i>FASEB Journal</i> , 2015, 29, 118.8.	0.2	0
363	Food-grade antimicrobial ϵ -polylysine transiently perturbs the structure of the murine gut microbiome. <i>FASEB Journal</i> , 2016, 30, 683.3.	0.2	0
364	Translocation of Gold Nanoparticles in Model Epithelial Cells (Caco-2 Monolayers). <i>FASEB Journal</i> , 2016, 30, lb201.	0.2	0
365	Biotransformation of 5-demethyltangeretin in mice: generation of anti-cancer metabolites. <i>FASEB Journal</i> , 2016, 30, 145.1.	0.2	0
366	Potential adverse effects of polyunsaturated fatty acids: Influence of lipid oxidation on lymphatic transport of lipophilic bioactive components and cell morphology. <i>FASEB Journal</i> , 2016, 30, lb339.	0.2	0
367	The Heat Shock Protein 70 is a Novel Target for Nobiletin in Human Colon Cancer Cells. <i>FASEB Journal</i> , 2016, 30, 691.2.	0.2	0
368	A new approach to characterize the molecular interactions between TiO ₂ nanoparticles and dietary flavonoids using surface-enhanced Raman spectroscopy. <i>FASEB Journal</i> , 2016, 30, .	0.2	0
369	Nobiletin and its colonic metabolites suppress colitis-associated colon carcinogenesis by downregulating iNOS, inducing anti-oxidative enzymes and arresting cell cycle progression. <i>FASEB Journal</i> , 2017, 31, 435.1.	0.2	0
370	Potential prebiotic effects of rice wine on <i>Lactobacillus</i> and <i>Streptococcus</i> . <i>FASEB Journal</i> , 2018, 32, 875.2.	0.2	0
371	Editorial: The Effects of Food Processing on Food Components and Their Health Functions. <i>Frontiers in Nutrition</i> , 2022, 9, 837956.	1.6	0