

Xue-Cao Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5718055/publications.pdf>

Version: 2024-02-01

93
papers

6,773
citations

66343

42
h-index

62596

80
g-index

99
all docs

99
docs citations

99
times ranked

4774
citing authors

#	ARTICLE	IF	CITATIONS
1	Diversity in global urban sprawl patterns revealed by Zipfian dynamics. <i>Remote Sensing Letters</i> , 2023, 14, 565-575.	1.4	1
2	The divergent response of vegetation phenology to urbanization: A case study of Beijing city, China. <i>Science of the Total Environment</i> , 2022, 803, 150079.	8.0	30
3	Satellite-based phenology products and in-situ pollen dynamics: A comparative assessment. <i>Environmental Research</i> , 2022, 204, 111937.	7.5	7
4	Evaluation of the policy-driven ecological network in the Three-North Shelterbelt region of China. <i>Landscape and Urban Planning</i> , 2022, 218, 104305.	7.5	67
5	Assessing spatiotemporal variations and predicting changes in ecosystem service values in the Guangdong-Hong Kong-Macao Greater Bay Area. <i>GIScience and Remote Sensing</i> , 2022, 59, 184-199.	5.9	21
6	Characteristics and trends of hillside urbanization in China from 2007 to 2017. <i>Habitat International</i> , 2022, 120, 102502.	5.8	9
7	Increasing global urban exposure to flooding: An analysis of long-term annual dynamics. <i>Science of the Total Environment</i> , 2022, 817, 153012.	8.0	31
8	A global dataset of annual urban extents (1992-2020) from harmonized nighttime lights. <i>Earth System Science Data</i> , 2022, 14, 517-534.	9.9	66
9	A global record of annual terrestrial Human Footprint dataset from 2000 to 2018. <i>Scientific Data</i> , 2022, 9, 176.	5.3	87
10	The Potential of 3-D Building Height Data to Characterize Socioeconomic Activities: A Case Study from 38 Cities in China. <i>Remote Sensing</i> , 2022, 14, 2087.	4.0	4
11	A dataset of winter wheat aboveground biomass in China during 2007-2015 based on data assimilation. <i>Scientific Data</i> , 2022, 9, 200.	5.3	15
12	Detection and attribution of long-term and fine-scale changes in spring phenology over urban areas: A case study in New York State. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2022, 110, 102815.	1.9	2
13	Assimilating remote sensing-based VPM GPP into the WOFOST model for improving regional winter wheat yield estimation. <i>European Journal of Agronomy</i> , 2022, 139, 126556.	4.1	17
14	A 30-year annual maize phenology dataset from 1985 to 2020 in China. <i>Earth System Science Data</i> , 2022, 14, 2851-2864.	9.9	10
15	Grassland Aboveground Biomass Estimation through Assimilating Remote Sensing Data into a Grass Simulation Model. <i>Remote Sensing</i> , 2022, 14, 3194.	4.0	1
16	Mapping corn dynamics using limited but representative samples with adaptive strategies. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2022, 190, 252-266.	11.1	21
17	A systematic review on comprehensive sloping farmland utilization based on a perspective of scientometrics analysis. <i>Agricultural Water Management</i> , 2021, 244, 106564.	5.6	9
18	Mapping Essential Urban Land Use Categories in Beijing with a Fast Area of Interest (AOI)-Based Method. <i>Remote Sensing</i> , 2021, 13, 477.	4.0	17

#	ARTICLE	IF	CITATIONS
19	Evaluation of Light Pollution in Global Protected Areas from 1992 to 2018. <i>Remote Sensing</i> , 2021, 13, 1849.	4.0	31
20	Extraction of Old Towns in Hangzhou (2000–2018) from Landsat Time Series Image Stacks. <i>Remote Sensing</i> , 2021, 13, 2438.	4.0	5
21	Mapping hourly population dynamics using remotely sensed and geospatial data: a case study in Beijing, China. <i>GIScience and Remote Sensing</i> , 2021, 58, 717-732.	5.9	11
22	Critical role of temporal contexts in evaluating urban cellular automata models. <i>GIScience and Remote Sensing</i> , 2021, 58, 799-811.	5.9	10
23	Corn Residue Covered Area Mapping with a Deep Learning Method Using Chinese GF-1 B/D High Resolution Remote Sensing Images. <i>Remote Sensing</i> , 2021, 13, 2903.	4.0	6
24	Monitoring long-term annual urban expansion (1986–2017) in the largest archipelago of China. <i>Science of the Total Environment</i> , 2021, 776, 146015.	8.0	21
25	Mapping essential urban land use categories with open big data: Results for five metropolitan areas in the United States of America. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2021, 178, 203-218.	11.1	42
26	Global urban growth between 1870 and 2100 from integrated high resolution mapped data and urban dynamic modeling. <i>Communications Earth & Environment</i> , 2021, 2, .	6.8	43
27	Progress and Trends in the Application of Google Earth and Google Earth Engine. <i>Remote Sensing</i> , 2021, 13, 3778.	4.0	71
28	Evaluation and modification of ELM seasonal deciduous phenology against observations in a southern boreal peatland forest. <i>Agricultural and Forest Meteorology</i> , 2021, 308-309, 108556.	4.8	7
29	High-resolution urban change modeling and flood exposure estimation at a national scale using open geospatial data: A case study of the Philippines. <i>Computers, Environment and Urban Systems</i> , 2021, 90, 101704.	7.1	7
30	Lineage-level distribution models lead to more realistic climate change predictions for a threatened crayfish. <i>Diversity and Distributions</i> , 2021, 27, 684-695.	4.1	35
31	Spatial–Temporal Evolution of Vegetation NDVI in Association with Climatic, Environmental and Anthropogenic Factors in the Loess Plateau, China during 2000–2015: Quantitative Analysis Based on Geographical Detector Model. <i>Remote Sensing</i> , 2021, 13, 4380.	4.0	32
32	Winter Warming in North America Induced by Urbanization in China. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL095465.	4.0	4
33	A 1-km global cropland dataset from 10,000 BCE to 2100 CE. <i>Earth System Science Data</i> , 2021, 13, 5403-5421.	4.9	54
34	Divergent responses of spring phenology to daytime and nighttime warming. <i>Agricultural and Forest Meteorology</i> , 2020, 281, 107832.	4.8	38
35	Annual maps of global artificial impervious area (GAIA) between 1985 and 2018. <i>Remote Sensing of Environment</i> , 2020, 236, 111510.	11.0	535
36	Building a Series of Consistent Night-Time Light Data (1992–2018) in Southeast Asia by Integrating DMSP-OLS and NPP-VIIRS. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 1843-1856.	6.3	100

#	ARTICLE	IF	CITATIONS
37	Mapping essential urban land use categories in China (EULUC-China): preliminary results for 2018. <i>Science Bulletin</i> , 2020, 65, 182-187.	9.0	247
38	Mapping urban dynamics (1992–2018) in Southeast Asia using consistent nighttime light data from DMSP and VIIRS. <i>Remote Sensing of Environment</i> , 2020, 248, 111980.	11.0	146
39	Analysis of geo-spatiotemporal data using machine learning algorithms and reliability enhancement for urbanization decision support. <i>International Journal of Digital Earth</i> , 2020, 13, 1717-1732.	3.9	5
40	Exploring the Use of DSCOVR/EPIC Satellite Observations to Monitor Vegetation Phenology. <i>Remote Sensing</i> , 2020, 12, 2384.	4.0	11
41	Evaluating the effect of plain afforestation project and future spatial suitability in Beijing. <i>Science China Earth Sciences</i> , 2020, 63, 1587-1598.	5.2	17
42	Association Between Changes in Timing of Spring Onset and Asthma Hospitalization in Maryland. <i>JAMA Network Open</i> , 2020, 3, e207551.	5.9	22
43	Exploring difference in land surface temperature between the city centres and urban expansion areas of China's major cities. <i>International Journal of Remote Sensing</i> , 2020, 41, 8965-8985.	2.9	13
44	Exploring Annual Urban Expansions in the Guangdong-Hong Kong-Macau Greater Bay Area: Spatiotemporal Features and Driving Factors in 1986–2017. <i>Remote Sensing</i> , 2020, 12, 2615.	4.0	39
45	Garlic and Winter Wheat Identification Based on Active and Passive Satellite Imagery and the Google Earth Engine in Northern China. <i>Remote Sensing</i> , 2020, 12, 3539.	4.0	111
46	High-spatiotemporal-resolution mapping of global urban change from 1985 to 2015. <i>Nature Sustainability</i> , 2020, 3, 564-570.	23.7	391
47	Mapping global urban boundaries from the global artificial impervious area (GAIA) data. <i>Environmental Research Letters</i> , 2020, 15, 094044.	5.2	240
48	A harmonized global nighttime light dataset 1992–2018. <i>Scientific Data</i> , 2020, 7, 168.	5.3	237
49	Spatiotemporal patterns of summer urban heat island in Beijing, China using an improved land surface temperature. <i>Journal of Cleaner Production</i> , 2020, 257, 120529.	9.3	85
50	Urban warming advances spring phenology but reduces the response of phenology to temperature in the conterminous United States. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 4228-4233.	7.1	109
51	Developing a method to estimate building height from Sentinel-1 data. <i>Remote Sensing of Environment</i> , 2020, 240, 111705.	11.0	83
52	Mapping changes in coastlines and tidal flats in developing islands using the full time series of Landsat images. <i>Remote Sensing of Environment</i> , 2020, 239, 111665.	11.0	64
53	An improved urban cellular automata model by using the trend-adjusted neighborhood. <i>Ecological Processes</i> , 2020, 9, .	3.9	27
54	A national dataset of 30% annual urban extent dynamics (1985–2015) in the conterminous United States. <i>Earth System Science Data</i> , 2020, 12, 357-371.	9.9	31

#	ARTICLE	IF	CITATIONS
55	Characterizing the relationship between satellite phenology and pollen season: A case study of birch. <i>Remote Sensing of Environment</i> , 2019, 222, 267-274.	11.0	20
56	Applications of Satellite Remote Sensing of Nighttime Light Observations: Advances, Challenges, and Perspectives. <i>Remote Sensing</i> , 2019, 11, 1971.	4.0	171
57	Toward a Better Understanding of Urban Sprawl: Linking Spatial Metrics and Landscape Networks Dynamics. <i>Lecture Notes in Geoinformation and Cartography</i> , 2019, , 163-178.	1.0	1
58	Integrating LiDAR data and multi-temporal aerial imagery to map wetland inundation dynamics using Google Earth Engine. <i>Remote Sensing of Environment</i> , 2019, 228, 1-13.	11.0	108
59	40-Year (1978–2017) human settlement changes in China reflected by impervious surfaces from satellite remote sensing. <i>Science Bulletin</i> , 2019, 64, 756-763.	9.0	319
60	Projecting Global Urban Area Growth Through 2100 Based on Historical Time Series Data and Future Shared Socioeconomic Pathways. <i>Earth's Future</i> , 2019, 7, 351-362.	6.3	85
61	Migration of Rural Residents to Urban Areas Drives Grassland Vegetation Increase in China's Loess Plateau. <i>Sustainability</i> , 2019, 11, 6764.	3.2	16
62	A dataset of 30-year annual vegetation phenology indicators (1985–2015) in urban areas of the conterminous United States. <i>Earth System Science Data</i> , 2019, 11, 881-894.	9.9	54
63	A global record of annual urban dynamics (1992–2013) from nighttime lights. <i>Remote Sensing of Environment</i> , 2018, 219, 206-220.	11.0	193
64	Mapping annual urban dynamics (1985–2015) using time series of Landsat data. <i>Remote Sensing of Environment</i> , 2018, 216, 674-683.	11.0	101
65	Long-Term Annual Mapping of Four Cities on Different Continents by Applying a Deep Information Learning Method to Landsat Data. <i>Remote Sensing</i> , 2018, 10, 471.	4.0	50
66	Monitoring surface mining belts using multiple remote sensing datasets: A global perspective. <i>Ore Geology Reviews</i> , 2018, 101, 675-687.	2.7	40
67	Using a global reference sample set and a cropland map for area estimation in China. <i>Science China Earth Sciences</i> , 2017, 60, 277-285.	5.2	18
68	Urban mapping using DMSP/OLS stable night-time light: a review. <i>International Journal of Remote Sensing</i> , 2017, 38, 6030-6046.	2.9	150
69	Integrating remote sensing, GIS and dynamic models for landscape-level simulation of forest insect disturbance. <i>Ecological Modelling</i> , 2017, 354, 1-10.	2.5	15
70	The first all-season sample set for mapping global land cover with Landsat-8 data. <i>Science Bulletin</i> , 2017, 62, 508-515.	9.0	104
71	Response of vegetation phenology to urbanization in the conterminous United States. <i>Global Change Biology</i> , 2017, 23, 2818-2830.	9.5	130
72	Exploring the performance of spatio-temporal assimilation in an urban cellular automata model. <i>International Journal of Geographical Information Science</i> , 2017, 31, 2195-2215.	4.8	5

#	ARTICLE	IF	CITATIONS
73	The surface urban heat island response to urban expansion: A panel analysis for the conterminous United States. <i>Science of the Total Environment</i> , 2017, 605-606, 426-435.	8.0	210
74	Characterizing spatiotemporal dynamics in phenology of urban ecosystems based on Landsat data. <i>Science of the Total Environment</i> , 2017, 605-606, 721-734.	8.0	51
75	A segment derived patch-based logistic cellular automata for urban growth modeling with heuristic rules. <i>Computers, Environment and Urban Systems</i> , 2017, 65, 140-149.	7.1	53
76	Monitoring Annual Urban Changes in a Rapidly Growing Portion of Northwest Arkansas with a 20-Year Landsat Record. <i>Remote Sensing</i> , 2017, 9, 71.	4.0	28
77	A Stepwise Calibration of Global DMSP/OLS Stable Nighttime Light Data (1992â€“2013). <i>Remote Sensing</i> , 2017, 9, 637.	4.0	79
78	Mapping Urban Land Use by Using Landsat Images and Open Social Data. <i>Remote Sensing</i> , 2016, 8, 151.	4.0	292
79	Rapid corn and soybean mapping in US Corn Belt and neighboring areas. <i>Scientific Reports</i> , 2016, 6, 36240.	3.3	38
80	Forest disturbance interactions and successional pathways in the Southern Rocky Mountains. <i>Forest Ecology and Management</i> , 2016, 375, 35-45.	3.2	26
81	A new research paradigm for global land cover mapping. <i>Annals of GIS</i> , 2016, 22, 87-102.	3.1	77
82	Ten years after Hurricane Katrina: monitoring recovery in New Orleans and the surrounding areas using remote sensing. <i>Science Bulletin</i> , 2016, 61, 1460-1470.	9.0	20
83	A cellular automata downscaling based 1 km global land use datasets (2010â€“2100). <i>Science Bulletin</i> , 2016, 61, 1651-1661.	9.0	68
84	An "exclusion-inclusion" framework for extracting human settlements in rapidly developing regions of China from Landsat images. <i>Remote Sensing of Environment</i> , 2016, 186, 286-296.	11.0	55
85	Urban growth models: progress and perspective. <i>Science Bulletin</i> , 2016, 61, 1637-1650.	9.0	127
86	Modeling the impacts of water and fertilizer management on the ecosystem service of rice rotated cropping systems in China. <i>Agriculture, Ecosystems and Environment</i> , 2016, 219, 49-57.	5.3	41
87	Integrating ensemble-urban cellular automata model with an uncertainty map to improve the performance of a single model. <i>International Journal of Geographical Information Science</i> , 2015, 29, 762-785.	4.8	44
88	A 30-year (1984â€“2013) record of annual urban dynamics of Beijing City derived from Landsat data. <i>Remote Sensing of Environment</i> , 2015, 166, 78-90.	11.0	283
89	Dynamic assessment of the impact of drought on agricultural yield and scale-dependent return periods over large geographic regions. <i>Environmental Modelling and Software</i> , 2014, 62, 454-464.	4.5	44
90	A multi-resolution global land cover dataset through multisource data aggregation. <i>Science China Earth Sciences</i> , 2014, 57, 2317-2329.	5.2	116

#	ARTICLE	IF	CITATIONS
91	A systematic sensitivity analysis of constrained cellular automata model for urban growth simulation based on different transition rules. International Journal of Geographical Information Science, 2014, 28, 1317-1335.	4.8	79
92	Meta-discoveries from a synthesis of satellite-based land-cover mapping research. International Journal of Remote Sensing, 2014, 35, 4573-4588.	2.9	130
93	Aggregative model-based classifier ensemble for improving land-use/cover classification of Landsat TM Images. International Journal of Remote Sensing, 2014, 35, 1481-1495.	2.9	23