

# Sanne Rasmussen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5729239/publications.pdf>

Version: 2024-02-01

21  
papers

428  
citations

933447

10  
h-index

752698

20  
g-index

22  
all docs

22  
docs citations

22  
times ranked

576  
citing authors

#	ARTICLE	IF	CITATIONS
1	Is concern for gynaecological alarm symptoms associated with healthcare-seeking? A Danish population-based cross-sectional study. <i>BMC Public Health</i> , 2022, 22, 25.	2.9	1
2	Involvement of personal and professional relations when experiencing colorectal cancer symptoms – a cross sectional study. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-8.	1.5	0
3	When does proton pump inhibitor treatment become long term? A scoping review. <i>BMJ Open Gastroenterology</i> , 2021, 8, e000563.	2.7	21
4	Women’s barriers for contacting their general practitioner when bothered by urinary incontinence: a population-based cross-sectional study. <i>BMC Urology</i> , 2021, 21, 99.	1.4	9
5	Women’s barriers for contacting general practice when experiencing gynecological cancer symptoms: a population-based study. <i>BMC Family Practice</i> , 2021, 22, 167.	2.9	4
6	Multiple physical symptoms and individual characteristics – A cross-sectional study of the general population. <i>Journal of Psychosomatic Research</i> , 2020, 131, 109941.	2.6	6
7	Is healthcare-seeking with gynaecological alarm symptoms influenced by personal and professional relations? A Danish population-based, cross-sectional study. <i>BMJ Open</i> , 2020, 10, e033471.	1.9	2
8	Socioeconomic status and barriers for contacting the general practitioner when bothered by erectile dysfunction: a population-based cross-sectional study. <i>BMC Family Practice</i> , 2020, 21, 166.	2.9	4
9	Predictive values of lung cancer alarm symptoms in the general population: a nationwide cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2020, 30, 15.	2.6	12
10	Involvement of personal and professional relations among men bothered by lower urinary tract symptoms: a population-based cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 868.	2.9	2
11	Predictive values of colorectal cancer alarm symptoms in the general population: a nationwide cohort study. <i>British Journal of Cancer</i> , 2019, 120, 595-600.	6.4	17
12	Barriers to contacting general practice with alarm symptoms of colorectal cancer: a population-based study. <i>Family Practice</i> , 2018, 35, 399-405.	1.9	11
13	Predictive values of upper gastrointestinal cancer alarm symptoms in the general population: a nationwide cohort study. <i>BMC Cancer</i> , 2018, 18, 440.	2.6	19
14	Lifestyle, socioeconomic status and healthcare seeking among women with gynaecological cancer alarm symptoms: a combined questionnaire-based and register-based population study. <i>BMJ Open</i> , 2018, 8, e021815.	1.9	10
15	Self-rated health and functional capacity in individuals reporting overlapping symptoms of gastroesophageal reflux disease, functional dyspepsia and irritable bowel syndrome - a population based study. <i>BMC Gastroenterology</i> , 2017, 17, 65.	2.0	17
16	Overlap of symptoms of gastroesophageal reflux disease, dyspepsia and irritable bowel syndrome in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 162-169.	1.5	82
17	Specific and non-specific symptoms of colorectal cancer and contact to general practice. <i>Family Practice</i> , 2015, 32, cmv032.	1.9	29
18	Self-reported symptoms and healthcare seeking in the general population -exploring ‘The Symptom Iceberg’. <i>BMC Public Health</i> , 2015, 15, 685.	2.9	93

#	ARTICLE	IF	CITATIONS
19	Alarm symptoms of upper gastrointestinal cancer and contact to general practice – A population-based study. Scandinavian Journal of Gastroenterology, 2015, 50, 1268-1275.	1.5	8
20	Rapidly increasing prescribing of proton pump inhibitors in primary care despite interventions: A nationwide observational study. European Journal of General Practice, 2014, 20, 290-293.	2.0	44
21	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100,000 Individuals. International Journal of Family Medicine, 2014, 2014, 1-10.	1.2	37