

# Dalin Tang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5729373/publications.pdf>

Version: 2024-02-01

143  
papers

3,311  
citations

147801

31  
h-index

168389

53  
g-index

147  
all docs

147  
docs citations

147  
times ranked

2305  
citing authors

#	ARTICLE	IF	CITATIONS
1	3D MRI-Based Multicomponent FSI Models for Atherosclerotic Plaques. <i>Annals of Biomedical Engineering</i> , 2004, 32, 947-960.	2.5	196
2	Expert recommendations on the assessment of wall shear stress in human coronary arteries: existing methodologies, technical considerations, and clinical applications. <i>European Heart Journal</i> , 2019, 40, 3421-3433.	2.2	178
3	Sites of Rupture in Human Atherosclerotic Carotid Plaques Are Associated With High Structural Stresses. <i>Stroke</i> , 2009, 40, 3258-3263.	2.0	165
4	Quantifying Effects of Plaque Structure and Material Properties on Stress Distributions in Human Atherosclerotic Plaques Using 3D FSI Models. <i>Journal of Biomechanical Engineering</i> , 2005, 127, 1185-1194.	1.3	114
5	Effect of Stenosis Asymmetry on Blood Flow and Artery Compression: A Three-Dimensional Fluid-Structure Interaction Model. <i>Annals of Biomedical Engineering</i> , 2003, 31, 1182-1193.	2.5	111
6	Effect of a Lipid Pool on Stress/Strain Distributions in Stenotic Arteries: 3-D Fluid-Structure Interactions (FSI) Models. <i>Journal of Biomechanical Engineering</i> , 2004, 126, 363-370.	1.3	111
7	Local Maximal Stress Hypothesis and Computational Plaque Vulnerability Index for Atherosclerotic Plaque Assessment. <i>Annals of Biomedical Engineering</i> , 2005, 33, 1789-1801.	2.5	108
8	A negative correlation between human carotid atherosclerotic plaque progression and plaque wall stress: In vivo MRI-based 2D/3D FSI models. <i>Journal of Biomechanics</i> , 2008, 41, 727-736.	2.1	108
9	Steady Flow and Wall Compression in Stenotic Arteries: A Three-Dimensional Thick-Wall Model With Fluid-Wall Interactions. <i>Journal of Biomechanical Engineering</i> , 2001, 123, 548-557.	1.3	101
10	An experimental study on the ultimate strength of the adventitia and media of human atherosclerotic carotid arteries in circumferential and axial directions. <i>Journal of Biomechanics</i> , 2009, 42, 2535-2539.	2.1	99
11	<i>In Vivo</i> IVUS-Based 3-D Fluid-Structure Interaction Models With Cyclic Bending and Anisotropic Vessel Properties for Human Atherosclerotic Coronary Plaque Mechanical Analysis. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2420-2428.	4.2	91
12	A 3-D thin-wall model with fluid-structure interactions for blood flow in carotid arteries with symmetric and asymmetric stenoses. <i>Computers and Structures</i> , 1999, 72, 357-377.	4.4	84
13	Planar biaxial characterization of diseased human coronary and carotid arteries for computational modeling. <i>Journal of Biomechanics</i> , 2012, 45, 790-798.	2.1	81
14	3D MRI-Based Anisotropic FSI Models With Cyclic Bending for Human Coronary Atherosclerotic Plaque Mechanical Analysis. <i>Journal of Biomechanical Engineering</i> , 2009, 131, 061010.	1.3	77
15	3D Critical Plaque Wall Stress Is a Better Predictor of Carotid Plaque Rupture Sites Than Flow Shear Stress: An In Vivo MRI-Based 3D FSI Study. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 031007.	1.3	72
16	Advanced human carotid plaque progression correlates positively with flow shear stress using follow-up scan data: An in vivo MRI multi-patient 3D FSI study. <i>Journal of Biomechanics</i> , 2010, 43, 2530-2538.	2.1	64
17	Simulating cyclic artery compression using a 3D unsteady model with fluid-structure interactions. <i>Computers and Structures</i> , 2002, 80, 1651-1665.	4.4	62
18	Image-based modeling for better understanding and assessment of atherosclerotic plaque progression and vulnerability: Data, modeling, validation, uncertainty and predictions. <i>Journal of Biomechanics</i> , 2014, 47, 834-846.	2.1	59

#	ARTICLE	IF	CITATIONS
19	Local critical stress correlates better than global maximum stress with plaque morphological features linked to atherosclerotic plaque vulnerability: an in vivo multi-patient study. <i>BioMedical Engineering OnLine</i> , 2009, 8, 15.	2.7	57
20	Image-based patient-specific ventricle models with fluid-structure interaction for cardiac function assessment and surgical design optimization. <i>Progress in Pediatric Cardiology</i> , 2010, 30, 51-62.	0.4	56
21	Wall stress and strain analysis using a three-dimensional thick-wall model with fluid-structure interactions for blood flow in carotid arteries with stenoses. <i>Computers and Structures</i> , 1999, 72, 341-356.	4.4	51
22	Patient-Specific MRI-Based 3D FSI RV/LV/Patch Models for Pulmonary Valve Replacement Surgery and Patch Optimization. <i>Journal of Biomechanical Engineering</i> , 2008, 130, 041010.	1.3	49
23	A numerical simulation of viscous flows in collapsible tubes with stenoses. <i>Applied Numerical Mathematics</i> , 2000, 32, 87-101.	2.1	38
24	Multi-physics MRI-based two-layer fluid-structure interaction anisotropic models of human right and left ventricles with different patch materials: Cardiac function assessment and mechanical stress analysis. <i>Computers and Structures</i> , 2011, 89, 1059-1068.	4.4	38
25	Influence of model boundary conditions on blood flow patterns in a patient specific stenotic right coronary artery. <i>BioMedical Engineering OnLine</i> , 2015, 14, S6.	2.7	38
26	Generalized finite difference method for 3-D viscous flow in stenotic tubes with large wall deformation and collapse. <i>Applied Numerical Mathematics</i> , 2001, 38, 49-68.	2.1	37
27	Intraplaque hemorrhage is associated with higher structural stresses in human atherosclerotic plaques: an in vivo MRI-based 3d fluid-structure interaction study. <i>BioMedical Engineering OnLine</i> , 2010, 9, 86.	2.7	37
28	In vivo MRI-based 3D FSI RV/LV models for human right ventricle and patch design for potential computer-aided surgery optimization. <i>Computers and Structures</i> , 2007, 85, 988-997.	4.4	34
29	Quantify patient-specific coronary material property and its impact on stress/strain calculations using in vivo IVUS data and 3D FSI models: a pilot study. <i>Biomechanics and Modeling in Mechanobiology</i> , 2017, 16, 333-344.	2.8	33
30	In Vivo/Ex Vivo MRI-Based 3D Non-Newtonian FSI Models for Human Atherosclerotic Plaques Compared with Fluid/Wall-Only Models. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2007, 19, 233-246.	1.1	33
31	Patient-specific artery shrinkage and 3D zero-stress state in multi-component 3D FSI models for carotid atherosclerotic plaques based on in vivo MRI data. <i>MCB Molecular and Cellular Biomechanics</i> , 2009, 6, 121-34.	0.7	31
32	Quantitative assessment of coronary artery plaque vulnerability by high-resolution magnetic resonance imaging and computational biomechanics: A pilot study ex vivo. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1360-1368.	3.0	28
33	Cap inflammation leads to higher plaque cap strain and lower cap stress: An MRI-PET/CT-based FSI modeling approach. <i>Journal of Biomechanics</i> , 2017, 50, 121-129.	2.1	28
34	Morphological and Stress Vulnerability Indices for Human Coronary Plaques and Their Correlations with Cap Thickness and Lipid Percent: An IVUS-Based Fluid-Structure Interaction Multi-patient Study. <i>PLoS Computational Biology</i> , 2015, 11, e1004652.	3.2	28
35	Pattern formation of vascular smooth muscle cells subject to nonuniform fluid shear stress: mediation by gradient of cell density. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1072-H1080.	3.2	27
36	Using In Vivo Cine and 3D Multi-Contrast MRI to Determine Human Atherosclerotic Carotid Artery Material Properties and Circumferential Shrinkage Rate and Their Impact on Stress/Strain Predictions. <i>Journal of Biomechanical Engineering</i> , 2012, 134, 011008.	1.3	27

#	ARTICLE	IF	CITATIONS
37	Mechanical stress is associated with right ventricular response to pulmonary valve replacement in patients with repaired tetralogy of Fallot. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 687-694.e3.	0.8	27
38	Combining IVUS and Optical Coherence Tomography for More Accurate Coronary Cap Thickness Quantification and Stress/Strain Calculations: A Patient-Specific Three-Dimensional Fluid-Structure Interaction Modeling Approach. <i>Journal of Biomechanical Engineering</i> , 2018, 140, .	1.3	26
39	Quantifying Effect of Intraplaque Hemorrhage on Critical Plaque Wall Stress in Human Atherosclerotic Plaques Using Three-Dimensional Fluid-Structure Interaction Models. <i>Journal of Biomechanical Engineering</i> , 2012, 134, 121004.	1.3	24
40	Patient-Specific MRI-Based Right Ventricle Models Using Different Zero-Load Diastole and Systole Geometries for Better Cardiac Stress and Strain Calculations and Pulmonary Valve Replacement Surgical Outcome Predictions. <i>PLoS ONE</i> , 2016, 11, e0162986.	2.5	23
41	Pattern formation of vascular smooth muscle cells subject to nonuniform fluid shear stress: role of PDGF- $\beta$ receptor and Src. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1081-H1090.	3.2	22
42	Human coronary plaque wall thickness correlated positively with flow shear stress and negatively with plaque wall stress: an IVUS-based fluid-structure interaction multi-patient study. <i>BioMedical Engineering OnLine</i> , 2014, 13, 32.	2.7	21
43	Influence of non-Newtonian properties of blood on the wall shear stress in human atherosclerotic right coronary arteries. <i>MCB Molecular and Cellular Biomechanics</i> , 2011, 8, 73-90.	0.7	21
44	3D MRI-based multicomponent thin layer structure only plaque models for atherosclerotic plaques. <i>Journal of Biomechanics</i> , 2016, 49, 2726-2733.	2.1	20
45	Characterization of distensibility, plaque burden, and composition of the atherosclerotic carotid artery using magnetic resonance imaging. <i>Medical Physics</i> , 2012, 39, 6247-6253.	3.0	19
46	Fluid-structure interaction models based on patient-specific IVUS at baseline and follow-up for prediction of coronary plaque progression by morphological and biomechanical factors: A preliminary study. <i>Journal of Biomechanics</i> , 2018, 68, 43-50.	2.1	19
47	IVUS-Based FSI Models for Human Coronary Plaque Progression Study: Components, Correlation and Predictive Analysis. <i>Annals of Biomedical Engineering</i> , 2015, 43, 107-121.	2.5	18
48	Stiffness Properties of Adventitia, Media, and Full Thickness Human Atherosclerotic Carotid Arteries in the Axial and Circumferential Directions. <i>Journal of Biomechanical Engineering</i> , 2017, 139, .	1.3	17
49	Correlations between carotid plaque progression and mechanical stresses change sign over time: a patient follow up study using MRI and 3D FSI models. <i>BioMedical Engineering OnLine</i> , 2013, 12, 105.	2.7	16
50	Numerical simulation study on systolic anterior motion of the mitral valve in hypertrophic obstructive cardiomyopathy. <i>International Journal of Cardiology</i> , 2018, 266, 167-173.	1.7	15
51	A Machine Learning-Based Method for Intracoronary OCT Segmentation and Vulnerable Coronary Plaque Cap Thickness Quantification. <i>International Journal of Computational Methods</i> , 2019, 16, 1842008.	1.3	15
52	In Vivo Serial MRI-Based Models and Statistical Methods to Quantify Sensitivity and Specificity of Mechanical Predictors for Carotid Plaque Rupture: Location and Beyond. <i>Journal of Biomechanical Engineering</i> , 2011, 133, 064503.	1.3	14
53	Higher critical plaque wall stress in patients who died of coronary artery disease compared with those who died of other causes: A 3D FSI study based on ex vivo MRI of coronary plaques. <i>Journal of Biomechanics</i> , 2014, 47, 432-437.	2.1	14
54	A multi-physics growth model with fluid-structure interactions for blood flow and re-stenosis in rat vein grafts. <i>Computers and Structures</i> , 2003, 81, 1041-1058.	4.4	13

#	ARTICLE	IF	CITATIONS
55	A multiphysics modeling approach to develop right ventricle pulmonary valve replacement surgical procedures with a contracting band to improve ventricle ejection fraction. <i>Computers and Structures</i> , 2013, 122, 78-87.	4.4	13
56	Numerical and Asymptotic Solutions for Peristaltic Motion of Nonlinear Viscous Flows with Elastic Free Boundaries. <i>SIAM Journal of Scientific Computing</i> , 1993, 14, 1300-1319.	2.8	11
57	Infarcted Left Ventricles Have Stiffer Material Properties and Lower Stiffness Variation: Three-Dimensional Echo-Based Modeling to Quantify In Vivo Ventricle Material Properties. <i>Journal of Biomechanical Engineering</i> , 2015, 137, 081005.	1.3	11
58	Patient-specific in vivo right ventricle material parameter estimation for patients with tetralogy of Fallot using MRI-based models with different zero-load diastole and systole morphologies. <i>International Journal of Cardiology</i> , 2019, 276, 93-99.	1.7	11
59	Using Optical Coherence Tomography and Intravascular Ultrasound Imaging to Quantify Coronary Plaque Cap Stress/Strain and Progression: A Follow-Up Study Using 3D Thin-Layer Models. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 713525.	4.1	11
60	3D Computational Mechanical Analysis for Human Atherosclerotic Plaques Using MRI-Based Models with Fluid-Structure Interactions. <i>Lecture Notes in Computer Science</i> , 2004, , 328-336.	1.3	11
61	Cyclic Bending Contributes to High Stress in a Human Coronary Atherosclerotic Plaque and Rupture Risk: In Vitro Experimental Modeling and Ex Vivo MRI-Based Computational Modeling Approach. <i>MCB Molecular and Cellular Biomechanics</i> , 2008, 5, 259-274.	0.7	11
62	Computer simulations of atherosclerotic plaque growth in coronary arteries. <i>MCB Molecular and Cellular Biomechanics</i> , 2010, 7, 193-202.	0.7	11
63	Steady viscous flow in constricted elastic tubes subjected to a uniform external pressure. <i>International Journal for Numerical Methods in Engineering</i> , 1998, 41, 1391-1415.	2.8	10
64	Using contracting band to improve right ventricle ejection fraction for patients with repaired tetralogy of Fallot: A modeling study using patient-specific CMR-based 2-layer anisotropic models of human right and left ventricles. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 145, 285-293.e2.	0.8	10
65	A Multimodality Image-Based Fluid-Structure Interaction Modeling Approach for Prediction of Coronary Plaque Progression Using IVUS and Optical Coherence Tomography Data With Follow-Up. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .	1.3	10
66	Using optical coherence tomography and intravascular ultrasound imaging to quantify coronary plaque cap thickness and vulnerability: a pilot study. <i>BioMedical Engineering OnLine</i> , 2020, 19, 90.	2.7	10
67	Predicting plaque vulnerability change using intravascular ultrasound+optical coherence tomography image-based fluid-structure interaction models and machine learning methods with patient follow-up data: a feasibility study. <i>BioMedical Engineering OnLine</i> , 2021, 20, 34.	2.7	10
68	Right ventricular local longitudinal curvature as a marker and predictor for pulmonary valve replacement surgery outcome: An initial study based on preoperative and postoperative cardiac magnetic resonance data from patients with repaired tetralogy of Fallot. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 537-538.	0.8	9
69	Material stiffness parameters as potential predictors of presence of left ventricle myocardial infarction: 3D echo-based computational modeling study. <i>BioMedical Engineering OnLine</i> , 2016, 15, 34.	2.7	9
70	Multi-factor decision-making strategy for better coronary plaque burden increase prediction: a patient-specific 3D FSI study using IVUS follow-up data. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019, 18, 1269-1280.	2.8	9
71	MRI-based patient-specific human carotid atherosclerotic vessel material property variations in patients, vessel location and long-term follow up. <i>PLoS ONE</i> , 2017, 12, e0180829.	2.5	9
72	Peristaltic transport of a heat-conducting fluid subject to Newton's cooling law at the boundary. <i>International Journal of Engineering Science</i> , 1989, 27, 809-825.	5.0	8

#	ARTICLE	IF	CITATIONS
73	MRI-based biomechanical imaging: initial study on early plaque progression and vessel remodeling. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1309-1318.	1.8	8
74	Flow and Deformation in a Multi-Component Arterial Stenosis Model. <i>Journal of Biomechanical Science and Engineering</i> , 2011, 6, 79-88.	0.3	8
75	Image-Based Modeling and Precision Medicine: Patient-Specific Carotid and Coronary Plaque Assessment and Predictions. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 643-651.	4.2	8
76	Effects of Residual Stress, Axial Stretch, and Circumferential Shrinkage on Coronary Plaque Stress and Strain Calculations: A Modeling Study Using IVUS-Based Near-Idealized Geometries. <i>Journal of Biomechanical Engineering</i> , 2017, 139, .	1.3	8
77	Combining morphological and biomechanical factors for optimal carotid plaque progression prediction: An MRI-based follow-up study using 3D thin-layer models. <i>International Journal of Cardiology</i> , 2019, 293, 266-271.	1.7	8
78	Using intravascular ultrasound image-based fluid-structure interaction models and machine learning methods to predict human coronary plaque vulnerability change. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020, 23, 1267-1276.	1.6	8
79	Machine Learning Model Comparison for Automatic Segmentation of Intracoronary Optical Coherence Tomography and Plaque Cap Thickness Quantification. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2020, 123, 631-646.	1.1	8
80	Optical Coherence Tomography-Derived Changes in Plaque Structural Stress Over the Cardiac Cycle: A New Method for Plaque Biomechanical Assessment. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 715995.	2.4	8
81	Meshless Generalized Finite Difference Method and Human Carotid Atherosclerotic Plaque Progression Simulation Using Multi-Year MRI Patient-Tracking Data. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2008, 28, 95-107.	1.1	8
82	Two-layer passive/active anisotropic FSI models with fiber orientation: MRI-based patient-specific modeling of right ventricular response to pulmonary valve insertion surgery. <i>MCB Molecular and Cellular Biomechanics</i> , 2007, 4, 159-76.	0.7	8
83	Influence of Distal Stenosis on Blood Flow Through Coronary Serial Stenoses: A Numerical Study. <i>International Journal of Computational Methods</i> , 2019, 16, 1842003.	1.3	7
84	Convolution Neural Networks and Support Vector Machines for Automatic Segmentation of Intracoronary Optical Coherence Tomography. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 153-161.	0.7	7
85	A Free Moving Boundary Model and Boundary Iteration Method for Unsteady Viscous Flow in Stenotic Elastic Tubes. <i>SIAM Journal of Scientific Computing</i> , 1999, 21, 1370-1386.	2.8	6
86	Impact of flow rates in a cardiac cycle on correlations between advanced human carotid plaque progression and mechanical flow shear stress and plaque wall stress. <i>BioMedical Engineering OnLine</i> , 2011, 10, 61.	2.7	6
87	A prediction tool for plaque progression based on patient-specific multi-physical modeling. <i>PLoS Computational Biology</i> , 2021, 17, e1008344.	3.2	6
88	Comparisons of simulation results between passive and active fluid structure interaction models for left ventricle in hypertrophic obstructive cardiomyopathy. <i>BioMedical Engineering OnLine</i> , 2021, 20, 9.	2.7	6
89	Three-Dimensional Carotid Plaque Progression Simulation Using Meshless Generalized Finite Difference Method Based on Multi-Year MRI Patient-Tracking Data. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2010, 57, 51-76.	1.1	6
90	Image-based biomechanical modeling for coronary atherosclerotic plaque progression and vulnerability prediction. <i>International Journal of Cardiology</i> , 2022, 352, 1-8.	1.7	6

#	ARTICLE	IF	CITATIONS
91	Experiment-based numerical simulation of unsteady viscous flow in stenotic collapsible tubes. Applied Numerical Mathematics, 2001, 36, 299-320.	2.1	5
92	Cardiovascular diseases and vulnerable plaques: data, modeling, predictions and clinical applications. BioMedical Engineering OnLine, 2015, 14, S1.	2.7	5
93	Peristaltic Transport of a heat-conducting viscous fluid as an application of abstract differential equations and semigroup of operators. Journal of Mathematical Analysis and Applications, 1992, 169, 391-407.	1.0	4
94	Using 2D in Vivo Ivus-based Models for Human Coronary Plaque Progression Analysis and Comparison with 3d Fsi Models. Procedia Engineering, 2015, 126, 451-455.	1.2	4
95	Patient-specific CT-based 3D passive FSI model for left ventricle in hypertrophic obstructive cardiomyopathy. Computer Methods in Biomechanics and Biomedical Engineering, 2018, 21, 255-263.	1.6	4
96	Ventricle stress/strain comparisons between Tetralogy of Fallot patients and healthy using models with different zero-load diastole and systole morphologies. PLoS ONE, 2019, 14, e0220328.	2.5	4
97	Multi-patient study for coronary vulnerable plaque model comparisons: 2D/3D and fluid-structure interaction simulations. Biomechanics and Modeling in Mechanobiology, 2021, 20, 1383-1397.	2.8	4
98	A Novel Pulmonary Valve Replacement Surgery Strategy Using Contracting Band for Patients With Repaired Tetralogy of Fallot: An MRI-Based Multipatient Modeling Study. Frontiers in Bioengineering and Biotechnology, 2021, 9, 638934.	4.1	4
99	Comparison of Right Ventricle Morphological and Mechanical Characteristics for Healthy and Patients with Tetralogy of Fallot: An In Vivo MRI-Based Modeling Study. MCB Molecular and Cellular Biomechanics, 2017, 14, 137-151.	0.7	4
100	Quantifying Patient-Specific in vivo Coronary Plaque Material Properties for Accurate Stress/Strain Calculations: An IVUS-Based Multi-Patient Study. Frontiers in Physiology, 2021, 12, 721195.	2.8	4
101	Effect of Patch Mechanical Properties on Right Ventricle Function Using MRI-Based Two-Layer Anisotropic Models of Human Right and Left Ventricles. CMES - Computer Modeling in Engineering and Sciences, 2010, 56, 113-130.	1.1	4
102	3D Echo-Based Patient-Specific Computational Left Ventricle Models to Quantify Material Properties and Stress/Strain Differences between Ventricles with and without Infarct. CMES - Computer Modeling in Engineering and Sciences, 2014, 99, 491-508.	1.1	4
103	Diastolic Predominant Flow in Compliant Coronary Stenosis Model. Journal of Biomechanical Science and Engineering, 2010, 5, 303-313.	0.3	3
104	In Vivo Intravascular Ultrasound-Based 3D Thin-Walled Model for Human Coronary Plaque Progression Study: Transforming Research to Potential Commercialization. International Journal of Computational Methods, 2019, 16, 1842011.	1.3	3
105	Multi-Band Surgery for Repaired Tetralogy of Fallot Patients With Reduced Right Ventricle Ejection Fraction: A Pilot Study. Frontiers in Physiology, 2020, 11, 198.	2.8	3
106	Porcine and bovine aortic valve comparison for surgical optimization: A fluid-structure interaction modeling study. International Journal of Cardiology, 2021, 334, 88-95.	1.7	3
107	Computational Modeling of Human Bicuspid Pulmonary Valve Dynamic Deformation in Patients with Tetralogy of Fallot. CMES - Computer Modeling in Engineering and Sciences, 2019, 119, 227-244.	1.1	3
108	IVUS-based computational modeling and planar biaxial artery material properties for human coronary plaque vulnerability assessment. MCB Molecular and Cellular Biomechanics, 2012, 9, 77-93.	0.7	3

#	ARTICLE	IF	CITATIONS
109	Mechanical image analysis using finite element method. , 2006, , 324-340.		2
110	3D In Vivo IVUS-Based Anisotropic FSI Models With Cyclic Bending for Human Coronary Atherosclerotic Plaque Mechanical Analysis. , 2009, , .		2
111	Using 3D Echo-based Modeling to Quantify in Vivo Ventricle Material Properties: A Multi-patient Study. Procedia Engineering, 2015, 126, 446-450.	1.2	2
112	A Fast-Fractional Flow Reserve Simulation Method in A Patient with Coronary Stenosis Based on Resistance Boundary Conditions. CMES - Computer Modeling in Engineering and Sciences, 2018, 116, 163-173.	1.1	2
113	Patient-Specific Echo-Based Left Ventricle Models for Active Contraction and Relaxation Using Different Zero-Load Diastole and Systole Geometries. International Journal of Computational Methods, 2019, 16, 1842014.	1.3	2
114	Impact of Patient-Specific In Vivo Vessel Material Properties on Carotid Atherosclerotic Plaque Stress/Strain Calculations. International Journal of Computational Methods, 2019, 16, 1842002.	1.3	2
115	Optical Coherence Tomography-Based Patient-Specific Residual Multi-Thrombus Coronary Plaque Models With Fluid-Structure Interaction for Better Treatment Decisions: A Biomechanical Modeling Case Study. Journal of Biomechanical Engineering, 2021, 143, .	1.3	2
116	Influences of Flow Parameters on Pressure Drop in a Patient Specific Right Coronary Artery with Two Stenoses. Lecture Notes in Computer Science, 2017, , 56-70.	1.3	2
117	Patient-Specific Carotid Plaque Progression Simulation Using 3D Meshless Generalized Finite Difference Models with Fluid-Structure Interactions Based on Serial In Vivo MRI Data. CMES - Computer Modeling in Engineering and Sciences, 2011, 72, 53-77.	1.1	2
118	Modeling Active Contraction and Relaxation of Left Ventricle Using Different Zero-load Diastole and Systole Geometries for Better Material Parameter Estimation and Stress/Strain Calculations. MCB Molecular and Cellular Biomechanics, 2016, 13, 33-55.	0.7	2
119	Quantifying Vessel Material Properties Using MRI Under Pressure Condition and MRI-Based FSI Mechanical Analysis for Human Atherosclerotic Plaques. , 2006, , 523.		1
120	Influences of External Pressure on Flow and Deformation in Arterial Stenosis Model. Journal of Biomechanical Science and Engineering, 2008, 3, 75-84.	0.3	1
121	FSI Modeling Approach to Develop Right Ventricle Pulmonary Valve Replacement Surgical Procedures with a Contracting Actuator and Improve Ventricle Ejection Fraction. Procedia Engineering, 2015, 126, 441-445.	1.2	1
122	IVUS-based Fluid-structure Interaction Models for Novel Plaque Vulnerability Indices: A Study in Patients with Coronary Artery Disease. Procedia Engineering, 2015, 126, 436-440.	1.2	1
123	Stress-Based Plaque Vulnerability Index and Assessment for Carotid Atherosclerotic Plaques Using Patient-Specific Vessel Material Properties. MCB Molecular and Cellular Biomechanics, 2018, 15, 189-201.	0.7	1
124	Angle of Attack between Blood Flow and Mitral Valve Leaflets in Hypertrophic Obstructive Cardiomyopathy: An In Vivo Multi-patient CT-based FSI Study. CMES - Computer Modeling in Engineering and Sciences, 2018, 116, 115-125.	1.1	1
125	Comparisons of Patient-specific Active and Passive Models for Left Ventricle in Hypertrophic Obstructive Cardiomyopathy. MCB Molecular and Cellular Biomechanics, 2019, 16, 58-58.	0.7	1
126	Optimization of Left Ventricle Pace Maker Location Using Echo-Based Fluid-Structure Interaction Models. Frontiers in Physiology, 2022, 13, 843421.	2.8	1



#	ARTICLE	IF	CITATIONS
127	Predicting Coronary Stenosis Progression Using Plaque Fatigue From IVUS-Based Thin-Slice Models: A Machine Learning Random Forest Approach. <i>Frontiers in Physiology</i> , 2022, 13, .	2.8	1
128	Predicting Human Carotid Plaque Site of Rupture Using 3D Critical Plaque Wall Stress and Flow Shear Stress: A 3D Multi-Patient FSI Study Based on In Vivo MRI of Plaques With and Without Prior Rupture. , 2010, , .		0
129	Determination of Human Carotid Atherosclerotic Plaque Material Properties Non-Invasively Using In Vivo Cine and 3D Magnetic Resonance Imaging and Image-Based Modeling Techniques. , 2011, , .		0
130	3D Computational Fluid-Structure Interaction Model of Canine Heart With Different Patch Materials for Optimal Myocardium Regeneration. , 2013, , .		0
131	Correction: correlations between carotid plaque progression and mechanical stresses change sign over time: a patient follow up study using MRI and 3D FSI models. <i>BioMedical Engineering OnLine</i> , 2013, 12, 126.	2.7	0
132	Sudden Death in Coronary Artery Disease are Associated With High 3D Critical Plaque Wall Stress: A 3D Multi-Patient FSI Study Based on Ex Vivo MRI of Coronary Plaques. , 2013, , .		0
133	Preface: Computational and experimental methods for biological research: cardiovascular diseases and beyond. <i>BioMedical Engineering OnLine</i> , 2016, 15, 157.	2.7	0
134	Preface " Computational Modeling for Cardiovascular Disease and Biological Applications. <i>International Journal of Computational Methods</i> , 2019, 16, 1802002.	1.3	0
135	Prediction of the coronary plaque growth and vulnerability change by using patient-specific 3D fluid-structure interaction models based on intravascular ultrasound and optical coherence tomography follow-up data. , 2021, , 315-333.		0
136	Bioprosthetic Valve Size Selection to Optimize Aortic Valve Replacement Surgical Outcome: A Fluid-Structure Interaction Modeling Study. <i>CMES - Computer Modeling in Engineering and Sciences</i> , 2021, 127, 159-174.	1.1	0
137	A 3-D model with fluid-structure interactions for unsteady blood flow in stenotic arteries with cyclic wall collapse. , 2001, , 1388-1392.		0
138	Computational Biomechanical Right Ventricle Modeling with Contracting Bands to Improve Ventricle Cardiac Function for Patient with Repaired Tetralogy of Fallot. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 56-57.	0.7	0
139	Image-Based Modeling for Atherosclerotic Coronary Plaque Progression and Vulnerability Research. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 27-28.	0.7	0
140	Mass Transport of LDL in Stenotic Right Coronary Arteries. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 25-26.	0.7	0
141	Predicting Plaque Progression Using Patient-Specific Fluid-Structure-Interaction Models Based on IVUS and OCT Images with Follow-Up. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 75-76.	0.7	0
142	Using 3D Thin-Layer Model with in Vivo Patient-Specific Vessel Material Properties to Assesse Carotid Atherosclerotic Plaque Vulnerability. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 81-82.	0.7	0
143	Computational Modeling of Human Bicuspid Pulmonary Valve Dynamic Deformation in Patients with Tetralogy of Fallot. <i>MCB Molecular and Cellular Biomechanics</i> , 2019, 16, 59-59.	0.7	0