

Ashraf S Habib

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5736292/publications.pdf>

Version: 2024-02-01

218
papers

10,090
citations

53794

45
h-index

39675

94
g-index

245
all docs

245
docs citations

245
times ranked

6357
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of a multimodal analgesic protocol modification on opioid consumption after cesarean delivery: a retrospective cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 4743-4749.	1.5	11
2	Factors associated with postoperative nausea or vomiting in parturients undergoing caesarean delivery under spinal anaesthesia with intrathecal morphine. <i>European Journal of Anaesthesiology</i> , 2022, 39, 75-77.	1.7	1
3	Uterine exteriorization versus in situ repair in Cesarean delivery: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 216-233.	1.6	7
4	Anesthetic management of placenta accreta spectrum at an academic center and a comparison of the combined spinal epidural with the double catheter technique: A retrospective study. <i>Journal of Clinical Anesthesia</i> , 2022, 77, 110573.	1.6	0
5	The association between intravenous iron for antenatal anemia and postnatal depression: a retrospective cohort study. <i>Archives of Gynecology and Obstetrics</i> , 2022, , 1.	1.7	0
6	ED 90 of Intrathecal Chloroprocaine With Fentanyl for Prophylactic Cervical Cerclage: A Sequential Allocation Biased-Coin Design. <i>Anesthesia and Analgesia</i> , 2022, 134, 834-842.	2.2	7
7	Obstructive sleep apnea in pregnant women. <i>International Anesthesiology Clinics</i> , 2022, 60, 59-65.	0.8	4
8	Quality of Labor Analgesia with Dural Puncture Epidural <i>versus</i> Standard Epidural Technique in Obese Parturients: A Double-blind Randomized Controlled Study. <i>Anesthesiology</i> , 2022, 136, 678-687.	2.5	23
9	Intrathecal bupivacaine versus chloroprocaine for transvaginal cervical cerclage placement: a retrospective cohort study. <i>International Journal of Obstetric Anesthesia</i> , 2022, 50, 103276.	0.4	3
10	Long-term morbidities following unintentional dural puncture in obstetric patients: A systematic review and meta-analysis. <i>Journal of Clinical Anesthesia</i> , 2022, 79, 110787.	1.6	17
11	Oliceridine is Associated with Reduced Risk of Vomiting and Need for Rescue Antiemetics Compared to Morphine: Exploratory Analysis from Two Phase 3 Randomized Placebo and Active Controlled Trials. <i>Pain and Therapy</i> , 2021, 10, 401-413.	3.2	16
12	In Response. <i>Anesthesia and Analgesia</i> , 2021, 132, e31-e33.	2.2	0
13	Low Incidence of Opioid-Induced Respiratory Depression Observed with Oliceridine Regardless of Age or Body Mass Index: Exploratory Analysis from a Phase 3 Open-Label Trial in Postsurgical Pain. <i>Pain and Therapy</i> , 2021, 10, 457-473.	3.2	16
14	Obesity in women: anaesthetic implications for perioperative and peripartum management. <i>Anaesthesia</i> , 2021, 76, 108-117.	3.8	8
15	Oliceridine: A Novel Drug for the Management of Moderate to Severe Acute Pain – A Review of Current Evidence. <i>Journal of Pain Research</i> , 2021, Volume 14, 969-979.	2.0	21
16	Association of gabapentinoid utilization with postoperative pulmonary complications in gynecologic surgery: a retrospective cohort study. <i>Current Medical Research and Opinion</i> , 2021, 37, 821-828.	1.9	9
17	Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. <i>Anesthesia and Analgesia</i> , 2021, 132, 1362-1377.	2.2	133
18	The Society for Obstetric Anesthesia and Perinatology Coronavirus Disease 2019 Registry: An Analysis of Outcomes Among Pregnant Women Delivering During the Initial Severe Acute Respiratory Syndrome Coronavirus-2 Outbreak in the United States. <i>Anesthesia and Analgesia</i> , 2021, 133, 462-473.	2.2	36

#	ARTICLE	IF	CITATIONS
19	Oliceridine in the treatment of moderate to severe acute pain. <i>Pain Management</i> , 2021, 11, 237-248.	1.5	3
20	Analgesia After Cesarean Delivery in the United States 2008â€“2018: A Retrospective Cohort Study. <i>Anesthesia and Analgesia</i> , 2021, 133, 1550-1558.	2.2	8
21	A quality improvement initiative to reduce venous thromboembolism on a gynecologic oncology service. <i>Gynecologic Oncology</i> , 2021, 162, 120-127.	1.4	2
22	Safety evaluation of oliceridine for the management of postoperative moderate-to-severe acute pain. <i>Expert Opinion on Drug Safety</i> , 2021, 20, 1291-1298.	2.4	4
23	Dexamethasone as an Analgesic Adjunct for Postcesarean Delivery Pain: A Randomized Controlled Trial. <i>Anesthesiology Research and Practice</i> , 2021, 2021, 1-9.	0.7	2
24	Impact of enhanced recovery after cesarean delivery on maternal outcomes: A systematic review and meta-analysis. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2021, 40, 100935.	1.4	22
25	Postoperative analgesia after cesarean delivery. <i>International Anesthesiology Clinics</i> , 2021, 59, 90-97.	0.8	3
26	Randomized trial of transversus abdominis plane block with liposomal bupivacaine after cesarean delivery with or without intrathecal morphine. <i>Journal of Clinical Anesthesia</i> , 2021, 75, 110527.	1.6	8
27	Comparison of metoclopramide and promethazine for the treatment of postoperative nausea and vomiting in the post-anesthesia care unit: A retrospective database analysis. <i>Journal of Clinical Anesthesia</i> , 2020, 60, 47-48.	1.6	2
28	Comparison of Programmed Intermittent Epidural Boluses With Continuous Epidural Infusion for the Maintenance of Labor Analgesia: A Randomized, Controlled, Double-Blind Study. <i>Anesthesia and Analgesia</i> , 2020, 130, 426-435.	2.2	26
29	A risk score for postoperative nausea and/or vomiting in women undergoing cesarean delivery with intrathecal morphine. <i>International Journal of Obstetric Anesthesia</i> , 2020, 44, 126-130.	0.4	5
30	Intra-operative ketorolac 15â€“mg versus 30â€“mg for analgesia following cesarean delivery: a retrospective study. <i>International Journal of Obstetric Anesthesia</i> , 2020, 44, 116-121.	0.4	4
31	Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2020, 131, 411-448.	2.2	485
32	Postoperative nausea and vomiting: State of the art. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2020, 34, 663-665.	4.0	0
33	Low Incidence of Postoperative Respiratory Depression with Oliceridine Compared to Morphine: A Retrospective Chart Analysis. <i>Pain Research and Management</i> , 2020, 2020, 1-10.	1.8	17
34	Transversus Abdominis Plane Block With Liposomal Bupivacaine for Pain After Cesarean Delivery in a Multicenter, Randomized, Double-Blind, Controlled Trial. <i>Anesthesia and Analgesia</i> , 2020, 131, 1830-1839.	2.2	48
35	Patient and procedural risk factors for increased postoperative pain after cesarean delivery under neuraxial anesthesia: a retrospective study. <i>International Journal of Obstetric Anesthesia</i> , 2020, 44, 60-67.	0.4	8
36	Quadratus lumborum block for postoperative analgesia after cesarean delivery: A systematic review with meta-analysis and trial-sequential analysis. <i>Journal of Clinical Anesthesia</i> , 2020, 67, 110003.	1.6	35

#	ARTICLE	IF	CITATIONS
37	The next generation of antiemetics for the management of postoperative nausea and vomiting. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2020, 34, 759-769.	4.0	5
38	Spinal anesthesia for postpartum tubal ligation: A retrospective analysis of the association of intrathecal bupivacaine dosing with inadequate surgical blocks. <i>Journal of Clinical Anesthesia</i> , 2020, 65, 109859.	1.6	1
39	A protocol to reduce self-reported pain scores and adverse events following lumbar punctures in older adults. <i>Journal of Neurology</i> , 2020, 267, 2002-2006.	3.6	13
40	Ropivacaine and Ketorolac Wound Infusion for Post-Cesarean Delivery Analgesia. <i>Obstetrics and Gynecology</i> , 2020, 135, 427-435.	2.4	11
41	Analgesic use after vaginal delivery in women with perineal lacerations: a retrospective cohort study. <i>Current Medical Research and Opinion</i> , 2020, 36, 1009-1013.	1.9	1
42	The optimum management of nausea and vomiting during and after cesarean delivery. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2020, 34, 735-747.	4.0	14
43	–Risk Factors Associated with Development of Acute and Sub-Acute Post-Cesarean Pain: A Prospective Cohort Study–. <i>Journal of Pain Research</i> , 2020, Volume 13, 2317-2328.	2.0	4
44	Antibiotic Prophylaxis for Cesarean Delivery: A Survey of Anesthesiologists. <i>Anesthesiology Research and Practice</i> , 2020, 2020, 1-5.	0.7	1
45	The right question in the right database: epidural analgesia for gynecological oncologic surgery. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 2019-2019.	2.5	1
46	Opioid-related respiratory and gastrointestinal adverse events in patients with acute postoperative pain: prevalence, predictors, and burden. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2019, 33, 82-97.	0.8	38
47	Supplemental perioperative intravenous crystalloids for postoperative nausea and vomiting. <i>The Cochrane Library</i> , 2019, 2019, CD012212.	2.8	21
48	Risk factors for severe acute pain and persistent pain after surgery for breast cancer: a prospective observational study. <i>Regional Anesthesia and Pain Medicine</i> , 2019, 44, 192-199.	2.3	57
49	Monitoring, prevention and treatment of side effects of long-acting neuraxial opioids for post-cesarean analgesia. <i>International Journal of Obstetric Anesthesia</i> , 2019, 39, 117-128.	0.4	19
50	Reduction in opioid use and postoperative pain scores after elective laparotomy with implementation of enhanced recovery after surgery protocol on a gynecologic oncology service. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 935-943.	2.5	25
51	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 410-411.	1.3	0
52	What's new in obstetric anesthesia in 2017?. <i>International Journal of Obstetric Anesthesia</i> , 2019, 38, 119-126.	0.4	3
53	Cost-effectiveness of hyperthermic intraperitoneal chemotherapy (HIPEC) at interval debulking of epithelial ovarian cancer following neoadjuvant chemotherapy. <i>Gynecologic Oncology</i> , 2019, 153, 376-380.	1.4	17
54	The role of gabapentinoids in acute and chronic pain after surgery. <i>Current Opinion in Anaesthesiology</i> , 2019, 32, 629-634.	2.0	18

#	ARTICLE	IF	CITATIONS
55	<p>Obesity And Obstetric Anesthesia: Current Insights</p>. Local and Regional Anesthesia, 2019, Volume 12, 111-124.	1.3	32
56	<p>ATHENA: A Phase 3, Open-Label Study Of The Safety And Effectiveness Of Oliceridine (TRV130), A G-Protein Selective Agonist At The μ -Opioid Receptor, In Patients With Moderate To Severe Acute Pain Requiring Parenteral Opioid Therapy</p>. Journal of Pain Research, 2019, Volume 12, 3113-3126.	2.0	42
57	Whatâ€™s New in Obstetric Anesthesia? The 2017 Gerard W. Ostheimer Lecture. Anesthesia and Analgesia, 2019, 129, 168-175.	2.2	3
58	Society for Obstetric Anesthesia and Perinatology Consensus Statement: Monitoring Recommendations for Prevention and Detection of Respiratory Depression Associated With Administration of Neuraxial Morphine for Cesarean Delivery Analgesia. Anesthesia and Analgesia, 2019, 129, 458-474.	2.2	69
59	Amisulpride for the Rescue Treatment of Postoperative Nausea or Vomiting in Patients Failing Prophylaxis. Anesthesiology, 2019, 130, 203-212.	2.5	30
60	Obstructive Sleep Apnea in Pregnant Women: A Review of Pregnancy Outcomes and an Approach to Management. Anesthesia and Analgesia, 2018, 127, 1167-1177.	2.2	49
61	Inadvertent Perioperative Hypothermia Induced by Spinal Anesthesia for Cesarean Delivery Might Be More Significant Than We Think: Are We Doing Enough to Warm Our Parturients?. Anesthesia and Analgesia, 2018, 126, 7-9.	2.2	26
62	In reply: Spinal anesthesia for Cesarean delivery in obese parturients: is this the best option?. Canadian Journal of Anaesthesia, 2018, 65, 966-966.	1.6	0
63	Amisulpride Prevents Postoperative Nausea and Vomiting in Patients at High Risk. Anesthesiology, 2018, 128, 1099-1106.	2.5	47
64	The Effect of Glycopyrrolate on the Incidence of Hypotension and Vasopressor Requirement During Spinal Anesthesia for Cesarean Delivery: A Meta-analysis. Anesthesia and Analgesia, 2018, 126, 552-558.	2.2	11
65	A randomized trial of phenylephrine infusion versus bolus dosing for nausea and vomiting during Cesarean delivery in obese women. Canadian Journal of Anaesthesia, 2018, 65, 254-262.	1.6	36
66	Predicting Severity of Acute Pain After Cesarean Delivery: A Narrative Review. Anesthesia and Analgesia, 2018, 126, 1606-1614.	2.2	54
67	A Systematic Review Evaluating Neuraxial Morphine and Diamorphine-Associated Respiratory Depression After Cesarean Delivery. Anesthesia and Analgesia, 2018, 127, 1385-1395.	2.2	39
68	Enhanced recovery after cesarean delivery. F1000Research, 2018, 7, 513.	1.6	46
69	Screening extremely obese pregnant women for obstructive sleep apnea. American Journal of Obstetrics and Gynecology, 2018, 219, 613.e1-613.e10.	1.3	34
70	A review of the associations between obstructive sleep apnea and hypertensive disorders of pregnancy and possible mechanisms of disease. Sleep Medicine Reviews, 2018, 42, 37-46.	8.5	32
71	Spinal-induced hypotension: Incidence, mechanisms, prophylaxis, and management: Summarizing 20 years of research. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2017, 31, 57-68.	4.0	58
72	The effect of second-stage pushing and body mass index on postdural puncture headache. Journal of Clinical Anesthesia, 2017, 37, 77-81.	1.6	22

#	ARTICLE	IF	CITATIONS
73	The impact of body mass index on the risk of high spinal block in parturients undergoing cesarean delivery: a retrospective cohort study. <i>Journal of Anesthesia</i> , 2017, 31, 552-558.	1.7	27
74	Acetaminophen and ondansetron: The central serotonergic connection. <i>Journal of Clinical Anesthesia</i> , 2017, 40, 101-102.	1.6	2
75	Dexamethasone, blood glucose and <scp>CONSORT</scp> guidelines â€“ a reply. <i>Anaesthesia</i> , 2017, 72, 791-792.	3.8	0
76	Establishing Obstetric Anesthesiology Practice Guidelines in the Republic of Armenia. <i>Anesthesiology</i> , 2017, 127, 220-226.	2.5	8
77	Prevalence of difficult intubation and failed intubation in a diverse obstetric community-based population. <i>Current Medical Research and Opinion</i> , 2017, 33, 2167-2171.	1.9	9
78	Reply to. <i>European Journal of Anaesthesiology</i> , 2017, 34, 111-112.	1.7	0
79	Ambient operating room temperature: mother, baby or surgeon?. <i>British Journal of Anaesthesia</i> , 2017, 119, 839.	3.4	7
80	Mechanisms of nausea and vomiting. , 2016, , 13-22.		1
81	Pharmacology of neurokinin antagonists and novel antiemetics. , 2016, , 74-89.		2
82	Managing anesthesia for cesarean section in obese patients: current perspectives. <i>Local and Regional Anesthesia</i> , 2016, Volume 9, 45-57.	1.3	42
83	Midazolam for Anxiolysis and Postoperative Nausea and Vomiting Prophylaxis. <i>Anesthesia and Analgesia</i> , 2016, 122, 590-592.	2.2	4
84	Blood-Conservation Strategies in a Blood-Refusal Parturient with Placenta Previa and Placenta Percreta. <i>A & A Case Reports</i> , 2016, 6, 111-113.	0.7	8
85	Local anaesthetic wound infiltration for postcaesarean section analgesia. <i>European Journal of Anaesthesiology</i> , 2016, 33, 731-742.	1.7	58
86	Supplemental perioperative intravenous crystalloids for postoperative nausea and vomiting. <i>The Cochrane Library</i> , 2016, , .	2.8	5
87	The impact of gestational age and fetal weight on the risk of failure of spinal anesthesia for cesarean delivery. <i>International Journal of Obstetric Anesthesia</i> , 2016, 26, 8-14.	0.4	11
88	Failure rate and complications associated with the use of spinal catheters for the management of inadvertent dural puncture in the parturient: a retrospective comparison with re-sited epidural catheters. <i>Current Medical Research and Opinion</i> , 2016, 32, 841-846.	1.9	11
89	Retrospective comparison of ephedrine and phenylephrine for the treatment of spinal anesthesia induced hypotension in pre-eclamptic patients. <i>Current Medical Research and Opinion</i> , 2016, 32, 1083-1086.	1.9	18
90	A retrospective comparison of programmed intermittent epidural bolus with continuous epidural infusion for maintenance of labor analgesia. <i>Current Medical Research and Opinion</i> , 2016, 32, 1435-1440.	1.9	21

#	ARTICLE	IF	CITATIONS
91	Evaluation of failed and high blocks associated with spinal anesthesia for Cesarean delivery following inadequate labour epidural: a retrospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 1170-1178.	1.6	9
92	The effect of anti-emetic doses of dexamethasone on postoperative blood glucose levels in non-diabetic and diabetic patients: a prospective randomised controlled study. <i>Anaesthesia</i> , 2016, 71, 1037-1043.	3.8	60
93	Reply. <i>British Journal of Anaesthesia</i> , 2016, 117, 676-677.	3.4	0
94	Impact of postoperative nausea and vomiting prophylaxis with dexamethasone on the risk of recurrence of endometrial cancer. <i>Current Medical Research and Opinion</i> , 2016, 32, 453-458.	1.9	14
95	Anesthetic technique for cesarean delivery and neonatal acidâ€“base status: a retrospective database analysis. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 22-29.	0.4	17
96	Management of persistent cerebrospinal fluid leak using tissue adhesive. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 87-88.	0.4	2
97	Evidence-Based Anesthesia for Major Gynecologic Surgery. <i>Anesthesiology Clinics</i> , 2015, 33, 173-207.	1.4	20
98	Anesthetic management and outcomes of parturients with dilated cardiomyopathy in an academic centre. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 278-288.	1.6	22
99	Anesthetic management of super-morbidly obese parturients for cesarean delivery with a double neuraxial catheter technique: a case series. <i>International Journal of Obstetric Anesthesia</i> , 2015, 24, 276-280.	0.4	21
100	Postoperative Pain Scores and Narcotic Use in Robotic-assisted Versus Laparoscopic Hysterectomy for Endometrial Cancer Staging. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 1004-1010.	0.6	14
101	Uterine exteriorization compared with in situ repair for Cesarean delivery: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 1209-1220.	1.6	28
102	Postoperative hyperglycemia after 4- vs 8-10-mg dexamethasone for postoperative nausea and vomiting prophylaxis in patients with type II diabetes mellitus: a retrospective database analysis. <i>Journal of Clinical Anesthesia</i> , 2015, 27, 589-594.	1.6	37
103	The Effect of patient warming during Caesarean delivery on maternal and neonatal outcomes: a meta-analysis. <i>British Journal of Anaesthesia</i> , 2015, 115, 500-510.	3.4	84
104	Impact of pregabalin on acute and persistent postoperative pain: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2015, 114, 10-31.	3.4	265
105	Low central venous pressure versus acute normovolemic hemodilution versus conventional fluid management for reducing blood loss in radical retropubic prostatectomy: a randomized controlled trial. <i>Current Medical Research and Opinion</i> , 2014, 30, 937-943.	1.9	4
106	Nicotine for Postoperative Analgesia. <i>Anesthesia and Analgesia</i> , 2014, 119, 268-275.	2.2	27
107	A Prospective Evaluation of the Incidence of Adverse Events in Nurse-Administered Moderate Sedation Guided by Sedation Scores or Bispectral Index. <i>Anesthesia and Analgesia</i> , 2014, 119, 43-48.	2.2	35
108	Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2014, 118, 85-113.	2.2	1,200

#	ARTICLE	IF	CITATIONS
109	Incidence, patient satisfaction, and perceptions of post-surgical pain: results from a US national survey. <i>Current Medical Research and Opinion</i> , 2014, 30, 149-160.	1.9	587
110	A randomized placebo-controlled trial of two doses of pregabalin for postoperative analgesia in patients undergoing abdominal hysterectomy. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 551-557.	1.6	33
111	Sheehan syndrome: acute presentation with severe headache. <i>International Journal of Obstetric Anesthesia</i> , 2014, 23, 383-386.	0.4	8
112	The peripartum management of a patient with glutaric aciduria type 1. <i>Journal of Clinical Anesthesia</i> , 2013, 25, 141-145.	1.6	7
113	Antiemetics Added to Phenylephrine Infusion During Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2013, 121, 615-623.	2.4	27
114	Anaesthesia for caesarean delivery of growth-restricted fetuses. <i>European Journal of Anaesthesiology</i> , 2013, 30, 5-6.	1.7	0
115	A Retrospective Assessment of the Incidence of Respiratory Depression After Neuraxial Morphine Administration for Postcesarean Delivery Analgesia. <i>Anesthesia and Analgesia</i> , 2013, 117, 1368-1370.	2.2	64
116	Hemodynamic Impact of Dexmedetomidine Administration in 15,656 Noncardiac Surgical Cases. <i>Survey of Anesthesiology</i> , 2013, 57, 18-19.	0.1	0
117	Prophylaxis and treatment of the side-effects of neuraxial morphine analgesia following cesarean delivery. <i>Current Opinion in Anaesthesiology</i> , 2013, 26, 288-295.	2.0	31
118	Phenylephrine Versus Ephedrine for the Management of Hypotension in the Obstetric Patient; Do We Have an Updated Answer?. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 199-200.	3.9	1
119	Impact of perioperative dexamethasone on postoperative analgesia and side-effects: systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2013, 110, 191-200.	3.4	482
120	The Impact of Postoperative Nausea and Vomiting Prophylaxis with Dexamethasone on Postoperative Wound Complications in Patients Undergoing Laparotomy for Endometrial Cancer. <i>Anesthesia and Analgesia</i> , 2013, 116, 1041-1047.	2.2	36
121	Intermittent Epidural Bolus Compared with Continuous Epidural Infusions for Labor Analgesia. <i>Anesthesia and Analgesia</i> , 2013, 116, 133-144.	2.2	172
122	Scientific Fraud. <i>Anesthesia and Analgesia</i> , 2013, 116, 520-522.	2.2	7
123	Metoclopramide for nausea and vomiting prophylaxis during and after Caesarean delivery: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2012, 108, 374-383.	3.4	48
124	Dexamethasone for the Prophylaxis of Postoperative Nausea and Vomiting Associated with Neuraxial Morphine Administration. <i>Anesthesia and Analgesia</i> , 2012, 114, 813-822.	2.2	70
125	Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2012, 115, 493-495.	2.2	20
126	A Review of the Impact of Phenylephrine Administration on Maternal Hemodynamics and Maternal and Neonatal Outcomes in Women Undergoing Cesarean Delivery Under Spinal Anesthesia. <i>Anesthesia and Analgesia</i> , 2012, 114, 377-390.	2.2	138

#	ARTICLE	IF	CITATIONS
127	Inhaled Fentanyl Aerosol in Healthy Volunteers. <i>Anesthesia and Analgesia</i> , 2012, 115, 1071-1077.	2.2	40
128	Effects of dose ranging of adenosine infusion on electrocardiographic findings during and after general anesthesia. <i>Journal of Anesthesia</i> , 2012, 26, 689-695.	1.7	0
129	Peripartum management of two parturients with ornithine transcarbamylase deficiency. <i>International Journal of Obstetric Anesthesia</i> , 2012, 21, 90-93.	0.4	15
130	Hemodynamic impact of dexmedetomidine administration in 15,656 noncardiac surgical cases. <i>Journal of Clinical Anesthesia</i> , 2012, 24, 212-220.	1.6	28
131	Do we really understand what constitutes an acupuncture point?. <i>European Journal of Pain</i> , 2012, 16, 1207-1208.	2.8	4
132	Pulmonary embolism after administration of recombinant activated Factor VII for major obstetric hemorrhage. <i>Journal of Clinical Anesthesia</i> , 2012, 24, 508-509.	1.6	3
133	Is it time to revisit tracheal intubation for Cesarean delivery?. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 642-647.	1.6	10
134	Transversus abdominis plane block for analgesia after Cesarean delivery: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 766-778.	1.6	171
135	Remifentanyl for fetal immobilization and analgesia during the ex utero intrapartum treatment procedure under combined spinal-epidural anaesthesia. <i>British Journal of Anaesthesia</i> , 2011, 106, 851-855.	3.4	40
136	Rolapitant for the Prevention of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2011, 112, 804-812.	2.2	59
137	A Comparison of the Combination of Aprepitant and Dexamethasone Versus the Combination of Ondansetron and Dexamethasone for the Prevention of Postoperative Nausea and Vomiting in Patients Undergoing Craniotomy. <i>Anesthesia and Analgesia</i> , 2011, 112, 813-818.	2.2	85
138	Analgesic and antiemetic needs following minimally invasive vs open staging for endometrial cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 65.e1-65.e6.	1.3	16
139	Impact of intraoperative dexmedetomidine on postoperative analgesia following gynecologic surgery. <i>Current Medical Research and Opinion</i> , 2011, 27, 2091-2097.	1.9	20
140	CON: Postoperative Nausea and Vomiting Database Research: Limitations and Opportunities. <i>Anesthesia and Analgesia</i> , 2010, 110, 412-414.	2.2	12
141	Processed Electroencephalogram During Donation After Cardiac Death. <i>Anesthesia and Analgesia</i> , 2010, 110, 1428-1432.	2.2	53
142	A Double-Blind, Placebo-Controlled Trial of Four Fixed Rate Infusion Regimens of Phenylephrine for Hemodynamic Support During Spinal Anesthesia for Cesarean Delivery. <i>Anesthesia and Analgesia</i> , 2010, 111, 1221-1229.	2.2	138
143	Up-Down Determination of the 90% Effective Dose of Phenylephrine for the Treatment of Spinal Anesthesia-Induced Hypotension in Parturients Undergoing Cesarean Delivery. <i>Anesthesia and Analgesia</i> , 2010, 110, 154-158.	2.2	65
144	Impact of Intravenous Lidocaine Infusion on Postoperative Analgesia and Recovery from Surgery. <i>Drugs</i> , 2010, 70, 1149-1163.	10.9	322

#	ARTICLE	IF	CITATIONS
145	Low-dose naloxone infusion for the treatment of intractable nausea and vomiting after intrathecal morphine in a parturient. <i>International Journal of Obstetric Anesthesia</i> , 2010, 19, 119-121.	0.4	6
146	Minimum effective dose of spinal ropivacaine with and without fentanyl for postpartum tubal ligation. <i>International Journal of Obstetric Anesthesia</i> , 2010, 19, 390-394.	0.4	5
147	Double-blind comparison of granisetron, promethazine, or a combination of both for the prevention of postoperative nausea and vomiting in females undergoing outpatient laparoscopies. <i>Canadian Journal of Anaesthesia</i> , 2009, 56, 829-836.	1.6	28
148	Computerized surveillance of opioid-related adverse drug events in perioperative care: a cross-sectional study. <i>Patient Safety in Surgery</i> , 2009, 3, 18.	2.3	24
149	A survey of the management of spinal-induced hypotension for scheduled cesarean delivery. <i>International Journal of Obstetric Anesthesia</i> , 2009, 18, 356-361.	0.4	43
150	A retrospective comparison of anesthetic management of robot-assisted laparoscopic radical prostatectomy versus radical retropubic prostatectomy. <i>Journal of Clinical Anesthesia</i> , 2009, 21, 322-328.	1.6	60
151	Comparison of postoperative pain outcomes after vertical or Pfannenstiel incision for major gynecologic surgery. <i>Current Medical Research and Opinion</i> , 2009, 25, 1529-1534.	1.9	8
152	Evidence-Based Update and Controversies in the Treatment and Prevention of Postoperative Nausea and Vomiting. <i>Advances in Anesthesia</i> , 2009, 27, 143-165.	0.9	5
153	Lidocaine Patch for Postoperative Analgesia After Radical Retropubic Prostatectomy. <i>Anesthesia and Analgesia</i> , 2009, 108, 1950-1953.	2.2	45
154	Serotonin Receptor Antagonists for the Prevention and Treatment of Pruritus, Nausea, and Vomiting in Women Undergoing Cesarean Delivery with Intrathecal Morphine: A Systematic Review and Meta-Analysis. <i>Anesthesia and Analgesia</i> , 2009, 109, 174-182.	2.2	62
155	What Is the Best Strategy to Prevent Postoperative Nausea and Vomiting?. , 2009, , 269-275.		0
156	Brief report: A randomized controlled trial of Synera [®] versus lidocaine for epidural needle insertion in labouring parturients. <i>Canadian Journal of Anaesthesia</i> , 2008, 55, 168-171.	1.6	9
157	Up-down determination of the ED90 of phenylephrine for spinal induced hypotension in parturients undergoing cesarean delivery. <i>Canadian Journal of Anaesthesia</i> , 2008, 55, 4718571-4718572.	1.6	0
158	A double-blind placebo-controlled comparison of 4 fixed dose phenylephrine infusion regimens for prophylaxis of spinal-induced hypotension during cesarean delivery. <i>Canadian Journal of Anaesthesia</i> , 2008, 55, 4756941-4756942.	1.6	0
159	The use of droperidol before and after the Food and Drug Administration black box warning: a survey of the members of the Society of Ambulatory Anesthesia. <i>Journal of Clinical Anesthesia</i> , 2008, 20, 35-39.	1.6	60
160	Ethnicity and the Distance to the Epidural Space in Parturients. <i>Regional Anesthesia and Pain Medicine</i> , 2008, 33, 24-29.	2.3	10
161	Management of a parturient with an acute exacerbation of idiopathic pulmonary haemosiderosis and posterior spinal instrumentation. <i>British Journal of Anaesthesia</i> , 2008, 100, 235-239.	3.4	9
162	Acupuncture and related techniques for postoperative pain: a systematic review of randomized controlled trials. <i>British Journal of Anaesthesia</i> , 2008, 101, 151-160.	3.4	252

#	ARTICLE	IF	CITATIONS
163	Phase 2, Double-blind, Placebo-controlled, Dose-Response Trial of Intravenous Adenosine for Perioperative Analgesia. <i>Anesthesiology</i> , 2008, 109, 1085-1091.	2.5	21
164	Haloperidol for Postoperative Nausea and Vomiting: Are We Reinventing the Wheel?. <i>Anesthesia and Analgesia</i> , 2008, 106, 1343-1345.	2.2	13
165	Transdermal Nicotine for Analgesia After Radical Retropubic Prostatectomy. <i>Anesthesia and Analgesia</i> , 2008, 107, 999-1004.	2.2	50
166	PRO: The Food and Drug Administration Black Box Warning on Droperidol Is Not Justified. <i>Anesthesia and Analgesia</i> , 2008, 106, 1414-1417.	2.2	40
167	A Pilot Study to Compare the Episurround, Autodetect, Syringe with the Glass Syringe for Identification of the Epidural Space in Parturients. <i>Anesthesia and Analgesia</i> , 2008, 106, 541-543.	2.2	46
168	P6 Stimulation for the Prevention of Nausea and Vomiting Associated with Cesarean Delivery Under Neuraxial Anesthesia: A Systematic Review of Randomized Controlled Trials. <i>Anesthesia and Analgesia</i> , 2008, 107, 1308-1312.	2.2	36
169	A Comparison of Ondansetron with Promethazine for Treating Postoperative Nausea and Vomiting in Patients Who Received Prophylaxis with Ondansetron: A Retrospective Database Analysis. <i>Anesthesia and Analgesia</i> , 2007, 104, 548-551.	2.2	61
170	A Randomized, Double-Blind Comparison of the NK1 Antagonist, Aprepitant, Versus Ondansetron for the Prevention of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2007, 104, 1082-1089.	2.2	170
171	Society for Ambulatory Anesthesia Guidelines for the Management of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2007, 105, 1615-1628.	2.2	600
172	The Importance of Transparency in Industry-Sponsored Multicenter Clinical Studies. <i>Anesthesia and Analgesia</i> , 2007, 105, 1861-1862.	2.2	1
173	Adenosine as a Non-Opioid Analgesic in the Perioperative Setting. <i>Anesthesia and Analgesia</i> , 2007, 105, 487-494.	2.2	52
174	Detecting an Infiltrated Intravenous Catheter Using Indigo Carmine: A Novel Method. <i>Anesthesia and Analgesia</i> , 2007, 105, 1130-1131.	2.2	5
175	How much are patients willing to pay to avoid postoperative muscle pain associated with succinylcholine?. <i>Journal of Clinical Anesthesia</i> , 2007, 19, 601-608.	1.6	9
176	Motor Blocking Minimum Local Anesthetic Concentrations of Bupivacaine, Levobupivacaine, and Ropivacaine in Labor. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 323-329.	2.3	40
177	Case series: Combined spinal epidural anesthesia for Cesarean delivery and ex utero intrapartum treatment procedure. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 218-222.	1.6	56
178	The management of Cesarean delivery in a parturient with paroxysmal nocturnal hemoglobinuria complicated by severe preeclampsia. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 646-651.	1.6	3
179	Use of Neostigmine in the Management of Acute Postoperative Pain and Labour Pain. <i>CNS Drugs</i> , 2006, 20, 821-839.	5.9	37
180	Gabapentin and postoperative pain – a systematic review of randomized controlled trials. <i>Pain</i> , 2006, 126, 91-101.	4.2	362

#	ARTICLE	IF	CITATIONS
181	Transcutaneous Acupoint Electrical Stimulation with the ReliefBand?? for the Prevention of Nausea and Vomiting During and After Cesarean Delivery Under Spinal Anesthesia. <i>Anesthesia and Analgesia</i> , 2006, 102, 581-584.	2.2	46
182	Postoperative nausea and vomiting following inpatient surgeries in a teaching hospital: a retrospective database analysis. <i>Current Medical Research and Opinion</i> , 2006, 22, 1093-1099.	1.9	102
183	Intrathecal Morphine for Analgesia After Postpartum Bilateral Tubal Ligation. <i>Anesthesia and Analgesia</i> , 2005, 100, 239-243.	2.2	39
184	Intrathecal Morphine for Postpartum Bilateral Tubal Ligation. <i>Anesthesia and Analgesia</i> , 2005, 101, 609.	2.2	0
185	Role of Analgesic Adjuncts in Postoperative Pain Management. <i>Anesthesiology Clinics</i> , 2005, 23, 85-107.	1.4	15
186	Perioperative anesthetic management for cesarean section of a parturient with gestational diabetes insipidus. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 733-736.	1.6	9
187	Subtle desaturation and perioperative methemoglobinemia. The need for continued vigilance. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 771-772.	1.6	7
188	Comment: promethazine adverse events after implementation of a medication shortage interchange. <i>Annals of Pharmacotherapy</i> , 2005, 39, 1370-1370.	1.9	5
189	Dural ectasia: a likely cause of inadequate spinal anaesthesia in two parturients with Marfan's syndrome. <i>British Journal of Anaesthesia</i> , 2005, 94, 500-504.	3.4	62
190	The effectiveness of rescue antiemetics after failure of prophylaxis with ondansetron or droperidol: a preliminary report. <i>Journal of Clinical Anesthesia</i> , 2005, 17, 62-65.	1.6	77
191	Tracheal intubation without muscle relaxants for caesarean section in patients with spinal muscular atrophy. <i>International Journal of Obstetric Anesthesia</i> , 2005, 14, 366-367.	0.4	6
192	A Randomized Comparison of a Multimodal Management Strategy Versus Combination Antiemetics for the Prevention of Postoperative Nausea and Vomiting. <i>Anesthesia and Analgesia</i> , 2004, 99, 77-81.	2.2	99
193	The efficacy of the 5-HT3 receptor antagonists combined with droperidol for PONV prophylaxis is similar to their combination with dexamethasone. A meta-analysis of randomized controlled trials. <i>Canadian Journal of Anaesthesia</i> , 2004, 51, 311-319.	1.6	99
194	Evidence-based management of postoperative nausea and vomiting: a review. <i>Canadian Journal of Anaesthesia</i> , 2004, 51, 326-341.	1.6	195
195	Anesthesia for cesarean section in a patient with spinal muscular atrophy. <i>Journal of Clinical Anesthesia</i> , 2004, 16, 217-219.	1.6	23
196	Safety of Patients Reason for FDA Black Box Warning on Droperidol. <i>Anesthesia and Analgesia</i> , 2004, 98, 551-552.	2.2	14
197	Pharmacodynamic Interactions Between Cisatracurium and Rocuronium. <i>Anesthesia and Analgesia</i> , 2004, 98, 107-110.	2.2	13
198	Anesthetic management of a ventilator-dependent parturient with the King-Denborough syndrome. <i>Canadian Journal of Anaesthesia</i> , 2003, 50, 589-592.	1.6	13

#	ARTICLE	IF	CITATIONS
199	Pharmacotherapy of postoperative nausea and vomiting. Expert Opinion on Pharmacotherapy, 2003, 4, 457-473.	1.8	22
200	Food and Drug Administration Black Box Warning on the Perioperative Use of Droperidol: A Review of the Cases. Anesthesia and Analgesia, 2003, 96, 1377-1379.	2.2	131
201	Combination Antiemetics. International Anesthesiology Clinics, 2003, 41, 119-144.	0.8	24
202	There Should Be a Threshold Dose for the FDA Black-Box Warning on Droperidol. Anesthesia and Analgesia, 2003, 97, 1542.	2.2	12
203	Pharmacotherapy of postoperative nausea and vomiting. Expert Opinion on Pharmacotherapy, 2003, 4, 457-473.	1.8	0
204	Combination therapy for postoperative nausea and vomiting â€” a more effective prophylaxis?. Ambulatory Surgery, 2001, 9, 59-71.	0.1	70
205	History of postoperative nausea and vomiting. , 0, , 1-12.		0
206	Patients' experience and nursing perspective. , 0, , 34-40.		0
207	Pharmacology of histamine, muscarine and dopamine antagonists. , 0, , 62-73.		0
208	Propofol and other sedatives as antiemetics. , 0, , 90-97.		0
209	Nonpharmacologic management of postoperative nausea and vomiting. , 0, , 98-106.		0
210	Management of postoperative nausea and vomiting in inpatients and ambulatory patients. , 0, , 131-145.		0
211	Postoperative nausea and vomiting management: cost-effectiveness and patient outcome. , 0, , 146-155.		0
212	Postoperative nausea and vomiting research: methodology, assessment and strength of evidence. , 0, , 156-169.		1
213	Implementing postoperative nausea and vomiting management guidelines. , 0, , 170-182.		0
214	Genomics and personalized medicine in postoperative nausea and vomiting management. , 0, , 41-52.		0
215	Risk factors and their impact on postoperative nausea and vomiting. , 0, , 23-33.		0
216	Pharmacology of serotonin antagonists. , 0, , 53-61.		0

#	ARTICLE	IF	CITATIONS
217	Combination antiemetics. , 0 , 107-118.		0
218	Management of postoperative nausea and vomiting in pediatric patients. , 0 , 119-130.		0